

ETSI TS 103 161-13 V1.1.1 (2011-10)



**Access, Terminals, Transmission and Multiplexing (ATTM);
Integrated Broadband Cable and Television Networks;
IPCablecom 1.5;
Part 13: Trunking Gateway Control Protocol - MGCP option**

[ETSI TS 103 161-13 V1.1.1 \(2011-10\)](https://standards.iteh.ai/catalog/standards/etsi/b045f5d8-b8a6-40aa-9297-cd14e1a3bc1a/etsi-ts-103-161-13-v1-1-1-2011-10)

<https://standards.iteh.ai/catalog/standards/etsi/b045f5d8-b8a6-40aa-9297-cd14e1a3bc1a/etsi-ts-103-161-13-v1-1-1-2011-10>

Reference

DTS/ATTM-003011-13

Keywords

access, broadband, cable, IP, multimedia, PSTN

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	11
3 Definitions and abbreviations.....	11
3.1 Definitions.....	11
3.2 Abbreviations	11
4 Void.....	13
5 Technical Overview	13
6 Introduction	14
6.1 Relation with Other IP/Cablecom Standards	15
6.2 Relation to RFC 3435 and ABNF Grammar	15
7 Media Gateway Control Interface (MGCI).....	16
7.1 Model and Naming Conventions.....	16
7.1.1 Endpoint Names.....	16
7.1.1.1 Trunking Gateway Endpoint Names	17
7.1.1.1.1 Trunk Circuit Endpoints	17
7.1.2 Call Names.....	19
7.1.3 Connection Names	19
7.1.4 Names of Media Gateway Controllers and Other Entities	19
7.1.5 Digit Maps	20
7.1.6 Events and Signals	20
7.2 SDP Use	22
7.3 Gateway Control Functions.....	22
7.3.1 NotificationRequest	24
7.3.2 Notifications	29
7.3.3 CreateConnection	29
7.3.4 ModifyConnection	34
7.3.5 DeleteConnection (From the Media Gateway Controller)	35
7.3.6 DeleteConnection (From the Trunking gateway)	37
7.3.7 DeleteConnection (Multiple Connections From the Media Gateway Controller)	37
7.3.8 Auditing	38
7.3.8.1 AuditEndPoint.....	38
7.3.8.2 AuditConnection	40
7.3.9 Restart in Progress	41
7.4 States, Failover and Race Conditions.....	43
7.4.1 Recaps and Highlights	43
7.4.2 Retransmission and Detection of Lost Associations.....	43
7.4.3 Race Conditions.....	46
7.4.3.1 Quarantine list	46
7.4.3.2 Explicit detection	50
7.4.3.3 Transactional Semantics.....	50
7.4.3.4 Ordering of commands and treatment of disorder.....	51
7.4.3.5 Fighting the restart avalanche	52
7.4.3.6 Disconnected Endpoints.....	53
7.4.3.7 Call Agent Handling of Disconnected Endpoints	55
7.5 Return Codes and Error Codes	56
7.6 Reason Codes	58
7.7 Use of Local Connection Options and Connection Descriptors	58
7.7.1 RFC 2833 Negotiation.....	60

7.7.2	Remote IP and Port Negotiation	60
7.7.3	LCO use when the FXR package is used without the VBD package.....	61
7.7.3.1	fxr/fx:gw	61
7.7.3.2	fxr/fx:t38;off.....	61
7.7.3.3	fxr/fx:t38	62
7.7.3.4	fxr/fx:t38-loose.....	62
7.7.3.5	Other Options	62
7.7.4	LCO with FXR and VBD being used by MGC at same time	63
7.7.5	LCO format for V.152 and 2198 Redundancy use	64
8	Media Gateway Control Protocol.....	65
8.1	General Description.....	65
8.2	Command Header.....	66
8.2.1	Command Line	66
8.2.1.1	Requested Verb Coding	66
8.2.1.2	Transaction Identifiers	66
8.2.1.3	Endpoint, Media Gateway Controller and NotifiedEntity Name Coding.....	67
8.2.1.4	Protocol Version Coding.....	67
8.2.2	Parameter Lines	68
8.2.2.1	Response Acknowledgement	69
8.2.2.2	RequestIdentifier.....	69
8.2.2.3	Local Connection Options.....	70
8.2.2.4	Capabilities.....	71
8.2.2.5	Connection Parameters.....	72
8.2.2.6	Reason Codes	72
8.2.2.7	Connection Mode.....	73
8.2.2.8	Event/Signal Name Coding.....	73
8.2.2.9	RequestedEvents	74
8.2.2.10	SignalRequests	74
8.2.2.11	ObservedEvents	75
8.2.2.12	RequestedInfo	75
8.2.2.13	QuarantineHandling	76
8.2.2.14	DetectEvents	76
8.2.2.15	EventStates.....	76
8.2.2.16	RestartMethod.....	76
8.2.2.17	VersionSupported.....	76
8.2.2.18	Call Identifier	76
8.2.2.19	Connection Identifier	76
8.2.2.20	MaxMGCPDatagram	77
8.3	Response Header Formats	77
8.3.1	CreateConnection	78
8.3.2	ModifyConnection.....	79
8.3.3	DeleteConnection	79
8.3.4	NotificationRequest	79
8.3.5	Notify.....	79
8.3.6	AuditEndpoint.....	79
8.3.7	AuditConnection.....	80
8.3.8	RestartInProgress	80
8.4	Session Description Encoding.....	80
8.4.1	Use of SDP	81
8.4.2	SDP Parameters Common to both Audio (m=audio media line) and Image (m=image media line) Service Use	81
8.4.2.1	Protocol Version (v=).....	81
8.4.2.2	Session Name (s=)	82
8.4.2.3	Session and Media Information (i=).....	82
8.4.2.4	URI (u=).....	82
8.4.2.5	E-Mail Address and Phone Number (e=, p=).....	82
8.4.2.6	Connection Data (c=)	82
8.4.2.7	Bandwidth (b=)	83
8.4.2.8	Time, Repeat Times and Time Zones (t=, r=, z=).....	83
8.4.2.9	Attributes (a=).....	83
8.4.3	SDP Audio Service Use	85

8.4.3.1	Encryption Keys.....	85
8.4.3.2	Attributes (a=).....	85
8.4.3.3	Media Announcements (m=).....	87
8.4.4	SDP Image Service Use for T.38.....	87
8.4.4.1	Encryption Keys:.....	87
8.4.4.2	Attributes (a=).....	88
8.4.4.3	Media Announcements (m=).....	89
8.5	Transmission Over UDP	90
8.5.1	Reliable Message Delivery	90
8.5.2	Retransmission Strategy	90
8.5.3	Maximum Datagram Size, Fragmentation and Reassembly	91
8.6	Piggy-Backing.....	91
8.7	Transaction identifiers and three ways handshake	92
8.8	Provisional Responses	93
9	Security.....	94
Annex A (normative):	Event Packages.....	95
A.1	ISUP Trunk Package	95
A.2	MF FGD Operator Services Package	98
A.3	MF Terminating Protocol Package.....	101
A.4	FAX Package.....	103
A.5	VoIP Metrics Package	103
A.6	Vbd and GPMD packages	104
Annex B (informative):	Mode Interactions.....	105
Annex C (informative):	Example Command Encodings.....	107
C.1	NotificationRequest.....	107
C.2	Notify	107
C.3	CreateConnection.....	107
C.4	ModifyConnection	109
C.5	DeleteConnection (From the Media Gateway Controller)	110
C.6	DeleteConnection (From the Trunking gateway).....	110
C.7	DeleteConnection (Multiple Connections From the Media Gateway Controller).....	110
C.8	AuditEndpoint	111
C.9	AuditConnection	111
C.10	RestartInProgress	112
Annex D (informative):	Example Call Flow.....	114
Annex E (normative):	Endpoint Requirements	117
E.1	Connection Modes Supported	117
Annex F (informative):	Compatibility Information.....	118
F.1	NCS Compatibility.....	118
F.2	MGCP Compatibility	118
Annex G (normative):	ABNF Grammar for TGCP	120
Annex H (normative):	Electronic Surveillance.....	131

H.1	MGC.....	131
H.2	MG	131
Annex G (informative):	Bibliography.....	134
History		135

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 103 161-13 V1.1.1 \(2011-10\)](https://standards.iteh.ai/catalog/standards/etsi/b045f5d8-b8a6-40aa-9297-cd14e1a3bc1a/etsi-ts-103-161-13-v1-1-1-2011-10)

<https://standards.iteh.ai/catalog/standards/etsi/b045f5d8-b8a6-40aa-9297-cd14e1a3bc1a/etsi-ts-103-161-13-v1-1-1-2011-10>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Access, Terminals, Transmission and Multiplexing (ATTM).

The present document is part 13 of a multi-part IPCablecom 1.5 deliverable covering the Digital Broadband Cable Access to the Public Telecommunications Network; IP Multimedia Time Critical Services, as identified below:

- Part 1: "Overview";
- Part 2: "Architectural framework for the delivery of time critical services over Cable Television Networks using Cable Modems";
- Part 3: "Audio Codec Requirements for the Provision of Bi-Directional Audio Service over Cable Television Networks using Cable Modems";
- Part 4: "Network Call Signalling Protocol";
- Part 5: "Dynamic Quality of Service for the Provision of Real Time Services over Cable Television Networks using Cable Modems";
- Part 6: "Event Message Specification";
- Part 7: "Media Terminal Adapter (MTA) Management Information Base (MIB)";
- Part 8: "Network Call Signalling (NCS) MIB Requirements";
- Part 9: "Security";
- Part 10: "Management Information Base (MIB) Framework";
- Part 11: "Media terminal adapter (MTA) device provisioning";
- Part 12: "Management Event Mechanism";
- Part 13: "Trunking Gateway Control Protocol - MGCP option";**
- Part 14: "Embedded MTA Analog Interface and Powering Specification"
- Part 15: "Analog Trunking for PBX Specification";
- Part 16: "Signalling for Call Management Server";
- Part 17: "CMS Subscriber Provisioning Specification";
- Part 18: "Media Terminal Adapter Extension MIB";
- Part 19: "IPCablecom Audio Server Protocol Specification - MGCP option";
- Part 20: "Management Event MIB Specification";