

ETSI TS 103 478 V1.3.1 (2025-07)



Emergency Communications (EMTEL); Pan-European Mobile Emergency Application

(<https://standards.iteh.ai>)

Document Preview

[ETSI TS 103 478 V1.3.1 \(2025-07\)](https://standards.iteh.ai/catalog/standards/etsi/35c60e75-7394-4ca1-9526-bc4e03358412/etsi-ts-103-478-v1-3-1-2025-07)

<https://standards.iteh.ai/catalog/standards/etsi/35c60e75-7394-4ca1-9526-bc4e03358412/etsi-ts-103-478-v1-3-1-2025-07>

Reference

RTS/EMTEL-00078

Keywords

application, emergency

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
Executive summary	7
Introduction	8
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	10
3.1 Terms.....	10
3.2 Symbols.....	11
3.3 Abbreviations	11
4 PEMEA architecture and functional entities	12
4.1 Introduction	12
4.2 Functional entities overview.....	12
4.2.0 PEMEA Registration Authority.....	12
4.2.1 Application (App).....	12
4.2.2 Application Provider (AP)	13
4.2.3 PSAP Service Provider (PSP).....	13
4.2.4 Aggregating Service Provider (ASP).....	13
4.2.5 PSAP Interface Module (PIM).....	13
4.3 Interface definitions.....	15
4.3.1 Application Interface (Pa).....	15
4.3.2 Application Provider to PSAP Service Provider Interface (Ps)	15
4.3.3 PSAP Service Provider Interface to Aggregating Service Provider Interface (Pr)	15
4.3.4 PSAP Service Provider to PSAP Interface (Pp).....	15
5 PEMEA functional entity requirements	15
5.1 Introduction	15
5.2 Application requirements	16
5.3 Application provider requirements.....	16
5.4 PSAP service provider requirements.....	16
5.5 Aggregating service provider requirements.....	17
6 PEMEA Message Element Definitions	17
6.1 Introduction	17
6.2 emergencyDataSend Information Elements	18
6.3 emergencyDataReceived Information Elements	19
6.4 error Information Elements	19
6.5 PEMEA Confirmation Messages	19
7 PEMEA Message Flows.....	20
7.1 Introduction	20
7.2 Ps message flows.....	20
7.2.1 Ps message flow description	20
7.2.2 Ps basic flow	20
7.2.3 Ps error flow	21
7.2.4 Ps routing flow.....	22
7.3 Pr message flows.....	23
7.3.1 Pr message flow description	23
7.3.2 Pr terminating-PSP basic flow.....	23
7.3.3 Pr error flow.....	24
7.3.4 Pr end to end routing flow	26

8	PEMEA alignment with ETSI TS 103 479	28
8.1	General alignment	28
8.2	PEMEA to border control function	28
8.3	PEMEA to Legacy Network Gateway	30
9	Message transportation and processing	31
9.1	HTTP usage	31
9.2	Authenticating and authorizing PEMEA entities	32
9.3	PEMEA Securing a PSAP Retrieving Data By Reference or a reach-back URI	32
9.4	PEMEA XML Processing Rules	33
10	PEMEA XML structures and messages	33
10.1	Ps Introduction	33
10.2	Timestamps	33
10.3	General types	34
10.3.1	pemea:posIntType	34
10.3.2	pemea:nodeType	34
10.3.3	pemea:hopsType	34
10.3.4	pemea:routeType	34
10.3.5	pemea:destinationType	35
10.3.6	pemea:destinationNodeType	35
10.3.7	pemea:deliveryType	35
10.3.8	pemea:typeOfCallerIdType	35
10.3.9	pemea:callerIdType	35
10.3.10	pemea:callerIdListType	36
10.3.11	pemea:informationType	36
10.3.12	pemea:apMoreInfoType	37
10.3.13	pemea:accessDataType	38
10.3.13.1	pemea:accessDataType structure	38
10.3.13.2	network	38
10.3.13.3	wifi	39
10.3.14	pemea:accessData	39
10.3.15	pemea:msgInfoType	40
10.3.16	pemea:cell2g	40
10.3.17	pemea:cell3g	41
10.3.18	pemea:cell4g	41
10.3.19	pemea:cell5g	42
10.3.20	pemea:cellId5NRType	42
11	PEMEA Message Definition	42
11.1	emergencyDataSend Message	42
11.1.1	emergencyDataSend message structure	42
11.1.2	emergencyDataSend example	44
11.1.3	onErrorPost usage details	46
11.1.4	onCapSupportPost usage details	46
11.1.5	onClosePost usage details	47
11.1.6	subscribeClosePost usage details	48
11.2	emergencyDataReceived message	49
11.2.1	emergencyDataReceived message structure	49
11.2.2	emergencyDataReceived example	50
11.3	error message	50
12	PEMEA PIDF-LO Profiling	52
12.1	Rationale	52
12.2	entity	52
12.3	tuple	52
12.4	status	52
12.5	geopriv	53
12.5.1	geopriv element profile	53
12.5.2	location-info	53
12.5.2.1	location-info profile	53
12.5.2.2	Confidence	53
12.5.3	usage-rules	54

12.5.4	method	54
12.5.5	provided-by	54
12.6	timestamp	54
12.7	PIDF-LO example	54
13	PEMEA Additional-Data Profiling	55
13.1	Rationale	55
13.2	Additional-Data: provided-by	55
13.3	EmergencyCallDataValue	55
13.4	EmergencyCallData.ProviderInfo	55
13.4.1	EmergencyCallData.ProviderInfo profile	55
13.4.2	DataProviderContact: vcard	56
13.4.2.1	DataProviderContact: vcard profile	56
13.4.2.2	DataProviderContact: org	56
13.4.2.3	DataProviderContact: adr	57
13.4.2.4	DataProviderContact: email	58
13.4.2.5	DataProviderContact: URL	58
13.4.3	EmergencyCallData.ProviderInfo: Complete Example	58
13.5	EmergencyCallData.DeviceInfo	59
13.6	EmergencyCallData.SubscriberData	59
13.6.1	EmergencyCallData.SubscriberData profile	59
13.6.2	SubscriberData: vcard	60
13.6.2.1	SubscriberData: vcard profile	60
13.6.2.2	SubscriberData: Caller's name	60
13.6.2.3	SubscriberData: home address	61
13.6.2.4	SubscriberData: language	61
13.6.2.5	SubscriberData: gender	62
13.6.2.6	SubscriberData: bday	62
13.6.2.7	SubscriberData: tel	62
13.6.2.8	SubscriberData: email	63
13.6.2.9	SubscriberData: Emergency Family Contacts	63
13.6.3	EmergencyCallData.SubscriberData: Complete Example	65
13.7	Additional-Data: EmergencyCallDataReference	66
13.8	provided-by: Complete Examples	66
14	Operating Procedures	67
14.1	Application Provider Operating Procedures	67
14.1.1	AP sending an EDS to the PSP	67
14.1.2	AP reach-back URI queries	69
14.1.3	Call termination (ending) and URI invalidation	69
14.1.4	Call termination (ending) by the PSAP	70
14.2	PSAP Service Provider Operating Procedures	70
14.2.1	PSP receiving an EDS message over Ps	70
14.2.2	PSP sending an EDS message over Pr	72
14.2.3	PSP receiving an EDS message over Pr	72
14.2.4	Call termination (ending) by the caller	73
14.2.5	Call termination (ending) by the PSAP	74
14.3	Aggregating Service Provider Operating Procedures	74
14.3.1	Overview of Pr	74
14.3.2	ASP receiving an EDS message over Pr	74
14.3.3	ASP sending an EDS message over Pr	75
15	Example message Flows	75
15.1	Description	75
15.2	AP to PSP EDS	75
15.3	oPSP to AP EDR	77
15.4	oPSP to ASP EDS	77
15.5	ASP to oPSP EDR	79
15.6	ASP to tPSP EDS	79
15.7	tPSP to ASP EDR	81
16	PEMEA Schema	81
17	PEMEA Callback	87

17.1	Overview	87
17.2	Service support indication and response	87
17.2.1	Service definition.....	87
17.2.2	Service support indication	88
17.2.3	Service support response	88
17.3	Procedures and signalling.....	88
17.3.1	Overview	88
17.3.2	Service invocation	88
17.3.3	Callback operation	90
Annex A (informative):	Route Determination	92
Annex B (informative):	Caller Data	94
Annex C (informative):	Additional AP Information	95
History		96

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 103 478 V1.3.1 \(2025-07\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/35c60e75-7394-4ca1-9526-bc4e03358412/etsi-ts-103-478-v1-3-1-2025-07>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Specification (TS) has been produced by ETSI Special Committee Emergency Communications (EMTEL).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Executive summary

The Pan-European Mobile Emergency Application (PEMEA) architecture provides the requirements and architecture for a solution to provide emergency application interconnection. It specifies the protocols and procedures enabling interoperable implementations of the architecture and provides extension points to enable new communication mechanisms as they evolve.