

ETSI TS 103 479 V1.3.1 (2025-09)



**Emergency Communications (EMTEL);
Core elements for network independent access
to emergency services**

Document Preview

[ETSI TS 103 479 V1.3.1 \(2025-09\)](https://standards.iteh.ai/catalog/standards/etsi/d6f284b5-151e-4898-9a61-205002c2b7c7/etsi-ts-103-479-v1-3-1-2025-09)

<https://standards.iteh.ai/catalog/standards/etsi/d6f284b5-151e-4898-9a61-205002c2b7c7/etsi-ts-103-479-v1-3-1-2025-09>

Reference

RTS/EMTEL-00076

Keywords

emergency services, location, multimedia

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
Executive summary	7
Introduction	8
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	12
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms.....	13
3.2 Symbols.....	13
3.3 Abbreviations	13
4 General	15
4.1 Overview	15
4.2 Architecture	15
4.3 Mandatory Interfaces.....	16
4.4 Optional Interfaces	18
5 Entities.....	18
5.1 Border Control Function (BCF)	18
5.1.1 General.....	18
5.1.2 Mandatory Interfaces	19
5.1.3 Optional Interfaces.....	19
5.2 Emergency Service Routing Proxy (ESRP)	19
5.2.1 General.....	19
5.2.2 Mandatory Interfaces	20
5.2.3 Optional Interfaces.....	21
5.2.4 Call Queueing	21
5.2.5 Policy Routing	22
5.2.6 Identity Verification.....	23
5.3 Emergency Call Routing Function (ECRF).....	23
5.3.1 General.....	23
5.3.2 Mandatory Interfaces	23
5.3.3 Optional Interfaces.....	24
5.3.4 Routing Query	24
5.3.5 Service Boundary.....	24
5.3.6 Forest Guide.....	25
5.3.6.1 General	25
5.3.6.2 NAPTR Resource Records.....	25
5.4 Public Safety Answering Point (PSAP).....	25
5.4.1 General.....	25
5.4.2 Mandatory Interfaces	26
5.4.3 Optional Interfaces.....	26
5.5 Location Information Server (LIS).....	27
5.5.1 General.....	27
5.5.2 Mandatory Interfaces	28
5.5.3 Optional Interfaces.....	28
5.5.4 Location Representation	28
5.6 Call Transfer Bridge (BRIDGE)	29
5.6.1 General.....	29
5.6.2 Mandatory Interfaces	29
5.6.3 Optional Interfaces.....	30

5.7	Outbound Call Interface Function (OCIF)	30
5.7.1	General.....	30
5.7.2	Mandatory Interfaces	30
5.7.3	Optional Interfaces.....	31
6	Interfaces	31
6.1	Signalling	31
6.1.1	SIP Transport (SIP-1)	31
6.1.2	SIP Session (SIP-2).....	31
6.1.2.1	General	31
6.1.2.2	SIP Methods.....	32
6.1.2.3	Required SIP Headers	35
6.1.2.4	Accepted SIP Headers.....	36
6.1.2.5	Resource Priority and Priority.....	36
6.1.2.6	History-Info and Reason	37
6.1.2.7	Call-Info	37
6.1.2.8	SIP Message Bodies	38
6.1.2.9	SIP Element Overload.....	38
6.1.2.10	Test Call	39
6.1.2.11	Media and Language Negotiation	39
6.1.3	SIP Registration (SIP-3)	40
6.1.3.1	General	40
6.1.3.2	SIP Methods.....	40
6.1.3.3	Required SIP Headers	40
6.1.4	SIP Location Refresh (SIP-4)	40
6.1.4.1	General	40
6.1.4.2	SIP Method	40
6.1.4.3	Required SIP Headers	41
6.1.4.4	Location Refresh	41
6.2	Web Services.....	41
6.2.1	Dequeue Registration (HTTP-1).....	41
6.2.1.1	General	41
6.2.1.2	Parameter	42
6.2.1.3	Transport Layer Security.....	42
6.2.2	Bad Actor (HTTP-2).....	43
6.2.2.1	General	43
6.2.2.2	Parameter	43
6.2.2.3	Transport Layer Security.....	43
6.2.3	Signing and Verification (HTTP-3)	43
6.2.3.1	General	43
6.2.3.2	Parameter	44
6.2.3.3	Transport Layer Security.....	46
6.3	Event Notification	46
6.3.1	Queue State (SIP-E1).....	46
6.3.1.1	General	46
6.3.1.2	Parameter	47
6.3.2	Abandoned Call (SIP-E2)	48
6.3.2.1	General	48
6.3.2.2	Parameter	48
6.3.3	Security Posture (SIP-E3).....	49
6.3.3.1	General	49
6.3.3.2	Parameter	49
6.3.4	Element State (SIP-E4).....	50
6.3.4.1	General	50
6.3.4.2	Parameter	50
6.3.5	Service State (SIP-E5)	51
6.3.5.1	General	51
6.3.5.2	Parameter	51
6.4	Mapping Services	52
6.4.1	Find Service (LOST-1)	52
6.4.1.1	General	52
6.4.1.2	findService Request	53

6.4.1.3	findService Response	53
6.4.1.4	Transport Layer Security.....	54
6.4.2	Service Boundary (LOST-2).....	54
6.4.2.1	General	54
6.4.2.2	getServiceBoundary Request	54
6.4.2.3	getServiceBoundary Response	55
6.4.2.4	Transport Layer Security.....	55
6.4.3	List Services (LOST-3).....	55
6.4.3.1	General	55
6.4.3.2	listServices Request	55
6.4.3.3	listServices Response	55
6.4.3.4	Transport Layer Security.....	55
6.4.4	List Services by Location (LOST-4).....	55
6.4.4.1	General	55
6.4.4.2	listServicesByLocation Request.....	56
6.4.4.3	listServicesByLocation Response	56
6.4.4.4	Transport Layer Security.....	56
6.4.5	Error Responses	56
6.5	Location Services	57
6.5.1	HTTP Enabled Location Delivery (HELD-1).....	57
6.5.1.1	General	57
6.5.1.2	Location Request.....	57
6.5.1.3	Location Response	57
6.5.1.4	Error Responses	57
6.5.1.5	Transport Layer Security.....	57
6.5.2	Location Dereference (HELD-2)	57
6.5.3	Location URI (HELD-3).....	57
6.5.3.1	General	57
6.5.3.2	Subscription	57
6.5.3.3	Notification	58
6.6	Media.....	58
6.6.1	RTP Transport (RTP-1)	58
6.6.2	RTP Types (RTP-2).....	58
6.6.2.1	General	58
6.6.2.2	Audio.....	58
6.6.2.3	Video.....	58
6.6.2.4	Real-time Text.....	59
6.7	Instant Messaging (IM-1)	59
6.8	Common Alerting Protocol (CAP-1).....	59

Annex A (normative): JSON Schema.....60

A.1	QueueState	60
A.2	AbandonedCall.....	60
A.3	SecurityPosture.....	61
A.4	ElementState.....	62
A.5	ServiceState.....	62
A.6	Dequeue Registration Request	63
A.7	Dequeue Registration Response	63
A.8	BadActor Service	64
A.9	BadActor Response	64

Annex B (informative): Organizational Descriptions65

B.0	General	65
B.1	Certificate Authority.....	65

B.2	National, and Regional Authorities	65
B.3	Public Safety Computer Emergency Response Team (CERT)	65
B.4	ETSI Protocol Naming and Numbering Service (PNNS)	65
B.5	Emergency Call Service Authorities	65
Annex C (informative): Parameter Registries		67
C.0	General	67
C.1	queueState Registry	67
C.1.1	General	67
C.1.2	Name	67
C.1.3	Information required to create a new value	67
C.1.4	Management Policy	67
C.1.5	Content	67
C.1.6	Initial Values	67
C.2	securityPosture Registry	68
C.2.0	General	68
C.2.1	Name	68
C.2.2	Information required to create a new value	68
C.2.3	Management Policy	68
C.2.4	Content	68
C.2.5	Initial Values	68
C.3	elementState Registry	68
C.3.0	General	68
C.3.1	Name	68
C.3.2	Information required to create a new value	68
C.3.3	Management Policy	69
C.3.4	Content	69
C.3.5	Initial Values	69
C.4	serviceState Registry	69
C.4.0	General	69
C.4.1	Name	69
C.4.2	Information required to create a new value	69
C.4.3	Management Policy	69
C.4.4	Content	69
C.4.5	Initial Values	69
C.5	Cipher Suites	70
C.5.0	General	70
C.5.1	Recommended TLS 1.3 Cipher Suites	70
C.5.2	Acceptable TLS 1.2 Cipher Suites	70
Annex D (informative): Change history		71
History		72

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Specification (TS) has been produced by ETSI Special Committee Emergency Communications (EMTEL).

ETSI TS 103 479 V1.3.1 (2025-09)

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Executive summary

The core elements for network independent access to emergency services provide facilities that support centralized mapping and routing functions for current and future emergency communications and operational requirements. The baseline is a network with the functional elements that comprise security measures and the routing capabilities being necessary to forward a call received at any concentration point based on the caller's location to the responsible emergency call centre. In addition, other functional elements and necessary protocols and procedures enabling interoperable and secure implementations are specified to allow multimedia communications as they evolve.