

# ETSI TS 122 261 V19.13.0 (2026-02)



TECHNICAL SPECIFICATION

**5G;**  
**Service requirements for the 5G system**  
**(3GPP TS 22.261 version 19.13.0 Release 19)**

Document Preview

[ETSI TS 122 261 V19.13.0 \(2026-02\)](https://standards.iteh.ai/catalog/standards/etsi/dda5f9cb-00cd-4da8-8988-08a8ce189214/etsi-ts-122-261-v19-13-0-2026-02)

<https://standards.iteh.ai/catalog/standards/etsi/dda5f9cb-00cd-4da8-8988-08a8ce189214/etsi-ts-122-261-v19-13-0-2026-02>



---

**Reference**

RTS/TSGS-0122261 vjd0

---

**Keywords**

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2026-02)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	10
Introduction .....	10
1 Scope .....	11
2 References .....	11
3 Definitions, symbols and abbreviations .....	13
3.1 Definitions .....	13
3.2 Abbreviations .....	18
4 Overview .....	18
5 High-level requirements .....	19
5.1 Migration to 5G .....	19
5.1.1 Description.....	19
5.1.2 Requirements .....	20
5.1.2.1 Interworking between 5G systems .....	20
5.1.2.2 Legacy service support.....	20
5.1.2.3 Interoperability with legacy 3GPP systems.....	20
6 Basic capabilities.....	21
6.1 Network slicing .....	21
6.1.1 Description.....	21
6.1.2 Requirements .....	21
6.1.2.1 General .....	21
6.1.2.2 Management.....	22
6.1.2.3 Network slice constraints .....	22
6.1.2.4 Cross-network slice coordination .....	23
6.2 Diverse mobility management .....	23
6.2.1 Description.....	23
6.2.2 General requirements .....	24
6.2.3 Service continuity requirements .....	24
6.2.4 Roaming related requirements .....	24
6.3 Multiple access technologies .....	24
6.3.1 Description.....	24
6.3.2 Requirements .....	24
6.3.2.1 General .....	24
6.3.2.2 E-UTRA access.....	25
6.3.2.3 Satellite access .....	25
6.3.2.4 Fixed broadband access.....	25
6.4 Resource efficiency .....	26
6.4.1 Description.....	26
6.4.2 Requirements .....	26
6.4.2.1 General .....	26
6.4.2.2 Efficient bulk operations for IoT.....	27
6.4.2.3 Efficient management for IoT .....	27
6.4.2.4 Efficient control plane.....	27
6.5 Efficient user plane.....	27
6.5.1 Description.....	27
6.5.2 Requirements .....	28
6.6 Efficient content delivery .....	29
6.6.1 Description.....	29
6.6.2 Requirements .....	29
6.7 Priority, QoS, and policy control.....	29

6.7.1	Description.....	29
6.7.2	Requirements .....	30
6.8	Dynamic policy control .....	31
6.9	Connectivity models.....	31
6.9.1	Description.....	31
6.9.2	Requirements .....	31
6.9.2.1	General .....	31
6.9.2.2	Services and Service Continuity .....	32
6.9.2.3	Permission and Authorization .....	32
6.9.2.4	Relay UE Selection .....	32
6.9.2.5	Satellite and Relay UEs.....	33
6.9.3	Requirements on direct device connection for Public Safety .....	33
6.10	Network capability exposure.....	33
6.10.1	Description.....	33
6.10.2	Requirements .....	33
6.11	Context-aware network .....	35
6.11.1	Description.....	35
6.11.2	Requirements .....	36
6.12	Self backhaul .....	36
6.12.1	Description.....	36
6.12.2	Requirements .....	36
6.13	Flexible broadcast/multicast service.....	37
6.13.1	Description.....	37
6.13.2	Requirements .....	37
6.14	Subscription aspects .....	38
6.14.1	Description.....	38
6.14.2	Requirements .....	38
6.15	Energy efficiency .....	39
6.15.1	Description.....	39
6.15.2	Requirements .....	39
6.15a	Energy Efficiency as a Service Criteria.....	39
6.15a.1	Description.....	39
6.15a.2	Energy related information as a service criteria.....	40
6.15a.2.1	Description .....	40
6.15a.2.2	Requirements .....	40
6.15a.3	Support of different energy states.....	41
6.15a.3.1	Description .....	41
6.15a.3.2	Requirements .....	41
6.15a.4	Monitoring and measurement .....	41
6.15a.4.1	Description .....	41
6.15a.4.2	Requirements .....	41
6.15a.5	Information exposure.....	41
6.15a.5.1	Description .....	41
6.15a.5.2	Requirements .....	42
6.15a.6	Network actions leveraging energy efficiency as a service criteria .....	42
6.15a.6.1	Description .....	42
6.15a.6.2	Requirements .....	42
6.16	Markets requiring minimal service levels .....	43
6.16.1	Description.....	43
6.16.2	Requirements .....	43
6.17	Extreme long range coverage in low density areas .....	43
6.17.1	Description.....	43
6.17.2	Requirements .....	43
6.18	Multi-network connectivity and service delivery across operators .....	44
6.18.1	Description.....	44
6.18.2	Requirements .....	44
6.19	3GPP access network selection .....	44
6.19.1	Description.....	44
6.19.2	Requirements .....	45
6.20	eV2X aspects.....	45
6.20.1	Description.....	45
6.20.2	Requirements .....	45

6.21	NG-RAN Sharing .....	45
6.21.1	Description .....	45
6.21.2	Requirements .....	46
6.21.2.1	General .....	46
6.21.2.2	Indirect network sharing .....	46
6.22	Unified access control .....	47
6.22.1	Description .....	47
6.22.2	Requirements .....	47
6.22.2.1	General .....	47
6.22.2.2	Access identities .....	48
6.22.2.3	Access categories .....	48
6.23	QoS monitoring .....	49
6.23.1	Description .....	49
6.23.2	Requirements .....	50
6.24	Ethernet transport services .....	52
6.24.1	Description .....	52
6.24.2	Requirements .....	52
6.25	Non-public networks .....	52
6.25.1	Description .....	52
6.25.2	Requirements .....	53
6.25.3	Groups of interconnected SNPNs .....	54
6.25.4	SNPN cellular hotspots .....	54
6.26	5G LAN-type service .....	54
6.26.1	Description .....	54
6.26.2	Requirements .....	55
6.26.2.1	General .....	55
6.26.2.2	5G LAN-virtual network (5G LAN-VN) .....	55
6.26.2.3	Creation and management .....	55
6.26.2.4	Privacy .....	56
6.26.2.5	Traffic types .....	56
6.26.2.6	Discovery .....	56
6.26.2.7	(void) .....	56
6.26.2.8	Indirect communication mode .....	56
6.26.2.9	Service exposure .....	57
6.27	Positioning services .....	57
6.27.1	Description .....	57
6.27.2	Requirements .....	57
6.28	Cyber-physical control applications in vertical domains .....	58
6.28.1	Description .....	58
6.28.2	Requirements .....	59
6.28.2.1	General .....	59
6.28.2.2	Smart Grid .....	59
6.29	Messaging aspects .....	59
6.29.1	Description .....	59
6.29.2	Requirements .....	59
6.30	Steering of roaming .....	60
6.30.1	Description .....	60
6.30.2	Requirements .....	60
6.31	Minimization of Service Interruption .....	60
6.31.1	Description .....	60
6.31.2	Requirements .....	60
6.31.2.1	General .....	60
6.31.2.2	Disaster Condition .....	61
6.31.2.3	Disaster Roaming .....	61
6.32	UAV aspects .....	61
6.32.1	Description .....	61
6.32.2	Requirements .....	61
6.33	Video, imaging and audio for professional applications .....	62
6.33.1	Description .....	62
6.33.2	Requirements .....	62
6.34	Critical medical applications .....	62
6.34.1	Description .....	62

6.34.2	Requirements .....	62
6.35	Service Function Chaining .....	63
6.35.1	Introduction.....	63
6.35.2	General Requirements.....	63
6.35.3	Service Function Management .....	63
6.36	5G Timing Resiliency .....	64
6.36.1	Overview .....	64
6.36.2	General.....	64
6.36.3	Monitoring and Reporting .....	64
6.36.4	Service Exposure .....	64
6.37	Ranging based services .....	65
6.37.1	Description.....	65
6.37.2	Requirements .....	65
6.38	Personal IoT Networks and Customer Premises Networks .....	66
6.38.1	Description.....	66
6.38.2	Requirements .....	67
6.38.2.1	General .....	67
6.38.2.2	Gateways .....	67
6.38.2.3	Operation without 5G core network connectivity .....	68
6.38.2.4	Discovery .....	68
6.38.2.5	Relay Selection .....	68
6.38.2.6	Security .....	68
6.38.2.7	QoS .....	69
6.38.2.8	Charging.....	69
6.38.2.9	Creation and Management .....	69
6.39	5G IMS Multimedia Telephony Service .....	70
6.39.1	Description.....	70
6.39.2	General.....	71
6.39.3	Service Exposure .....	71
6.40	AI/ML model transfer in 5GS .....	71
6.40.1	Description.....	71
6.40.2	Requirements .....	72
6.40.2.1	Requirements for direct network connection .....	72
6.40.2.2	Requirements for direct device connection .....	72
6.41	Providing Access to Local Services .....	73
6.41.1	Description.....	73
6.41.2	Requirements .....	74
6.41.2.1	General .....	74
6.41.2.2	Configuration of Localized Services in Hosting Network .....	74
6.41.2.3	User Manual Selection of Localized Services via Hosting Network .....	75
6.41.2.4	UE Configuration, Provisioning, Authentication and Authorization .....	75
6.41.2.5	UE Discovery, Selection and Access .....	75
6.41.2.6	Hosting Network Localized Services and Home Operator Services .....	76
6.41.2.7	Returning to Home Network .....	76
6.41.2.8	Charging.....	76
6.41.2.9	Regulatory Services .....	76
6.41.2.10	Multicast/Broadcast.....	76
6.42	Mobile base station relays .....	77
6.42.1	Description.....	77
6.42.2	Requirements .....	77
6.43	Tactile and multi-modal communication service .....	79
6.43.1	Description.....	79
6.43.2	Requirements .....	80
6.44	Roaming value-added services .....	80
6.44.1	Description.....	80
6.44.1.1	Overview .....	80
6.44.1.2	Welcome SMS .....	80
6.44.1.3	Steering of Roaming (SoR) during the registration.....	80
6.44.1.4	Subscription-based routing to a particular core network (e.g. in a different country) .....	80
6.44.2	Requirements .....	80
6.44.2.1	Welcome SMS .....	80
6.44.2.2	Subscription-based routing to a particular core network (e.g. in a different country) .....	81