

ETSI TS 123 122 V18.11.0 (2025-07)



TECHNICAL SPECIFICATION

**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
Non-Access-Stratum (NAS)
functions related to Mobile Station (MS) in idle mode
(3GPP TS 23.122 version 18.11.0 Release 18)**



ReferenceRTS/TSGC-0123122vib0

Keywords5G,GSM,LTE,UMTS

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-07)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	6
1 Scope	8
1.1 References	8
1.2 Definitions and abbreviations.....	11
2 General description of idle mode	18
3 Requirements and technical solutions	19
3.0 General	19
3.1 PLMN selection and roaming.....	20
3.1A CSG selection / restriction.....	24
3.1B PLMN selection triggered by ProSe communications.....	25
3.1C PLMN selection triggered by V2X communication over PC5	27
3.1D PLMN selection triggered by A2X communication over PC5	29
3.2 Regional provision of service.....	31
3.3 Borders between registration areas.....	33
3.4 Access control	33
3.4.1 Access control.....	33
3.4.2 Forbidden LA or TA for regional provision of service.....	34
3.5 No suitable cell (limited service state)	34
3.6 CTS fixed part selection (A/Gb mode only).....	36
3.7 NAS behaviour configuration.....	36
3.8 CAG selection (N1 mode only).....	36
3.9 SNPN selection	37
3.10 Minimization of service interruption.....	38
3.11 Signal level enhanced network selection.....	41
4 Overall process structure	42
4.1 Process goal.....	42
4.2 States description.....	42
4.3 List of states	43
4.3.1 List of states for the PLMN selection process	43
4.3.1.1 List of states for automatic mode (figure 2a)	43
4.3.1.2 List of states for manual mode (figure 2b).....	43
4.3.2 Void	43
4.3.3 List of states for location registration (figure 3)	43
4.4 PLMN selection process.....	44
4.4.1 Introduction.....	44
4.4.2 Registration on a PLMN	45
4.4.3 PLMN selection	45
4.4.3.0 General	45
4.4.3.1 At switch-on or recovery from lack of coverage.....	46
4.4.3.1.0 General	46
4.4.3.1.1 Automatic Network Selection Mode Procedure	47
4.4.3.1.2 Manual Network Selection Mode Procedure.....	52
4.4.3.1.3 Manual CSG selection.....	55
4.4.3.2 User reselection.....	57
4.4.3.2.0 General	57
4.4.3.2.1 Automatic Network Selection Mode	57
4.4.3.2.2 Manual Network Selection Mode.....	58
4.4.3.2.3 Manual CSG selection.....	58
4.4.3.3 In VPLMN	58
4.4.3.3.1 Automatic and manual network selection modes	58
4.4.3.3.2 Manual CSG selection.....	62

4.4.3.4	Investigation Scan for higher prioritized PLMN.....	62
4.4.3.5	Periodic attempts for signal level enhanced network selection.....	63
4.4.4	Abnormal cases.....	64
4.4.5	Roaming not allowed in this LA or TA.....	64
4.4.6	Steering of roaming.....	64
4.5	Location registration process.....	64
4.5.1	General.....	64
4.5.2	Initiation of Location Registration.....	65
4.5.3	Periodic Location Registration.....	67
4.5.4	IMSI attach/detach operation.....	68
4.5.5	No Suitable Cells In Location Area.....	68
4.6	Service indication (A/Gb mode only).....	68
4.7	Pageability of the mobile subscriber.....	68
4.8	MM Restart Procedure.....	69
4.9	SNPN selection process.....	69
4.9.1	General.....	69
4.9.2	Registration on an SNPN.....	69
4.9.3	SNPN selection.....	69
4.9.3.0	General.....	69
4.9.3.1	At switch-on or recovery from lack of coverage.....	77
4.9.3.1.0	General.....	77
4.9.3.1.1	Automatic SNPN selection mode procedure.....	78
4.9.3.1.2	Manual SNPN selection mode procedure.....	80
4.9.3.1.3	Automatic SNPN selection mode procedure for onboarding services in SNPN.....	83
4.9.3.1.4	Manual SNPN selection mode procedure for onboarding services in SNPN.....	84
4.9.3.1.5	Void.....	84
4.9.3.2	User reselection.....	84
4.9.3.2.0	General.....	84
4.9.3.2.1	Automatic SNPN selection mode.....	84
4.9.3.2.2	Manual SNPN selection mode procedure.....	85
4.9.3.3	Additional conditions for SNPN selection for MS supports access to an SNPN providing access for localized services in SNPN.....	86
4.9.4	Abnormal cases.....	86
5	Tables and Figures.....	88
6	MS supporting access technologies defined both by 3GPP and 3GPP2.....	94
6.1	General.....	94
Annex A (normative): HPLMN Matching Criteria.....		96
Annex B (normative): PLMN matching criteria to be of same country as VPLMN.....		100
Annex C (normative): Control plane solution for steering of roaming in 5GS.....		101
C.0	Requirements for 5G steering of roaming over the control plane.....	101
C.1	General.....	101
C.1.1	Steering of roaming over the control plane in a PLMN.....	101
C.1.2	Steering of roaming over the control plane in an SNPN.....	103
C.2	Stage-2 flow for steering of UE in VPLMN during registration.....	106
C.3	Stage-2 flow for steering of UE in HPLMN or VPLMN after registration.....	114
C.4	Enhanced 5G control plane steering of roaming for the UE in connected mode.....	119
C.4.1	General.....	119
C.4.2	Applying SOR-CMCI in the UE.....	121
C.4.3	Stage-2 flow for providing UE with SOR-CMCI in HPLMN, VPLMN, subscribed SNPN or non-subscribed SNPN after registration.....	124
C.5	Stage-2 flow for steering of UE in SNPN during registration.....	127
C.6	Stage-2 flow for steering of UE in SNPN after registration.....	134

C.7	Stage-2 flow for providing UE with SOR-SNPN-SI or SOR-SNPN-SI-LS in HPLMN or VPLMN after registration	138
C.8	Stage-2 flow for providing UE with list of preferred PLMN/access technology combinations in SNPN after registration	141
Annex D (informative): Change history		144
History		162

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 123 122 V18.11.0 \(2025-07\)](https://standards.iteh.ai/catalog/standards/etsi/d762528a-bfb3-4c1a-adea-793525a64d16/etsi-ts-123-122-v18-11-0-2025-07)

<https://standards.iteh.ai/catalog/standards/etsi/d762528a-bfb3-4c1a-adea-793525a64d16/etsi-ts-123-122-v18-11-0-2025-07>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

- shall** indicates a mandatory requirement to do something
- shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

- should** indicates a recommendation to do something
- should not** indicates a recommendation not to do something
- may** indicates permission to do something
- need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

- can** indicates that something is possible
- cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

- will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document