

ETSI TS 123 502 V18.13.0 (2026-03)



TECHNICAL SPECIFICATION

5G; Procedures for the 5G System (5GS) (3GPP TS 23.502 version 18.13.0 Release 18)

get full document from standards.iteh.ai



Reference

RTS/TSGS-0223502vid0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	26
1 Scope	27
2 References	27
3 Definitions, symbols and abbreviations	30
3.1 Definitions	30
3.2 Abbreviations	31
4 System procedures.....	31
4.1 General	31
4.2 Connection, Registration and Mobility Management procedures	31
4.2.1 General.....	31
4.2.2 Registration Management procedures.....	31
4.2.2.1 General	31
4.2.2.2 Registration procedures.....	31
4.2.2.2.1 General	31
4.2.2.2.2 General Registration	33
4.2.2.2.3 Registration with AMF re-allocation.....	54
4.2.2.2.4 Registration with Onboarding SNPN	58
4.2.2.3 Deregistration procedures	60
4.2.2.3.1 General	60
4.2.2.3.2 UE-initiated Deregistration.....	60
4.2.2.3.3 Network-initiated Deregistration.....	62
4.2.3 Service Request procedures	63
4.2.3.1 General	63
4.2.3.2 UE Triggered Service Request.....	64
4.2.3.3 Network Triggered Service Request	76
4.2.4 UE Configuration Update	85
4.2.4.1 General	85
4.2.4.2 UE Configuration Update procedure for access and mobility management related parameters	86
4.2.4.3 UE Configuration Update procedure for transparent UE Policy delivery.....	90
4.2.5 Reachability procedures.....	92
4.2.5.1 General	92
4.2.5.2 UE Reachability Notification Request procedure	92
4.2.5.3 UE Activity Notification procedure	94
4.2.6 AN Release	95
4.2.7 N2 procedures.....	98
4.2.7.1 N2 Configuration	98
4.2.7.2 NGAP UE-TNLA-binding related procedures.....	98
4.2.7.2.1 Creating NGAP UE-TNLA-bindings during Registration and Service Request	98
4.2.7.2.2 Creating NGAP UE-TNLA-bindings during handovers.....	99
4.2.7.2.3 Re-Creating NGAP UE-TNLA-bindings subsequent to NGAP UE-TNLA-binding release	99
4.2.7.2.4 NGAP UE-TNLA-binding update procedure	100
4.2.7.2.5 NGAP UE-TNLA-binding per UE Release procedure	100
4.2.7.3 AMF Failure or Planned Maintenance handling procedure	100
4.2.7.4 Additional User Location Information with Mobile Base Station Relay (MBSR).....	101
4.2.8 Void	101
4.2.8a UE Capability Match Request procedure.....	101
4.2.9 Network Slice-Specific Authentication and Authorization procedure.....	102
4.2.9.1 General	102
4.2.9.2 Network Slice-Specific Authentication and Authorization	103
4.2.9.3 AAA Server triggered Network Slice-Specific Re-authentication and Re-authorization procedure...	105
4.2.9.4 AAA Server triggered Slice-Specific Authorization Revocation.....	106

4.2.10	N3 data transfer establishment procedure when Control Plane CIoT 5GS Optimisation is enabled	107
4.2.10.1	UE triggered N3 data transfer establishment procedure.....	107
4.2.10.2	SMF triggered N3 data transfer establishment procedure.....	107
4.2.11	Network Slice Admission Control Function (NSACF) procedures	108
4.2.11.1	General	108
4.2.11.2	Number of UEs per network slice availability check and update procedure.....	108
4.2.11.2a	Hierarchical NSACF-based number of UEs per network slice availability check and update procedure.....	111
4.2.11.3	Configuration for Early Admission Control (EAC) update procedure.....	113
4.2.11.4	Number of PDU Sessions per network slice availability check and update procedure	114
4.2.11.4a	Hierarchical NSACF-based Number of PDU Sessions per network slice availability check and update procedure	117
4.2.11.5	Network Slice Admission Control Support for Roaming.....	118
4.2.11.5.1	Network Slice Admission Control Support for Roaming by VPLMN	118
4.2.11.5.2	Network Slice Admission Control Support for Roaming by HPLMN	119
4.2.11.6	Update of local maximum number in Hierarchical NSAC Architecture.....	124
4.3	Session Management procedures	125
4.3.1	General.....	125
4.3.2	PDU Session Establishment.....	126
4.3.2.1	General	126
4.3.2.2	UE Requested PDU Session Establishment	126
4.3.2.2.1	Non-roaming and Roaming with Local Breakout.....	126
4.3.2.2.2	Home-routed Roaming	142
4.3.2.2.3	SMF selection.....	147
4.3.2.2.4	Multiple PDU Sessions towards the same DNN and S-NSSAI.....	151
4.3.2.3	Secondary authorization/authentication by an DN-AAA Server during the PDU Session establishment.....	151
4.3.2.4	Support of L2TP.....	154
4.3.3	PDU Session Modification	156
4.3.3.1	General	156
4.3.3.2	UE or network requested PDU Session Modification (non-roaming and roaming with local breakout)	156
4.3.3.3	UE or network requested PDU Session Modification (home-routed roaming).....	166
4.3.4	PDU Session Release.....	170
4.3.4.1	General	170
4.3.4.2	UE or network requested PDU Session Release for Non-Roaming and Roaming with Local Breakout.....	170
4.3.4.3	UE or network requested PDU Session Release for Home-routed Roaming	176
4.3.5	Session continuity, service continuity and UP path management.....	179
4.3.5.1	Change of SSC mode 2 PDU Session Anchor with different PDU Sessions	179
4.3.5.2	Change of SSC mode 3 PDU Session Anchor with multiple PDU Sessions	180
4.3.5.3	Change of SSC mode 3 PDU Session Anchor with IPv6 Multi-homed PDU Session.....	183
4.3.5.4	Addition of additional PDU Session Anchor and Branching Point or UL CL.....	186
4.3.5.5	Removal of additional PDU Session Anchor and Branching Point or UL CL.....	187
4.3.5.6	Change of additional PDU Session Anchor for IPv6 multi-homing or UL CL.....	189
4.3.5.7	Simultaneous change of Branching Point or UL CL and additional PSA for a PDU Session.....	190
4.3.5.8	Ethernet PDU Session Anchor Relocation.....	193
4.3.6	Application Function influence on traffic routing and service function chaining.....	195
4.3.6.1	General	195
4.3.6.2	Processing AF requests to influence traffic routing and/or Service Function Chaining for Sessions not identified by an UE address.....	198
4.3.6.3	Notification of User Plane Management Events	200
4.3.6.4	Transferring an AF request targeting an individual UE address to the relevant PCF.....	204
4.3.6.5	Processing AF requests to influence traffic routing for HR-SBO session.....	205
4.3.6.5.1	General	205
4.3.6.5.2	AF traffic influence request includes HPLMN DNN, HPLMN S-NSSAI	206
4.3.6.5.3	AF traffic influence request without HPLMN DNN, S-NSSAI information for a single UE, with private IP address or public IP address owned by VPLMN	208
4.3.6.5.4	AF traffic influence request without HPLMN DNN, S-NSSAI information for a single UE, with UE IP address owned and assigned by HPLMN	209
4.3.6.5.5	AF traffic influence request for GPSI or any UE	210
4.3.7	CN-initiated selective deactivation of UP connection of an existing PDU Session.....	211

4.3.8	Change of Network Slice instance for PDU Sessions.....	213
4.4	SMF and UPF interactions	213
4.4.1	N4 session management procedures	213
4.4.1.1	General	213
4.4.1.2	N4 Session Establishment procedure	213
4.4.1.3	N4 Session Modification procedure	214
4.4.1.4	N4 Session Release procedure	214
4.4.2	N4 Reporting Procedures.....	215
4.4.2.1	General	215
4.4.2.2	N4 Session Level Reporting Procedure.....	215
4.4.3	N4 Node Level Procedures	217
4.4.3.1	N4 Association Setup Procedure.....	217
4.4.3.2	N4 Association Update Procedure	218
4.4.3.3	N4 Association Release Procedure	218
4.4.3.4	N4 Report Procedure.....	219
4.4.3.5	N4 PFD management Procedure	219
4.4.4	SMF Pause of Charging procedure	220
4.5	User Profile management procedures.....	221
4.5.1	Subscriber Data Update Notification to AMF	221
4.5.2	Session Management Subscriber Data Update Notification to SMF	222
4.5.3	Purge of subscriber data in AMF	222
4.6	Security procedures	223
4.7	ME Identity check procedure	223
4.8	RAN-CN interactions	223
4.8.1	Connection Inactive and Suspend procedure	223
4.8.1.1	Connection Inactive procedure.....	223
4.8.1.1a	Connection Inactive procedure with CN based MT communication handling	223
4.8.1.2	Connection Suspend procedure.....	225
4.8.2	Connection Resume procedure	226
4.8.2.1	General	226
4.8.2.2	UE Triggered Connection Resume in RRC_INACTIVE procedure	226
4.8.2.2a	Network Triggered Connection Resume in RRC_INACTIVE procedure	228
4.8.2.2b	Network Triggered Connection Resume in RRC_INACTIVE with CN based MT communication handling.....	229
4.8.2.3	Connection Resume in CM-IDLE with Suspend procedure	231
4.8.2.4	Connection Resume in CM-IDLE with Suspend and MO EDT procedure.....	232
4.8.3	N2 Notification procedure	234
4.9	Handover procedures.....	235
4.9.1	Handover procedures in 3GPP access.....	235
4.9.1.1	General	235
4.9.1.2	Xn based inter NG-RAN handover	235
4.9.1.2.1	General	235
4.9.1.2.2	Xn based inter NG-RAN handover without User Plane function re-allocation.....	236
4.9.1.2.3	Xn based inter NG-RAN handover with insertion of intermediate UPF	240
4.9.1.2.4	Xn based inter NG-RAN handover with re-allocation of intermediate UPF	241
4.9.1.3	Inter NG-RAN node N2 based handover	243
4.9.1.3.1	General	243
4.9.1.3.2	Preparation phase.....	244
4.9.1.3.3	Execution phase.....	251
4.9.1.3.3a	Execution phase for DAPS handover	255
4.9.1.4	Inter NG-RAN node N2 based handover, Cancel	256
4.9.2	Handover of a PDU Session procedure between 3GPP and untrusted non-3GPP access	256
4.9.2.0	General	256
4.9.2.1	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (non-roaming and roaming with local breakout).....	256
4.9.2.2	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (non-roaming and roaming with local breakout).....	257
4.9.2.3	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (home routed roaming).....	258
4.9.2.3.1	The target AMF is in the PLMN of the N3IWF	258
4.9.2.3.2	The target AMF is not in the PLMN of the N3IWF (i.e. N3IWF in HPLMN).....	259

4.9.2.4	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (home routed roaming).....	260
4.9.2.4.1	The selected N3IWF is in the registered PLMN.....	260
4.9.2.4.2	The UE is roaming and the selected N3IWF is in the home PLMN.....	260
4.9.3	Handover of a PDU Session procedure between 3GPP and trusted non-3GPP access.....	261
4.9.3.0	General.....	261
4.10	NG-RAN Location reporting procedures.....	261
4.11	System interworking procedures with EPC.....	263
4.11.0	General.....	263
4.11.0a	Impacts to EPS Procedures.....	263
4.11.0a.1	General.....	263
4.11.0a.2	Interaction with PCC.....	264
4.11.0a.2a	Interaction with PCC for URSP delivery via EPS.....	264
4.11.0a.2a.0	General.....	264
4.11.0a.2a.1	SM Policy Association Establishment.....	265
4.11.0a.2a.1a	SM Policy Association Establishment in EPS.....	265
4.11.0a.2a.2	SMF initiated SM Policy Association Modification.....	266
4.11.0a.2a.3	PCF initiated SM Policy Association Modification.....	267
4.11.0a.2a.4	Void.....	267
4.11.0a.2a.5	UE Policy Association establishment.....	267
4.11.0a.2a.6	UE Policy Association Modification initiated by the PCF for the UE.....	269
4.11.0a.2a.7	UE Policy Association Modification initiated by the PCF for the PDU Session.....	270
4.11.0a.2a.8	UE Policy Association Termination initiated by PCF for PDU session.....	271
4.11.0a.2a.9	UE Policy Association termination initiated by the PCF for the UE.....	271
4.11.0a.2a.10	UE Policy Container delivery via EPS.....	272
4.11.0a.3	Mobility Restrictions.....	273
4.11.0a.4	PGW Selection.....	273
4.11.0a.5	PDN Connection Establishment.....	274
4.11.0a.6	Network Configuration.....	276
4.11.0a.7	Interactions with DN-AAA Server.....	276
4.11.0a.8	5GC NAS capability (re-)enabled and disabled.....	276
4.11.0a.9	PDN Connection Release.....	276
4.11.0a.10	UE requested bearer resource modification procedure.....	276
4.11.0a.11	SMF+PGW-C initiated bearer modification without bearer QoS update.....	277
4.11.1	N26 based Interworking Procedures.....	277
4.11.1.1	General.....	277
4.11.1.2	Handover procedures.....	279
4.11.1.2.1	5GS to EPS handover using N26 interface.....	279
4.11.1.2.2	EPS to 5GS handover using N26 interface.....	285
4.11.1.2.3	Handover Cancel.....	293
4.11.1.3	Idle Mode Mobility procedures.....	295
4.11.1.3.1	General.....	295
4.11.1.3.2	5GS to EPS Idle mode mobility using N26 interface.....	295
4.11.1.3.2A	5GS to EPS Idle mode mobility using N26 interface with data forwarding.....	298
4.11.1.3.3	EPS to 5GS Mobility Registration Procedure (Idle and Connected State) using N26 interface.....	299
4.11.1.3.3A	EPS to 5GS Idle mode mobility using N26 interface with data forwarding.....	305
4.11.1.3.4	EPS to 5GS Mobility Registration Procedure (Idle) using N26 interface with AMF reallocation.....	306
4.11.1.4	Procedures for EPS bearer ID allocation.....	307
4.11.1.4.1	EPS bearer ID allocation.....	307
4.11.1.4.2	EPS bearer ID transfer.....	310
4.11.1.4.3	EPS bearer ID revocation.....	311
4.11.1.5	Impacts to EPS Procedures.....	312
4.11.1.5.1	General.....	312
4.11.1.5.2	E-UTRAN Initial Attach.....	312
4.11.1.5.3	Tracking Area Update.....	313
4.11.1.5.4	Session Management.....	314
4.11.1.5.5	5GS to EPS handover using N26 interface.....	316
4.11.1.5.6	UE triggered Service Request.....	316
4.11.1.5.7	Establishment of S1-U bearer during Data Transport in Control Plane CIoT EPS Optimisation.....	316
4.11.1.5.8	Radio Resource Management functions and Information Storage.....	316

4.11.1.6	EPS interworking information storing Procedure	317
4.11.2	Interworking procedures without N26 interface	317
4.11.2.1	General	317
4.11.2.2	5GS to EPS Mobility.....	317
4.11.2.3	EPS to 5GS Mobility.....	320
4.11.2.4	Impacts to EPS Procedures	322
4.11.2.4.1	E-UTRAN Attach.....	322
4.11.2.4.2	Session Management	324
4.11.2.4.3	Void	324
4.11.3	Handover procedures between EPS and 5GC-N3IWF	325
4.11.3.1	Handover from EPS to 5GC-N3IWF	325
4.11.3.2	Handover from 5GC-N3IWF to EPS	325
4.11.3a	Handover procedures between EPS and 5GC-TNGF	326
4.11.3a.1	Handover from EPS to 5GC-TNGF	326
4.11.3a.2	Handover from 5GC-TNGF to EPS	326
4.11.4	Handover procedures between EPC/ePDG and 5GS	327
4.11.4.1	Handover from EPC/ePDG to 5GS	327
4.11.4.2	Handover from 5GS to EPC/ePDG	328
4.11.4.3	Impacts to EPC/ePDG Procedures	328
4.11.4.3.1	General	328
4.11.4.3.2	ePDG FQDN construction.....	328
4.11.4.3.3	Initial Attach with GTP on S2b	329
4.11.4.3.3a	Initial Attach for emergency session (GTP on S2b)	329
4.11.4.3.4	Interaction with PCC	329
4.11.4.3.5	UE initiated Connectivity to Additional PDN with GTP on S2b	330
4.11.4.3.6	Use of N10 interface instead of S6b	330
4.11.4.3.7	5GC NAS capability (re-)enabled and disabled	331
4.11.5	Impacts to 5G Procedures	331
4.11.5.1	General	331
4.11.5.2	Registration procedure	331
4.11.5.3	UE Requested PDU Session Establishment procedure	332
4.11.5.4	UE or Network Requested PDU Session Modification procedure.....	334
4.11.5.5	Xn based inter NG-RAN handover	334
4.11.5.6	Inter NG-RAN node N2 based handover	335
4.11.5.7	UE or Network Requested PDU Session Release procedure	335
4.11.5.8	Network Configuration	335
4.11.5.9	Network Slice Admission Control	335
4.11.5.9a	Network Slice Admission Control in 5GS for maximum number of UE with at least one PDU session and one PDN connection	336
4.11.5.10	UE Policy Association control	337
4.11.5.10.1	UE Policy Association Establishment for URSP delivery in EPS	337
4.11.6	Interworking for common network exposure.....	338
4.11.6.1	Subscription and Notification of availability or expected level of support of a service API	338
4.11.6.2	Unsubscribing to N1otification of availability or expected level of support of a service API.....	339
4.11.6.3	Configuration of monitoring events for common network exposure	340
4.12	Procedures for Untrusted non-3GPP access	341
4.12.1	General.....	341
4.12.2	Registration via Untrusted non-3GPP Access	341
4.12.2.1	General	341
4.12.2.2	Registration procedure for untrusted non-3GPP access	341
4.12.2.3	Emergency Registration for untrusted non-3GPP Access.....	345
4.12.3	Deregistration procedure for untrusted non-3gpp access	346
4.12.4	N2 procedures via Untrusted non-3GPP Access.....	347
4.12.4.1	Service Request procedures via Untrusted non-3GPP Access	347
4.12.4.2	Procedure for the UE context release in the N3IWF	348
4.12.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session associated with Untrusted non-3GPP Access	349
4.12.5	UE Requested PDU Session Establishment via Untrusted non-3GPP Access.....	349
4.12.6	UE or Network Requested PDU Session Modification via Untrusted non-3GPP access	351
4.12.7	UE or network Requested PDU Session Release via Untrusted non-3GPP access.....	353
4.12.8	Mobility from a non-geographically selected AMF to a geographically selected AMF.....	355
4.12a	Procedures for Trusted non-3GPP access.....	356

4.12a.1	General.....	356
4.12a.2	Registration via Trusted non-3GPP Access.....	356
4.12a.2.1	General.....	356
4.12a.2.2	Registration procedure for trusted non-3GPP access.....	356
4.12a.2.3	Emergency Registration for trusted non-3GPP Access.....	360
4.12a.3	Deregistration procedure for Trusted non-3GPP access.....	360
4.12a.4	N2 procedures via Trusted non-3GPP Access.....	361
4.12a.4.1	Service Request procedures via Trusted non-3GPP Access.....	361
4.12a.4.2	Procedure for the UE context release in the TNGF.....	361
4.12a.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session associated with Trusted non-3GPP Access.....	361
4.12a.5	UE Requested PDU Session Establishment via Trusted non-3GPP Access.....	361
4.12a.6	UE or network Requested PDU Session Modification via Trusted non-3GPP access.....	362
4.12a.7	UE or network Requested PDU Session Release via Trusted non-3GPP access.....	363
4.12a.8	Mobility from a non-geographically selected AMF to a geographically selected AMF.....	363
4.12a.9	Support of mobility from source to target TNAP.....	363
4.12b	Procedures for devices that do not support 5GC NAS over WLAN access.....	363
4.12b.1	General.....	363
4.12b.2	Initial Registration & PDU Session Establishment.....	363
4.12b.3	Deregistration procedure.....	367
4.12b.4	N2 procedures.....	367
4.12b.4.1	Service Request procedures.....	367
4.12b.4.2	Procedure for the UE context release in the TWIF.....	367
4.12b.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session.....	368
4.13	Specific services.....	368
4.13.1	General.....	368
4.13.2	Application Triggering.....	368
4.13.2.1	General.....	368
4.13.2.2	The procedure of "Application Triggering" Service.....	369
4.13.3	SMS over NAS procedures.....	371
4.13.3.1	Registration procedures for SMS over NAS.....	371
4.13.3.2	Deregistration procedures for SMS over NAS.....	372
4.13.3.3	MO SMS over NAS in CM-IDLE (baseline).....	373
4.13.3.4	Void.....	374
4.13.3.5	MO SMS over NAS in CM-CONNECTED.....	374
4.13.3.6	MT SMS over NAS in CM-IDLE state and RRC_INACTIVE with CN based MT communication state via 3GPP access.....	375
4.13.3.7	MT SMS over NAS in CM-CONNECTED state via 3GPP access.....	376
4.13.3.8	MT SMS over NAS via non-3GPP access.....	376
4.13.3.9	Unsuccessful Mobile terminating SMS delivery re-attempt.....	376
4.13.4	Emergency Services.....	377
4.13.4.1	General.....	377
4.13.4.2	Emergency Services Fallback.....	377
4.13.5	Location Services procedures.....	379
4.13.5.0	General.....	379
4.13.5.1	5GC-NI-LR Procedure.....	379
4.13.5.2	5GC-MT-LR Procedure without UDM Query.....	379
4.13.5.3	5GC-MT-LR Procedure.....	379
4.13.5.4	UE Assisted and UE Based Positioning Procedure.....	379
4.13.5.5	Network Assisted Positioning Procedure.....	379
4.13.5.6	Obtaining Non-UE Associated Network Assistance Data.....	379
4.13.5.7	Location continuity for Handover of an Emergency session from NG-RAN.....	379
4.13.6	Support of IMS Voice.....	379
4.13.6.1	EPS fallback for IMS voice.....	379
4.13.6.2	Inter RAT Fallback in 5GC for IMS voice.....	381
4.13.6.3	Transfer of PDU session used for IMS voice from non-3GPP access to 5GS.....	382
4.13.7	MSISDN-less MO SMS.....	383
4.13.7.1	General.....	383
4.13.7.2	The procedure of MSISDN-less MO SMS Service.....	384
4.13.8	Support of 5G LAN-type service.....	385
4.13.8.1	Support of 5G VN group management.....	385
4.13.8.2	Support of 5G VN group communication.....	385

4.13.8.2.1	General	385
4.13.8.2.2	group-level N4 session management procedures.....	385
4.14	Support for Dual Connectivity	385
4.14.1	RAN Initiated QoS Flow Mobility	385
4.15	Network Exposure.....	387
4.15.1	General.....	387
4.15.2	External Exposure of Network Capabilities.....	391
4.15.2a	Data Collection from an AF.....	391
4.15.3	Event Exposure using NEF.....	392
4.15.3.1	Monitoring Events.....	392
4.15.3.2	Information flows.....	398
4.15.3.2.1	AMF service operations information flow.....	398
4.15.3.2.2	UDM service operations information flow.....	398
4.15.3.2.3	NEF service operations information flow.....	401
4.15.3.2.3a	Void.....	405
4.15.3.2.3b	Specific NEF service operations information flow for loss of connectivity and UE reachability	405
4.15.3.2.3c	Specific NEF service operations information flow for group member list change.....	407
4.15.3.2.4	Exposure with bulk subscription	407
4.15.3.2.5	Information flow for downlink data delivery status with SMF buffering.....	409
4.15.3.2.6	GMLC service operations information flow.....	410
4.15.3.2.7	Information flow for Availability after DDN Failure with SMF buffering	410
4.15.3.2.8	Information flow for downlink data delivery status with UPF buffering	412
4.15.3.2.9	Information flow for Availability after DDN Failure with UPF buffering	413
4.15.3.2.10	Number of UEs and PDU Sessions per network slice notification procedure	415
4.15.3.2.11	Network-initiated explicit event notification subscription cancel procedure	419
4.15.3.2.12	Void.....	420
4.15.3.2.13	Handling AF requests when the UE is identified via UE addressing information.....	420
4.15.3.3	Void.....	420
4.15.4	Core Network Internal Event Exposure	420
4.15.4.1	General	420
4.15.4.2	Exposure of Mobility Events from AMF	421
4.15.4.3	Exposure of Communication trends from SMF	422
4.15.4.4	Internal Event Exposure Subscription/Unsubscription via UDM	423
4.15.4.5	Exposure of Events from UPF for UPF Data Collection.....	424
4.15.4.5.1	General	424
4.15.4.5.2	Information flow for subscription to UPF event exposure service for certain UE(s) via SMF.....	426
4.15.4.5.3	Information flow for UPF event exposure service for any UE.....	427
4.15.4.5.4	Information flow for subscription via SMF to UPF event exposure service related with AOI	428
4.15.5	Void.....	429
4.15.6	External Parameter Provisioning	429
4.15.6.1	General	429
4.15.6.2	NEF service operations information flow	430
4.15.6.3	Expected UE Behaviour parameters.....	433
4.15.6.3a	Network Configuration parameters.....	434
4.15.6.3b	5G VN group data.....	435
4.15.6.3c	5G VN Group membership management parameters.....	436
4.15.6.3d	ECS Address Configuration Information Parameters	436
4.15.6.3e	DNN and S-NSSAI specific Group Parameters	437
4.15.6.3f	Application-Specific Expected UE Behaviour parameters	437
4.15.6.3g	Network Slice Usage Control parameters for dedicated S-NSSAI to a single AF.....	438
4.15.6.4	Set a chargeable party at AF session setup.....	438
4.15.6.5	Change the chargeable party during the session.....	439
4.15.6.6	Setting up an AF session with required QoS procedure.....	440
4.15.6.6a	AF session with required QoS update procedure	444
4.15.6.7	Service specific parameter provisioning	446
4.15.6.7.1	General	446
4.15.6.7.2	Service specific parameter provisioning by AF to HPLMN.....	446
4.15.6.7.3	Service specific parameter provisioning by AF to VPLMN.....	448
4.15.6.7a	Authorization of service specific parameter provisioning.....	450
4.15.6.8	Set a policy for a future AF session	452
4.15.6.9	Procedures for AF-triggered dynamically changing access and mobility management policies	452

4.15.6.9.1	General	452
4.15.6.9.2	Processing AF requests to influence access and mobility management policies targeting an individual UE	453
4.15.6.9.3	Processing AF requests to influence access and mobility management policies	455
4.15.6.10	Application guidance for URSP determination.....	456
4.15.6.11	Void.....	458
4.15.6.12	Parameter Provisioning when the UE is identified via UE addressing information.....	458
4.15.6.13	Multi-member AF session with required QoS.....	458
4.15.6.13.1	General Descriptions	458
4.15.6.13.2	Procedures for Creating a Multi-member AF session with required QoS	460
4.15.6.13.3	Procedure for updating a Multi-member AF session with required QoS.....	462
4.15.6.13.4	Procedure for Revoking a Multi-member AF session with required QoS	464
4.15.6.14	Procedures for AF requested QoS for a UE or group of UEs not identified by a UE address	465
4.15.7	Network status reporting.....	466
4.15.8	Event exposure controlled by a DCCF	467
4.15.9	Time Synchronization exposure	467
4.15.9.1	General	467
4.15.9.2	Exposure of UE availability for Time Synchronization service	467
4.15.9.3	Time Synchronization activation, modification and deactivation	470
4.15.9.3.1	General	470
4.15.9.3.2	Time synchronization service activation	475
4.15.9.3.3	Time synchronization service modification.....	479
4.15.9.3.4	Time synchronization service deactivation.....	481
4.15.9.4	Procedures for management of 5G access stratum time distribution	481
4.15.9.5	Procedures for subscription and management of network timing synchronization status monitoring.....	488
4.15.9.5.1	Network timing synchronization status	488
4.15.9.5.2	5G access stratum time distribution status reporting to the UE.....	490
4.15.10	AF specific UE ID retrieval	491
4.15.10A	MSISDN retrieval	492
4.15.11	Void.....	493
4.15.12	Event Exposure using Local NEF.....	493
4.15.13	Assistance for Member UE selection.....	494
4.15.13.0	General.....	494
4.15.13.1	Member UE selection assistance subscribe and update procedure.....	494
4.15.13.2	Member UE Filtering Criteria for 5GS assistance to Member UE selection.....	496
4.15.13.3	Specific procedure for QoS Member UE filtering criteria	499
4.15.13.3.1	General	499
4.15.13.3.2	Void.....	499
4.15.13.3.3	Member UE Selection Assistance with QoS filtering criteria for real-time QoS Monitoring	499
4.15.13.4	Specific procedure for the 5GC assistance to member UE selection based on the UE's current location, historical location and direction and UE separation distance	502
4.15.13.5	Specific procedure for Service Experience Member UE filtering criteria.....	503
4.15.13.5.1	General	503
4.15.13.5.2	Member UE Selection Assistance with Service Experience filtering criteria.....	504
4.15.13.6	Specific procedure for end-to-end data volume transfer time related member UE filtering criteria ...	505
4.15.13.6.1	General	505
4.15.13.6.2	Member UE Selection assistance with end-to-end data volume transfer time related filtering criteria.....	506
4.15.13.7	Member UE selection assistance unsubscribe procedure	507
4.16	Procedures and flows for Policy Framework	507
4.16.1	AM Policy Association Establishment	507
4.16.1.1	General	507
4.16.1.2	AM Policy Association Establishment with new Selected PCF.....	508
4.16.1.3	Void.....	509
4.16.2	AM Policy Association Modification	509
4.16.2.0	General	509
4.16.2.1	AM Policy Association Modification initiated by the AMF	509
4.16.2.1.1	AM Policy Association Modification initiated by the AMF without AMF relocation	509
4.16.2.1.2	AM Policy Association Modification with old PCF during AMF relocation	510
4.16.2.2	AM Policy Association Modification initiated by the PCF.....	512
4.16.3	AM Policy Association Termination	513

4.16.3.1	General	513
4.16.3.2	AMF-initiated AM Policy Association Termination	513
4.16.3.3	Void	514
4.16.4	SM Policy Association Establishment	514
4.16.5	SM Policy Association Modification	516
4.16.5.0	General	516
4.16.5.1	SMF initiated SM Policy Association Modification	516
4.16.5.2	PCF initiated SM Policy Association Modification	518
4.16.6	SM Policy Association Termination	520
4.16.7	Negotiations for future background data transfer	521
4.16.7.1	General	521
4.16.7.2	Procedures for future background data transfer	522
4.16.7.3	Procedure for BDT warning notification	524
4.16.8	Procedures on interaction between PCF and CHF	525
4.16.8.1	General	525
4.16.8.2	Initial Spending Limit Retrieval	526
4.16.8.3	Intermediate Spending Limit Report Retrieval	526
4.16.8.4	Final Spending Limit Report Retrieval	527
4.16.8.5	Spending Limit Report	528
4.16.8.6	CHF report the removal of the subscriber	528
4.16.9	Update of the subscription information in the PCF	529
4.16.10	Void	530
4.16.11	UE Policy Association Establishment	530
4.16.11.1	General	530
4.16.12	UE Policy Association Modification	532
4.16.12.1	UE Policy Association Modification initiated by the AMF	532
4.16.12.1.1	UE Policy Association Modification initiated by the AMF without AMF relocation	532
4.16.12.1.2	UE Policy Association Modification with old PCF during AMF relocation	534
4.16.12.2	UE Policy Association Modification initiated by the PCF	535
4.16.13	UE Policy Association Termination	536
4.16.13.1	AMF-initiated UE Policy Association Termination	536
4.16.13.2	PCF-initiated UE Policy Association Termination	538
4.16.14	Management of access and mobility related policy information depending on the application in use	539
4.16.14.1	General	539
4.16.14.2	Procedures for management of access and mobility related policy information	539
4.16.14.2.1	Management of access and mobility related policy information at start and stop of application traffic	539
4.16.14.2.2	Management of access and mobility related policy information at SM Policy Association establishment and termination with the notification sent by the BSF	542
4.16.15	Negotiations for planned data transfer with QoS requirements	543
4.16.15.1	General	543
4.16.15.2	Procedures	543
4.16.15.2.1	Procedures for negotiation of planned data transfer with QoS requirements	543
4.16.15.2.2	Procedure for PDTQ warning notification	546
4.16.16	Awareness of URSP Rule Enforcement	547
4.16.16.1	General	547
4.16.16.2	Forwarding of URSP Rule Enforcement Information (for non-roaming and HR roaming)	547
4.16.16.3	Forwarding of URSP Rule Enforcement Information (for LBO roaming)	549
4.17	Network Function Service Framework Procedure	551
4.17.1	NF service Registration	551
4.17.2	NF service update	552
4.17.3	NF service deregistration	552
4.17.4	NF/NF service discovery by NF service consumer in the same PLMN	553
4.17.4a	NF/NF service discovery by NF service consumer in the same SNPN	554
4.17.5	NF/NF service discovery across PLMNs in the case of discovery made by NF service consumer	554
4.17.5a	NF/NF service discovery between SNPN and Credentials Holder hosting AUSF/UDM or between SNPN and DCS hosting AUSF/UDM	555
4.17.6	SMF Provisioning of available UPFs using the NRF	556
4.17.6.1	General	556
4.17.6.2	SMF provisioning of UPF instances using NRF	556
4.17.7	NF/NF service status subscribe/notify in the same PLMN	558
4.17.8	NF/NF service status subscribe/notify across PLMNs	558

4.17.9	Delegated service discovery when NF service consumer and NF service producer are in same PLMN ..	559
4.17.10	Delegated service discovery when NF service consumer and NF service producer are in different PLMNs.....	561
4.17.11	Indirect Communication without delegated discovery Procedure	561
4.17.12	Binding between NF service consumer and NF service producer	562
4.17.12.1	General	562
4.17.12.2	Binding created as part of service response	562
4.17.12.3	Binding created as part of service request.....	563
4.17.12.4	Binding for subscription requests.....	564
4.17.13	NRF bootstrapping procedure.....	566
4.18	Procedures for Management of PFDs.....	566
4.18.1	General.....	566
4.18.2	PFD management via NEF (PFDf)	566
4.18.2.1	PFD management triggered by AF.....	566
4.18.2.2	PFD management based on PFD Determination analytics.....	567
4.18.3	PFD management in the SMF.....	568
4.18.3.1	PFD Retrieval by the SMF.....	568
4.18.3.2	Management of PFDs in the SMF.....	568
4.19	Network Data Analytics	569
4.19.1	Void	569
4.19.2	Void	569
4.20	UE Parameters Update via UDM Control Plane Procedure	569
4.20.1	General.....	569
4.20.2	UE Parameters Update via UDM Control Plane Procedure.....	570
4.20.3	Void	571
4.21	Secondary RAT Usage Data Reporting Procedure.....	571
4.22	ATSSS Procedures	572
4.22.1	General.....	572
4.22.2	UE Requested MA PDU Session Establishment	573
4.22.2.0	Overview	573
4.22.2.1	Non-roaming and Roaming with Local Breakout	573
4.22.2.2	Home-routed Roaming.....	575
4.22.2.2.1	Home-routed Roaming - UE registered to the same PLMN	575
4.22.2.2.2	Home-routed Roaming - UE registered to different PLMNs.....	576
4.22.2.3	MA PDU Session establishment with 3GPP access connected to EPC and non-3GPP access connected to 5GC.....	577
4.22.2.3.1	General	577
4.22.2.3.2	PDN Connections and Multi Access PDU Sessions.....	578
4.22.2.3.3	QoS Support	579
4.22.2.4	MA PDU Session establishment with non-3GPP access connected to EPC and 3GPP access connected to 5GC.....	579
4.22.2.4.1	General	579
4.22.2.4.2	PDN Connections and Multi Access PDU Sessions.....	580
4.22.2.4.3	QoS Support	581
4.22.3	UE Requested PDU Session Establishment with Network Modification to MA PDU Session.....	581
4.22.3.1	Overview	581
4.22.3.2	Non-roaming or roaming with local breakout.....	582
4.22.3.3	Home-routed, the UE registered to the same VPLMN over both access	582
4.22.3.4	Home-routed, the UE registered to different PLMNs over both access	583
4.22.4	Access Network Performance Measurements.....	584
4.22.5	Reporting of Access Availability.....	584
4.22.5A	Suspend and Resume Traffic Duplication	584
4.22.6	EPS Interworking.....	585
4.22.6.1	General	585
4.22.6.2	Impacts to EPS interworking procedures	585
4.22.6.2.1	5GS to EPS handover using N26 interface.....	585
4.22.6.2.2	5GS to EPS idle mode mobility using N26 interface	585
4.22.6.2.3	EPS bearer ID allocation	586
4.22.6.2.4	EPS bearer ID revocation	586
4.22.6.2.5	5GS to EPS mobility without N26 interface.....	586
4.22.6.3	Network Modification to MA PDU Session after a UE moving from EPC.....	587
4.22.7	Adding / Re-activating / De-activating User-Plane Resources	588

4.22.8	UE or network requested MA PDU Session Modification	588
4.22.8.1	General	588
4.22.8.2	UE or network requested MA PDU Session Modification (non-roaming and roaming with local breakout)	588
4.22.8.3	UE or network requested MA PDU Session Modification (home-routed roaming)	589
4.22.9	Connection, Registration and Mobility Management procedures	590
4.22.9.1	Registration procedures	590
4.22.9.2	UE Triggered Service Request	591
4.22.9.3	N2 based handover	591
4.22.9.4	Network Triggered Service Request	591
4.22.9.5	Registration procedures for non-3GPP access path switching	592
4.22.10	MA PDU Session Release	594
4.22.10.1	General	594
4.22.10.2	UE or network requested MA PDU Session Release (non-roaming and roaming with local breakout)	595
4.22.10.3	UE or network requested MA PDU Session Release (home-routed roaming)	595
4.23	Support of deployments topologies with specific SMF Service Areas	596
4.23.1	General	596
4.23.2	I-SMF selection	597
4.23.3	Registration procedure	597
4.23.3a	Deregistration procedure	598
4.23.4	Service Request procedures	599
4.23.4.1	General	599
4.23.4.2	UE Triggered Service Request without I-SMF change/removal	599
4.23.4.3	UE Triggered Service Request with I-SMF insertion/change/removal	599
4.23.4.4	Network Triggered Service Request	606
4.23.5	PDU Session Management procedure	606
4.23.5.1	PDU Session establishment procedure	606
4.23.5.2	PDU Session Release procedure	607
4.23.5.3	PDU Session modification procedure	607
4.23.5.4	SMF triggered I-SMF selection or removal	608
4.23.6	I-SMF Related Procedures with PCF	609
4.23.6.1	General	609
4.23.6.2	Policy Update Procedures with I-SMF	610
4.23.6.3	Reporting UP path change to the AF	610
4.23.7	Inter NG-RAN node N2 based handover	611
4.23.7.1	General	611
4.23.7.2	Inter NG-RAN node N2 based handover without I-SMF change/removal	611
4.23.7.2.1	General	611
4.23.7.2.2	Preparation phase	611
4.23.7.2.3	Execution phase	611
4.23.7.2.4	Handover Cancel	611
4.23.7.3	Inter NG-RAN node N2 based handover with I-SMF insertion/change/removal	612
4.23.7.3.1	General	612
4.23.7.3.2	Preparation phase	613
4.23.7.3.3	Execution phase	619
4.23.7.3.4	Handover Cancel	623
4.23.8	AN Release procedure involving I-SMF	625
4.23.9	Branching Point or UL CL controlled by I-SMF	625
4.23.9.0	Overview	625
4.23.9.1	Addition of PDU Session Anchor and Branching Point or UL CL controlled by I-SMF	626
4.23.9.2	Removal of PDU Session Anchor and Branching Point or UL CL controlled by I-SMF	629
4.23.9.3	Change of PDU Session Anchor for IPv6 multi-homing or UL CL controlled by I-SMF	630
4.23.9.4	Simultaneous change of Branching Point or UL CL and additional PSA controlled by I-SMF	632
4.23.9.5	Simultaneous change of Branching Points or UL CLs controlled by different I-SMFs	634
4.23.9a	Void	637
4.23.10	CN-initiated selective deactivation of UP connection of an existing PDU Session involving I-SMF	637
4.23.11	Xn based handover	637
4.23.11.1	General	637
4.23.11.2	Xn based handover with insertion of intermediate SMF	637
4.23.11.3	Xn based handover with re-allocation of intermediate SMF	639
4.23.11.4	Xn based handover with removal of intermediate SMF	641

4.23.11.5	Xn based handover without change of intermediate SMF	643
4.23.12	N26 based Interworking Procedures with I-SMF	643
4.23.12.1	General	643
4.23.12.2	5GS to EPS Idle mode mobility using N26 interface with I-SMF removal	643
4.23.12.2A	5GS to EPS Idle mode mobility using N26 interface with Data forwarding and I-SMF removal	643
4.23.12.3	EPS to 5GS mobility registration procedure (Idle and Connected State) using N26 interface with I-SMF insertion	643
4.23.12.3A	EPS to 5GS Idle mode mobility using N26 interface with Data forwarding and I-SMF insertion	644
4.23.12.4	Procedures for EPS bearer ID allocation	644
4.23.12.5	EPS to 5GS mobility registration procedure (Idle) using N26 interface with AMF reallocation and I-SMF insertion	644
4.23.12.6	5GS to EPS handover using N26 interface with I-SMF removal	644
4.23.12.7	EPS to 5GS handover using N26 interface with I-SMF insertion	644
4.23.12.7.1	Preparation phase	644
4.23.12.7.2	Execution phase	645
4.23.12.8	Impact to 5GC procedures	645
4.23.12.8.1	General	645
4.23.12.8.2	UE Triggered Service Request with I-SMF insertion/change/removal	645
4.23.12.8.3	PDU Session establishment procedure	645
4.23.12.8.4	PDU Session modification procedure	645
4.23.12.8.5	Inter NG-RAN node N2 based handover with I-SMF insertion/change/removal	645
4.23.12.8.6	Xn based handover with insertion of I-SMF	646
4.23.13	Non N26 based Interworking Procedures with I-SMF	646
4.23.13.1	General	646
4.23.13.2	Mobility procedure without N26 interface from EPS to 5GS	646
4.23.13.3	Mobility procedure without N26 interface from EPC/ePDG to 5GS	646
4.23.13.4	Mobility procedure without N26 interface from 5GS to EPS	646
4.23.13.5	Mobility procedure without N26 interface from 5GS to EPC/ePDG	646
4.23.14	Pause of charging	647
4.23.15	PDU Session mobility between 3GPP and non-3GPP access	647
4.23.16	Handover of a PDU Session procedure between 3GPP and untrusted non-3GPP access	647
4.23.16.1	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (non-roaming and roaming with local breakout)	647
4.23.16.2	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (non-roaming and roaming with local breakout)	647
4.23.16.3	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (home routed roaming)	648
4.23.16.3.1	The target AMF is in the PLMN of the N3IWF	648
4.23.16a	Handover of a PDU Session procedure between 3GPP and trusted non-3GPP access	648
4.23.16a.1	General	648
4.23.17	Additional considerations for Home-routed roaming	648
4.24	Procedures for UPF Anchored Data Transport in Control Plane CIoT 5GS Optimisation	649
4.24.1	UPF anchored Mobile Originated Data Transport in Control Plane CIoT 5GS Optimisation	649
4.24.2	UPF anchored Mobile Terminated Data Transport in Control Plane CIoT 5GS Optimisation	652
4.25	Procedures for NEF based Non-IP Data Delivery	657
4.25.1	General	657
4.25.2	SMF-NEF Connection Establishment	657
4.25.3	NIDD Configuration	658
4.25.4	NEF Anchored Mobile Originated Data Transport	660
4.25.5	NEF Anchored Mobile Terminated Data Transport	661
4.25.6	NIDD Authorization Update	664
4.25.7	SMF Initiated SMF-NEF Connection Release procedure	665
4.25.8	NEF Initiated SMF-NEF Connection Release procedure	665
4.25.9	NEF Anchored Group NIDD via NEF anchored unicast MT data	667
4.26	Network Function/NF Service Context Transfer Procedures	667
4.26.1	General	667
4.26.2	NF/NF Service Context Transfer Push Procedure	668
4.26.3	NF/NF Service Context Transfer Pull procedure	668
4.26.4	Context Transfer due to decommissioning	669
4.26.5	SMF Service Context Transfer procedures	669
4.26.5.1	General	669
4.26.5.2	I-SMF Context Transfer procedure	669