

ETSI TS 123 502 V19.7.0 (2026-03)



TECHNICAL SPECIFICATION

5G; Procedures for the 5G System (5GS) (3GPP TS 23.502 version 19.7.0 Release 19)

get full document from standards.iteh.ai



Reference

RTS/TSGS-0223502vj70

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	27
1 Scope	28
2 References	28
3 Definitions, symbols and abbreviations	31
3.1 Definitions	31
3.2 Abbreviations	32
4 System procedures.....	32
4.1 General	32
4.2 Connection, Registration and Mobility Management procedures	32
4.2.1 General.....	32
4.2.2 Registration Management procedures.....	32
4.2.2.1 General	32
4.2.2.2 Registration procedures.....	32
4.2.2.2.1 General	32
4.2.2.2.2 General Registration	35
4.2.2.2.3 Registration with AMF re-allocation.....	56
4.2.2.2.4 Registration with Onboarding SNPN	60
4.2.2.3 Deregistration procedures	62
4.2.2.3.1 General	62
4.2.2.3.2 UE-initiated Deregistration.....	62
4.2.2.3.3 Network-initiated Deregistration.....	64
4.2.3 Service Request procedures	65
4.2.3.1 General	65
4.2.3.2 UE Triggered Service Request.....	66
4.2.3.3 Network Triggered Service Request	79
4.2.4 UE Configuration Update	87
4.2.4.1 General	87
4.2.4.2 UE Configuration Update procedure for access and mobility management related parameters	88
4.2.4.3 UE Configuration Update procedure for transparent UE Policy delivery.....	92
4.2.5 Reachability procedures.....	94
4.2.5.1 General	94
4.2.5.2 UE Reachability Notification Request procedure	94
4.2.5.3 UE Activity Notification procedure	96
4.2.6 AN Release	97
4.2.7 N2 procedures	100
4.2.7.1 N2 Configuration	100
4.2.7.2 NGAP UE-TNLA-binding related procedures	100
4.2.7.2.1 Creating NGAP UE-TNLA-bindings during Registration and Service Request	100
4.2.7.2.2 Creating NGAP UE-TNLA-bindings during handovers.....	101
4.2.7.2.3 Re-Creating NGAP UE-TNLA-bindings subsequent to NGAP UE-TNLA-binding release	101
4.2.7.2.4 NGAP UE-TNLA-binding update procedure	102
4.2.7.2.5 NGAP UE-TNLA-binding per UE Release procedure	102
4.2.7.3 AMF Failure or Planned Maintenance handling procedure	102
4.2.7.4 Additional User Location Information with Mobile Base Station Relay (MBSR).....	103
4.2.7.5 Additional User Location Information with Mobile gNB with wireless access backhauling (MWAB)	103
4.2.8 Void	103
4.2.8a UE Capability Match Request procedure.....	103
4.2.9 Network Slice-Specific Authentication and Authorization procedure.....	105
4.2.9.1 General	105
4.2.9.2 Network Slice-Specific Authentication and Authorization	106

4.2.9.3	AAA Server triggered Network Slice-Specific Re-authentication and Re-authorization procedure...	108
4.2.9.4	AAA Server triggered Slice-Specific Authorization Revocation	109
4.2.10	N3 data transfer establishment procedure when Control Plane Clot 5GS Optimisation is enabled	110
4.2.10.1	UE triggered N3 data transfer establishment procedure.....	110
4.2.10.2	SMF triggered N3 data transfer establishment procedure	110
4.2.11	Network Slice Admission Control Function (NSACF) procedures	111
4.2.11.1	General	111
4.2.11.2	Number of UEs per network slice availability check and update procedure.....	111
4.2.11.2a	Hierarchical NSACF-based number of UEs per network slice availability check and update procedure.....	114
4.2.11.3	Configuration for Early Admission Control (EAC) update procedure.....	116
4.2.11.4	Number of PDU Sessions per network slice availability check and update procedure	117
4.2.11.4a	Hierarchical NSACF-based Number of PDU Sessions per network slice availability check and update procedure	120
4.2.11.5	Network Slice Admission Control Support for Roaming.....	121
4.2.11.5.1	Network Slice Admission Control Support for Roaming by VPLMN	121
4.2.11.5.2	Network Slice Admission Control Support for Roaming by HPLMN	122
4.2.11.6	Update of local maximum number in Hierarchical NSAC Architecture.....	127
4.3	Session Management procedures	128
4.3.1	General.....	128
4.3.2	PDU Session Establishment.....	129
4.3.2.1	General	129
4.3.2.2	UE Requested PDU Session Establishment	129
4.3.2.2.1	Non-roaming and Roaming with Local Breakout.....	129
4.3.2.2.2	Home-routed Roaming	147
4.3.2.2.3	SMF selection.....	152
4.3.2.2.4	Multiple PDU Sessions towards the same DNN and S-NSSAI.....	157
4.3.2.3	Secondary authorization/authentication by an DN-AAA Server during the PDU Session establishment.....	157
4.3.2.4	Support of L2TP.....	160
4.3.3	PDU Session Modification	162
4.3.3.1	General	162
4.3.3.2	UE or network requested PDU Session Modification (non-roaming and roaming with local breakout)	162
4.3.3.3	UE or network requested PDU Session Modification (home-routed roaming).....	173
4.3.4	PDU Session Release.....	177
4.3.4.1	General	177
4.3.4.2	UE or network requested PDU Session Release for Non-Roaming and Roaming with Local Breakout.....	177
4.3.4.3	UE or network requested PDU Session Release for Home-routed Roaming	183
4.3.5	Session continuity, service continuity and UP path management.....	186
4.3.5.1	Change of SSC mode 2 PDU Session Anchor with different PDU Sessions	186
4.3.5.2	Change of SSC mode 3 PDU Session Anchor with multiple PDU Sessions	187
4.3.5.3	Change of SSC mode 3 PDU Session Anchor with IPv6 Multi-homed PDU Session.....	190
4.3.5.4	Addition of additional PDU Session Anchor and Branching Point or UL CL.....	193
4.3.5.5	Removal of additional PDU Session Anchor and Branching Point or UL CL.....	194
4.3.5.6	Change of additional PDU Session Anchor for IPv6 multi-homing or UL CL.....	196
4.3.5.7	Simultaneous change of Branching Point or UL CL and additional PSA for a PDU Session.....	197
4.3.5.8	Ethernet PDU Session Anchor Relocation.....	200
4.3.6	Application Function influence on traffic routing, service function chaining and handling of payload headers	202
4.3.6.1	General	202
4.3.6.2	Processing AF requests to influence traffic routing and/or Service Function Chaining and/or for Handling of Payload Headers for Sessions not identified by an UE address	205
4.3.6.3	Notification of User Plane Management Events	207
4.3.6.4	Transferring an AF request targeting an individual UE address to the relevant PCF.....	212
4.3.6.5	Processing AF requests to influence traffic routing for HR-SBO session.....	213
4.3.6.5.1	General	213
4.3.6.5.2	AF traffic influence request includes HPLMN DNN, HPLMN S-NSSAI	214
4.3.6.5.3	AF traffic influence request without HPLMN DNN, S-NSSAI information for a single UE, with private IP address or public IP address owned by VPLMN	216

4.3.6.5.4	AF traffic influence request without HPLMN DNN, S-NSSAI information for a single UE, with UE IP address owned and assigned by HPLMN	217
4.3.6.5.5	AF traffic influence request for GPSI or any UE	218
4.3.7	CN-initiated selective deactivation of UP connection of an existing PDU Session.....	219
4.3.8	Change of Network Slice instance for PDU Sessions.....	221
4.4	SMF and UPF interactions	221
4.4.1	N4 session management procedures	221
4.4.1.1	General	221
4.4.1.2	N4 Session Establishment procedure	221
4.4.1.3	N4 Session Modification procedure.....	222
4.4.1.4	N4 Session Release procedure	222
4.4.2	N4 Reporting Procedures.....	223
4.4.2.1	General	223
4.4.2.2	N4 Session Level Reporting Procedure.....	223
4.4.3	N4 Node Level Procedures	225
4.4.3.1	N4 Association Setup Procedure.....	225
4.4.3.2	N4 Association Update Procedure	226
4.4.3.3	N4 Association Release Procedure	226
4.4.3.4	N4 Report Procedure.....	227
4.4.3.5	N4 PFD management Procedure	227
4.4.4	SMF Pause of Charging procedure	228
4.5	User Profile management procedures.....	229
4.5.1	Subscriber Data Update Notification to AMF	229
4.5.2	Session Management Subscriber Data Update Notification to SMF	230
4.5.3	Purge of subscriber data in AMF	230
4.6	Security procedures	231
4.7	ME Identity check procedure	231
4.8	RAN-CN interactions	231
4.8.1	Connection Inactive and Suspend procedure	231
4.8.1.1	Connection Inactive procedure.....	231
4.8.1.1a	Connection Inactive procedure with CN based MT communication handling	231
4.8.1.2	Connection Suspend procedure.....	233
4.8.2	Connection Resume procedure	234
4.8.2.1	General	234
4.8.2.2	UE Triggered Connection Resume in RRC_INACTIVE procedure.....	234
4.8.2.2a	Network Triggered Connection Resume in RRC_INACTIVE procedure	236
4.8.2.2b	Network Triggered Connection Resume in RRC_INACTIVE with CN based MT communication handling.....	237
4.8.2.3	Connection Resume in CM-IDLE with Suspend procedure	239
4.8.2.4	Connection Resume in CM-IDLE with Suspend and MO EDT procedure.....	240
4.8.3	N2 Notification procedure	242
4.9	Handover procedures.....	243
4.9.1	Handover procedures in 3GPP access.....	243
4.9.1.1	General	243
4.9.1.2	Xn based inter NG-RAN handover	243
4.9.1.2.1	General	243
4.9.1.2.2	Xn based inter NG-RAN handover without User Plane function re-allocation.....	244
4.9.1.2.3	Xn based inter NG-RAN handover with insertion of intermediate UPF	248
4.9.1.2.4	Xn based inter NG-RAN handover with re-allocation of intermediate UPF	249
4.9.1.3	Inter NG-RAN node N2 based handover	251
4.9.1.3.1	General	251
4.9.1.3.2	Preparation phase.....	252
4.9.1.3.3	Execution phase.....	259
4.9.1.3.3a	Execution phase for DAPS handover	263
4.9.1.4	Inter NG-RAN node N2 based handover, Cancel	264
4.9.2	Handover of a PDU Session procedure between 3GPP and untrusted non-3GPP access	264
4.9.2.0	General	264
4.9.2.1	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (non-roaming and roaming with local breakout).....	264
4.9.2.2	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (non-roaming and roaming with local breakout).....	265

4.9.2.3	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (home routed roaming).....	266
4.9.2.3.1	The target AMF is in the PLMN of the N3IWF.....	266
4.9.2.3.2	The target AMF is not in the PLMN of the N3IWF (i.e. N3IWF in HPLMN).....	267
4.9.2.4	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (home routed roaming).....	268
4.9.2.4.1	The selected N3IWF is in the registered PLMN.....	268
4.9.2.4.2	The UE is roaming and the selected N3IWF is in the home PLMN.....	268
4.9.3	Handover of a PDU Session procedure between 3GPP and trusted non-3GPP access.....	269
4.9.3.0	General.....	269
4.10	NG-RAN Location reporting procedures.....	269
4.11	System interworking procedures with EPC.....	271
4.11.0	General.....	271
4.11.0a	Impacts to EPS Procedures.....	272
4.11.0a.1	General.....	272
4.11.0a.2	Interaction with PCC.....	272
4.11.0a.2a	Interaction with PCC for URSP delivery via EPS.....	272
4.11.0a.2a.0	General.....	272
4.11.0a.2a.1	SM Policy Association Establishment.....	273
4.11.0a.2a.1a	SM Policy Association Establishment in EPS.....	274
4.11.0a.2a.2	SMF initiated SM Policy Association Modification.....	274
4.11.0a.2a.3	PCF initiated SM Policy Association Modification.....	275
4.11.0a.2a.4	Void.....	275
4.11.0a.2a.5	UE Policy Association establishment.....	275
4.11.0a.2a.6	UE Policy Association Modification initiated by the PCF for the UE.....	277
4.11.0a.2a.7	UE Policy Association Modification initiated by the PCF for the PDU Session.....	278
4.11.0a.2a.8	UE Policy Association Termination initiated by PCF for PDU session.....	279
4.11.0a.2a.9	UE Policy Association termination initiated by the PCF for the UE.....	279
4.11.0a.2a.10	UE Policy Container delivery via EPS.....	280
4.11.0a.3	Mobility Restrictions.....	281
4.11.0a.4	PGW Selection.....	281
4.11.0a.5	PDN Connection Establishment.....	282
4.11.0a.6	Network Configuration.....	284
4.11.0a.7	Interactions with DN-AAA Server.....	284
4.11.0a.8	5GC NAS capability (re-)enabled and disabled.....	284
4.11.0a.9	PDN Connection Release.....	284
4.11.0a.10	UE requested bearer resource modification procedure.....	284
4.11.0a.11	SMF+PGW-C initiated bearer modification without bearer QoS update.....	285
4.11.1	N26 based Interworking Procedures.....	285
4.11.1.1	General.....	285
4.11.1.2	Handover procedures.....	287
4.11.1.2.1	5GS to EPS handover using N26 interface.....	287
4.11.1.2.2	EPS to 5GS handover using N26 interface.....	293
4.11.1.2.3	Handover Cancel.....	301
4.11.1.3	Idle Mode Mobility procedures.....	303
4.11.1.3.1	General.....	303
4.11.1.3.2	5GS to EPS Idle mode mobility using N26 interface.....	303
4.11.1.3.2A	5GS to EPS Idle mode mobility using N26 interface with data forwarding.....	306
4.11.1.3.3	EPS to 5GS Mobility Registration Procedure (Idle and Connected State) using N26 interface....	307
4.11.1.3.3A	EPS to 5GS Idle mode mobility using N26 interface with data forwarding.....	313
4.11.1.3.4	EPS to 5GS Mobility Registration Procedure (Idle) using N26 interface with AMF reallocation.....	314
4.11.1.4	Procedures for EPS bearer ID allocation.....	315
4.11.1.4.1	EPS bearer ID allocation.....	315
4.11.1.4.2	EPS bearer ID transfer.....	318
4.11.1.4.3	EPS bearer ID revocation.....	319
4.11.1.5	Impacts to EPS Procedures.....	320
4.11.1.5.1	General.....	320
4.11.1.5.2	E-UTRAN Initial Attach.....	320
4.11.1.5.3	Tracking Area Update.....	321
4.11.1.5.4	Session Management.....	322
4.11.1.5.5	5GS to EPS handover using N26 interface.....	324

4.11.1.5.6	UE triggered Service Request.....	324
4.11.1.5.7	Establishment of S1-U bearer during Data Transport in Control Plane ClIoT EPS Optimisation	324
4.11.1.5.8	Radio Resource Management functions and Information Storage	324
4.11.1.6	EPS interworking information storing Procedure	325
4.11.2	Interworking procedures without N26 interface	325
4.11.2.1	General	325
4.11.2.2	5GS to EPS Mobility.....	325
4.11.2.3	EPS to 5GS Mobility.....	328
4.11.2.4	Impacts to EPS Procedures	330
4.11.2.4.1	E-UTRAN Attach.....	330
4.11.2.4.2	Session Management	332
4.11.2.4.3	Void.....	332
4.11.3	Handover procedures between EPS and 5GC-N3IWF	333
4.11.3.1	Handover from EPS to 5GC-N3IWF	333
4.11.3.2	Handover from 5GC-N3IWF to EPS	333
4.11.3a	Handover procedures between EPS and 5GC-TNGF	334
4.11.3a.1	Handover from EPS to 5GC-TNGF	334
4.11.3a.2	Handover from 5GC-TNGF to EPS	334
4.11.4	Handover procedures between EPC/ePDG and 5GS	335
4.11.4.1	Handover from EPC/ePDG to 5GS	335
4.11.4.2	Handover from 5GS to EPC/ePDG	336
4.11.4.3	Impacts to EPC/ePDG Procedures	336
4.11.4.3.1	General	336
4.11.4.3.2	ePDG FQDN construction.....	336
4.11.4.3.3	Initial Attach with GTP on S2b	337
4.11.4.3.3a	Initial Attach for emergency session (GTP on S2b)	337
4.11.4.3.4	Interaction with PCC	337
4.11.4.3.5	UE initiated Connectivity to Additional PDN with GTP on S2b	338
4.11.4.3.6	Use of N10 interface instead of S6b	338
4.11.4.3.7	5GC NAS capability (re-)enabled and disabled	339
4.11.5	Impacts to 5G Procedures	339
4.11.5.1	General	339
4.11.5.2	Registration procedure	339
4.11.5.3	UE Requested PDU Session Establishment procedure	340
4.11.5.4	UE or Network Requested PDU Session Modification procedure.....	342
4.11.5.5	Xn based inter NG-RAN handover	342
4.11.5.6	Inter NG-RAN node N2 based handover	343
4.11.5.7	UE or Network Requested PDU Session Release procedure	343
4.11.5.8	Network Configuration	343
4.11.5.9	Network Slice Admission Control	343
4.11.5.9a	Network Slice Admission Control in 5GS for maximum number of UE with at least one PDU session and one PDN connection	344
4.11.5.10	UE Policy Association control	345
4.11.5.10.1	UE Policy Association Establishment for URSP delivery in EPS.....	345
4.11.6	Interworking for common network exposure.....	346
4.11.6.1	Subscription and Notification of availability or expected level of support of a service API	346
4.11.6.2	Unsubscribing to N11 notification of availability or expected level of support of a service API.....	347
4.11.6.3	Configuration of monitoring events for common network exposure	348
4.12	Procedures for Untrusted non-3GPP access	349
4.12.1	General.....	349
4.12.2	Registration via Untrusted non-3GPP Access	349
4.12.2.1	General	349
4.12.2.2	Registration procedure for untrusted non-3GPP access	349
4.12.2.3	Emergency Registration for untrusted non-3GPP Access.....	353
4.12.3	Deregistration procedure for untrusted non-3gpp access.....	354
4.12.4	N2 procedures via Untrusted non-3GPP Access.....	355
4.12.4.1	Service Request procedures via Untrusted non-3GPP Access	355
4.12.4.2	Procedure for the UE context release in the N3IWF	356
4.12.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session associated with Untrusted non-3GPP Access	357
4.12.5	UE Requested PDU Session Establishment via Untrusted non-3GPP Access.....	357

4.12.6	UE or Network Requested PDU Session Modification via Untrusted non-3GPP access	360
4.12.7	UE or network Requested PDU Session Release via Untrusted non-3GPP access.....	361
4.12.8	Mobility from a non-geographically selected AMF to a geographically selected AMF.....	363
4.12a	Procedures for Trusted non-3GPP access.....	364
4.12a.1	General.....	364
4.12a.2	Registration via Trusted non-3GPP Access	364
4.12a.2.1	General	364
4.12a.2.2	Registration procedure for trusted non-3GPP access	364
4.12a.2.3	Emergency Registration for trusted non-3GPP Access	368
4.12a.3	Deregistration procedure for Trusted non-3GPP access	368
4.12a.4	N2 procedures via Trusted non-3GPP Access	369
4.12a.4.1	Service Request procedures via Trusted non-3GPP Access.....	369
4.12a.4.2	Procedure for the UE context release in the TNGF.....	369
4.12a.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session associated with Trusted non-3GPP Access.....	369
4.12a.5	UE Requested PDU Session Establishment via Trusted non-3GPP Access	369
4.12a.6	UE or network Requested PDU Session Modification via Trusted non-3GPP access.....	370
4.12a.7	UE or network Requested PDU Session Release via Trusted non-3GPP access	371
4.12a.8	Mobility from a non-geographically selected AMF to a geographically selected AMF.....	371
4.12a.9	Support of mobility from source to target TNAP	371
4.12b	Procedures for devices that do not support 5GC NAS over WLAN access	372
4.12b.1	General.....	372
4.12b.2	Initial Registration & PDU Session Establishment.....	372
4.12b.3	Deregistration procedure.....	376
4.12b.4	N2 procedures	376
4.12b.4.1	Service Request procedures	376
4.12b.4.2	Procedure for the UE context release in the TWIF	376
4.12b.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session.....	377
4.13	Specific services	377
4.13.1	General.....	377
4.13.2	Application Triggering	377
4.13.2.1	General	377
4.13.2.2	The procedure of "Application Triggering" Service	378
4.13.3	SMS over NAS procedures.....	380
4.13.3.1	Registration procedures for SMS over NAS	380
4.13.3.2	Deregistration procedures for SMS over NAS	381
4.13.3.3	MO SMS over NAS in CM-IDLE (baseline).....	382
4.13.3.4	Void.....	383
4.13.3.5	MO SMS over NAS in CM-CONNECTED.....	383
4.13.3.6	MT SMS over NAS in CM-IDLE state and RRC_INACTIVE with CN based MT communication state via 3GPP access	384
4.13.3.7	MT SMS over NAS in CM-CONNECTED state via 3GPP access.....	385
4.13.3.8	MT SMS over NAS via non-3GPP access	386
4.13.3.9	Unsuccessful Mobile terminating SMS delivery re-attempt	386
4.13.4	Emergency Services.....	386
4.13.4.1	General	386
4.13.4.2	Emergency Services Fallback	387
4.13.5	Location Services procedures	388
4.13.5.0	General	388
4.13.5.1	5GC-NI-LR Procedure	388
4.13.5.2	5GC-MT-LR Procedure without UDM Query	388
4.13.5.3	5GC-MT-LR Procedure	388
4.13.5.4	UE Assisted and UE Based Positioning Procedure	388
4.13.5.5	Network Assisted Positioning Procedure	388
4.13.5.6	Obtaining Non-UE Associated Network Assistance Data	389
4.13.5.7	Location continuity for Handover of an Emergency session from NG-RAN	389
4.13.6	Support of IMS Voice.....	389
4.13.6.1	EPS fallback for IMS voice.....	389
4.13.6.2	Inter RAT Fallback in 5GC for IMS voice.....	390
4.13.6.3	Transfer of PDU session used for IMS voice from non-3GPP access to 5GS	392
4.13.7	MSISDN-less MO SMS.....	393
4.13.7.1	General	393

4.13.7.2	The procedure of MSISDN-less MO SMS Service.....	393
4.13.8	Support of 5G LAN-type service.....	394
4.13.8.1	Support of 5G VN group management.....	394
4.13.8.2	Support of 5G VN group communication.....	394
4.13.8.2.1	General.....	394
4.13.8.2.2	group-level N4 session management procedures.....	394
4.14	Support for Dual Connectivity.....	395
4.14.1	RAN Initiated QoS Flow Mobility.....	395
4.15	Network Exposure.....	396
4.15.1	General.....	396
4.15.2	External Exposure of Network Capabilities.....	400
4.15.2a	Data Collection from an AF.....	400
4.15.3	Event Exposure using NEF.....	401
4.15.3.1	Monitoring Events.....	401
4.15.3.2	Information flows.....	407
4.15.3.2.1	AMF service operations information flow.....	407
4.15.3.2.2	UDM service operations information flow.....	407
4.15.3.2.3	NEF service operations information flow.....	410
4.15.3.2.3a	Void.....	414
4.15.3.2.3b	Specific NEF service operations information flow for loss of connectivity and UE reachability.....	414
4.15.3.2.3c	Specific NEF service operations information flow for group member list change.....	416
4.15.3.2.4	Exposure with bulk subscription.....	416
4.15.3.2.5	Information flow for downlink data delivery status with SMF buffering.....	418
4.15.3.2.6	GMLC service operations information flow.....	419
4.15.3.2.7	Information flow for Availability after DDN Failure with SMF buffering.....	419
4.15.3.2.8	Information flow for downlink data delivery status with UPF buffering.....	421
4.15.3.2.9	Information flow for Availability after DDN Failure with UPF buffering.....	422
4.15.3.2.10	Number of UEs and PDU Sessions per network slice notification procedure.....	424
4.15.3.2.11	Network-initiated explicit event notification subscription cancel procedure.....	428
4.15.3.2.12	Void.....	429
4.15.3.2.13	Handling AF requests when the UE is identified via UE addressing information.....	429
4.15.3.3	Void.....	429
4.15.4	Core Network Internal Event Exposure.....	429
4.15.4.1	General.....	429
4.15.4.2	Exposure of Mobility Events from AMF.....	430
4.15.4.3	Exposure of Communication trends from SMF.....	431
4.15.4.4	Internal Event Exposure Subscription/Unsubscription via UDM.....	432
4.15.4.5	Exposure of Events from UPF for UPF Data Collection.....	433
4.15.4.5.1	General.....	433
4.15.4.5.2	Information flow for subscription to UPF event exposure service for certain UE(s) via SMF.....	435
4.15.4.5.3	Information flow for UPF event exposure service for any UE.....	436
4.15.4.5.4	Information flow for subscription via SMF to UPF event exposure service related with AOI.....	437
4.15.4.5.5	Information flow for direct subscription to UPF event exposure service for certain UE using UE's IP address.....	438
4.15.4.5.6	Information flow for subscription to UPF event exposure service via SMF during UPF relocation and PDU Session release.....	439
4.15.4.5.7	Information flow for subscription directly to UPF event exposure service during N4 session release.....	441
4.15.5	Void.....	442
4.15.6	External Parameter Provisioning.....	442
4.15.6.1	General.....	442
4.15.6.2	NEF service operations information flow.....	442
4.15.6.3	Expected UE Behaviour parameters.....	446
4.15.6.3a	Network Configuration parameters.....	447
4.15.6.3b	5G VN group data.....	448
4.15.6.3c	5G VN Group membership management parameters.....	449
4.15.6.3d	ECS Address Configuration Information Parameters.....	449
4.15.6.3e	DNN and S-NSSAI specific Group Parameters.....	450
4.15.6.3f	Application-Specific Expected UE Behaviour parameters.....	450
4.15.6.3g	Network Slice Usage Control parameters for dedicated S-NSSAI to a single AF.....	451
4.15.6.3h	CAG Information Provisioning parameters.....	451

4.15.6.3i	Static IP address assignment parameters.....	452
4.15.6.4	Set a chargeable party at AF session setup.....	452
4.15.6.5	Change the chargeable party during the session.....	453
4.15.6.6	Setting up an AF session with required QoS procedure.....	454
4.15.6.6a	AF session with required QoS update procedure.....	458
4.15.6.7	Service specific parameter provisioning.....	460
4.15.6.7.1	General.....	460
4.15.6.7.2	Service specific parameter provisioning by AF to HPLMN.....	461
4.15.6.7.3	Service specific parameter provisioning by AF to VPLMN.....	463
4.15.6.7a	Authorization of service specific parameter provisioning.....	464
4.15.6.8	Set a policy for a future AF session.....	466
4.15.6.9	Procedures for AF-triggered dynamically changing access and mobility management policies.....	466
4.15.6.9.1	General.....	466
4.15.6.9.2	Processing AF requests to influence access and mobility management policies targeting an individual UE.....	467
4.15.6.9.3	Processing AF requests to influence access and mobility management policies.....	469
4.15.6.10	Application guidance for URSP determination.....	470
4.15.6.11	Void.....	472
4.15.6.12	Parameter Provisioning when the UE is identified via UE addressing information.....	472
4.15.6.13	Multi-member AF session with required QoS.....	472
4.15.6.13.1	General Descriptions.....	472
4.15.6.13.2	Procedures for Creating a Multi-member AF session with required QoS.....	474
4.15.6.13.3	Procedure for updating a Multi-member AF session with required QoS.....	476
4.15.6.13.4	Procedure for Revoking a Multi-member AF session with required QoS.....	478
4.15.6.14	Procedures for AF requested QoS for a UE or group of UEs not identified by a UE address.....	479
4.15.6.15	Provisioning of Non-3GPP Device Identifier Information.....	480
4.15.7	Network status reporting.....	481
4.15.8	Event exposure controlled by a DCCF.....	481
4.15.9	Time Synchronization exposure.....	482
4.15.9.1	General.....	482
4.15.9.2	Exposure of UE availability for Time Synchronization service.....	482
4.15.9.3	Time Synchronization activation, modification and deactivation.....	485
4.15.9.3.1	General.....	485
4.15.9.3.2	Time synchronization service activation.....	490
4.15.9.3.3	Time synchronization service modification.....	494
4.15.9.3.4	Time synchronization service deactivation.....	496
4.15.9.4	Procedures for management of 5G access stratum time distribution.....	496
4.15.9.5	Procedures for subscription and management of network timing synchronization status monitoring.....	503
4.15.9.5.1	Network timing synchronization status.....	503
4.15.9.5.2	5G access stratum time distribution status reporting to the UE.....	505
4.15.10	AF specific UE ID retrieval.....	506
4.15.10A	MSISDN retrieval.....	507
4.15.10B	MSISDN verification.....	508
4.15.11	Void.....	508
4.15.12	UPF Event Exposure Direct Reporting.....	508
4.15.12.1	General.....	508
4.15.12.2	QoS monitoring exposure.....	508
4.15.12.3	Notification of Handling of Payload Header Events.....	509
4.15.13	Assistance for Member UE selection.....	510
4.15.13.0	General.....	510
4.15.13.1	Member UE selection assistance subscribe and update procedure.....	511
4.15.13.2	Member UE Filtering Criteria for 5GS assistance to Member UE selection.....	512
4.15.13.3	Specific procedure for QoS Member UE filtering criteria.....	515
4.15.13.3.1	General.....	515
4.15.13.3.2	Void.....	515
4.15.13.3.3	Member UE Selection Assistance with QoS filtering criteria for real-time QoS Monitoring.....	515
4.15.13.4	Specific procedure for the 5GC assistance to member UE selection based on the UE's current location, historical location and direction and UE separation distance.....	518
4.15.13.5	Specific procedure for Service Experience Member UE filtering criteria.....	519
4.15.13.5.1	General.....	519
4.15.13.5.2	Member UE Selection Assistance with Service Experience filtering criteria.....	520

4.15.13.6	Specific procedure for end-to-end data volume transfer time related member UE filtering criteria ...	521
4.15.13.6.1	General	521
4.15.13.6.2	Member UE Selection assistance with end-to-end data volume transfer time related filtering criteria.....	522
4.15.13.7	Member UE selection assistance unsubscribe procedure	523
4.16	Procedures and flows for Policy Framework	523
4.16.1	AM Policy Association Establishment	523
4.16.1.1	General	523
4.16.1.2	AM Policy Association Establishment with new Selected PCF.....	524
4.16.1.3	Void.....	525
4.16.2	AM Policy Association Modification	525
4.16.2.0	General	525
4.16.2.1	AM Policy Association Modification initiated by the AMF	525
4.16.2.1.1	AM Policy Association Modification initiated by the AMF without AMF relocation	525
4.16.2.1.2	AM Policy Association Modification with old PCF during AMF relocation	526
4.16.2.2	AM Policy Association Modification initiated by the PCF.....	528
4.16.3	AM Policy Association Termination	529
4.16.3.1	General	529
4.16.3.2	AMF-initiated AM Policy Association Termination.....	529
4.16.3.3	Void.....	530
4.16.4	SM Policy Association Establishment	530
4.16.5	SM Policy Association Modification	532
4.16.5.0	General	532
4.16.5.1	SMF initiated SM Policy Association Modification	532
4.16.5.2	PCF initiated SM Policy Association Modification	534
4.16.6	SM Policy Association Termination	536
4.16.7	Negotiations for future background data transfer	537
4.16.7.1	General	537
4.16.7.2	Procedures for future background data transfer	538
4.16.7.3	Procedure for BDT warning notification.....	540
4.16.8	Procedures on interaction between PCF and CHF	541
4.16.8.1	General	541
4.16.8.2	Initial Spending Limit Retrieval	542
4.16.8.3	Intermediate Spending Limit Report Retrieval	542
4.16.8.4	Final Spending Limit Report Retrieval	543
4.16.8.5	Spending Limit Report.....	544
4.16.8.6	CHF report the removal of the subscriber	544
4.16.9	Update of the subscription information in the PCF	545
4.16.10	Void	546
4.16.11	UE Policy Association Establishment	546
4.16.11.1	General	546
4.16.12	UE Policy Association Modification	549
4.16.12.1	UE Policy Association Modification initiated by the AMF	549
4.16.12.1.1	UE Policy Association Modification initiated by the AMF without AMF relocation	549
4.16.12.1.2	UE Policy Association Modification with old PCF during AMF relocation	551
4.16.12.2	UE Policy Association Modification initiated by the PCF.....	552
4.16.13	UE Policy Association Termination	553
4.16.13.1	AMF-initiated UE Policy Association Termination.....	553
4.16.13.2	PCF-initiated UE Policy Association Termination	555
4.16.14	Management of access and mobility related policy information depending on the application in use	556
4.16.14.1	General	556
4.16.14.2	Procedures for management of access and mobility related policy information	557
4.16.14.2.1	Management of access and mobility related policy information at start and stop of application traffic	557
4.16.14.2.2	Management of access and mobility related policy information at SM Policy Association establishment and termination with the notification sent by the BSF.....	559
4.16.15	Negotiations for planned data transfer with QoS requirements	560
4.16.15.1	General	560
4.16.15.2	Procedures	560
4.16.15.2.1	Procedures for negotiation of planned data transfer with QoS requirements	560
4.16.15.2.2	Procedure for PDTQ warning notification.....	563
4.16.16	Awareness of URSP Rule Enforcement.....	564

4.16.16.1	General	564
4.16.16.2	Forwarding of URSP Rule Enforcement Information (for non-roaming and HR roaming).....	564
4.16.16.3	Forwarding of URSP Rule Enforcement Information (for LBO roaming)	566
4.17	Network Function Service Framework Procedure	568
4.17.1	NF service Registration	568
4.17.2	NF service update	569
4.17.3	NF service deregistration	569
4.17.4	NF/NF service discovery by NF service consumer in the same PLMN.....	570
4.17.4a	NF/NF service discovery by NF service consumer in the same SNPN	571
4.17.5	NF/NF service discovery across PLMNs in the case of discovery made by NF service consumer	571
4.17.5a	NF/NF service discovery between SNPN and Credentials Holder hosting AUSF/UDM or between SNPN and DCS hosting AUSF/UDM	572
4.17.6	SMF Provisioning of available UPFs using the NRF	573
4.17.6.1	General	573
4.17.6.2	SMF provisioning of UPF instances using NRF	574
4.17.7	NF/NF service status subscribe/notify in the same PLMN	575
4.17.8	NF/NF service status subscribe/notify across PLMNs.....	575
4.17.9	Delegated service discovery when NF service consumer and NF service producer are in same PLMN ..	576
4.17.10	Delegated service discovery when NF service consumer and NF service producer are in different PLMNs without NF selection at target PLMN	578
4.17.10a	Indirect Communication with possible delegated service discovery when NF service consumer and NF service producer are in different PLMNs with possible NF selection at target PLMN.....	578
4.17.11	Indirect Communication without delegated discovery Procedure	581
4.17.12	Binding between NF service consumer and NF service producer	581
4.17.12.1	General	581
4.17.12.2	Binding created as part of service response	581
4.17.12.3	Binding created as part of service request.....	582
4.17.12.4	Binding for subscription requests.....	583
4.17.13	NRF bootstrapping procedure.....	585
4.18	Procedures for Management of PFDs.....	585
4.18.1	General.....	585
4.18.2	PFD management via NEF (PFDf)	586
4.18.2.1	PFD management triggered by AF.....	586
4.18.2.2	PFD management based on PFD Determination analytics.....	586
4.18.3	PFD management in the SMF.....	587
4.18.3.1	PFD Retrieval by the SMF	587
4.18.3.2	Management of PFDs in the SMF	588
4.19	Network Data Analytics	589
4.19.1	Void	589
4.19.2	Void	589
4.20	UE Parameters Update via UDM Control Plane Procedure	589
4.20.1	General.....	589
4.20.2	UE Parameters Update via UDM Control Plane Procedure.....	590
4.20.3	Void	591
4.21	Secondary RAT Usage Data Reporting Procedure.....	591
4.22	ATSSS Procedures	592
4.22.1	General.....	592
4.22.2	UE Requested MA PDU Session Establishment	593
4.22.2.0	Overview	593
4.22.2.1	Non-roaming and Roaming with Local Breakout	593
4.22.2.2	Home-routed Roaming.....	595
4.22.2.2.1	Home-routed Roaming - UE registered to the same PLMN	595
4.22.2.2.2	Home-routed Roaming - UE registered to different PLMNs.....	596
4.22.2.3	MA PDU Session establishment with 3GPP access connected to EPC and non-3GPP access connected to 5GC.....	598
4.22.2.3.1	General	598
4.22.2.3.2	PDN Connections and Multi Access PDU Sessions.....	599
4.22.2.3.3	QoS Support	600
4.22.2.4	MA PDU Session establishment with non-3GPP access connected to EPC and 3GPP access connected to 5GC.....	601
4.22.2.4.1	General	601
4.22.2.4.2	PDN Connections and Multi Access PDU Sessions.....	601

4.22.2.4.3	QoS Support	602
4.22.3	UE Requested PDU Session Establishment with Network Modification to MA PDU Session.....	603
4.22.3.1	Overview	603
4.22.3.2	Non-roaming or roaming with local breakout	603
4.22.3.3	Home-routed, the UE registered to the same VPLMN over both access	604
4.22.3.4	Home-routed, the UE registered to different PLMNs over both access	605
4.22.4	Access Network Performance Measurements.....	605
4.22.5	Reporting of Access Availability	605
4.22.5A	Suspend and Resume Traffic Duplication	606
4.22.6	EPS Interworking.....	606
4.22.6.1	General	606
4.22.6.2	Impacts to EPS interworking procedures	606
4.22.6.2.1	5GS to EPS handover using N26 interface.....	606
4.22.6.2.2	5GS to EPS idle mode mobility using N26 interface	606
4.22.6.2.3	EPS bearer ID allocation	607
4.22.6.2.4	EPS bearer ID revocation	607
4.22.6.2.5	5GS to EPS mobility without N26 interface.....	607
4.22.6.3	Network Modification to MA PDU Session after a UE moving from EPC.....	608
4.22.7	Adding / Re-activating / De-activating User-Plane Resources	609
4.22.8	UE or network requested MA PDU Session Modification	610
4.22.8.1	General	610
4.22.8.2	UE or network requested MA PDU Session Modification (non-roaming and roaming with local breakout)	610
4.22.8.3	UE or network requested MA PDU Session Modification (home-routed roaming)	610
4.22.9	Connection, Registration and Mobility Management procedures.....	611
4.22.9.1	Registration procedures.....	611
4.22.9.2	UE Triggered Service Request.....	612
4.22.9.3	N2 based handover.....	612
4.22.9.4	Network Triggered Service Request	613
4.22.9.5	Registration procedures for non-3GPP access path switching	613
4.22.10	MA PDU Session Release	616
4.22.10.1	General	616
4.22.10.2	UE or network requested MA PDU Session Release (non-roaming and roaming with local breakout)	616
4.22.10.3	UE or network requested MA PDU Session Release (home-routed roaming).....	616
4.23	Support of deployments topologies with specific SMF Service Areas.....	617
4.23.1	General.....	617
4.23.2	I-SMF selection	618
4.23.3	Registration procedure.....	619
4.23.3a	Deregistration procedure.....	620
4.23.4	Service Request procedures	620
4.23.4.1	General	620
4.23.4.2	UE Triggered Service Request without I-SMF change/removal.....	620
4.23.4.3	UE Triggered Service Request with I-SMF insertion/change/removal	621
4.23.4.4	Network Triggered Service Request	627
4.23.5	PDU Session Management procedure.....	627
4.23.5.1	PDU Session establishment procedure.....	627
4.23.5.2	PDU Session Release procedure	628
4.23.5.3	PDU Session modification procedure	628
4.23.5.4	SMF triggered I-SMF selection or removal	629
4.23.6	I-SMF Related Procedures with PCF.....	631
4.23.6.1	General	631
4.23.6.2	Policy Update Procedures with I-SMF.....	631
4.23.6.3	Reporting UP path change to the AF.....	631
4.23.7	Inter NG-RAN node N2 based handover	632
4.23.7.1	General	632
4.23.7.2	Inter NG-RAN node N2 based handover without I-SMF change/removal	632
4.23.7.2.1	General	632
4.23.7.2.2	Preparation phase.....	632
4.23.7.2.3	Execution phase.....	633
4.23.7.2.4	Handover Cancel	633
4.23.7.3	Inter NG-RAN node N2 based handover with I-SMF insertion/change/removal	633

4.23.7.3.1	General	633
4.23.7.3.2	Preparation phase.....	634
4.23.7.3.3	Execution phase.....	640
4.23.7.3.4	Handover Cancel	644
4.23.8	AN Release procedure involving I-SMF	646
4.23.9	Branching Point or UL CL controlled by I-SMF	646
4.23.9.0	Overview	646
4.23.9.1	Addition of PDU Session Anchor and Branching Point or UL CL controlled by I-SMF	647
4.23.9.2	Removal of PDU Session Anchor and Branching Point or UL CL controlled by I-SMF	650
4.23.9.3	Change of PDU Session Anchor for IPv6 multi-homing or UL CL controlled by I-SMF	651
4.23.9.4	Simultaneous change of Branching Point or UL CL and additional PSA controlled by I-SMF	653
4.23.9.5	Simultaneous change of Branching Points or UL CLs controlled by different I-SMFs.....	655
4.23.9a	Void	658
4.23.10	CN-initiated selective deactivation of UP connection of an existing PDU Session involving I-SMF	658
4.23.11	Xn based handover.....	658
4.23.11.1	General	658
4.23.11.2	Xn based handover with insertion of intermediate SMF	658
4.23.11.3	Xn based handover with re-allocation of intermediate SMF.....	660
4.23.11.4	Xn based handover with removal of intermediate SMF.....	662
4.23.11.5	Xn based handover without change of intermediate SMF	664
4.23.12	N26 based Interworking Procedures with I-SMF	664
4.23.12.1	General	664
4.23.12.2	5GS to EPS Idle mode mobility using N26 interface with I-SMF removal	664
4.23.12.2A	5GS to EPS Idle mode mobility using N26 interface with Data forwarding and I-SMF removal	664
4.23.12.3	EPS to 5GS mobility registration procedure (Idle and Connected State) using N26 interface with I-SMF insertion	664
4.23.12.3A	EPS to 5GS Idle mode mobility using N26 interface with Data forwarding and I-SMF insertion	665
4.23.12.4	Procedures for EPS bearer ID allocation.....	665
4.23.12.5	EPS to 5GS mobility registration procedure (Idle) using N26 interface with AMF reallocation and I-SMF insertion	665
4.23.12.6	5GS to EPS handover using N26 interface with I-SMF removal.....	665
4.23.12.7	EPS to 5GS handover using N26 interface with I-SMF insertion.....	665
4.23.12.7.1	Preparation phase.....	665
4.23.12.7.2	Execution phase.....	666
4.23.12.8	Impact to 5GC procedures	666
4.23.12.8.1	General	666
4.23.12.8.2	UE Triggered Service Request with I-SMF insertion/change/removal	666
4.23.12.8.3	PDU Session establishment procedure	666
4.23.12.8.4	PDU Session modification procedure.....	666
4.23.12.8.5	Inter NG-RAN node N2 based handover with I-SMF insertion/change/removal.....	666
4.23.12.8.6	Xn based handover with insertion of I-SMF	667
4.23.13	Non N26 based Interworking Procedures with I-SMF.....	667
4.23.13.1	General	667
4.23.13.2	Mobility procedure without N26 interface from EPS to 5GS	667
4.23.13.3	Mobility procedure without N26 interface from EPC/ePDG to 5GS	667
4.23.13.4	Mobility procedure without N26 interface from 5GS to EPS	667
4.23.13.5	Mobility procedure without N26 interface from 5GS to EPC/ePDG	667
4.23.14	Pause of charging.....	668
4.23.15	PDU Session mobility between 3GPP and non-3GPP access.....	668
4.23.16	Handover of a PDU Session procedure between 3GPP and untrusted non-3GPP access	668
4.23.16.1	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (non-roaming and roaming with local breakout).....	668
4.23.16.2	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (non-roaming and roaming with local breakout).....	668
4.23.16.3	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (home routed roaming).....	669
4.23.16.3.1	The target AMF is in the PLMN of the N3IWF	669
4.23.16a	Handover of a PDU Session procedure between 3GPP and trusted non-3GPP access.....	669
4.23.16a.1	General	669
4.23.17	Additional considerations for Home-routed roaming	669
4.24	Procedures for UPF Anchored Data Transport in Control Plane CIoT 5GS Optimisation.....	670
4.24.1	UPF anchored Mobile Originated Data Transport in Control Plane CIoT 5GS Optimisation.....	670