

ETSI TS 123 542 V18.6.0 (2025-07)



5G; Application layer support for Personal IoT Network (3GPP TS 23.542 version 18.6.0 Release 18)

Document Preview

[ETSI TS 123 542 V18.6.0 \(2025-07\)](https://standards.iteh.ai/catalog/standards/etsi/f5b5fbd1-d81a-4cc7-aff9-d9b06bce5481/etsi-ts-123-542-v18-6-0-2025-07)

<https://standards.iteh.ai/catalog/standards/etsi/f5b5fbd1-d81a-4cc7-aff9-d9b06bce5481/etsi-ts-123-542-v18-6-0-2025-07>



Reference

RTS/TSGS-0623542vi60

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-07)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](https://standards.iteh.ai/catalog/standards/etsi/f5b5fbd1-d81a-4cc7-aff9-d9b06bce5481/etsi-ts-123-542-v18-6-0-2025-07).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	10
Introduction	10
1 Scope	11
2 References	11
3 Definitions of terms, symbols and abbreviations	11
3.1 Terms.....	11
3.2 Symbols.....	12
3.3 Abbreviations	12
4 Overview	12
4.1 General	12
5 Architectural requirements	12
5.1 General	12
5.2 Architectural requirements	12
5.2.1 General requirements.....	12
5.2.1.1 General	12
5.2.1.2 Requirements	13
5.2.2 PIN Management	13
5.2.2.1 General	13
5.2.2.2 Requirements	13
5.2.3 PIN enable 5GS communication.....	13
5.2.3.1 General	13
5.2.3.2 Requirements	13
5.2.4 Service Switch	14
5.2.4.1 General	14
5.2.4.2 Requirements	14
5.2.5 Application server discovery	14
5.2.5.1 General	14
5.2.5.2 Requirements	14
5.2.6 Service continuity	14
5.2.6.1 General	14
5.2.6.2 Requirements	14
5.2.7 Security	14
5.2.7.1 General	14
5.2.7.2 Requirements	14
5.2.8 Subscription service	15
5.2.8.1 General	15
5.2.8.2 Requirements	15
5.2.9 PIN application KPIs	15
5.2.9.1 General	15
5.2.9.2 Requirements	15
6 Application enablement layer architecture.....	15
6.1 General	15
6.2 Architecture.....	16
6.2.1 General Architecture.....	16
6.2.2 Architecture of user accessing services provided by PIN Element from outside the PIN	17
6.3 Functional entities	18
6.3.1 General.....	18
6.3.2 PIN client.....	18
6.3.3 PIN Management Client	18

6.3.4	PIN Gateway Client	19
6.3.5	PIN server	19
6.3.6	Application Client.....	20
6.4	Reference Points.....	20
6.4.1	General.....	20
6.4.2	PIN-1	20
6.4.3	PIN-2	20
6.4.4	PIN-3	20
6.4.5	PIN-4	20
6.4.6	PIN-5	20
6.4.7	PIN-6	20
6.4.8	PIN-7	21
6.4.9	PIN-8	21
6.4.10	PIN-9	21
6.4.11	PIN-10	21
6.4.12	PIN-11	21
6.4.13	PIN-12	21
6.5	Cardinality rules	21
6.5.1	Application Client (AC).....	21
6.5.2	PEMC	21
6.5.3	PEGC.....	22
6.5.4	PIN server	22
6.5.5	PIN client.....	22
7	Identities and commonly used values.....	22
7.1	General	22
7.2	Identities	22
7.2.1	General.....	22
7.2.2	PIN ID.....	22
7.2.3	PIN server ID.....	22
7.2.4	PIN client ID.....	23
7.2.5	Application Client ID (ACID).....	23
7.2.6	UE ID.....	23
7.2.7	UE Location.....	23
8	Procedures and information flows.....	23
8.1	General	23
8.2	Common Information Elements	24
8.2.1	General.....	24
8.2.2	PIN Profile	24
8.2.2.0	PIN Profile in a PIN	24
8.2.2.1	PIN Profile in a PIN	24
8.2.2.2	Dynamic profile information of a PIN	25
8.2.2.3	PIN client profile.....	28
8.3	PIN server discovery	28
8.3.1	General.....	28
8.3.2	Procedure	29
8.3.2.1	Static PIN server discovery	29
8.3.2.2	Procedures of PIN server discovery via PEGC	29
8.3.3	Information flows	30
8.3.3.1	General	30
8.3.3.2	PIN server discovery request.....	30
8.3.3.3	PIN server discovery response	30
8.4	Registration	30
8.4.1	General.....	30
8.4.2	Registration Procedure.....	31
8.4.2.1	General	31
8.4.2.2	Procedure	31
8.4.2.2.1	PINE registration directly to PIN server.....	31
8.4.2.2.2	PINE registration indirectly to PIN server.....	32
8.4.2.2.3	PINE registration via PEGC before join.....	33
8.4.2.2.4	PINE registration during the PIN join via the PEGC	34

8.4.2.2.5	PINE de-registration directly to PIN server.....	35
8.4.2.2.7	PINE update registration to PIN server	36
8.4.2.3	Information flow/elements	37
8.4.2.3.1	General	37
8.4.2.3.2	PINE Registration request	37
8.4.2.3.3	PINE Registration response.....	37
8.4.2.3.4	PINE de-registration request	38
8.4.2.3.5	PINE de-registration response	38
8.4.2.3.6	PINE update registration request	38
8.4.2.3.7	PINE update registration response.....	39
8.5	PIN Management.....	39
8.5.1	General.....	39
8.5.2	PIN Create	39
8.5.2.1	General	39
8.5.2.2	Procedure	40
8.5.2.3	Information flows.....	42
8.5.3	PIN delete	44
8.5.3.1	General	44
8.5.3.2	Procedure	44
8.5.3.2.1	PIN delete procedure involving PIN server.....	44
8.5.3.2.2	PEMC decided PIN deletion.....	45
8.5.3.3	Information flows.....	46
8.5.3.3.1	General	46
8.5.3.3.2	PIN delete request.....	47
8.5.3.3.3	PIN delete response	47
8.5.3.3.4	PIN delete notification request	47
8.5.3.3.5	PIN delete notification response.....	47
8.5.4	Multiple PEMCs/PEGCs	47
8.5.4.1	General	47
8.5.4.2	Procedure	48
8.5.4.3	Void.....	51
8.5.4.3.1	Void	51
8.5.5	PIN Profile Recovery.....	51
8.5.5.1	General	51
8.5.5.2	Procedure	51
8.5.5.3	Information flows.....	51
8.5.5.3.1	General	51
8.5.5.3.2	PIN Profile Query request	51
8.5.5.3.3	PIN Profile Query Response.....	52
8.5.6	Credential Provision	52
8.5.7	PIN discovery	52
8.5.7.1	General	52
8.5.7.2	Procedure	52
8.5.7.2.1	Procedures of PIN discovery based on PEMC	52
8.5.7.2.2	Procedures of PIN discovery with assistance of PIN server via PEGC.....	53
8.5.7.3	Information flows.....	54
8.5.7.3.1	General	54
8.5.7.3.2	PIN discovery request.....	54
8.5.7.3.3	PIN discovery response	55
8.5.8	PINE management	55
8.5.8.1	General	55
8.5.8.2	Procedure	55
8.5.8.2.1	PIN client requests to join into a PIN	55
8.5.8.2.2	Procedure of PIN elements decides to leave the PIN	56
8.5.8.2.3	Procedure of PEMC removes the PIN elements from a PIN	57
8.5.8.2.4	PINE join into PIN via PEGC	58
8.5.8.2.5	PINE leave via PEGC.....	59
8.5.8.3	Information flows.....	61
8.5.8.3.1	General	61
8.5.8.3.2	PIN Management PINE join into PIN request.....	61
8.5.8.3.3	PIN Management PINE join into PIN response	61
8.5.8.3.4	PIN Management PINE leave from PIN request	62

8.5.8.3.5	PIN Management PINE leave from PIN response	62
8.5.9	PIN status subscription	63
8.5.9.1	General	63
8.5.9.2	Procedure	63
8.5.9.2.1	PIN status subscribe	63
8.5.9.2.2	PIN status notify	63
8.5.9.3	Information flows.....	66
8.5.9.3.1	General	66
8.5.9.3.2	PIN status subscribe request	66
8.5.9.3.3	PIN status subscribe response.....	66
8.5.9.3.4	PIN status notify	67
8.5.9.3.5	PIN status update request	67
8.5.9.3.6	PIN status update response	68
8.5.9.3.7	PIN status unsubscribe request.....	68
8.5.10	PIN modification	68
8.5.10.1	General	68
8.5.10.2	Procedures	68
8.5.10.2.1	General	68
8.5.10.2.2	PIN modification after local PEMC failure	68
8.5.10.2.3	PIN modification with PEGC role change.....	70
8.5.10.2.4	PEMC replacement triggered internally within the PIN.....	71
8.5.10.2.5	PEGC replacement triggered by PEMC	72
8.5.10.3.2	PIN configuration request.....	73
8.5.10.3.3	PIN configuration response	73
8.5.10.3.4	PIN management request.....	74
8.5.10.3.5	PIN management response	74
8.5.10.3.6	PIN PEMC role takeover request	74
8.5.10.3.7	PIN PEMC role takeover response	74
8.5.10.3.8	PIN PEGC role takeover request	75
8.5.10.3.9	PIN PEGC role takeover response.....	75
8.5.11	PIN services management.....	75
8.5.11.1	General	75
8.5.11.2	Procedures	75
8.5.11.2.1	PINE registering the services	75
8.5.11.2.2	PINE de-registering the services	76
8.5.11.3	Information flows.....	77
8.5.11.3.1	General	77
8.5.11.3.2	PIN services registration request	77
8.5.11.3.3	PIN services registration response.....	78
8.5.11.3.4	PIN services de-registration request	78
8.5.11.3.5	PIN services de-registration response.....	78
8.5.12	PIN heartbeat	78
8.5.12.1	General	78
8.5.12.2	Procedure	78
8.5.12.2.1	PIN heartbeat.....	78
8.5.13	PIN activation and deactivation	79
8.5.13.1	General	79
8.5.13.2	Procedure	80
8.5.13.2.1	PIN activation.....	80
8.5.13.2.2	PIN de-activation.....	80
8.5.14	PIN connectivity subscription.....	81
8.5.14.1	General	81
8.5.14.2	Procedure	81
8.5.14.2.1	PIN connectivity subscribe	81
8.5.14.2.2	PIN connectivity notify	82
8.5.14.2.3	PIN connectivity update	83
8.5.14.2.4	PIN connectivity unsubscribe	83
8.5.14.3	Information flows.....	84
8.5.14.3.1	General	84
8.5.14.3.2	PIN connectivity subscribe request	84
8.5.14.3.3	PIN connectivity subscribe response	84
8.5.14.3.4	PIN connectivity notify	84