

ETSI TS 124 167 V18.2.0 (2026-03)



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
3GPP IMS Management Object (MO);
Stage 3
(3GPP TS 24.167 version 18.2.0 Release 18)**



Reference

RTS/TSGC-0124167vi20

Keywords

5G,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	7
1 Scope	8
2 References	8
3 Definitions and abbreviations.....	9
3.1 Definitions	9
3.2 Abbreviations	9
4 3GPP IMS Management Object.....	10
5 Management Object parameters	14
5.1 General	14
5.2 Node: /<X>	14
5.3 /<X>/AppID.....	15
5.4 /<X>/Name	15
5.5 /<X>/ConRefs/.....	15
5.6 /<X>/ConRefs/<X>	15
5.7 /<X>/ConRefs/<X>/ConRef.....	15
5.8 /<X>/PDP_ContextOperPref	16
5.9 /<X>/P-CSCF_Address.....	16
5.10 /<X>/Timer_T1.....	16
5.11 /<X>/Timer_T2.....	16
5.12 /<X>/Timer_T4.....	17
5.13 /<X>/Private_user_identity.....	17
5.14 /<X>/Public_user_identity_List/.....	17
5.15 /<X>/Public_user_identity_List/<X>.....	18
5.16 /<X>/Public_user_identity_List/<X>/Public_user_identity.....	18
5.17 /<X>/Home_network_domain_name.....	18
5.18 /<X>/Ext/.....	18
5.19 /<X>/ICSI_List/.....	19
5.20 /<X>/ICSI_List/<X>	19
5.21 /<X>/ICSI_List/<X>/ICSI.....	19
5.21A /<X>/ICSI_List/<X>/ICSI_Resource_Allocation_Mode.....	19
5.22 /<X>/LBO_P-CSCF_Address/.....	20
5.23 /<X>/LBO_P-CSCF_Address/<X>.....	20
5.24 /<X>/LBO_P-CSCF_Address/<X>/Address.....	20
5.25 /<X>/LBO_P-CSCF_Address/<X>/AddressType	20
5.26 /<X>/Resource_Allocation_Mode.....	21
5.27 /<X>/Voice_Domain_Preference_E_UTRAN	21
5.28 /<X>/SMS_Over_IP_Networks_Indication.....	22
5.29 /<X>/Keep_Alive_Enabled.....	22
5.30 /<X>/Voice_Domain_Preference_UTRAN.....	22
5.31 /<X>/Mobility_Management_IMS_Voice_Termination.....	23
5.32 void.....	24
5.33 void.....	24
5.34 void.....	24
5.35 /<X>/RegRetryBaseTime	24
5.36 /<X>/RegRetryMaxTime	24
5.37 /<X>/PhoneContext_List/.....	24
5.38 /<X>/PhoneContext_List/<X>	24
5.39 /<X>/PhoneContext_List/<X>/PhoneContext.....	25
5.40 /<X>/PhoneContext_List/<X>/Public_user_identity	25
5.41 /<X>/SS_domain_setting.....	25

5.42	/<X>/PS_domain_IMS_SS_control_preference	26
5.43	/<X>/Media_type_restriction_policy	26
5.44	/<X>/Media_type_restriction_policy/<X>/	27
5.45	/<X>/Media_type_restriction_policy/<X>/Media_type	28
5.46	/<X>/Media_type_restriction_policy/<X>/IP-CAN	28
5.47	/<X>/Media_type_restriction_policy/<X>/ICSI	28
5.48	/<X>/Media_type_restriction_policy/<X>/Roaming	28
5.49	/<X>/Default_EPS_bearer_context_usage_restriction_policy	29
5.50	/<X>/Default_EPS_bearer_context_usage_restriction_policy/<X>/	29
5.51	/<X>/Default_EPS_bearer_context_usage_restriction_policy/<X>/Media_type	29
5.52	/<X>/Default_EPS_bearer_context_usage_restriction_policy/<X>/ICSI	29
5.53	/<X>/Reliable_18x_policy	30
5.54	/<X>/Reliable_18x_policy/<X>/	30
5.55	/<X>/Reliable_18x_policy/<X>/ICSI	30
5.56	/<X>/Reliable_18x_policy/<X>/Send_18x_Reliably	30
5.57	/<X>/EPS_initial_attach_ConRefs	31
5.58	/<X>/EPS_initial_attach_ConRefs/<X>	31
5.59	/<X>/EPS_initial_attach_ConRefs/<X>/ConRef	31
5.60	/<X>/Precondition_disabling_policy	31
5.61	/<X>/Timer_Emerg-reg	32
5.61a	/<X>/Timer_Emerg-reg-retry	32
5.62	/<X>/Policy_on_local_numbers	32
5.63	/<X>/Policy_on_local_numbers/<X>/	32
5.64	/<X>/Policy_on_local_numbers/<X>/ICSI	33
5.65	/<X>/Policy_on_local_numbers/<X>/Local_number_type	33
5.66	/<X>/3GPP_PS_data_off	33
5.67	/<X>/3GPP_PS_data_off/SMSoIP_exempt	33
5.67a	/<X>/3GPP_PS_data_off/SMSoIP_roaming_exempt	34
5.68	/<X>/3GPP_PS_data_off/non_3GPP_ICSI_exempt	34
5.68a	/<X>/3GPP_PS_data_off/non_3GPP_ICSI_roaming_exempt	34
5.69	/<X>/3GPP_PS_data_off/non_3GPP_ICSI_exempt/<X>	34
5.69a	/<X>/3GPP_PS_data_off/non_3GPP_ICSI_roaming_exempt/<X>	35
5.70	/<X>/3GPP_PS_data_off/non_3GPP_ICSI_exempt/<X>/non_3GPP_ICSI_exempt	35
5.70a	/<X>/3GPP_PS_data_off/non_3GPP_ICSI_roaming_exempt/<X>/non_3GPP_ICSI_roaming_exempt	35
5.71	/<X>/SMSoIP_usage_policy	35
5.72	Void	36
5.73	/<X>/Timer_Emerg-request	36
5.74	/<X>/IMS_Registration_Policy	36
5.75	/<X>/IMS_Registration_Policy/<X>/	36
5.76	/<X>/IMS_Registration_Policy/<X>/Stay_Registered_When_VoPS_Not_Supported	37
5.77	/<X>/IMS_Registration_Policy/<X>/Deregistration_Timer	37
5.78	/<X>/Allow_Handover_PDN_connection_WLAN_and_EPS	37
5.79	/<X>/Default_QoS_Flow_usage_restriction_policy	38
5.80	/<X>/Default_QoS_Flow_usage_restriction_policy/<X>/	38
5.81	/<X>/Default_QoS_Flow_usage_restriction_policy/<X>/Media_type	38
5.82	/<X>/Default_QoS_Flow_usage_restriction_policy/<X>/ICSI	38
5.83	/<X>/Timer_Emerg-non3gpp	39
5.84	/<X>/Session_Timer_Policy	39
5.85	/<X>/Session_Timer_Policy/Session_Timer_Support	39
5.86	/<X>/Session_Timer_Policy/Session_Timer_Initial_Interval	39
5.87	/<X>/Session_Timer_Policy/Session_Timer_Initial_MT_Refresh	40
5.88	/<X>/Access_Point_Name_Parameter_Reading_Rule	40
5.89	/<X>/Allow_Handover_PDU_session_non-3GPP_and_NG-RAN	40
5.90	/<X>/Allow_Handover_PDN_connection_non-3GPP_and_NG-RAN	41
5.91	/<X>/SNPN_Configuration	42
5.92	/<X>/SNPN_Configuration/<X>	42
5.93	/<X>/SNPN_Configuration/<X>/SNPN_identifier	43
5.94	/<X>/SNPN_Configuration/<X>/Timer_T1	43
5.95	/<X>/SNPN_Configuration/<X>/Timer_T2	43
5.96	/<X>/SNPN_Configuration/<X>/Timer_T4	43
5.97	/<X>/SNPN_Configuration/<X>/Private_user_identity	44
5.98	/<X>/SNPN_Configuration/<X>/Public_user_identity_List/	44

5.99	/<X>/SNPN_Configuration/<X>/Public_user_identity_List/ <X>	44
5.100	/<X>/SNPN_Configuration/<X>/Public_user_identity_List/ <X>/Public_user_identity	44
5.101	/<X>/SNPN_Configuration/<X>/ Home_network_domain_name	45
5.102	/<X>/SNPN_Configuration/<X>/ICSI_List/	45
5.103	/<X>/SNPN_Configuration/<X>/ICSI_List/<X>	45
5.104	/<X>/SNPN_Configuration/<X>/ICSI_List/<X>/ICSI	46
5.105	/<X>/SNPN_Configuration/<X>/ICSI_List/<X>/ ICSI_Resource_Allocation_Mode	46
5.106	/<X>/SNPN_Configuration/<X>/Resource_Allocation_Mode	46
5.107	/<X>/SNPN_Configuration/<X>/LBO_P-CSCF_Address/	47
5.108	/<X>/SNPN_Configuration/<X>/ LBO_P-CSCF_Address/<X>	47
5.109	/<X>/SNPN_Configuration/<X>/ LBO_P-CSCF_Address/<X>/Address	47
5.110	/<X>/SNPN_Configuration/<X>/ LBO_P-CSCF_Address/<X>/AddressType	47
5.111	/<X>/SNPN_Configuration/<X>/ SMS_Over_IP_Networks_Indication	48
5.112	/<X>/SNPN_Configuration/<X>/ Keep_Alive_Enabled	48
5.113	/<X>/SNPN_Configuration/<X>/ RegRetryBaseTime	48
5.114	/<X>/SNPN_Configuration/<X>/RegRetryMaxTime	49
5.115	/<X>/SNPN_Configuration/<X>/PhoneContext_List/	49
5.116	/<X>/SNPN_Configuration/<X>/PhoneContext_List/<X>	49
5.117	/<X>/SNPN_Configuration/<X>/PhoneContext_List/<X>/ PhoneContext	49
5.118	/<X>/SNPN_Configuration/<X>/PhoneContext_List/<X>/ Public_user_identity	49
5.119	/<X>/SNPN_Configuration/<X>/ PS_domain_IMS_SS_control_preference	50
5.120	/<X>/SNPN_Configuration/<X>/ Media_type_restriction_policy	50
5.121	/<X>/SNPN_Configuration/<X>/ Media_type_restriction_policy/<X>/	50
5.122	/<X>/SNPN_Configuration/<X>/ Media_type_restriction_policy/<X>/Media_type	51
5.123	/<X>/SNPN_Configuration/<X>/ Media_type_restriction_policy/<X>/IP-CAN	52
5.124	/<X>/SNPN_Configuration/<X>/ Media_type_restriction_policy/<X>/ICSI	52
5.125	/<X>/SNPN_Configuration/<X>/ Media_type_restriction_policy/<X>/Non-subscribed	52
5.126	/<X>/SNPN_Configuration/<X>/Reliable_18x_policy	53
5.127	/<X>/SNPN_Configuration/<X>/Reliable_18x_policy/<X>/	53
5.128	/<X>/SNPN_Configuration/<X>/Reliable_18x_policy/<X>/ ICSI	53
5.129	/<X>/SNPN_Configuration/<X>/Reliable_18x_policy/<X>/ Send_18x_Reliably	53
5.130	/<X>/SNPN_Configuration/<X>/ Precondition_disabling_policy	54
5.131	/<X>/SNPN_Configuration/<X>/Timer_Emerg-reg	54
5.131a	/<X>/SNPN_Configuration/<X>/Timer_Emerg-reg-retry	54
5.132	/<X>/SNPN_Configuration/<X>/Policy_on_local_numbers	55
5.133	/<X>/SNPN_Configuration/<X>/Policy_on_local_numbers/ <X>/	55
5.134	/<X>/SNPN_Configuration/<X>/Policy_on_local_numbers/ <X>/ICSI	55
5.135	/<X>/SNPN_Configuration/<X>/Policy_on_local_numbers/ <X>/Local_number_type	55
5.136	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off	56
5.137	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off/ SMSoIP_exempt	56
5.138	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off/ SMSoIP_non-subscribed_exempt	56
5.139	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off/ non_3GPP_ICSI_exempt	57
5.140	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off/ non_3GPP_ICSI_non-subscribed_exempt	57
5.141	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off/ non_3GPP_ICSI_exempt/<X>	57
5.142	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off/ non_3GPP_ICSI_non-subscribed_exempt/<X>	57
5.143	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off/ non_3GPP_ICSI_exempt/<X>/non_3GPP_ICSI_exempt	58
5.144	/<X>/SNPN_Configuration/<X>/3GPP_PS_data_off/ non_3GPP_ICSI_non-subscribed_exempt/<X>/ non_3GPP_ICSI_non-subscribed_exempt	58
5.145	/<X>/SNPN_Configuration/<X>/SMSoIP_usage_policy	58
5.146	/<X>/SNPN_Configuration/<X>/IMS_Registration_Policy	59
5.147	/<X>/SNPN_Configuration/<X>/IMS_Registration_Policy/ <X>/	59
5.148	/<X>/SNPN_Configuration/<X>/IMS_Registration_Policy/ <X>/Stay_Registered_When_VoPS_Not_Supported	59
5.149	/<X>/SNPN_Configuration/<X>/IMS_Registration_Policy/ <X>/Deregistration_Timer	59
5.150	/<X>/SNPN_Configuration/<X>/Timer_Emerg-request	60
5.151	/<X>/SNPN_Configuration/<X>/ Default_QoS_Flow_usage_restriction_policy	60
5.152	/<X>/SNPN_Configuration/<X>/ Default_QoS_Flow_usage_restriction_policy/<X>/	60
5.153	/<X>/SNPN_Configuration/<X>/ Default_QoS_Flow_usage_restriction_policy/<X>/ Media_type	61
5.154	/<X>/SNPN_Configuration/<X>/ Default_QoS_Flow_usage_restriction_policy/<X>/ICSI	61
5.155	/<X>/SNPN_Configuration/<X>/Session_Timer_Policy	61
5.156	/<X>/SNPN_Configuration/<X>/ Session_Timer_Policy/Session_Timer_Support	61

5.157	/<X>/SNPN_Configuration/<X>/Session_Timer_Policy /Session_Timer_Initial_Interval	62
5.158	/<X>/SNPN_Configuration/<X>/Session_Timer_Policy/ Session_Timer_Initial_MT_Refresh	62
5.159	/<X>/SNPN_Configuration/<X>/ Access_Point_Name_Parameter_Reading_Rule	62
5.160	/<X>/SNPN_Configuration/<X>/ Allow_Handover_PDU_session_non-3GPP_and_NG-RAN	63
Annex A (informative): Management Object DDF		64
Annex B (informative): 3GPP IMS Client Provisioning Application Characteristics (CP AC).....		110
B.1	General	110
B.2	Definition of the 3GPP IMS Client Provisioning Application Characteristics	110
Annex C (informative): Change history		113
History		116

Sample Document

get full document from standards.iteh.ai

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Sample Document

get full document from standards.iteh.ai

1 Scope

This document defines a mobile device 3GPP IMS Management Object. The management object is compatible with OMA Device Management protocol specifications, version 1.2 and upwards, and is defined using the OMA DM Device Description Framework as described in the Enabler Release Definition OMA-ERELD_DM-V1_2 [12].

The 3GPP IMS Management Object consists of relevant parameters that can be managed for the IM CN Subsystem. This includes the basic framework defined in 3GPP TS 23.228 [4] and 3GPP TS 24.229 [5], and early IMS as defined in 3GPP TS 23.221 [3]. This also includes relevant parameters that can be managed for the application of SMS over IP networks defined in 3GPP TS 24.341 [5a].

The IMS Management Object defines a repository of data into the ME including parameters that are provisioned from the ISIM application (i.e. 3GPP TS 31.103 [11]) or, after derivation, from the USIM application (i.e. 3GPP TS 31.102 [10]).

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the 3GPP IMS Management Object document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.003: "Numbering, addressing and identification".
- [3] 3GPP TS 23.221: "Architectural requirements".
- [4] 3GPP TS 23.228: "IP Multimedia Subsystem (IMS); Stage 2".
- [5] 3GPP TS 24.229: "Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3".
- [5a] 3GPP TS 24.341: "Support of SMS over IP networks; Stage 3".
- [6] Void.
- [7] Void.
- [8] Void.
- [9] Void.
- [10] 3GPP TS 31.102: "Characteristics of the USIM application".
- [11] 3GPP TS 31.103: "Characteristics of the IP Multimedia Services Identity Module; (ISIM) Application".
- [12] OMA-ERELD-DM-V1_2-20070209-A: "Enabler Release Definition for OMA Device Management, Version 1.2".
- [13] Void.
- [14] Void.

- [15] 3GPP TS 24.301: "Non-Access-Stratum (NAS) protocol for Evolved Packet System (EPS); Stage 3".
- [16] 3GPP TS 24.292: "IP Multimedia (IM) Core Network (CN) subsystem Centralized Services (ICS); Stage 3".
- [17] 3GPP TS 24.008: "Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3".
- [18] RFC 5626: "Managing Client-Initiated Connections in the Session Initiation Protocol (SIP)".
- [19] 3GPP TS 22.173: "IP Multimedia Core Network Subsystem (IMS) Multimedia Telephony Service and supplementary services; Stage 1".
- [20] 3GPP TS 24.623: "Extensible Markup Language (XML) Configuration Access Protocol (XCAP) over the Ut interface for Manipulating Supplementary Services".
- [21] 3GPP TS 24.238: "Session Initiation Protocol (SIP) based user configuration; Stage 3".
- [22] 3GPP TS 29.292: "Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and MSC Server for IMS Centralized Services (ICS)".
- [23] RFC 3261: "SIP: Session Initiation Protocol".
- [24] RFC 4566: "SDP: Session Description Protocol".
- [25] 3GPP TS 23.122: "Non-Access-Stratum functions related to Mobile Station (MS) in idle mode".
- [26] RFC 4028 (April 2005): "Session Timers in the Session Initiation Protocol (SIP)".
- [27] 3GPP TS 23.501: "System architecture for the 5G System (5GS)".
- [28] 3GPP TS 23.122: "Non-Access-Stratum (NAS) functions related to Mobile Station (MS) in idle mode".

get full document from standards.iteh.ai

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] apply.

Default QoS Flow: The 5G QoS Flow associated with the default QoS rule.

For the purposes of the present document, the following terms and definitions given in 3GPP TS 23.122 [25] apply.

Equivalent Home PLMN (EHPLMN)

Home PLMN (HPLMN)

Visited PLMN (VPLMN)

For the purposes of the present document, the following terms and definitions given in 3GPP TS 23.501 [27] apply:

NG-RAN

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AC	Application Characteristics
CN	Core Network
CP	Client Provisioning
CSCF	Call Session Control Function
DDF	Device Description Framework

DM	Device Management
E-UTRA	Evolved Universal Terrestrial Radio Access
FQDN	Fully Qualified Domain Name
ICSI	IMS Communication Service Identifier
IMS	IP Multimedia core network Subsystem
IP	Internet Protocol
ISIM	IM Services Identity Module
MO	Management Object
NR	New Radio
OMA	Open Mobile Alliance
P-CSCF	Proxy – CSCF
PDP	Packet Data Protocol
SIP	Session Initiation Protocol
SNPN	Stand-alone Non-Public Network
SS	Supplementary Services
UE	User Equipment
USIM	Universal Subscriber Identity Module

4 3GPP IMS Management Object

The 3GPP IMS Management Object is used to manage settings of the UE for IM CN Subsystem protocols. The Management Object covers generic parameters for the IM CN subsystem. The Management Object enables the management of the settings on behalf of the end user.

The Management Object Identifier is: urn:oma:mo:ext-3gpp-ims:1.0.

Protocol compatibility: This MO is compatible with OMA DM 1.2.

The following nodes and leaf objects are possible under the 3GPP_IMS node:

Sample Document
get full document from standards.iteh.ai




Figure 1: The 3GPP IMS Management Object




Figure 2: Media type restriction policy




Figure 3: Default EPS bearer context usage restriction policy




Figure 4: Reliable 18x policy




Figure 5: Policy on local numbers




Figure 6: 3GPP PS data off




Figure 7: Default QoS Flow usage restriction policy




Figure 8: Session Timer policy

Sample Document

get full document from standards.iteh.ai




Figure 9: SNPN configuration

5 Management Object parameters

5.1 General

This clause describes the parameters for the 3GPP IMS Management Object.

5.2 Node: /<X>

This interior node acts as a placeholder for one or more accounts for a fixed node.

- Occurrence: OneOrMore
- Format: node
- Access Types: Get
- Values: N/A

The interior node is mandatory if the UE supports the IM CN Subsystem. Support for a UE is defined by the user agent role as defined in 3GPP TS 24.229 [5].