

ETSI TS 124 282 V18.13.0 (2026-03)



TECHNICAL SPECIFICATION

LTE;
Mission Critical Data (MCData) signalling control;
Protocol specification
(3GPP TS 24.282 version 18.13.0 Release 18)

get full document from standards.iteh.ai



ReferenceRTS/TSGC-0124282vid0

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	25
1 Scope	27
2 References	27
3 Definitions, symbols and abbreviations	30
3.1 Definitions	30
3.2 Abbreviations	32
4 General	33
4.1 MCDData overview	33
4.2 Identity, URI and address assignments.....	34
4.2.1 Public Service identities.....	34
4.2.2 MCDData session identity	34
4.2.3 MCDData client ID	35
4.3 Pre-established sessions	35
4.4 Emergency Alerts	35
4.5 MCDData Protocol.....	36
4.6 Protection of sensitive XML application data	36
4.7 Protection of TLV signalling and media content	39
4.7A Signalling security when using MBMS	39
4.8 MCDData client ID	40
4.9 Warning Header Field	40
4.9.1 General.....	40
4.9.2 Warning texts.....	41
4.10 MCDData emergency groups and emergency group communications	46
4.11 MCDData imminent peril group communications	46
4.12 MCDData emergency private communications	47
4.13 MCDData Resource Management.....	48
5 Functional entities	49
5.1 Introduction	49
5.2 MCDData client	49
5.3 MCDData server	50
5.3.0 General.....	50
5.3.1 SIP failure case	51
5.3.1A SIP provisional response.....	51
5.3.2 Management of MBMS bearers.....	52
5.3.3 Management of MBS sessions.....	52
5.4 MCDData gateway server	52
5.4.1 General.....	52
5.5 MCDData gateway UE.....	53
5.5.1 General.....	53
5.5.2 Functional connectivity models	53
5.5.3 QoS for MCDData gateway UE	54
6 Common procedures.....	54
6.1 Introduction	54
6.2 MCDData client procedures.....	54
6.2.1 Distinction of requests at the MCDData client	54
6.2.1.1 SIP MESSAGE request.....	54
6.2.1.2 SIP INVITE request	56
6.2.2 MCDData conversation items.....	56
6.2.2.1 Generating an SDS Message	56

6.2.2.2	Generating an FD Message for FD using HTTP	58
6.2.2.3	Generating an FD Message for FD using media plane.....	58
6.2.2.4	Client generating message to terminate FD over HTTP.....	59
6.2.3	Disposition Notifications	60
6.2.3.1	Generating an SDS Notification.....	60
6.2.3.2	Generating an FD Notification.....	60
6.2.4	Sending SIP requests and receiving SIP responses.....	61
6.2.4.1	Generating a SIP MESSAGE request towards the originating participating MCDData function.....	61
6.2.5	Location information	62
6.2.5.1	Location information for location reporting.....	62
6.2.6	Void	63
6.2.7	Handling of in-progress emergency and imminent peril conditions	63
6.2.7.1	MCDData upgrade to in-progress emergency or in-progress imminent peril	63
6.2.7.2	MCDData in-progress emergency cancel	64
6.2.7.3	MCDData in-progress imminent peril cancel	65
6.2.7.4	MCDData client receives SIP re-INVITE request	66
6.2.7.5	MCDData group in-progress emergency group state cancel.....	68
6.2.8	Priority communication conditions.....	69
6.2.8.1	MCDData emergency group communication and imminent peril communication conditions	69
6.2.8.1.1	SIP INVITE request or SIP REFER request for originating MCDData emergency group communications.....	69
6.2.8.1.2	Resource-Priority header field for MCDData emergency group communications.....	70
6.2.8.1.3	SIP re-INVITE request for cancelling MCDData in-progress emergency group state.....	71
6.2.8.1.4	Receiving a SIP 2xx response to a SIP request for a priority communication.....	72
6.2.8.1.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for a priority group communication	72
6.2.8.1.6	Determining authorisation for initiating or cancelling an MCDData emergency alert.....	73
6.2.8.1.7	Determining authorisation for cancelling the in-progress emergency state of an MCDData group.....	73
6.2.8.1.8	Determining authorisation for originating a priority group communication	73
6.2.8.1.9	SIP request for originating MCDData imminent peril group communications	74
6.2.8.1.10	Determining authorisation for cancelling an imminent peril group communication	75
6.2.8.1.11	SIP re-INVITE request for cancelling MCDData in-progress imminent peril group state.....	75
6.2.8.1.12	Resource-Priority header field for MCDData imminent peril group communications.....	75
6.2.8.1.13	Receiving a SIP INFO request in the dialog of a SIP request for a priority group communication	76
6.2.8.1.14	SIP re-INVITE request for cancelling the in-progress emergency group state of a group by a third-party.....	76
6.2.8.1.15	Retrieving Resource-Priority header field values.....	77
6.2.8.1.16	Handling receipt of a SIP re-INVITE request for priority group communication origination status within a pre-established session	78
6.2.8.1.17	Priority group communication conditions upon receiving communication release	78
6.2.8.1.18	Emergency private (one-to-one) communication conditions upon receiving communication release.....	79
6.2.8.1.19	Determining authorisation for initiating or cancelling an MCDData adhoc group emergency alert.....	79
6.2.8.2	Void.....	80
6.2.8.3	MCDData emergency private (one-to-one) communication conditions	80
6.2.8.3.1	Authorisations	80
6.2.8.3.2	SIP request for originating MCDData emergency private communications	81
6.2.8.3.3	Resource-Priority header field for MCDData emergency private communications	81
6.2.8.3.4	Receiving a SIP 2xx response to a SIP request for an MCDData emergency private communication	82
6.2.8.3.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for an MCDData emergency private communication	82
6.2.8.3.6	SIP re-INVITE request for cancelling MCDData emergency private communication state	82
6.2.8.3.7	Receiving a SIP INFO request in the dialog of a SIP request for a priority private communication	83
6.2.8.3.8	SIP re-INVITE request for cancelling the MCDData emergency private communication state by a third-party	84
6.2.8.3.9	Retrieving a KMS URI associated with an MCDData ID	84
6.2.8.4	Procedures for modifying ongoing communications	85

6.2.8.4.1	Cancelling or ending ongoing client terminating procedures	85
6.2.8.4.2	Client terminating procedures for handling SIP re-INVITE for an existing one-to-one communication session.....	85
6.2.8.4.3	MCDData in-progress emergency one-to-one communication cancellation.....	87
6.2.8.4.4	Upgrade to MCDData emergency one-to-one communication	88
6.3	MCDData server procedures.....	88
6.3.1	Distinction of requests at the MCDData server	88
6.3.1.1	SIP MESSAGE request.....	88
6.3.1.2	SIP INVITE request	93
6.3.1.3	SIP SUBSCRIBE request.....	95
6.3.2	Sending SIP requests and receiving SIP responses.....	95
6.3.2.1	Generating a SIP MESSAGE request towards the terminating MCDData client	95
6.3.2.2	Generating a SIP MESSAGE request towards the controlling MCDData function.....	96
6.3.2.3	Generating a SIP NOTIFY request	96
6.3.3	Retrieving a group document.....	97
6.3.4	Determining targeted group members for MCDData communications	98
6.3.5	Affiliation check	98
6.3.6	MCDData conversation items.....	98
6.3.6.1	Server generating a FD HTTP TERMINATION message for FD over HTTP	98
6.3.7	Procedures referenceable from other procedures.....	99
6.3.7.1	Emergency alert and emergency communications procedures.....	99
6.3.7.1.1	Sending a SIP re-INVITE request for MCDData emergency alert or emergency group communication	99
6.3.7.1.2	Generating a SIP MESSAGE request for notification of in-progress emergency status change ...	100
6.3.7.1.3	Populate mcdData-info and location-info MIME bodies for emergency alert	100
6.3.7.1.4	Retrieving Resource-Priority header field values for emergency communications.....	101
6.3.7.1.5	Generating a SIP MESSAGE request to indicate successful receipt of an emergency alert or emergency cancellation	101
6.3.7.1.6	Generating a SIP MESSAGE request for notification of entry into or exit from an emergency alert area	102
6.3.7.1.7	Generating a SIP MESSAGE request for notification of entry into or exit from a group geographic area.....	103
6.3.7.1.8	Sending a SIP re-INVITE request for MCDData imminent peril group communication.....	104
6.3.7.1.9	Validate priority request parameters.....	104
6.3.7.1.10	Sending a SIP INFO request in the dialog of a SIP request for a priority communication.....	105
6.3.7.1.11	Sending a SIP INVITE request for MCDData emergency group communication	105
6.3.7.1.12	Sending a SIP UPDATE request for Resource-Priority header field correction.....	107
6.3.7.1.13	Generating a SIP re-INVITE request.....	107
6.3.7.1.14	Generating a SIP re-INVITE request to cancel an in-progress emergency	108
6.3.7.1.15	Receipt of SIP re-INVITE request by terminating participating function	108
6.3.7.1.16	Generating a SIP re-INVITE request for emergency private (one-to-one) communication origination within a pre-established session	109
6.3.7.1.17	Receiving a SIP re-INVITE request by the terminating participating function.....	110
6.3.7.1.18	Receipt of SIP re-INVITE for MCDData one-to-one communication from the served user	110
6.3.7.1.19	Controlling MCDData function receiving a SIP re-INVITE for upgrade to emergency one-to- one communication	111
6.3.7.1.20	Controlling MCDData function receiving a SIP re-INVITE for cancellation of emergency one- to-one communication	112
6.3.7.1.21	Controlling MCDData function sending a SIP re-INVITE for upgrade to emergency one-to-one communication	114
6.3.7.1.22	Controlling MCDData function sending a SIP re-INVITE for cancellation of emergency one- to-one communication	114
6.3.7.1.23	Controlling MCDData function generates a SIP 200 (OK) response	115
6.3.7.1.24	Populate mcdData-info and location-info MIME bodies for adhoc group emergency alert.....	116
6.3.7.1.25	Generating a SIP MESSAGE request to containing the participant lists of an MCDData adhoc group emergency alert	117
6.3.7.2	Authorisations	117
6.3.7.2.1	Determining authorisation for initiating an MCDData emergency alert	117
6.3.7.2.2	Determining authorisation for cancelling an MCDData emergency alert	118
6.3.7.2.3	Determining authorisation for cancelling an MCDData emergency communication.....	119
6.3.7.2.4	Determining authorisation for initiating an MCDData imminent peril communication.....	119
6.3.7.2.5	Determining authorisation for cancelling an MCDData imminent peril communication.....	120

6.3.7.2.6	Determining authorisation for initiating an MCDData emergency group or private communication	120
6.3.7.2.7	Generating a SIP 403 response for priority communication request rejection	121
6.3.7.2.8	Determining authorisation for initiating an MCDData adhoc group emergency alert.....	121
6.3.7.2.9	Determining authorisation for cancelling an MCDData adhoc group emergency alert.....	122
6.3.7.2.10	Determining MCDData users that are authorized for receiving MCDData adhoc group emergency alert participant information.....	122
6.3.8	Disposition Notifications	122
6.3.8.1	Generating an FD Notification.....	122
6.4	Handling of MIME bodies in a SIP message.....	123
6.5	Confidentiality and Integrity Protection of sensitive XML content	124
6.5.1	General.....	124
6.5.1.1	Applicability and exclusions	124
6.5.1.2	Performing XML content encryption	124
6.5.1.3	Performing integrity protection on an XML body	124
6.5.1.4	Verifying integrity of an XML body and decrypting XML elements	124
6.5.2	Confidentiality Protection.....	125
6.5.2.1	General.....	125
6.5.2.2	Keys used in confidentiality protection procedures	125
6.5.2.3	Procedures for sending confidentiality protected content	125
6.5.2.3.1	MCDData client	125
6.5.2.3.2	MCDData server.....	125
6.5.2.3.3	Content Encryption in XML elements.....	126
6.5.2.3.4	Attribute URI Encryption	126
6.5.2.4	Procedures for receiving confidentiality protected content	126
6.5.2.4.1	Determination of confidentiality protected content	126
6.5.2.4.2	Decrypting confidentiality protected content in XML elements	127
6.5.2.4.3	Decrypting confidentiality protected URIs in XML attributes	127
6.5.2.5	MCDData server copying received XML content	127
6.5.3	Integrity Protection of XML documents	128
6.5.3.1	General	128
6.5.3.2	Keys used in integrity protection procedures	129
6.5.3.3	Sending integrity protected content.....	130
6.5.3.3.1	MCDData client	130
6.5.3.3.2	MCDData server.....	130
6.5.3.3.3	Integrity protection procedure	130
6.5.3.4	Receiving integrity protected content.....	131
6.5.3.4.1	Determination of integrity protected content.....	131
6.5.3.4.2	Verification of integrity protected content.....	131
6.6	Confidentiality and Integrity Protection of TLV messages	131
6.6.1	General.....	131
6.6.2	Derivation of master keys for media and media control	132
6.6.3	Protection of MCDData Data signalling and MCDData Data messages	133
6.6.3.1	General	133
6.6.3.2	The MCDData client.....	133
6.6.3.3	The participating MCDData function	133
6.6.3.4	The controlling MCDData function	133
6.7	Stored files operational procedures	134
6.7.1	General.....	134
6.7.2	Retrieve the stored file procedure	134
6.7.2.1	General client procedures.....	134
6.7.2.2	General server procedures.....	134
6.7.3	Verify the stored file availability procedure	135
6.7.3.1	General client procedures.....	135
6.7.3.2	General server procedures.....	135
6.8	Procedures at the MCDData gateway.....	135
6.8.1	General.....	135
6.8.2	MCDData gateway server acting as an exit point from an MCDData system.....	136
6.8.3	MCDData gateway server acting as an entry point in an MCDData system.....	136
6.8.4	Local policies enforcement.....	136
7	Registration and service authorisation	137

7.1	General	137
7.2	MCDData client procedures	137
7.2.1	SIP REGISTER request for service authorisation	137
7.2.1AA	SIP REGISTER request without service authorisation	139
7.2.1A	Common SIP PUBLISH procedure	139
7.2.2	SIP PUBLISH request for service authorisation and MCDData service settings	140
7.2.3	Sending SIP PUBLISH for MCDData service settings only	141
7.2.4	Determination of MCDData service settings	141
7.2.5	Receiving a CSK key download message	142
7.3	MCDData server procedures	143
7.3.1	General	143
7.3.1A	Confidentiality and Integrity Protection	143
7.3.2	SIP REGISTER request for service authorisation	145
7.3.3	SIP PUBLISH request for service authorisation and service settings	146
7.3.4	Receiving SIP PUBLISH request for MCDData service settings only	147
7.3.5	Receiving SIP PUBLISH request with "Expires=0"	148
7.3.6	Subscription to and notification of MCDData service settings	149
7.3.6.1	Receiving subscription to MCDData service settings	149
7.3.6.2	Sending notification of change of MCDData service settings	149
7.3.7	Sending a CSK key download message	149
7A	Migration procedures	150
7A.1	General	150
7A.2	MCDData client procedures	150
7A.2.1	SIP REGISTER request for migration service authorization	150
7A.2.2	Receiving a CSK key download message	152
7A.2.3	Receiving a SIP MESSAGE for migration service deauthorization notification	152
7A.3	Partner MCDData server procedures	152
7A.3.1	General	152
7A.3.2	Confidentiality and integrity protection	152
7A.3.3	SIP REGISTER request for initial authorization	153
7A.3.4	Sending a CSK key download message	154
7A.3.5	SIP MESSAGE request for migration service authorization response	154
7A.3.6	Sending SIP MESSAGE for MCDData service authorization notification	154
7A.3.6	SIP MESSAGE request for migration service deauthorization notification	155
7A.4	Partner MCDData gateway server procedures	155
7A.4.1	SIP MESSAGE from the partner MCDData server	155
7A.4.2	SIP MESSAGE request from the primary MCDData gateway server	155
7A.5	Primary MCDData gateway server procedures	156
7A.5.1	SIP MESSAGE from the partner MCDData gateway	156
7A.5.2	SIP MESSAGE request from the primary MCDData server	156
7A.6	Primary MCDData server procedures	156
7A.6.1	SIP MESSAGE request for migration service authorization request	156
7A.6.2	Receiving SIP MESSAGE for MCDData service authorization notification	157
7A.6.2	SIP MESSAGE request for migration service deauthorization notification	157
8	Affiliation	157
8.1	General	157
8.2	MCDData client procedures	158
8.2.1	General	158
8.2.2	Affiliation status change procedure	158
8.2.3	Affiliation status determination procedure	159
8.2.4	Procedure for sending affiliation status change request in negotiated mode to target MCDData user	160
8.2.5	Procedure for receiving affiliation status change request in negotiated mode from authorized MCDData user	161
8.2.6	Rules based affiliation status change procedure	161
8.2.6.1	General	161
8.2.6.2	User profile defined rules	161
8.2.6.3	Group configuration defined rules	161
8.3	MCDData server procedures	162
8.3.1	General	162
8.3.2	Procedures of MCDData server serving the MCDData user	162

8.3.2.1	General	162
8.3.2.2	Stored information	162
8.3.2.3	Receiving affiliation status change from MCDData client procedure	163
8.3.2.4	Receiving subscription to affiliation status procedure	166
8.3.2.5	Sending notification of change of affiliation status procedure	166
8.3.2.6	Sending affiliation status change towards MCDData server owning MCDData group procedure	167
8.3.2.7	Affiliation status determination from MCDData server owning MCDData group procedure	169
8.3.2.8	Procedure for authorizing affiliation status change request in negotiated mode sent to served MCDData user	171
8.3.2.9	Forwarding affiliation status change towards another MCDData user procedure	172
8.3.2.10	Forwarding subscription to affiliation status towards another MCDData user procedure	173
8.3.2.11	Affiliation status determination	174
8.3.2.12	Affiliation status change by implicit affiliation	175
8.3.2.13	Implicit affiliation status change completion	176
8.3.2.14	Implicit affiliation status change cancellation	176
8.3.2.15	Implicit affiliation to configured groups procedure	176
8.3.3	Procedures of MCDData server owning the MCDData group	178
8.3.3.1	General	178
8.3.3.2	Stored information	178
8.3.3.3	Receiving group affiliation status change procedure	179
8.3.3.4	Receiving subscription to affiliation status procedure	180
8.3.3.5	Sending notification of change of affiliation status procedure	181
8.3.3.6	Implicit affiliation eligibility check procedure	182
8.3.3.7	Affiliation status change by implicit affiliation procedure	182
8.4	Coding	183
8.4.1	Extension of application/pidf+xml MIME type	183
8.4.1.1	Introduction	183
8.4.1.2	Syntax	183
8.4.2	Extension of application/simple-filter+xml MIME type	185
8.4.2.1	Introduction	185
8.4.2.2	Syntax	185
9	Short Data Service (SDS)	186
9.1	General	186
9.2	On-network SDS	186
9.2.1	General	186
9.2.1.1	Sending an SDS message	186
9.2.1.2	Handling of received SDS messages with or without disposition requests	187
9.2.1.3	Handling of disposition requests	188
9.2.2	Standalone SDS using signalling control plane	189
9.2.2.1	General	189
9.2.2.2	MCDData client procedures	189
9.2.2.2.1	MCDData client originating procedures	189
9.2.2.2.2	MCDData client terminating procedures	191
9.2.2.3	Participating MCDData function procedures	192
9.2.2.3.1	Originating participating MCDData function procedures	192
9.2.2.3.2	Terminating participating MCDData function procedures	195
9.2.2.4	Controlling MCDData function procedures	196
9.2.2.4.1	Originating controlling MCDData function procedures	196
9.2.2.4.2	Terminating controlling MCDData function procedures	198
9.2.2.5	Non-controlling function of an MCDData group procedures	202
9.2.2.5.1	Terminating procedure	202
9.2.2.5.2	Originating procedure	203
9.2.3	Standalone SDS using media plane	206
9.2.3.1	General	206
9.2.3.2	MCDData client procedures	206
9.2.3.2.1	SDP offer generation	206
9.2.3.2.2	SDP answer generation	207
9.2.3.2.3	MCDData client originating procedures	207
9.2.3.2.4	MCDData client terminating procedures	210
9.2.3.3	Participating MCDData function procedures	211
9.2.3.3.1	SDP offer generation	211

9.2.3.3.2	SDP answer generation.....	212
9.2.3.3.3	Originating participating MCDData function procedures	212
9.2.3.3.4	Terminating participating MCDData function procedures	214
9.2.3.4	Controlling MCDData function procedures.....	216
9.2.3.4.1	SDP offer generation	216
9.2.3.4.2	SDP answer generation.....	217
9.2.3.4.3	Originating controlling MCDData function procedures.....	217
9.2.3.4.4	Terminating controlling MCDData function procedures.....	218
9.2.4	SDS session	220
9.2.4.1	General	220
9.2.4.2	MCDData client procedures.....	221
9.2.4.2.1	SDP offer generation	221
9.2.4.2.2	SDP answer generation.....	221
9.2.4.2.3	MCDData client originating procedures.....	221
9.2.4.2.4	MCDData client terminating procedures.....	225
9.2.4.2.5	MCDData client initiates cancellation for an in-progress emergency one-to-one communication using SDS session.....	227
9.2.4.2.6	MCDData client initiates upgrade to emergency for an ongoing one-to-one communication using SDS session.....	227
9.2.4.2.7	Terminating procedures for MCDData client to upgrade or cancel an emergency one-to-one communication using SDS session.....	227
9.2.4.3	Participating MCDData function procedures.....	227
9.2.4.3.1	SDP offer generation	227
9.2.4.3.2	SDP answer generation.....	228
9.2.4.3.3	Originating participating MCDData function procedures	228
9.2.4.3.4	Terminating participating MCDData function procedures	231
9.2.4.3.5	Processing of request from the served user to upgrade or cancel an emergency one-to-one communication using SDS session.....	232
9.2.4.3.6	Processing of request from controlling MCDData function to upgrade or cancel an emergency one-to-one communication using SDS session.....	233
9.2.4.4	Controlling MCDData function procedures.....	233
9.2.4.4.1	SDP offer generation	233
9.2.4.4.2	SDP answer generation.....	233
9.2.4.4.3	Originating controlling MCDData function procedures.....	233
9.2.4.4.4	Terminating controlling MCDData function procedures.....	235
9.2.4.4.5	Controlling MCDData function receiving a request for upgrade to emergency of a one-to-one communication using SDS session.....	238
9.2.4.4.6	Controlling MCDData function receiving a request for cancellation of an emergency one-to-one communication using SDS session.....	238
9.2.4.4.7	Controlling MCDData function sending a request for upgrade to emergency of a one-to-one communication using SDS session.....	238
9.2.4.4.8	Controlling MCDData function sending a request for cancellation of an emergency one-to-one communication using SDS session.....	238
9.2.5	SDS communication using pre-established session	238
9.2.5.1	Common procedure	238
9.2.5.1.1	Generating an INVITE request on receipt of a REFER request	238
9.2.5.1.2	Generating Re-INVITE request towards originating MCDData client within pre-established session	239
9.2.5.1.3	Generating Re-INVITE request towards terminating MCDData client within pre-established session	240
9.2.5.2	Initiating one-to-one SDS communication.....	240
9.2.5.2.0	General	240
9.2.5.2.1	MCDData client procedures.....	240
9.2.5.2.2	Participating MCDData function procedures	244
9.2.5.2.3	Controlling MCDData function procedures	247
9.2.5.3	Initiating group SDS communication.....	248
9.2.5.3.0	General	248
9.2.5.3.1	MCDData client procedures.....	248
9.2.5.3.2	Participating MCDData function procedures	251
9.2.5.4	Leaving SDS communication.....	253
9.2.5.4.1	MCDData client procedures.....	253
9.2.5.4.2	Participating MCDData function procedures	254

9.2.6	SDS session using MBMS delivery in the media plane.....	255
9.2.7	SDS session using MBS delivery in the media plane	256
9.3	Off-network SDS.....	256
9.3.1	General.....	256
9.3.1.1	Message transport to a MCDData Client	256
9.3.1.2	Message transport to a MCDData Group.....	256
9.3.2	Standalone SDS using signalling control plane	256
9.3.2.1	General	256
9.3.2.2	Sending SDS message.....	256
9.3.2.3	Retransmitting SDS message	258
9.3.2.4	Receiving SDS message.....	259
9.3.2.5	SDS Read while TFS3 (delivery and read) is running	259
9.3.2.6	Timer TFS3 (delivery and read) expires	259
10	File Distribution (FD).....	260
10.1	General	260
10.2	On-network FD	260
10.2.1	General.....	260
10.2.1.1	Sending an FD message	260
10.2.1.2	Handling of received FD messages	260
10.2.1.2.1	Initial processing of the received FD message	260
10.2.1.2.2	Mandatory Download.....	261
10.2.1.2.3	Non-Mandatory download.....	262
10.2.1.3	Discovery of the Absolute URI of the media storage function	264
10.2.1.3.1	General	264
10.2.1.3.2	Void.....	264
10.2.1.3.3	Participating MCDData function procedures	264
10.2.1.3.4	Controlling MCDData function procedures	265
10.2.2	File upload using HTTP.....	267
10.2.2.1	Media storage client procedures.....	267
10.2.2.2	Media storage function procedures	269
10.2.3	File download using HTTP.....	270
10.2.3.1	Media storage client procedures.....	270
10.2.3.2	Media storage function procedures	270
10.2.4	FD using HTTP.....	271
10.2.4.1	General	271
10.2.4.2	MCDData client procedures.....	271
10.2.4.2.1	MCDData client originating procedures.....	271
10.2.4.2.2	MCDData client terminating procedures.....	273
10.2.4.3	Participating MCDData function procedures	273
10.2.4.3.1	Originating participating MCDData function procedures	273
10.2.4.3.2	Terminating participating MCDData function procedures.....	275
10.2.4.4	Controlling MCDData function procedures	276
10.2.4.4.1	Originating controlling MCDData function procedures.....	276
10.2.4.4.2	Terminating controlling MCDData function procedures.....	277
10.2.5	FD using media plane	282
10.2.5.1	General	282
10.2.5.2	MCDData client procedures.....	282
10.2.5.2.1	SDP offer generation	282
10.2.5.2.2	SDP answer generation.....	282
10.2.5.2.3	MCDData client originating procedures.....	283
10.2.5.2.4	MCDData client terminating procedures.....	286
10.2.5.2.5	MCDData client initiates cancellation for an in-progress emergency one-to-one communication using FD media plane	290
10.2.5.2.6	MCDData client initiates upgrade to emergency for an ongoing one-to-one communication using FD media plane	290
10.2.5.2.7	Terminating procedures for MCDData client to upgrade or cancel an emergency one-to-one communication using FD media plane	290
10.2.5.3	Participating MCDData function procedures	290
10.2.5.3.1	SDP offer generation	290
10.2.5.3.2	SDP answer generation.....	290
10.2.5.3.3	Originating participating MCDData function procedures	291

10.2.5.3.4	Terminating participating MCDATA function procedures	293
10.2.5.3.5	Processing of request from the served user to upgrade or cancel an emergency one-to-one communication using FD media plane	298
10.2.5.3.6	Processing of request from controlling MCDATA function to upgrade or cancel an emergency one-to-one communication using FD media plane	298
10.2.5.4	Controlling MCDATA function procedures	298
10.2.5.4.1	SDP offer generation	298
10.2.5.4.2	SDP answer generation.....	299
10.2.5.4.3	Originating controlling MCDATA function procedures.....	299
10.2.5.4.4	Terminating controlling MCDATA function procedures.....	301
10.2.5.4.5	Controlling MCDATA function receiving a request for upgrade to emergency of a one-to-one communication using FD media plane	305
10.2.5.4.6	Controlling MCDATA function receiving a request for cancellation of an emergency one-to-one communication using FD media plane	305
10.2.5.4.7	Controlling MCDATA function sending a request for upgrade to emergency of a one-to-one communication using FD media plane	305
10.2.5.4.8	Controlling MCDATA function sending a request for cancellation of an emergency one-to-one communication using FD media plane	305
10.2.6	FD using MBMS delivery via MB2 interface.....	305
10.2.7	FD using MBS delivery via MB2 interface	306
11	Transmission and Reception Control	306
11.1	General	306
11.2	Auto-recv for File Distribution.....	307
11.3	Accessing list of deferred data group communications	308
11.3.1	General.....	308
11.3.2	MCDATA client procedures	308
11.3.2.1	Sending a request to access a list of deferred group communications	308
11.3.2.2	Receiving a list of deferred group communications.....	308
11.3.3	Participating MCDATA function procedures.....	309
11.3.3.1	Receiving a request to access a list of deferred group communications	309
11.3.3.2	Sending a list of deferred group communications.....	309
12	Dispositions and Notifications	309
12.1	General	309
12.2	On-network disposition notifications	310
12.2.1	MCDATA client procedures	310
12.2.1.1	MCDATA client sends a disposition notification message	310
12.2.1.2	MCDATA client receives a disposition notification message	311
12.2.2	Participating MCDATA function procedures.....	311
12.2.2.1	Participating MCDATA function receives disposition notification from a MCDATA user.....	311
12.2.2.2	Participating MCDATA function receives disposition notification from a Controlling MCDATA function	313
12.2.2.3	Participating MCDATA function sends a disposition notification message.....	313
12.2.3	Controlling MCDATA function procedures.....	314
12.3	Off-network dispositions.....	317
12.3.1	General.....	317
12.3.2	Sending off-network SDS delivery notification.....	317
12.3.3	Sending off-network SDS read notification.....	317
12.3.4	Sending off-network SDS delivered and read notification	318
12.3.5	Off-network SDS notification retransmission.....	318
12.4	Network-triggered notifications for FD.....	319
12.4.1	General.....	319
12.4.1.1	File availability expiry	319
12.4.2	Controlling MCDATA function procedures.....	319
12.4.2.1	Generation of a SIP MESSAGE request for notification	319
12.4.2.2	Expiry of timer TDC2 (file availability timer)	320
12.4.3	Participating MCDATA function procedures.....	320
12.4.4	MCDATA client terminating procedures	320
13	Communication Release.....	321
13.1	General	321
13.2	On-network.....	321

13.2.1	General.....	321
13.2.1.1	Server generating message for release of communication over HTTP towards participating MCData function.....	321
13.2.1.2	Authorised user generating FD HTTP TERMINATION MESSAGE towards participating MCData function.....	322
13.2.2	MCData originating user initiated communication release.....	322
13.2.2.1	General.....	322
13.2.2.2	Release of MCData communication over media plane.....	323
13.2.2.2.1	General.....	323
13.2.2.2.2	MCData client procedures.....	323
13.2.2.2.3	Participating MCData function procedures.....	323
13.2.2.2.4	Controlling MCData function procedures.....	324
13.2.2.3	Release of MCData communication over HTTP.....	325
13.2.2.3.1	General.....	325
13.2.2.3.2	MCData client procedures.....	325
13.2.2.3.3	Participating MCData function procedures.....	326
13.2.2.3.4	Controlling MCData function procedures.....	326
13.2.3	MCData server initiated communication release without prior indication.....	326
13.2.3.1	General.....	326
13.2.3.2	Release of MCData communication over media plane.....	326
13.2.3.2.1	General.....	326
13.2.3.2.2	MCData client procedures.....	326
13.2.3.2.3	Participating MCData function procedures.....	327
13.2.3.2.4	Controlling MCData function procedures.....	327
13.2.3.3	Release of MCData communication over HTTP.....	327
13.2.3.3.1	General.....	327
13.2.3.3.2	MCData client procedures.....	327
13.2.3.3.3	Participating MCData function procedures.....	327
13.2.3.3.4	Controlling MCData function procedures.....	327
13.2.4	MCData server initiated communication release with prior indication.....	328
13.2.4.1	General.....	328
13.2.4.2	MCData client procedures for communication over media plane.....	328
13.2.4.2.1	Receiving intent to release the communication.....	328
13.2.4.2.2	Request for extension of communication.....	329
13.2.4.2.3	Receiving response to communication extension request.....	329
13.2.4.3	Participating MCData function procedures for communication over media plane.....	329
13.2.4.3.1	Receiving SIP INFO request from the controlling MCData function.....	329
13.2.4.3.2	Receiving SIP INFO request from the MCData client.....	330
13.2.4.4	Controlling MCData function procedures for communication over media plane.....	330
13.2.4.4.1	Sending intent to release a communication.....	330
13.2.4.4.2	Receiving more information.....	331
13.2.4.4.3	Receiving request for extension of communication.....	331
13.2.4.4.4	Sending response to communication extension request.....	331
13.2.4.5	Release of MCData communication over HTTP.....	332
13.2.4.5.1	General.....	332
13.2.4.5.2	MCData client procedures.....	332
13.2.4.5.3	Participating MCData function procedures.....	333
13.2.4.5.4	Controlling MCData function procedures.....	333
13.2.5	Authorized MCData user initiated communication release without prior indication.....	334
13.2.5.1	General.....	334
13.2.5.2	Release of MCData communication over media plane.....	334
13.2.5.2.1	General.....	334
13.2.5.2.2	Authorized MCData client procedures.....	335
13.2.5.2.3	Participating MCData function procedures.....	335
13.2.5.2.4	Controlling MCData function procedures.....	335
13.2.5.3	Release of MCData communication over HTTP.....	336
13.2.5.3.1	General.....	336
13.2.5.3.2	Authorized MCData client procedures.....	336
13.2.5.3.3	Participating MCData function procedures.....	337
13.2.5.3.4	Controlling MCData function procedures.....	337
13.2.6	Authorized MCData user initiated communication release with prior indication.....	338
13.2.6.1	General.....	338

13.2.6.2	Release of MCDData communication over media plane	338
13.2.6.2.1	General	338
13.2.6.2.2	Authorized MCDData client procedures	338
13.2.6.2.3	Participating MCDData function procedures	340
13.2.6.2.4	Controlling MCDData function procedures	340
13.2.6.3	Release of MCDData communication over HTTP.....	342
13.2.6.3.1	General	342
13.2.6.3.2	Authorized MCDData client procedures	342
13.2.6.3.3	Participating MCDData function procedures	344
13.2.6.3.4	Controlling MCDData function procedures	344
14	Enhanced Status (ES).....	346
14.1	General	346
14.2	On-network ES	346
14.2.1	MCDData client procedures	346
14.2.1.1	MCDData client originating procedures	346
14.2.1.2	MCDData client terminating procedures	346
14.2.2	Participating MCDData function procedures.....	346
14.2.2.1	Originating participating MCDData function procedures.....	346
14.2.2.2	Terminating participating MCDData function procedures.....	346
14.2.3	Controlling MCDData function procedures.....	346
14.2.3.1	Originating controlling MCDData function procedures.....	346
14.2.3.2	Terminating controlling MCDData function procedures	346
14.3	Off-network ES	347
14.3.1	Sending enhanced status message.....	347
14.3.2	Receiving enhanced status message.....	347
15	Message Formats.....	347
15.1	MCDData message functional definitions and contents.....	347
15.1.1	General.....	347
15.1.2	SDS SIGNALLING PAYLOAD message	347
15.1.2.1	Message definition	347
15.1.3	FD SIGNALLING PAYLOAD message.....	348
15.1.3.1	Message definition	348
15.1.4	DATA PAYLOAD message.....	349
15.1.4.1	Message definition	349
15.1.5	SDS NOTIFICATION message	350
15.1.5.1	Message definition	350
15.1.6	FD NOTIFICATION message.....	350
15.1.6.1	Message definition	350
15.1.7	SDS OFF-NETWORK MESSAGE message	351
15.1.7.1	Message definition	351
15.1.8	SDS OFF-NETWORK NOTIFICATION message	352
15.1.8.1	Message definition	352
15.1.9	FD NETWORK NOTIFICATION message.....	353
15.1.9.1	Message definition	353
15.1.10	COMMUNICATION RELEASE message.....	353
15.1.10.1	Message definition	353
15.1.11	DEFERRED DATA REQUEST message	354
15.1.11.1	Message definition	354
15.1.12	DEFERRED DATA RESPONSE message	354
15.1.12.1	Message definition	354
15.1.13	FD HTTP TERMINATION.....	355
15.1.13.1	Message definition	355
15.1.14	GROUP EMERGENCY ALERT message.....	355
15.1.14.1	Message definition	355
15.1.15	GROUP EMERGENCY ALERT ACK message	356
15.1.15.1	Message definition	356
15.1.16	GROUP EMERGENCY ALERT CANCEL message.....	356
15.1.16.1	Message definition	356
15.1.17	GROUP EMERGENCY ALERT CANCEL ACK message.....	357
15.1.17.1	Message definition	357

15.2	General message format and information elements coding	357
15.2.1	General	357
15.2.2	Message type	358
15.2.3	SDS disposition request type	358
15.2.4	FD disposition request type	359
15.2.5	SDS disposition notification type	359
15.2.6	FD disposition notification type	360
15.2.7	Application ID	360
15.2.8	Date and time	361
15.2.9	Conversation ID	361
15.2.10	Message ID	362
15.2.11	InReplyTo message ID	362
15.2.12	Number of payloads	362
15.2.13	Payload	363
15.2.14	MCDData group ID	364
15.2.15	MCDData user ID	364
15.2.16	Mandatory download	365
15.2.17	Metadata	365
15.2.18	Notification type	366
15.2.19	Data query type	367
15.2.20	Comm release Information type	367
15.2.21	Extension response type	367
15.2.22	Termination Information type	368
15.2.23	Release Response Type	368
15.2.24	Extended application ID	369
15.2.25	User location	370
15.2.26	Organization name	370
15.2.27	Deferred FD signalling payload	371
15.2.28	Application metadata container	371
16	Emergency Alert	373
16.1	General	373
16.2	On-network emergency alert	373
16.2.1	Client procedures	373
16.2.1.1	Emergency alert origination	373
16.2.1.2	Emergency alert cancellation	374
16.2.1.3	MCDData client receives an MCDData emergency alert or communication notification	376
16.2.1.4	MCDData client receives notification of entry into or exit from a group geographic area	378
16.2.1.5	MCDData client receives notification of entry into or exit from an emergency alert area	378
16.2.2	Participating MCDData function procedures	379
16.2.2.1	Receipt of a SIP MESSAGE request for emergency notification from the served MCDData client	379
16.2.2.2	Receipt of a SIP MESSAGE request for emergency notification for terminating MCDData client	381
16.2.2.3	Receipt of a SIP MESSAGE request indicating successful delivery of emergency notification	381
16.2A	On-network MCDData adhoc group emergency alert	382
16.2A.1	Client procedures	382
16.2A.1.1	Ad hoc group emergency alert origination	382
16.2A.1.2	Ad hoc group emergency alert cancellation	383
16.2A.1.3	MCDData client receives an MCDData adhoc group emergency alert notification	385
16.2A.2	Participating MCDData function procedures	386
16.2A.2.1	Receipt of a SIP MESSAGE request for adhoc group emergency notification from the served MCDData client	386
16.2A.2.2	Receipt of a SIP MESSAGE request for adhoc group emergency notification for terminating MCDData client	387
16.2A.2.3	Receipt of a SIP MESSAGE request indicating successful delivery of adhoc group emergency notification of originating MCDData client	388
16.2A.2.4	Adhoc group emergency alert participants modify procedure initiated by participating MCDData function	388
16.2A.3	Controlling MCDData function procedures	388
16.2A.3.1	Handling of adhoc group emergency alert notification	388
16.2A.3.2	Handling of adhoc group emergency alert cancellation	390
16.2A.3.3	Handling of ongoing adhoc group emergency alert	391