

ETSI TS 124 282 V19.6.0 (2026-03)



TECHNICAL SPECIFICATION

**LTE;
Mission Critical Data (MCData) signalling control;
Protocol specification
(3GPP TS 24.282 version 19.6.0 Release 19)**

get full document from standards.iteh.ai



Reference

RTS/TSGC-0124282vj60

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	25
1 Scope	27
2 References	27
3 Definitions, symbols and abbreviations	30
3.1 Definitions	30
3.2 Abbreviations	32
4 General	33
4.1 MCDData overview	33
4.2 Identity, URI and address assignments.....	34
4.2.1 Public Service identities.....	34
4.2.2 MCDData session identity	35
4.2.3 MCDData client ID	35
4.3 Pre-established sessions	35
4.4 Emergency Alerts	35
4.5 MCDData Protocol.....	36
4.6 Protection of sensitive XML application data	36
4.7 Protection of TLV signalling and media content	39
4.7A Signalling security when using MBMS	39
4.8 MCDData client ID	40
4.9 Warning Header Field	41
4.9.1 General.....	41
4.9.2 Warning texts.....	41
4.10 MCDData emergency groups and emergency group communications	46
4.11 MCDData imminent peril group communications	47
4.12 MCDData emergency private communications	48
4.13 MCDData Resource Management.....	49
4.14 Functional alias	49
5 Functional entities	49
5.1 Introduction	49
5.2 MCDData client	49
5.3 MCDData server	51
5.3.0 General.....	51
5.3.1 SIP failure case	52
5.3.1A SIP provisional response.....	52
5.3.2 Management of MBMS bearers.....	52
5.3.3 Management of MBS sessions.....	52
5.4 MCDData gateway server	53
5.4.1 General.....	53
5.5 MCDData gateway UE.....	53
5.5.1 General.....	53
5.5.2 Functional connectivity models	54
5.5.3 QoS for MCDData gateway UE	54
6 Common procedures.....	55
6.1 Introduction	55
6.2 MCDData client procedures.....	55
6.2.1 Distinction of requests at the MCDData client	55
6.2.1.1 SIP MESSAGE request.....	55
6.2.1.2 SIP INVITE request	56
6.2.2 MCDData conversation items.....	57

6.2.2.1	Generating an SDS Message	57
6.2.2.2	Generating an FD Message for FD using HTTP	58
6.2.2.3	Generating an FD Message for FD using media plane.....	59
6.2.2.4	Client generating message to terminate FD over HTTP.....	60
6.2.3	Disposition Notifications	60
6.2.3.1	Generating an SDS Notification.....	60
6.2.3.2	Generating an FD Notification	61
6.2.4	Sending SIP requests and receiving SIP responses.....	62
6.2.4.1	Generating a SIP MESSAGE request towards the originating participating MCDData function.....	62
6.2.5	Location information	62
6.2.5.1	Location information for location reporting.....	62
6.2.6	Void	63
6.2.7	Handling of in-progress emergency and imminent peril conditions	63
6.2.7.1	MCDData upgrade to in-progress emergency or in-progress imminent peril	63
6.2.7.2	MCDData in-progress emergency cancel	64
6.2.7.3	MCDData in-progress imminent peril cancel	66
6.2.7.4	MCDData client receives SIP re-INVITE request	67
6.2.7.5	MCDData group in-progress emergency group state cancel.....	68
6.2.8	Priority communication conditions.....	70
6.2.8.1	MCDData emergency group communication and imminent peril communication conditions	70
6.2.8.1.1	SIP INVITE request or SIP REFER request for originating MCDData emergency group communications.....	70
6.2.8.1.2	Resource-Priority header field for MCDData emergency group communications.....	71
6.2.8.1.3	SIP re-INVITE request for cancelling MCDData in-progress emergency group state.....	71
6.2.8.1.4	Receiving a SIP 2xx response to a SIP request for a priority communication.....	72
6.2.8.1.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for a priority group communication	73
6.2.8.1.6	Determining authorisation for initiating or cancelling an MCDData emergency alert.....	73
6.2.8.1.7	Determining authorisation for cancelling the in-progress emergency state of an MCDData group.....	74
6.2.8.1.8	Determining authorisation for originating a priority group communication	74
6.2.8.1.9	SIP request for originating MCDData imminent peril group communications	75
6.2.8.1.10	Determining authorisation for cancelling an imminent peril group communication	75
6.2.8.1.11	SIP re-INVITE request for cancelling MCDData in-progress imminent peril group state.....	75
6.2.8.1.12	Resource-Priority header field for MCDData imminent peril group communications.....	76
6.2.8.1.13	Receiving a SIP INFO request in the dialog of a SIP request for a priority group communication	76
6.2.8.1.14	SIP re-INVITE request for cancelling the in-progress emergency group state of a group by a third-party	77
6.2.8.1.15	Retrieving Resource-Priority header field values	78
6.2.8.1.16	Handling receipt of a SIP re-INVITE request for priority group communication origination status within a pre-established session	78
6.2.8.1.17	Priority group communication conditions upon receiving communication release	79
6.2.8.1.18	Emergency private (one-to-one) communication conditions upon receiving communication release.....	79
6.2.8.1.19	Determining authorisation for initiating or cancelling an MCDData adhoc group emergency alert.....	80
6.2.8.2	Void.....	80
6.2.8.3	MCDData emergency private (one-to-one) communication conditions	80
6.2.8.3.1	Authorisations	80
6.2.8.3.2	SIP request for originating MCDData emergency private communications	81
6.2.8.3.3	Resource-Priority header field for MCDData emergency private communications	82
6.2.8.3.4	Receiving a SIP 2xx response to a SIP request for an MCDData emergency private communication	82
6.2.8.3.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for an MCDData emergency private communication	82
6.2.8.3.6	SIP re-INVITE request for cancelling MCDData emergency private communication state	83
6.2.8.3.7	Receiving a SIP INFO request in the dialog of a SIP request for a priority private communication	84
6.2.8.3.8	SIP re-INVITE request for cancelling the MCDData emergency private communication state by a third-party	84
6.2.8.3.9	Retrieving a KMS URI associated with an MCDData ID	85

6.2.8.4	Procedures for modifying ongoing communications	85
6.2.8.4.1	Cancelling or ending ongoing client terminating procedures	85
6.2.8.4.2	Client terminating procedures for handling SIP re-INVITE for an existing one-to-one communication session.....	86
6.2.8.4.3	MCDData in-progress emergency one-to-one communication cancellation.....	87
6.2.8.4.4	Upgrade to MCDData emergency one-to-one communication	88
6.3	MCDData server procedures	89
6.3.1	Distinction of requests at the MCDData server	89
6.3.1.1	SIP MESSAGE request.....	89
6.3.1.2	SIP INVITE request	94
6.3.1.3	SIP SUBSCRIBE request.....	96
6.3.2	Sending SIP requests and receiving SIP responses.....	96
6.3.2.1	Generating a SIP MESSAGE request towards the terminating MCDData client	96
6.3.2.2	Generating a SIP MESSAGE request towards the controlling MCDData function.....	96
6.3.2.3	Generating a SIP NOTIFY request	97
6.3.3	Retrieving a group document.....	98
6.3.4	Determining targeted group members for MCDData communications	98
6.3.5	Affiliation check	99
6.3.6	MCDData conversation items.....	99
6.3.6.1	Server generating a FD HTTP TERMINATION message for FD over HTTP	99
6.3.7	Procedures referenceable from other procedures.....	99
6.3.7.1	Emergency alert and emergency communications procedures.....	99
6.3.7.1.1	Sending a SIP re-INVITE request for MCDData emergency alert or emergency group communication	99
6.3.7.1.2	Generating a SIP MESSAGE request for notification of in-progress emergency status change ...	100
6.3.7.1.3	Populate mcdData-info and location-info MIME bodies for emergency alert	101
6.3.7.1.4	Retrieving Resource-Priority header field values for emergency communications.....	102
6.3.7.1.5	Generating a SIP MESSAGE request to indicate successful receipt of an emergency alert or emergency cancellation	102
6.3.7.1.6	Generating a SIP MESSAGE request for notification of entry into or exit from an emergency alert area	103
6.3.7.1.7	Generating a SIP MESSAGE request for notification of entry into or exit from a group geographic area.....	104
6.3.7.1.8	Sending a SIP re-INVITE request for MCDData imminent peril group communication.....	105
6.3.7.1.9	Validate priority request parameters.....	105
6.3.7.1.10	Sending a SIP INFO request in the dialog of a SIP request for a priority communication.....	106
6.3.7.1.11	Sending a SIP INVITE request for MCDData emergency group communication	106
6.3.7.1.12	Sending a SIP UPDATE request for Resource-Priority header field correction.....	107
6.3.7.1.13	Generating a SIP re-INVITE request.....	108
6.3.7.1.14	Generating a SIP re-INVITE request to cancel an in-progress emergency	108
6.3.7.1.15	Receipt of SIP re-INVITE request by terminating participating function	109
6.3.7.1.16	Generating a SIP re-INVITE request for emergency private (one-to-one) communication origination within a pre-established session	109
6.3.7.1.17	Receiving a SIP re-INVITE request by the terminating participating function.....	111
6.3.7.1.18	Receipt of SIP re-INVITE for MCDData one-to-one communication from the served user	111
6.3.7.1.19	Controlling MCDData function receiving a SIP re-INVITE for upgrade to emergency one-to- one communication	112
6.3.7.1.20	Controlling MCDData function receiving a SIP re-INVITE for cancellation of emergency one- to-one communication	113
6.3.7.1.21	Controlling MCDData function sending a SIP re-INVITE for upgrade to emergency one-to-one communication	115
6.3.7.1.22	Controlling MCDData function sending a SIP re-INVITE for cancellation of emergency one- to-one communication	115
6.3.7.1.23	Controlling MCDData function generates a SIP 200 (OK) response	116
6.3.7.1.24	Populate mcdData-info and location-info MIME bodies for adhoc group emergency alert.....	117
6.3.7.1.25	Generating a SIP MESSAGE request to containing the participant lists of an MCDData adhoc group emergency alert	117
6.3.7.2	Authorisations	118
6.3.7.2.1	Determining authorisation for initiating an MCDData emergency alert	118
6.3.7.2.2	Determining authorisation for cancelling an MCDData emergency alert	119
6.3.7.2.3	Determining authorisation for cancelling an MCDData emergency communication.....	120
6.3.7.2.4	Determining authorisation for initiating an MCDData imminent peril communication.....	120

6.3.7.2.5	Determining authorisation for cancelling an MCDData imminent peril communication.....	121
6.3.7.2.6	Determining authorisation for initiating an MCDData emergency group or private communication	121
6.3.7.2.7	Generating a SIP 403 response for priority communication request rejection	122
6.3.7.2.8	Determining authorisation for initiating an MCDData adhoc group emergency alert.....	122
6.3.7.2.9	Determining authorisation for cancelling an MCDData adhoc group emergency alert.....	123
6.3.7.2.10	Determining MCDData users that are authorized for receiving MCDData adhoc group emergency alert participant information.....	123
6.3.8	Disposition Notifications	123
6.3.8.1	Generating an FD Notification.....	123
6.4	Handling of MIME bodies in a SIP message.....	124
6.5	Confidentiality and Integrity Protection of sensitive XML content	125
6.5.1	General.....	125
6.5.1.1	Applicability and exclusions	125
6.5.1.2	Performing XML content encryption	125
6.5.1.3	Performing integrity protection on an XML body	125
6.5.1.4	Verifying integrity of an XML body and decrypting XML elements	125
6.5.2	Confidentiality Protection.....	126
6.5.2.1	General	126
6.5.2.2	Keys used in confidentiality protection procedures	126
6.5.2.3	Procedures for sending confidentiality protected content	126
6.5.2.3.1	MCDData client	126
6.5.2.3.2	MCDData server.....	126
6.5.2.3.3	Content Encryption in XML elements.....	127
6.5.2.3.4	Attribute URI Encryption	127
6.5.2.4	Procedures for receiving confidentiality protected content	127
6.5.2.4.1	Determination of confidentiality protected content	127
6.5.2.4.2	Decrypting confidentiality protected content in XML elements	128
6.5.2.4.3	Decrypting confidentiality protected URIs in XML attributes	128
6.5.2.5	MCDData server copying received XML content	128
6.5.3	Integrity Protection of XML documents	129
6.5.3.1	General	129
6.5.3.2	Keys used in integrity protection procedures	130
6.5.3.3	Sending integrity protected content.....	131
6.5.3.3.1	MCDData client	131
6.5.3.3.2	MCDData server.....	131
6.5.3.3.3	Integrity protection procedure	131
6.5.3.4	Receiving integrity protected content.....	132
6.5.3.4.1	Determination of integrity protected content.....	132
6.5.3.4.2	Verification of integrity protected content.....	132
6.6	Confidentiality and Integrity Protection of TLV messages	132
6.6.1	General.....	132
6.6.2	Derivation of master keys for media and media control	133
6.6.3	Protection of MCDData Data signalling and MCDData Data messages	134
6.6.3.1	General	134
6.6.3.2	The MCDData client.....	134
6.6.3.3	The participating MCDData function	134
6.6.3.4	The controlling MCDData function	134
6.7	Stored files operational procedures	135
6.7.1	General.....	135
6.7.2	Retrieve the stored file procedure	135
6.7.2.1	General client procedures.....	135
6.7.2.2	General server procedures	135
6.7.3	Verify the stored file availability procedure	136
6.7.3.1	General client procedures.....	136
6.7.3.2	General server procedures	136
6.8	Procedures at the MCDData gateway.....	136
6.8.1	General.....	136
6.8.2	MCDData gateway server acting as an exit point from an MCDData system.....	137
6.8.3	MCDData gateway server acting as an entry point in an MCDData system.....	137
6.8.4	Local policies enforcement	137

7	Registration and service authorisation	138
7.1	General	138
7.2	MCDData client procedures	138
7.2.1	SIP REGISTER request for service authorisation	138
7.2.1AA	SIP REGISTER request without service authorisation	140
7.2.1A	Common SIP PUBLISH procedure	140
7.2.2	SIP PUBLISH request for service authorisation and MCDData service settings	141
7.2.3	Sending SIP PUBLISH for MCDData service settings only	142
7.2.4	Determination of MCDData service settings	142
7.2.5	Receiving a CSK key download message	143
7.3	MCDData server procedures	144
7.3.1	General	144
7.3.1A	Confidentiality and Integrity Protection	144
7.3.2	SIP REGISTER request for service authorisation	146
7.3.3	SIP PUBLISH request for service authorisation and service settings	147
7.3.4	Receiving SIP PUBLISH request for MCDData service settings only	148
7.3.5	Receiving SIP PUBLISH request with "Expires=0"	149
7.3.6	Subscription to and notification of MCDData service settings	150
7.3.6.1	Receiving subscription to MCDData service settings	150
7.3.6.2	Sending notification of change of MCDData service settings	150
7.3.7	Sending a CSK key download message	150
7A	Migration procedures	151
7A.1	General	151
7A.2	MCDData client procedures	151
7A.2.1	SIP REGISTER request for migration service authorization	151
7A.2.2	Receiving a CSK key download message	153
7A.2.3	Receiving a SIP MESSAGE for migration service deauthorization notification	153
7A.3	Partner MCDData server procedures	153
7A.3.1	General	153
7A.3.2	Confidentiality and integrity protection	153
7A.3.3	SIP REGISTER request for initial authorization	154
7A.3.4	Sending a CSK key download message	155
7A.3.5	SIP MESSAGE request for migration service authorization response	155
7A.3.6	Sending SIP MESSAGE for MCDData service authorization notification	155
7A.3.6	SIP MESSAGE request for migration service deauthorization notification	156
7A.4	Partner MCDData gateway server procedures	156
7A.4.1	SIP MESSAGE from the partner MCDData server	156
7A.4.2	SIP MESSAGE request from the primary MCDData gateway server	156
7A.5	Primary MCDData gateway server procedures	157
7A.5.1	SIP MESSAGE from the partner MCDData gateway	157
7A.5.2	SIP MESSAGE request from the primary MCDData server	157
7A.6	Primary MCDData server procedures	157
7A.6.1	SIP MESSAGE request for migration service authorization request	157
7A.6.2	Receiving SIP MESSAGE for MCDData service authorization notification	158
7A.6.2	SIP MESSAGE request for migration service deauthorization notification	158
8	Affiliation	158
8.1	General	158
8.2	MCDData client procedures	159
8.2.1	General	159
8.2.2	Affiliation status change procedure	159
8.2.3	Affiliation status determination procedure	160
8.2.4	Procedure for sending affiliation status change request in negotiated mode to target MCDData user	161
8.2.5	Procedure for receiving affiliation status change request in negotiated mode from authorized MCDData user	162
8.2.6	Rules based affiliation status change procedure	162
8.2.6.1	General	162
8.2.6.2	User profile defined rules	162
8.2.6.3	Group configuration defined rules	162
8.2.7	Subscription to group dynamic data	163
8.3	MCDData server procedures	163

8.3.1	General.....	163
8.3.2	Procedures of MCDData server serving the MCDData user	164
8.3.2.1	General	164
8.3.2.2	Stored information	164
8.3.2.3	Receiving affiliation status change from MCDData client procedure	165
8.3.2.4	Receiving subscription to affiliation status procedure	168
8.3.2.5	Sending notification of change of affiliation status procedure.....	168
8.3.2.6	Sending affiliation status change towards MCDData server owning MCDData group procedure	169
8.3.2.7	Affiliation status determination from MCDData server owning MCDData group procedure	171
8.3.2.8	Procedure for authorizing affiliation status change request in negotiated mode sent to served MCDData user	173
8.3.2.9	Forwarding affiliation status change towards another MCDData user procedure	174
8.3.2.10	Forwarding subscription to affiliation status towards another MCDData user procedure	175
8.3.2.11	Affiliation status determination.....	176
8.3.2.12	Affiliation status change by implicit affiliation.....	176
8.3.2.13	Implicit affiliation status change completion	178
8.3.2.14	Implicit affiliation status change cancellation	178
8.3.2.15	Implicit affiliation to configured groups procedure	178
8.3.3	Procedures of MCDData server owning the MCDData group	180
8.3.3.1	General	180
8.3.3.2	Stored information	180
8.3.3.3	Receiving group affiliation status change procedure	180
8.3.3.4	Receiving subscription to affiliation status procedure	182
8.3.3.5	Sending notification of change of affiliation status procedure.....	183
8.3.3.6	Implicit affiliation eligibility check procedure.....	183
8.3.3.7	Affiliation status change by implicit affiliation procedure.....	184
8.3.3.8	Forwarding subscription to group dynamic data towards the controlling MCDData server procedure.....	184
8.3.3.9	Receiving subscription to group dynamic data procedure.....	186
8.3.3.10	Sending notification of change of group dynamic data procedure.....	186
8.4	Coding	187
8.4.1	Extension of application/pidf+xml MIME type.....	187
8.4.1.1	Introduction	187
8.4.1.2	Syntax	187
8.4.2	Extension of application/simple-filter+xml MIME type.....	189
8.4.2.1	Introduction.....	189
8.4.2.2	Syntax	189
9	Short Data Service (SDS).....	190
9.1	General	190
9.2	On-network SDS	190
9.2.1	General.....	190
9.2.1.1	Sending an SDS message	190
9.2.1.2	Handling of received SDS messages with or without disposition requests.....	191
9.2.1.3	Handling of disposition requests	192
9.2.2	Standalone SDS using signalling control plane	193
9.2.2.1	General	193
9.2.2.2	MCDData client procedures.....	193
9.2.2.2.1	MCDData client originating procedures.....	193
9.2.2.2.2	MCDData client terminating procedures.....	195
9.2.2.3	Participating MCDData function procedures	196
9.2.2.3.1	Originating participating MCDData function procedures	196
9.2.2.3.2	Terminating participating MCDData function procedures.....	199
9.2.2.4	Controlling MCDData function procedures.....	200
9.2.2.4.1	Originating controlling MCDData function procedures.....	200
9.2.2.4.2	Terminating controlling MCDData function procedures.....	202
9.2.2.5	Non-controlling function of an MCDData group procedures	206
9.2.2.5.1	Terminating procedure	206
9.2.2.5.2	Originating procedure.....	207
9.2.3	Standalone SDS using media plane	210
9.2.3.1	General	210
9.2.3.2	MCDData client procedures.....	210

9.2.3.2.1	SDP offer generation	210
9.2.3.2.2	SDP answer generation.....	211
9.2.3.2.3	MCDATA client originating procedures.....	211
9.2.3.2.4	MCDATA client terminating procedures.....	214
9.2.3.3	Participating MCDATA function procedures.....	215
9.2.3.3.1	SDP offer generation	215
9.2.3.3.2	SDP answer generation.....	216
9.2.3.3.3	Originating participating MCDATA function procedures	216
9.2.3.3.4	Terminating participating MCDATA function procedures	218
9.2.3.4	Controlling MCDATA function procedures	220
9.2.3.4.1	SDP offer generation	220
9.2.3.4.2	SDP answer generation.....	221
9.2.3.4.3	Originating controlling MCDATA function procedures	221
9.2.3.4.4	Terminating controlling MCDATA function procedures.....	222
9.2.4	SDS session	224
9.2.4.1	General	224
9.2.4.2	MCDATA client procedures.....	225
9.2.4.2.1	SDP offer generation	225
9.2.4.2.2	SDP answer generation.....	225
9.2.4.2.3	MCDATA client originating procedures.....	225
9.2.4.2.4	MCDATA client terminating procedures.....	229
9.2.4.2.5	MCDATA client initiates cancellation for an in-progress emergency one-to-one communication using SDS session.....	231
9.2.4.2.6	MCDATA client initiates upgrade to emergency for an ongoing one-to-one communication using SDS session.....	231
9.2.4.2.7	Terminating procedures for MCDATA client to upgrade or cancel an emergency one-to-one communication using SDS session	231
9.2.4.3	Participating MCDATA function procedures.....	231
9.2.4.3.1	SDP offer generation	231
9.2.4.3.2	SDP answer generation.....	232
9.2.4.3.3	Originating participating MCDATA function procedures	232
9.2.4.3.4	Terminating participating MCDATA function procedures	235
9.2.4.3.5	Processing of request from the served user to upgrade or cancel an emergency one-to-one communication using SDS session	236
9.2.4.3.6	Processing of request from controlling MCDATA function to upgrade or cancel an emergency one-to-one communication using SDS session.....	237
9.2.4.4	Controlling MCDATA function procedures	237
9.2.4.4.1	SDP offer generation	237
9.2.4.4.2	SDP answer generation.....	237
9.2.4.4.3	Originating controlling MCDATA function procedures	237
9.2.4.4.4	Terminating controlling MCDATA function procedures.....	239
9.2.4.4.5	Controlling MCDATA function receiving a request for upgrade to emergency of a one-to-one communication using SDS session	242
9.2.4.4.6	Controlling MCDATA function receiving a request for cancellation of an emergency one-to-one communication using SDS session.....	242
9.2.4.4.7	Controlling MCDATA function sending a request for upgrade to emergency of a one-to-one communication using SDS session	242
9.2.4.4.8	Controlling MCDATA function sending a request for cancellation of an emergency one-to-one communication using SDS session	242
9.2.5	SDS communication using pre-established session	242
9.2.5.1	Common procedure	242
9.2.5.1.1	Generating an INVITE request on receipt of a REFER request	242
9.2.5.1.2	Generating Re-INVITE request towards originating MCDATA client within pre-established session	243
9.2.5.1.3	Generating Re-INVITE request towards terminating MCDATA client within pre-established session	244
9.2.5.2	Initiating one-to-one SDS communication.....	244
9.2.5.2.0	General	244
9.2.5.2.1	MCDATA client procedures.....	244
9.2.5.2.2	Participating MCDATA function procedures	248
9.2.5.2.3	Controlling MCDATA function procedures	251
9.2.5.3	Initiating group SDS communication.....	252

9.2.5.3.0	General	252
9.2.5.3.1	MCDData client procedures	252
9.2.5.3.2	Participating MCDData function procedures	255
9.2.5.4	Leaving SDS communication.....	257
9.2.5.4.1	MCDData client procedures.....	257
9.2.5.4.2	Participating MCDData function procedures	258
9.2.6	SDS session using MBMS delivery in the media plane.....	259
9.2.7	SDS session using MBS delivery in the media plane	260
9.3	Off-network SDS.....	260
9.3.1	General.....	260
9.3.1.1	Message transport to a MCDData Client	260
9.3.1.2	Message transport to a MCDData Group.....	260
9.3.2	Standalone SDS using signalling control plane	260
9.3.2.1	General	260
9.3.2.2	Sending SDS message.....	260
9.3.2.3	Retransmitting SDS message	262
9.3.2.4	Receiving SDS message.....	263
9.3.2.5	SDS Read while TFS3 (delivery and read) is running	263
9.3.2.6	Timer TFS3 (delivery and read) expires	263
10	File Distribution (FD).....	264
10.1	General	264
10.2	On-network FD	264
10.2.1	General.....	264
10.2.1.1	Sending an FD message	264
10.2.1.2	Handling of received FD messages	264
10.2.1.2.1	Initial processing of the received FD message	264
10.2.1.2.2	Mandatory Download	265
10.2.1.2.3	Non-Mandatory download.....	266
10.2.1.3	Discovery of the Absolute URI of the media storage function	268
10.2.1.3.1	General	268
10.2.1.3.2	Void.....	268
10.2.1.3.3	Participating MCDData function procedures	268
10.2.1.3.4	Controlling MCDData function procedures	269
10.2.2	File upload using HTTP.....	271
10.2.2.1	Media storage client procedures.....	271
10.2.2.2	Media storage function procedures	273
10.2.3	File download using HTTP.....	274
10.2.3.1	Media storage client procedures.....	274
10.2.3.2	Media storage function procedures	274
10.2.4	FD using HTTP.....	275
10.2.4.1	General	275
10.2.4.2	MCDData client procedures.....	275
10.2.4.2.1	MCDData client originating procedures.....	275
10.2.4.2.2	MCDData client terminating procedures.....	277
10.2.4.3	Participating MCDData function procedures	277
10.2.4.3.1	Originating participating MCDData function procedures	277
10.2.4.3.2	Terminating participating MCDData function procedures	279
10.2.4.4	Controlling MCDData function procedures.....	280
10.2.4.4.1	Originating controlling MCDData function procedures.....	280
10.2.4.4.2	Terminating controlling MCDData function procedures.....	281
10.2.5	FD using media plane	286
10.2.5.1	General	286
10.2.5.2	MCDData client procedures.....	286
10.2.5.2.1	SDP offer generation	286
10.2.5.2.2	SDP answer generation.....	286
10.2.5.2.3	MCDData client originating procedures.....	287
10.2.5.2.4	MCDData client terminating procedures.....	290
10.2.5.2.5	MCDData client initiates cancellation for an in-progress emergency one-to-one communication using FD media plane	294
10.2.5.2.6	MCDData client initiates upgrade to emergency for an ongoing one-to-one communication using FD media plane	294

10.2.5.2.7	Terminating procedures for MCDData client to upgrade or cancel an emergency one-to-one communication using FD media plane	294
10.2.5.3	Participating MCDData function procedures	294
10.2.5.3.1	SDP offer generation	294
10.2.5.3.2	SDP answer generation.....	294
10.2.5.3.3	Originating participating MCDData function procedures	295
10.2.5.3.4	Terminating participating MCDData function procedures	297
10.2.5.3.5	Processing of request from the served user to upgrade or cancel an emergency one-to-one communication using FD media plane	302
10.2.5.3.6	Processing of request from controlling MCDData function to upgrade or cancel an emergency one-to-one communication using FD media plane	302
10.2.5.4	Controlling MCDData function procedures	302
10.2.5.4.1	SDP offer generation	302
10.2.5.4.2	SDP answer generation.....	303
10.2.5.4.3	Originating controlling MCDData function procedures	303
10.2.5.4.4	Terminating controlling MCDData function procedures.....	305
10.2.5.4.5	Controlling MCDData function receiving a request for upgrade to emergency of a one-to-one communication using FD media plane	309
10.2.5.4.6	Controlling MCDData function receiving a request for cancellation of an emergency one-to-one communication using FD media plane	309
10.2.5.4.7	Controlling MCDData function sending a request for upgrade to emergency of a one-to-one communication using FD media plane	309
10.2.5.4.8	Controlling MCDData function sending a request for cancellation of an emergency one-to-one communication using FD media plane	309
10.2.6	FD using MBMS delivery via MB2 interface.....	309
10.2.7	FD using MBS delivery via MB2 interface	310
11	Transmission and Reception Control	310
11.1	General	310
11.2	Auto-receive for File Distribution	311
11.3	Accessing list of deferred data group communications	312
11.3.1	General.....	312
11.3.2	MCDData client procedures	312
11.3.2.1	Sending a request to access a list of deferred group communications	312
11.3.2.2	Receiving a list of deferred group communications.....	312
11.3.3	Participating MCDData function procedures.....	313
11.3.3.1	Receiving a request to access a list of deferred group communications	313
11.3.3.2	Sending a list of deferred group communications	313
12	Dispositions and Notifications	313
12.1	General	313
12.2	On-network disposition notifications	314
12.2.1	MCDData client procedures	314
12.2.1.1	MCDData client sends a disposition notification message	314
12.2.1.2	MCDData client receives a disposition notification message	315
12.2.2	Participating MCDData function procedures.....	315
12.2.2.1	Participating MCDData function receives disposition notification from a MCDData user.....	315
12.2.2.2	Participating MCDData function receives disposition notification from a Controlling MCDData function	317
12.2.2.3	Participating MCDData function sends a disposition notification message.....	317
12.2.3	Controlling MCDData function procedures.....	318
12.3	Off-network dispositions	321
12.3.1	General.....	321
12.3.2	Sending off-network SDS delivery notification.....	321
12.3.3	Sending off-network SDS read notification.....	321
12.3.4	Sending off-network SDS delivered and read notification	322
12.3.5	Off-network SDS notification retransmission.....	322
12.4	Network-triggered notifications for FD.....	323
12.4.1	General.....	323
12.4.1.1	File availability expiry	323
12.4.2	Controlling MCDData function procedures.....	323
12.4.2.1	Generation of a SIP MESSAGE request for notification	323

12.4.2.2	Expiry of timer TDC2 (file availability timer)	324
12.4.3	Participating MCDData function procedures.....	324
12.4.4	MCDData client terminating procedures	324
13	Communication Release.....	325
13.1	General	325
13.2	On-network.....	325
13.2.1	General.....	325
13.2.1.1	Server generating message for release of communication over HTTP towards participating MCDData function.....	325
13.2.1.2	Authorised user generating FD HTTP TERMINATION MESSAGE towards participating MCDData function.....	326
13.2.2	MCDData originating user initiated communication release	326
13.2.2.1	General	326
13.2.2.2	Release of MCDData communication over media plane	327
13.2.2.2.1	General	327
13.2.2.2.2	MCDData client procedures	327
13.2.2.2.3	Participating MCDData function procedures	327
13.2.2.2.4	Controlling MCDData function procedures	328
13.2.2.3	Release of MCDData communication over HTTP.....	329
13.2.2.3.1	General	329
13.2.2.3.2	MCDData client procedures	329
13.2.2.3.3	Participating MCDData function procedures	330
13.2.2.3.4	Controlling MCDData function procedures	330
13.2.3	MCDData server initiated communication release without prior indication	330
13.2.3.1	General	330
13.2.3.2	Release of MCDData communication over media plane	330
13.2.3.2.1	General	330
13.2.3.2.2	MCDData client procedures.....	331
13.2.3.2.3	Participating MCDData function procedures	331
13.2.3.2.4	Controlling MCDData function procedures	331
13.2.3.3	Release of MCDData communication over HTTP.....	331
13.2.3.3.1	General	331
13.2.3.3.2	MCDData client procedures	331
13.2.3.3.3	Participating MCDData function procedures	331
13.2.3.3.4	Controlling MCDData function procedures	332
13.2.4	MCDData server initiated communication release with prior indication	332
13.2.4.1	General	332
13.2.4.2	MCDData client procedures for communication over media plane	332
13.2.4.2.1	Receiving intent to release the communication	332
13.2.4.2.2	Request for extension of communication	333
13.2.4.2.3	Receiving response to communication extension request	333
13.2.4.3	Participating MCDData function procedures for communication over media plane	333
13.2.4.3.1	Receiving SIP INFO request from the controlling MCDData function	333
13.2.4.3.2	Receiving SIP INFO request from the MCDData client	334
13.2.4.4	Controlling MCDData function procedures for communication over media plane	334
13.2.4.4.1	Sending intent to release a communication	334
13.2.4.4.2	Receiving more information	335
13.2.4.4.3	Receiving request for extension of communication.....	335
13.2.4.4.4	Sending response to communication extension request.....	335
13.2.4.5	Release of MCDData communication over HTTP.....	336
13.2.4.5.1	General	336
13.2.4.5.2	MCDData client procedures	336
13.2.4.5.3	Participating MCDData function procedures	337
13.2.4.5.4	Controlling MCDData function procedures	337
13.2.5	Authorized MCDData user initiated communication release without prior indication.....	338
13.2.5.1	General	338
13.2.5.2	Release of MCDData communication over media plane	338
13.2.5.2.1	General	338
13.2.5.2.2	Authorized MCDData client procedures	339
13.2.5.2.3	Participating MCDData function procedures	339
13.2.5.2.4	Controlling MCDData function procedures	339

13.2.5.3	Release of MCDData communication over HTTP.....	340
13.2.5.3.1	General	340
13.2.5.3.2	Authorized MCDData client procedures	340
13.2.5.3.3	Participating MCDData function procedures	341
13.2.5.3.4	Controlling MCDData function procedures	341
13.2.6	Authorized MCDData user initiated communication release with prior indication.....	342
13.2.6.1	General	342
13.2.6.2	Release of MCDData communication over media plane	342
13.2.6.2.1	General	342
13.2.6.2.2	Authorized MCDData client procedures	342
13.2.6.2.3	Participating MCDData function procedures	344
13.2.6.2.4	Controlling MCDData function procedures	344
13.2.6.3	Release of MCDData communication over HTTP.....	346
13.2.6.3.1	General	346
13.2.6.3.2	Authorized MCDData client procedures	346
13.2.6.3.3	Participating MCDData function procedures	348
13.2.6.3.4	Controlling MCDData function procedures	348
14	Enhanced Status (ES).....	350
14.1	General	350
14.2	On-network ES	350
14.2.1	MCDData client procedures	350
14.2.1.1	MCDData client originating procedures	350
14.2.1.2	MCDData client terminating procedures	350
14.2.2	Participating MCDData function procedures.....	350
14.2.2.1	Originating participating MCDData function procedures.....	350
14.2.2.2	Terminating participating MCDData function procedures.....	350
14.2.3	Controlling MCDData function procedures.....	350
14.2.3.1	Originating controlling MCDData function procedures.....	350
14.2.3.2	Terminating controlling MCDData function procedures	350
14.3	Off-network ES	351
14.3.1	Sending enhanced status message.....	351
14.3.2	Receiving enhanced status message.....	351
15	Message Formats.....	351
15.1	MCDData message functional definitions and contents.....	351
15.1.1	General.....	351
15.1.2	SDS SIGNALLING PAYLOAD message	351
15.1.2.1	Message definition	351
15.1.3	FD SIGNALLING PAYLOAD message.....	352
15.1.3.1	Message definition	352
15.1.4	DATA PAYLOAD message.....	353
15.1.4.1	Message definition	353
15.1.5	SDS NOTIFICATION message	354
15.1.5.1	Message definition	354
15.1.6	FD NOTIFICATION message.....	354
15.1.6.1	Message definition	354
15.1.7	SDS OFF-NETWORK MESSAGE message	355
15.1.7.1	Message definition	355
15.1.8	SDS OFF-NETWORK NOTIFICATION message	356
15.1.8.1	Message definition	356
15.1.9	FD NETWORK NOTIFICATION message.....	357
15.1.9.1	Message definition	357
15.1.10	COMMUNICATION RELEASE message.....	357
15.1.10.1	Message definition	357
15.1.11	DEFERRED DATA REQUEST message	358
15.1.11.1	Message definition	358
15.1.12	DEFERRED DATA RESPONSE message	358
15.1.12.1	Message definition	358
15.1.13	FD HTTP TERMINATION.....	359
15.1.13.1	Message definition	359
15.1.14	GROUP EMERGENCY ALERT message.....	359

15.1.14.1	Message definition	359
15.1.15	GROUP EMERGENCY ALERT ACK message	360
15.1.15.1	Message definition	360
15.1.16	GROUP EMERGENCY ALERT CANCEL message	360
15.1.16.1	Message definition	360
15.1.17	GROUP EMERGENCY ALERT CANCEL ACK message.....	361
15.1.17.1	Message definition	361
15.2	General message format and information elements coding.....	361
15.2.1	General.....	361
15.2.2	Message type	362
15.2.3	SDS disposition request type	362
15.2.4	FD disposition request type	363
15.2.5	SDS disposition notification type	363
15.2.6	FD disposition notification type.....	364
15.2.7	Application ID	364
15.2.8	Date and time.....	365
15.2.9	Conversation ID.....	365
15.2.10	Message ID	366
15.2.11	InReplyTo message ID	366
15.2.12	Number of payloads.....	366
15.2.13	Payload	367
15.2.14	MCDData group ID	368
15.2.15	MCDData user ID.....	368
15.2.16	Mandatory download	369
15.2.17	Metadata	369
15.2.18	Notification type	370
15.2.19	Data query type.....	371
15.2.20	Comm release Information type.....	371
15.2.21	Extension response type.....	371
15.2.22	Termination Information type	372
15.2.23	Release Response Type	372
15.2.24	Extended application ID	373
15.2.25	User location.....	374
15.2.26	Organization name.....	374
15.2.27	Deferred FD signalling payload.....	375
15.2.28	Application metadata container	375
16	Emergency Alert	377
16.1	General	377
16.2	On-network emergency alert	377
16.2.1	Client procedures	377
16.2.1.1	Emergency alert origination.....	377
16.2.1.2	Emergency alert cancellation	378
16.2.1.3	MCDData client receives an MCDData emergency alert or communication notification.....	380
16.2.1.4	MCDData client receives notification of entry into or exit from a group geographic area.....	382
16.2.1.5	MCDData client receives notification of entry into or exit from an emergency alert area	382
16.2.2	Participating MCDData function procedures.....	383
16.2.2.1	Receipt of a SIP MESSAGE request for emergency notification from the served MCDData client	383
16.2.2.2	Receipt of a SIP MESSAGE request for emergency notification for terminating MCDData client	385
16.2.2.3	Receipt of a SIP MESSAGE request indicating successful delivery of emergency notification	385
16.2A	On-network MCDData adhoc group emergency alert.....	386
16.2A.1	Client procedures	386
16.2A.1.1	Ad hoc group emergency alert origination.....	386
16.2A.1.2	Ad hoc group emergency alert cancellation	387
16.2A.1.3	MCDData client receives an MCDData adhoc group emergency alert notification	389
16.2A.1.4	Sending a "SIP MESSAGE request to modify participant criteria for ad hoc group emergency alert to participating MCDData function"	390
16.2A.1.5	Receiving a "SIP MESSAGE request for participant criteria modification response for ad hoc group emergency alert from participating MCDData function"	391
16.2A.2	Participating MCDData function procedures.....	391
16.2A.2.1	Receipt of a SIP MESSAGE request for adhoc group emergency notification from the served MCDData client.....	391