

ETSI TS 124 379 V17.15.0 (2026-03)



TECHNICAL SPECIFICATION

LTE;
Mission Critical Push To Talk (MCPTT) call control;
Protocol specification
(3GPP TS 24.379 version 17.15.0 Release 17)

get full document from standards.iteh.ai



Reference

RTS/TSGC-0124379vhf0

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	21
1 Scope	22
2 References	22
3 Definitions, symbols and abbreviations	25
3.1 Definitions	25
3.2 Abbreviations	28
4 General	29
4.1 MCPTT overview.....	29
4.2 URI and address assignments.....	30
4.3 MCPTT speech.....	31
4.4 Warning Header Field	31
4.4.1 General.....	31
4.4.2 Warning texts.....	31
4.5 MCPTT session identity	36
4.6 MCPTT priority calls and alerts	37
4.6.1 MCPTT emergency group calls.....	37
4.6.2 MCPTT emergency private calls	38
4.6.3 MCPTT emergency alerts.....	39
4.6.4 MCPTT imminent peril group call	40
4.7 Communication security.....	41
4.7.1 Media security	41
4.7.2 Signalling security	42
4.8 Protection of sensitive application data.....	43
4.9 Pre-established session	46
4.10 MCPTT client ID	47
4.11 Off-network MCPTT.....	47
4.12 Broadcast Group Calls.....	47
5 Functional entities	48
5.1 Introduction	48
5.2 MCPTT client.....	48
5.3 MCPTT server.....	49
5.3.1 General.....	49
5.3.2 Functional connectivity models	50
5.3.3 Failure case	52
5.3.4 Management of MBMS bearers.....	52
5.4 MCPTT UE-to-network relay.....	53
5.5 MCPTT gateway server.....	53
5.5.1 General.....	53
5.5.2 Functional connectivity models	53
6 Common procedures.....	54
6.1 Introduction	54
6.2 MCPTT client procedures	54
6.2.0 Distinction of requests at the MCPTT client	54
6.2.0.1 SIP MESSAGE request.....	54
6.2.1 SDP offer generation	56
6.2.2 SDP answer generation	57
6.2.3 Commencement modes.....	58
6.2.3.1 Automatic commencement mode.....	58
6.2.3.1.1 Automatic commencement mode for private calls	58

6.2.3.1.2	Automatic commencement mode for group calls	59
6.2.3.2	Manual commencement mode	59
6.2.3.2.1	Manual commencement mode for private calls	59
6.2.3.2.2	Manual commencement mode for group calls.....	59
6.2.4	Leaving an MCPTT session initiated by MCPTT client.....	60
6.2.4.1	On-demand session case	60
6.2.4.2	Pre-established session case	60
6.2.5	Releasing an MCPTT session initiated by MCPTT client	60
6.2.5.1	On-demand session case	60
6.2.5.2	Pre-established session case	61
6.2.6	Receiving an MCPTT session release request	61
6.2.7	Void	61
6.2.8	Priority call conditions.....	61
6.2.8.0	General	61
6.2.8.1	MCPTT emergency group call conditions	62
6.2.8.1.1	SIP INVITE request or SIP REFER request for originating MCPTT emergency group calls	62
6.2.8.1.2	Resource-Priority header field for MCPTT emergency group calls	63
6.2.8.1.3	SIP re-INVITE request for cancelling MCPTT in-progress emergency group state	63
6.2.8.1.4	Receiving a SIP 2xx response to a SIP request for a priority call	64
6.2.8.1.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for a priority group call	64
6.2.8.1.6	Determining authorisation for initiating or cancelling an MCPTT emergency alert	65
6.2.8.1.7	Determining authorisation for cancelling the in-progress emergency state of an MCPTT group.....	65
6.2.8.1.8	Determining authorisation for originating a priority group call	65
6.2.8.1.9	SIP request for originating MCPTT imminent peril group calls	66
6.2.8.1.10	Determining authorisation for cancelling an imminent peril group call	67
6.2.8.1.11	SIP re-INVITE request for cancelling MCPTT in-progress imminent peril group state	67
6.2.8.1.12	Resource-Priority header field for MCPTT imminent peril group calls	67
6.2.8.1.13	Receiving a SIP INFO request in the dialog of a SIP request for a priority group call	68
6.2.8.1.14	SIP re-INVITE request for cancelling the in-progress emergency group state of a group by a third-party	68
6.2.8.1.15	Retrieving Resource-Priority header field values	69
6.2.8.1.16	Handling receipt of a SIP re-INVITE request for priority group call origination status within a pre-established session.....	70
6.2.8.1.17	Priority group call conditions upon receiving call release.....	70
6.2.8.1.18	Emergency private call conditions upon receiving call release	71
6.2.8.2	Request for an originating broadcast group call.....	71
6.2.8.3	MCPTT emergency private call conditions.....	71
6.2.8.3.1	Authorisations	71
6.2.8.3.2	SIP request for originating MCPTT emergency private calls.....	72
6.2.8.3.3	Resource-Priority header field for MCPTT emergency private calls	73
6.2.8.3.4	Receiving a SIP 2xx response to a SIP request for an MCPTT emergency private call.....	73
6.2.8.3.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for an MCPTT emergency private call.....	73
6.2.8.3.6	SIP re-INVITE request for cancelling MCPTT emergency private call state.....	74
6.2.8.3.7	Receiving a SIP INFO request in the dialog of a SIP request for a priority private call.....	75
6.2.8.3.8	SIP re-INVITE request for cancelling the MCPTT emergency private call state by a third-party.....	75
6.2.8.3.9	Retrieving a KMS URI associated with an MCPTT ID	76
6.2.9	Location information	76
6.2.9.1	Location information for location reporting.....	76
6.3	MCPTT server procedures	77
6.3.1	Distinction of requests sent to the MCPTT server	77
6.3.1.1	SIP INVITE request	77
6.3.1.2	SIP REFER request	78
6.3.1.3	SIP MESSAGE request.....	78
6.3.1.4	SIP SUBSCRIBE request.....	83
6.3.2	Participating MCPTT Function.....	84
6.3.2.1	Requests initiated by the served MCPTT user	84
6.3.2.1.1	SDP offer generation	84
6.3.2.1.2	SDP answer generation.....	85

6.3.2.1.3	Sending an INVITE request on receipt of an INVITE request	85
6.3.2.1.4	Sending an INVITE request on receipt of a REFER request	86
6.3.2.1.5	Response to an INVITE request	87
6.3.2.1.6	Sending a SIP BYE request on receipt of a SIP BYE request	88
6.3.2.1.7	Sending a SIP BYE request on receipt of a SIP REFER request	89
6.3.2.1.8	Priority call conditions	89
6.3.2.1.9	Generating a SIP re-INVITE request on receipt of a SIP re-INVITE request	93
6.3.2.1.10	Sending a SIP INVITE request towards the non-controlling MCPTT function	93
6.3.2.2	Requests terminated to the served MCPTT user	95
6.3.2.2.1	SDP offer generation	95
6.3.2.2.2	SDP answer generation	95
6.3.2.2.3	SIP INVITE request towards the terminating MCPTT client	95
6.3.2.2.4	Response to a SIP INVITE request	96
6.3.2.2.5	Automatic Commencement Mode	97
6.3.2.2.6	Manual Commencement Mode	100
6.3.2.2.7	Void	103
6.3.2.2.8	SIP BYE request towards the terminating MCPTT client	103
6.3.2.2.9	Populate MIME bodies	103
6.3.2.2.10	Generating a SIP re-INVITE request towards the terminating MCPTT client	104
6.3.2.2.11	Generating a SIP MESSAGE request towards the terminating MCPTT client	104
6.3.2.3	Void	104
6.3.2.4	Request initiated by the participating MCPTT function	104
6.3.2.4.1	Generating a SIP MESSAGE request for notification of entry into or exit from an emergency alert area	104
6.3.2.4.2	Generating a SIP MESSAGE request for notification of entry into or exit from a group geographic area	105
6.3.2.5	Handling of the no answer timer (TNP1)	106
6.3.2.6	Generating a SIP MESSAGE request for call forwarding of a private call	107
6.3.3	Controlling MCPTT function	108
6.3.3.1	Request initiated by the controlling MCPTT function	108
6.3.3.1.1	SDP offer generation	108
6.3.3.1.2	Sending an INVITE request	109
6.3.3.1.3	Receipt of a SIP response to a SIP INVITE request	109
6.3.3.1.4	Void	110
6.3.3.1.5	Sending a SIP BYE request	110
6.3.3.1.6	Sending a SIP re-INVITE request for MCPTT emergency group call	110
6.3.3.1.7	Sending a SIP INVITE request for MCPTT emergency group call	111
6.3.3.1.8	Sending a SIP UPDATE request for Resource-Priority header field correction	112
6.3.3.1.9	Generating a SIP re-INVITE request	113
6.3.3.1.10	Generating a SIP re-INVITE request to cancel an in-progress emergency	113
6.3.3.1.11	Generating a SIP MESSAGE request for notification of in-progress emergency or imminent peril status change	113
6.3.3.1.12	Populate mcptt-info and location-info MIME bodies for emergency alert	114
6.3.3.1.13	Authorisations	115
6.3.3.1.14	Generating a SIP 403 response for priority call request rejection	120
6.3.3.1.15	Sending a SIP re-INVITE request for MCPTT imminent peril group call	120
6.3.3.1.16	Handling the expiry of timer TNG2 (in-progress emergency group call timer)	121
6.3.3.1.17	Validate priority request parameters	121
6.3.3.1.18	Sending a SIP INFO request in the dialog of a SIP request for a priority call	122
6.3.3.1.19	Retrieving Resource-Priority header field values	122
6.3.3.1.20	Generating a SIP MESSAGE request to indicate successful receipt of an emergency alert or emergency cancellation	123
6.3.3.1.21	void	124
6.3.3.1.22	void	124
6.3.3.2	Requests terminated by the controlling MCPTT function	124
6.3.3.2.1	SDP answer generation	124
6.3.3.2.2	Receipt of a SIP INVITE request	124
6.3.3.2.3	Sending a SIP response to a SIP INVITE request	124
6.3.3.2.4	Receiving a SIP BYE request	125
6.3.3.3	Handling of the acknowledged call setup timer (TNG1)	126
6.3.3.4	Generating a SIP NOTIFY request	128
6.3.3.5	Handling of the group call timer (TNG3)	129

6.3.3.5.1	General	129
6.3.3.5.2	Interaction with the in-progress emergency group call timer (TNG2)	129
6.3.3.6	Void.....	130
6.3.4	Non-controlling MCPTT function of an MCPTT group.....	130
6.3.4.1	Request initiated by the non-controlling MCPTT function of an MCPTT group	130
6.3.4.1.1	SDP offer generation	130
6.3.4.1.2	Sending an INVITE request towards the MCPTT client	130
6.3.4.1.3	Sending a SIP INFO request.....	131
6.3.4.1.4	Sending an INVITE request towards the controlling MCPTT function	132
6.3.4.2	Requests terminated by the non-controlling MCPTT function of an MCPTT group.....	133
6.3.4.2.1	SDP answer generation.....	133
6.3.4.2.2	Sending a SIP response to the SIP INVITE request	133
6.3.4.3	Generating a SIP NOTIFY request	134
6.3.4.4	Void.....	135
6.3.5	Retrieving and processing a group document	135
6.3.5.1	General.....	135
6.3.5.2	Rules for retrieving Group Document(s).....	135
6.3.5.3	Rules for joining a group session	137
6.3.5.4	Rules for initiating a prearranged group session	137
6.3.5.5	Determining the group members to invite.....	139
6.3.6	Affiliation check	139
6.3.7	Error handling.....	140
6.3.7.1	Public service identity does not exist	140
6.3.8	Session release policy	140
6.3.8.1	Session release policy for group call.....	140
6.3.8.2	Session release policy for private call	140
6.4	Implicit floor request.....	140
6.5	Handling of MIME bodies in a SIP message.....	141
6.6	Confidentiality and Integrity Protection	142
6.6.1	General.....	142
6.6.1.1	Applicability and exclusions	142
6.6.1.2	Performing XML content encryption	142
6.6.1.3	Performing integrity protection on an XML body	142
6.6.1.4	Verifying integrity of an XML body and decrypting XML elements	143
6.6.2	Confidentiality Protection.....	143
6.6.2.1	General	143
6.6.2.2	Keys used in confidentiality protection procedures	143
6.6.2.3	Procedures for sending confidentiality protected content	144
6.6.2.3.1	MCPTT client.....	144
6.6.2.3.2	MCPTT server.....	144
6.6.2.3.3	Content Encryption in XML elements.....	144
6.6.2.3.4	Attribute URI Encryption	145
6.6.2.4	Procedures for receiving confidentiality protected content	145
6.6.2.4.1	Determination of confidentiality protected content	145
6.6.2.4.2	Decrypting confidentiality protected content in XML elements	145
6.6.2.4.3	Decrypting confidentiality protected URIs in XML attributes	146
6.6.2.5	MCPTT server copying received XML content.....	146
6.6.3	Integrity Protection of XML documents	147
6.6.3.1	General	147
6.6.3.2	Keys used in integrity protection procedures	149
6.6.3.3	Sending integrity protected content.....	150
6.6.3.3.1	MCPTT client.....	150
6.6.3.3.2	MCPTT server.....	150
6.6.3.3.3	Integrity protection procedure	150
6.6.3.4	Receiving integrity protected content.....	151
6.6.3.4.1	Determination of integrity protected content.....	151
6.6.3.4.2	Verification of integrity protected content.....	151
6.7	Priority sharing.....	151
6.8	Procedures at the MCPTT gateway	151
6.8.1	General.....	151
6.8.2	MCPTT gateway server acting as an exit point from an MCPTT system	152
6.8.3	MCPTT gateway server acting as an entry point in an MCPTT system.....	152

6.8.4	Local policies enforcement	153
7	Registration and service authorisation	153
7.1	General	153
7.2	MCPTT client procedures	153
7.2.1	SIP REGISTER request for service authorisation	153
7.2.1AA	SIP REGISTER request without service authorisation	154
7.2.1A	Common SIP PUBLISH procedure	155
7.2.2	SIP PUBLISH request for service authorisation and MCPTT service settings.....	155
7.2.3	Sending SIP PUBLISH for MCPTT service settings only.....	156
7.2.4	Determination of MCPTT service settings	157
7.2.5	Receiving a CSK key download message.....	158
7.3	MCPTT server procedures	159
7.3.1	General.....	159
7.3.1A	Confidentiality and Integrity Protection	159
7.3.2	SIP REGISTER request for service authorisation	160
7.3.3	SIP PUBLISH request for service authorisation and service settings.....	161
7.3.4	Receiving SIP PUBLISH request for MCPTT service settings only	163
7.3.5	Receiving SIP PUBLISH request with "Expires=0".....	164
7.3.6	Subscription to and notification of MCPTT service settings	164
7.3.6.1	Receiving subscription to MCPTT service settings	164
7.3.6.2	Sending notification of change of MCPTT service settings.....	165
7.3.7	Sending a CSK key download message.....	165
7.4	Coding	165
7.4.1	Extension of MIME types.....	165
7.4.1.1	General	165
7.4.1.2	Extension of application/poc-settings+xml MIME type	166
7.4.1.2.1	Introduction	166
7.4.1.2.2	Syntax	166
8	Pre-established session	167
8.1	General	167
8.1A	Participating MCPTT function use of resource sharing	167
8.2	Session establishment.....	168
8.2.1	MCPTT client procedures.....	168
8.2.2	Participating MCPTT function procedures	168
8.3	Session modification	170
8.3.1	MCPTT client procedures.....	170
8.3.1.1	MCPTT client initiated	170
8.3.1.2	Participating MCPTT function initiated.....	170
8.3.2	Participating MCPTT function procedures	170
8.3.2.1	MCPTT client initiated	170
8.3.2.2	Participating MCPTT function initiated.....	171
8.4	Session release.....	171
8.4.1	MCPTT client procedures.....	171
8.4.1.1	MCPTT client initiated	171
8.4.1.2	Participating MCPTT function initiated.....	171
8.4.2	Participating MCPTT function procedures	172
8.4.2.1	MCPTT client initiated	172
8.4.2.2	Participating MCPTT function initiated.....	172
9	Affiliation	173
9.1	General	173
9.2	Procedures	173
9.2.1	MCPTT client procedures.....	173
9.2.1.1	General	173
9.2.1.2	Affiliation status change procedure.....	174
9.2.1.3	Affiliation status determination procedure.....	175
9.2.1.4	Procedure for sending affiliation status change request in negotiated mode to target MCPTT user...176	
9.2.1.5	Procedure for receiving affiliation status change request in negotiated mode from authorized MCPTT user.....	176
9.2.1.6	Subscription to group dynamic data.....	177
9.2.1.7	Rules based affiliation status change procedure.....	178

9.2.1.7.1	General	178
9.2.1.7.2	User profile defined rules	178
9.2.1.7.3	Group configuration defined rules	178
9.2.2	MCPTT server procedures	178
9.2.2.1	General	178
9.2.2.2	Procedures of MCPTT server serving the MCPTT user	178
9.2.2.2.1	General	178
9.2.2.2.2	Stored information	179
9.2.2.2.3	Receiving affiliation status change from MCPTT client procedure	179
9.2.2.2.4	Receiving subscription to affiliation status procedure	182
9.2.2.2.5	Sending notification of change of affiliation status procedure	183
9.2.2.2.6	Sending affiliation status change towards MCPTT server owning MCPTT group procedure	183
9.2.2.2.7	Affiliation status determination from MCPTT server owning MCPTT group procedure	185
9.2.2.2.8	Procedure for authorizing affiliation status change request in negotiated mode sent to served MCPTT user	188
9.2.2.2.9	Forwarding affiliation status change towards another MCPTT user procedure	188
9.2.2.2.10	Forwarding subscription to affiliation status towards another MCPTT user procedure	189
9.2.2.2.11	Affiliation status determination	190
9.2.2.2.12	Affiliation status change by implicit affiliation	191
9.2.2.2.13	Implicit affiliation status change completion	192
9.2.2.2.14	Implicit affiliation status change cancellation	192
9.2.2.2.15	Implicit affiliation to configured groups procedure	193
9.2.2.2.16	Forwarding subscription to group dynamic data towards the controlling MCPTT server procedure	194
9.2.2.3	Procedures of MCPTT server owning the MCPTT group	196
9.2.2.3.1	General	196
9.2.2.3.2	Stored information	196
9.2.2.3.3	Receiving group affiliation status change procedure	196
9.2.2.3.4	Receiving subscription to affiliation status procedure	198
9.2.2.3.5	Sending notification of change of affiliation status procedure	199
9.2.2.3.6	Implicit affiliation eligibility check procedure	199
9.2.2.3.7	Affiliation status change by implicit affiliation procedure	200
9.2.2.3.8	Affiliation eligibility check procedure	200
9.2.2.3.9	Receiving subscription to group dynamic data procedure	201
9.2.2.3.10	Sending notification of change of group dynamic data procedure	202
9.3	Coding	202
9.3.1	Extension of application/pidf+xml MIME type	202
9.3.1.1	Introduction	202
9.3.1.2	Syntax	202
9.3.2	Extension of application/simple-filter+xml MIME type	205
9.3.2.1	Introduction	205
9.3.2.2	Syntax	205
9A	Functional Alias	207
9A.1	General	207
9A.2	Procedures	207
9A.2.1	MCPTT client procedures	207
9A.2.1.1	General	207
9A.2.1.2	Functional alias status change procedure	208
9A.2.1.3	Functional alias status determination procedure	209
9A.2.1.4	Location based functional alias status change procedure	210
9A.2.2	MCPTT server procedures	210
9A.2.2.1	General	210
9A.2.2.2	Procedures of MCPTT server serving the MCPTT user	210
9A.2.2.2.1	General	210
9A.2.2.2.2	Stored information	210
9A.2.2.2.3	Receiving functional alias status change from MCPTT client procedure	211
9A.2.2.2.4	Receiving subscription to functional alias status procedure	213
9A.2.2.2.5	Sending notification of change of functional alias status procedure	214
9A.2.2.2.6	Sending functional alias status change towards MCPTT server owning the functional alias procedure	215
9A.2.2.2.7	Functional alias status determination from MCPTT server owning functional alias procedure	216

9A.2.2.2.8	Functional alias resolution from MCPTT server owning the functional alias procedure	218
9A.2.2.2.9	Forwarding subscription to functional alias status towards another MCPTT server procedure	219
9A.2.2.3	Procedures of MCPTT server owning the Functional alias	219
9A.2.2.3.1	General	219
9A.2.2.3.2	Stored information.....	220
9A.2.2.3.3	Receiving functional alias status change procedure	220
9A.2.2.3.4	Receiving subscription to functional alias status procedure	222
9A.2.2.3.5	Sending notification of change of functional alias status procedure.....	223
9A.2.2.3.6	Functional alias status automatic deactivation procedure.....	223
9A.2.2.3.7	Receiving subscription to functional alias resolution procedure	224
9A.2.2.3.8	Sending notification to functional alias resolution procedure	224
9A.3	Coding	225
9A.3.1	Extension of application/pidf+xml MIME type	225
9A.3.1.1	Introduction.....	225
9A.3.1.2	Syntax	225
9A.3.2	Extension of application/simple-filter+xml MIME type.....	226
9A.3.2.1	Introduction.....	226
9A.3.2.2	Syntax	226
9A.4	Functional alias to group binding for the MCPTT user procedures	228
9A.4.1	General.....	228
9A.4.2	On-network functional alias to group binding	228
9A.4.2.1	Client procedures	228
9A.4.2.1.1	General	228
9A.4.2.1.2	Functional alias to group binding	228
9A.4.2.1.3	Functional alias to group unbinding	229
9A.4.2.2	Participating MCPTT function procedures	230
9A.4.2.2.1	General	230
9A.4.2.2.2	Receipt of a SIP MESSAGE request for binding/unbinding of a functional alias with the MCPTT group(s) for the MCPTT user.....	230
9A.4.2.3	Controlling MCPTT function procedures	232
9A.4.2.3.1	General	232
9A.4.2.3.2	Receipt of a SIP MESSAGE request for binding/unbinding of a functional alias with the MCPTT group(s) for the MCPTT user.....	232
10	Group call.....	233
10.0	General	233
10.1	On-network group call.....	233
10.1.1	Prearranged group call	233
10.1.1.1	General	233
10.1.1.2	MCPTT client procedures	233
10.1.1.2.1	On-demand prearranged group call	233
10.1.1.2.2	Prearranged group call using pre-established session.....	242
10.1.1.2.3	End group call	242
10.1.1.2.4	Rejoin procedure	243
10.1.1.3	Participating MCPTT function procedures	243
10.1.1.3.1	Originating procedures	243
10.1.1.3.2	Terminating Procedures.....	252
10.1.1.3.3	End group call at the originating participating MCPTT function.....	253
10.1.1.3.4	End group call at the terminating participating MCPTT function.....	253
10.1.1.3.5	Rejoin procedures.....	253
10.1.1.3.6	Reception of a SIP re-INVITE request for terminating MCPTT client for priority call.....	253
10.1.1.4	Controlling MCPTT function procedures	254
10.1.1.4.1	Originating Procedures.....	254
10.1.1.4.2	Terminating Procedures.....	257
10.1.1.4.3	End group call at the terminating controlling MCPTT function.....	266
10.1.1.4.4	End group call initiated by the controlling MCPTT function.....	266
10.1.1.4.5	Rejoin procedures	266
10.1.1.4.6	Late call entry initiated by controlling MCPTT function.....	268
10.1.1.4.7	Receipt of a SIP re-INVITE request.....	268
10.1.1.4.8	Handling of a SIP re-INVITE request for imminent peril session.....	272
10.1.1.5	Non-controlling function of an MCPTT group procedures.....	273
10.1.1.5.1	Originating procedures	273

10.1.1.5.2	Terminating procedures	274
10.1.1.5.3	Rejoin procedures	278
10.1.1.5.4	SIP OPTIONS request authorization procedure	278
10.1.1.5.5	Initiating a temporary group session.....	279
10.1.2	Chat group (restricted) call	281
10.1.2.1	General	281
10.1.2.2	MCPTT client procedures	281
10.1.2.2.1	On-demand chat group call.....	281
10.1.2.2.2	Chat group call within a pre-established session	289
10.1.2.2.3	End group call	292
10.1.2.3	Participating MCPTT function procedures	292
10.1.2.3.1	On-demand chat group call.....	292
10.1.2.3.2	Chat group call within a pre-established session	298
10.1.2.3.3	End group call at the originating participating MCPTT function.....	302
10.1.2.3.4	End group call at the terminating participating MCPTT function	303
10.1.2.4	Controlling MCPTT function procedures	303
10.1.2.4.1	On-demand chat group call.....	303
10.1.2.4.2	End group call at the terminating controlling MCPTT function.....	313
10.1.2.4.3	End group call initiated by the controlling MCPTT function.....	313
10.1.2.5	Non-controlling function of an MCPTT group procedures.....	314
10.1.2.5.1	Terminating procedures.....	314
10.1.3	Subscription to the conference event package	318
10.1.3.1	General	318
10.1.3.2	MCPTT client	318
10.1.3.3	Participating MCPTT function.....	319
10.1.3.4	Controlling MCPTT function.....	320
10.1.3.4.1	Receiving a subscription to the conference event package.....	320
10.1.3.4.2	Sending notifications to the conference event package	321
10.1.3.4.3	Sending subscriptions to the conference event package	321
10.1.3.4.4	Terminating a subscription	322
10.1.3.5	Non-controlling MCPTT function	322
10.1.3.5.1	Receiving subscriptions to the conference event package.....	322
10.1.3.5.2	Sending notifications to the conference event package	323
10.1.3.5.3	Sending a subscription to the conference event package.....	323
10.1.3.5.4	Terminating a subscription	324
10.1.3.6	Coding.....	324
10.1.3.6.1	Extension of application/conference-info+xml MIME type.....	324
10.1.4	Remote change of an MCPTT user's selected group	325
10.1.4.1	General	325
10.1.4.2	Client procedures	325
10.1.4.2.1	Remote selected group change initiation.....	325
10.1.4.2.2	Target client procedures for handling remote selected group change request	326
10.1.4.3	Participating MCPTT function procedures	327
10.1.4.3.1	Originating procedures	327
10.1.4.3.2	Terminating procedures.....	329
10.1.4.4	Controlling MCPTT function procedures	329
10.1.5	Remotely initiated group call.....	331
10.1.5.1	General	331
10.1.5.2	Client procedures	331
10.1.5.2.1	Remotely initiated group call initiation request procedures	331
10.1.5.2.2	Remote client procedures for handling remotely initiated group call request	333
10.1.5.3	Participating MCPTT function procedures	334
10.1.5.3.1	Originating procedures	334
10.1.5.3.2	Terminating procedures.....	336
10.1.5.4	Controlling MCPTT function procedures	336
10.2	Off-network group call	338
10.2.1	General.....	338
10.2.1.1	Common Procedures	338
10.2.1.1.1	MONP message transport.....	338
10.2.1.1.2	Session description	338
10.2.2	Basic call control	339
10.2.2.1	General	339

10.2.2.2	Basic call control state machine	339
10.2.2.3	Call Control states	340
10.2.2.3.1	S1: start-stop	340
10.2.2.3.2	S2: waiting for call announcement	341
10.2.2.3.3	S3: part of ongoing call	341
10.2.2.3.4	S4: pending user action without confirm indication	341
10.2.2.3.5	S5: pending user action with confirm indication	341
10.2.2.3.6	S6: ignoring incoming call announcements	341
10.2.2.3.7	S7: waiting for call announcement after call release	341
10.2.2.4	Procedures	341
10.2.2.4.1	General	341
10.2.2.4.2	Call Probe	342
10.2.2.4.3	Call setup	343
10.2.2.4.4	Periodic group call announcement	346
10.2.2.4.5	Call release	347
10.2.2.4.6	Merge of calls	350
10.2.2.4.7	Error handling	351
10.2.3	Call type control	351
10.2.3.1	General	351
10.2.3.2	Call type control state machine	351
10.2.3.3	Call type control states	352
10.2.3.3.1	T0: waiting for call to establish	352
10.2.3.3.2	T1: in-progress emergency group call	353
10.2.3.3.3	T2: in-progress basic group call	353
10.2.3.3.4	T3: in-progress imminent peril group call	353
10.2.3.4	Procedures	353
10.2.3.4.1	General	353
10.2.3.4.2	User initiated the call probe	353
10.2.3.4.3	Received GROUP CALL ANNOUNCEMENT message as a response to GROUP CALL PROBE message	354
10.2.3.4.4	Received GROUP CALL ANNOUNCEMENT with MCPTT user acknowledgement required	355
10.2.3.4.5	Received GROUP CALL ANNOUNCEMENT without MCPTT user acknowledgement required	355
10.2.3.4.6	Call started	356
10.2.3.4.7	Upgrade call	357
10.2.3.4.8	Downgrade call	360
10.2.3.4.9	Merge of two calls	363
10.2.3.4.10	Call release after call establishment	364
10.2.3.4.11	Call release or reject before call establishment	364
10.2.3.4.12	Error handling	365
10.3	Off-network Broadcast group call	365
10.3.1	General	365
10.3.2	Basic call control	365
10.3.2.1	General	365
10.3.2.2	Broadcast group call control state machine	365
10.3.2.3	Broadcast group call Control states	366
10.3.2.3.1	B1: start-stop	366
10.3.2.3.2	B2: in-progress broadcast group call	366
10.3.2.3.3	B3: pending user action	366
10.3.2.3.4	B4: ignoring same call ID	366
10.3.2.4	Procedures	367
10.3.2.4.1	User initiating a broadcast group call	367
10.3.2.4.2	Terminating UE receiving a GROUP CALL BROADCAST message when not participating in the in-progress broadcast group call	367
10.3.2.4.3	MCPTT user accepts the terminating call	368
10.3.2.4.4	MCPTT user rejects the terminating call	368
10.3.2.4.5	MCPTT user does not act on terminating call	368
10.3.2.4.6	Terminating user releasing the call	368
10.3.2.4.7	Originating user releasing the call	369
10.3.2.4.8	Receiving GROUP CALL BROADCAST END message	369
10.3.2.4.9	Originating UE retransmitting GROUP CALL BROADCAST message	369
10.3.2.4.10	Ignoring same call ID	370

10.3.2.4.11	Releasing the call.....	370
10.3.2.4.12	Restarting TFB1	370
10.3.2.4.13	Receiving GROUP CALL BROADCAST END message	370
10.3.2.4.14	Error handling.....	371
11	Private call.....	371
11.0	General	371
11.1	On-network private call and first-to-answer call	371
11.1.1	Private call with floor control and first-to-answer call with floor control	371
11.1.1.1	General	371
11.1.1.2	MCPTT client procedures	372
11.1.1.2.1	On-demand private call and first-to-answer call.....	372
11.1.1.2.2	Private call and first-to-answer call using pre-established session	384
11.1.1.3	Participating MCPTT function procedures	391
11.1.1.3.1	Originating procedures	391
11.1.1.3.2	Terminating procedures.....	403
11.1.1.3.3	Receipt of SIP re-INVITE request by terminating participating function	406
11.1.1.4	Controlling MCPTT function procedures	407
11.1.1.4.1	Originating procedures	407
11.1.1.4.2	Terminating procedures.....	408
11.1.1.4.3	Receiving a SIP re-INVITE for upgrade to emergency private call	413
11.1.1.4.4	Receiving a SIP re-INVITE for cancellation of emergency private call	414
11.1.1.4.5	Sending a SIP re-INVITE for upgrade to emergency private call	415
11.1.1.4.6	Sending a SIP re-INVITE for cancellation of emergency private call.....	416
11.1.2	Private call without floor control and first-to-answer call without floor control	417
11.1.2.1	General	417
11.1.2.2	MCPTT client procedures	417
11.1.2.3	Participating MCPTT function procedures	417
11.1.2.3.1	Originating procedures	417
11.1.2.3.2	Terminating procedures.....	417
11.1.2.4	Controlling MCPTT function procedures	418
11.1.2.4.1	Originating procedures	418
11.1.2.4.2	Terminating procedures.....	418
11.1.3	Ending the private call initiated by MCPTT client	418
11.1.3.1	MCPTT client procedures	418
11.1.3.1.1	On-demand private call	418
11.1.3.1.2	Private call using pre-established session.....	418
11.1.3.2	Participating MCPTT function procedures	418
11.1.3.2.1	Originating procedures	418
11.1.3.2.2	Terminating procedures.....	419
11.1.3.3	Controlling MCPTT function procedures	419
11.1.3.3.1	Terminating procedures.....	419
11.1.4	Ending the private call initiated by the MCPTT server	419
11.1.4.1	General	419
11.1.4.2	MCPTT client procedures	419
11.1.4.3	Participating MCPTT function procedures	419
11.1.4.3.1	Originating procedures	419
11.1.4.3.2	Terminating procedures.....	420
11.1.4.4	Controlling MCPTT function procedures	420
11.1.5	Private call call-back.....	420
11.1.5.1	General	420
11.1.5.2	MCPTT client procedures	421
11.1.5.2.1	Requesting client procedures for call-back requests.....	421
11.1.5.2.2	Target client procedures for handling call-back requests	422
11.1.5.2.3	Private call call-back fulfilment	423
11.1.5.3	Participating MCPTT function procedures	423
11.1.5.3.1	Originating procedures	423
11.1.5.3.2	Terminating procedures.....	425
11.1.5.4	Controlling MCPTT function procedures	425
11.1.6	Ambient listening call.....	426
11.1.6.1	General	426
11.1.6.2	MCPTT client procedures	427

11.1.6.2.0	Ambient listening handling at the MCPTT client.....	427
11.1.6.2.1	On-demand ambient listening call.....	427
11.1.6.2.2	Ambient listening call using pre-established session.....	431
11.1.6.3	Participating MCPTT function procedures	435
11.1.6.3.1	Originating procedures	435
11.1.6.3.2	Terminating procedures.....	440
11.1.6.4	Controlling MCPTT function procedures	441
11.1.6.4.1	Originating procedures	441
11.1.6.4.2	Terminating procedures.....	442
11.1.6.4.3	Server initiated ambient call release.....	444
11.1.6.4.4	Reception of a SIP BYE request.....	445
11.1.7	Remotely initiated private call.....	446
11.1.7.1	General.....	446
11.1.7.2	Client procedures	446
11.1.7.2.1	Remotely initiated private call initiation request procedures.....	446
11.1.7.2.2	Remote client procedures for handling remotely initiated private call request.....	447
11.1.7.3	Participating MCPTT function procedures	449
11.1.7.3.1	Originating procedures	449
11.1.7.3.2	Terminating procedures.....	450
11.1.7.4	Controlling MCPTT function procedures	450
11.1.8	Private call transfer	452
11.1.8.1	General.....	452
11.1.8.2	Client procedures	452
11.1.8.2.1	Private call transfer request procedures.....	452
11.1.8.2.2	Client procedures for handling incoming private call transfer request.....	453
11.1.8.2.3	Announced private call transfer.....	454
11.1.8.3	Participating MCPTT function procedures	455
11.1.8.3.1	Originating procedures	455
11.1.8.3.2	Terminating procedures.....	456
11.1.8.4	Controlling MCPTT function procedures	457
11.1.9	Private call forwarding.....	459
11.1.9.1	General.....	459
11.1.9.2	Client procedures	459
11.1.9.2.1	Private call forwarding request based on manual user input procedure.....	459
11.1.9.2.2	Client procedures for handling incoming private call forwarding request	461
11.1.9.3	Participating MCPTT function procedures	462
11.1.9.3.1	Originating procedures	462
11.1.9.3.2	Terminating procedures.....	463
11.1.9.4	Controlling MCPTT function procedures	464
11.2	Off-network private call	466
11.2.1	General.....	466
11.2.1.1	Common procedures	466
11.2.1.1.1	Sending/Receiving a message	466
11.2.1.1.2	Session description	466
11.2.2	Basic call control	467
11.2.2.1	General.....	467
11.2.2.2	Private call control state machine.....	467
11.2.2.3	Private call control states	468
11.2.2.3.1	P0: start-stop.....	468
11.2.2.3.2	P1: ignoring same call id	468
11.2.2.3.3	P2: waiting for call response	468
11.2.2.3.4	P3: waiting for release response	468
11.2.2.3.5	P4: part of ongoing call	468
11.2.2.3.6	P5: pending.....	468
11.2.2.4	Procedures.....	468
11.2.2.4.1	General	468
11.2.2.4.2	Private call setup.....	468
11.2.2.4.3	Private call setup in automatic commencement mode.....	472
11.2.2.4.4	Private call setup in manual commencement mode.....	475
11.2.2.4.5	Private call release.....	479
11.2.2.4.6	Error handling.....	481
11.2.3	Call type control	481

11.2.3.1	General	481
11.2.3.2	Call type control state machine	481
11.2.3.3	Call type control states	482
11.2.3.3.1	Q0: waiting for the call to be established	482
11.2.3.3.2	Q1: in-progress private call	482
11.2.3.3.3	Q2: in-progress emergency private call	482
11.2.3.4	Procedures	482
11.2.3.4.1	General	482
11.2.3.4.2	Outgoing call initiated	482
11.2.3.4.3	Received incoming call	483
11.2.3.4.4	Establishing the private call	483
11.2.3.4.5	Upgrade call	484
11.2.3.4.6	Downgrade call	487
11.2.3.4.6A	Implicit downgrade	488
11.2.3.4.7	Call Release	489
11.2.3.4.7A	Private call setup request accepted	489
11.2.3.4.8	Error handling	489
12	Emergency alert	490
12.0	General	490
12.1	On-network emergency alert	490
12.1.1	Client procedures	490
12.1.1.1	Emergency alert origination	490
12.1.1.2	Emergency alert cancellation	491
12.1.1.3	MCPTT client receives an MCPTT emergency alert or call notification	493
12.1.1.4	MCPTT client receives notification of entry into or exit from a group geographic area	495
12.1.1.5	MCPTT group in-progress emergency group state cancel	495
12.1.1.6	MCPTT client receives notification of entry into or exit from an emergency alert area	497
12.1.2	Participating MCPTT function procedures	497
12.1.2.1	Receipt of a SIP MESSAGE request for emergency notification from the served MCPTT client	497
12.1.2.2	Receipt of a SIP MESSAGE request for emergency notification for terminating MCPTT client	499
12.1.2.3	Receipt of a SIP MESSAGE request indicating successful delivery of emergency notification	499
12.1.3	Controlling MCPTT function procedures	500
12.1.3.1	Handling of a SIP MESSAGE request for emergency notification	500
12.1.3.2	Handling of a SIP MESSAGE request for emergency alert cancellation	502
12.1.3.3	Handling of a SIP MESSAGE request for in-progress emergency group state cancellation	504
12.2	Off-network emergency alert	507
12.2.1	General	507
12.2.2	Basic state machine	507
12.2.2.1	General	507
12.2.2.2	Emergency alert state machine	507
12.2.2.3	Emergency alert states	507
12.2.2.3.1	E1: Not in emergency state	507
12.2.2.3.2	E2: Emergency state	507
12.2.3	Procedures	508
12.2.3.1	Originating user sending emergency alert	508
12.2.3.2	Emergency alert retransmission	508
12.2.3.3	Terminating user receiving emergency alert	508
12.2.3.4	Terminating user receiving retransmitted emergency alert	509
12.2.3.5	Originating user cancels emergency alert	509
12.2.3.6	Terminating user receives GROUP EMERGENCY ALERT CANCEL message	509
12.2.3.7	Implicit emergency alert cancel	510
13	Location procedures	510
13.1	General	510
13.2	Participating MCPTT function location procedures	510
13.2.1	General	510
13.2.2	Location reporting configuration	510
13.2.3	Location information request	511
13.2.4	Location information report	511
13.2.5	Abnormal cases	512
13.3	MCPTT client location procedures	512