

ETSI TS 124 554 V18.11.0 (2026-03)



TECHNICAL SPECIFICATION

**5G;
Proximity-services (ProSe) in 5G System (5GS)
protocol aspects;
Stage 3
(3GPP TS 24.554 version 18.11.0 Release 18)**



Reference

RTS/TSGC-0124554vib0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	22
1 Scope	24
2 References	24
3 Definitions of terms, symbols and abbreviations	26
3.1 Terms.....	26
3.2 Abbreviations	28
4 General	28
4.1 Overview	28
5 Provisioning of configuration information for 5G ProSe.....	29
5.1 Overview	29
5.2 Configuration and precedence of 5G ProSe configuration information	29
5.2.1 General.....	29
5.2.2 Precedence of 5G ProSe configuration information	29
5.2.3 Configuration parameters for 5G ProSe direct discovery	30
5.2.4 Configuration parameters for 5G ProSe direct communication over PC5 interface	31
5.2.5 Configuration parameters for 5G ProSe UE-to-network relay.....	33
5.2.6 Configuration parameters for 5G ProSe usage information reporting	36
5.2.7 Configuration parameters for 5G ProSe UE-to-UE relay	36
5.3 Procedures	39
5.3.1 General.....	39
5.3.2 UE-requested ProSeP provisioning procedure.....	39
5.3.2.1 General	39
5.3.2.2 UE-requested ProSeP policy provisioning procedure initiation	40
5.3.2.3 UE-requested ProSeP policy provisioning procedure accepted by the network.....	40
5.3.2.4 UE-requested ProSeP policy provisioning procedure not accepted by the network	41
5.3.2.5 Abnormal cases on the network side.....	41
5.3.2.6 Abnormal cases on the UE.....	41
6 5G ProSe direct discovery	42
6.1 Overview	42
6.1.1 Transport protocol for PC3a control protocol messages for 5G ProSe direct discovery	42
6.1.2 Handling of UE-initiated procedures	42
6.1.2.1 General	42
6.1.2.2 5G DDNMF discovery	42
6.1.3 Handling of 5G DDNMF-initiated procedures	42
6.1.3.1 General	42
6.1.3.2 HTTP long polling	43
6.1.3.3 OMA Push.....	43
6.2 Procedures	43
6.2.1 Types of 5G ProSe direct discovery procedures	43
6.2.2 Announce request procedure for open 5G ProSe direct discovery	44
6.2.2.1 General.....	44
6.2.2.2 Announce request procedure initiation.....	44
6.2.2.3 Announce request procedure accepted by the 5G DDNMF	46
6.2.2.4 Announce request procedure completion by the UE.....	48
6.2.2.5 Announce request procedure not accepted by the 5G DDNMF	49
6.2.2.6 Abnormal cases	50
6.2.2.6.1 Abnormal cases in the UE	50
6.2.2.6.2 Abnormal cases in the 5G DDNMF	50
6.2.3 Announce request procedure for restricted 5G ProSe direct discovery model A.....	51

6.2.3.1	General	51
6.2.3.2	Announce request procedure initiation.....	51
6.2.3.3	Announce request procedure accepted by the 5G DDNMF	53
6.2.3.4	Announce request procedure completion by the UE	55
6.2.3.5	Announce request procedure not accepted by the 5G DDNMF	56
6.2.3.6	Abnormal cases	57
6.2.3.6.1	Abnormal cases in the UE	57
6.2.3.6.2	Abnormal cases in the 5G DDNMF	57
6.2.4	Monitor request procedure for open 5G ProSe direct discovery	57
6.2.4.1	General	57
6.2.4.2	Monitor request procedure Initiation.....	58
6.2.4.3	Monitor request procedure accepted by the 5G DDNMF	59
6.2.4.4	Monitor request procedure completion by the UE	61
6.2.4.5	Monitor request procedure not accepted by the 5G DDNMF	61
6.2.4.6	Abnormal cases	62
6.2.4.6.1	Abnormal cases in the UE	62
6.2.4.6.2	Abnormal cases in the 5G DDNMF	62
6.2.5	Monitor request procedure for restricted 5G ProSe direct discovery model A	63
6.2.5.1	General	63
6.2.5.2	Monitor request procedure Initiation.....	63
6.2.5.3	Monitor request procedure accepted by the 5G DDNMF	64
6.2.5.4	Monitor request procedure completion by the UE	66
6.2.5.5	Monitor request procedure not accepted by the 5G DDNMF	67
6.2.5.6	Abnormal cases	68
6.2.5.6.1	Abnormal cases in the UE	68
6.2.5.6.2	Abnormal cases in the 5G DDNMF	68
6.2.6	Discoveree request procedure for restricted 5G ProSe direct discovery model B	68
6.2.6.1	General	68
6.2.6.2	Discoveree request procedure initiation	69
6.2.6.3	Discoveree request procedure accepted by the 5G DDNMF	70
6.2.6.4	Discoveree request procedure completion by the UE	72
6.2.6.5	Discoveree request procedure not accepted by the 5G DDNMF	72
6.2.6.6	Abnormal cases	72
6.2.6.6.1	Abnormal cases in the UE	72
6.2.6.6.2	Abnormal cases in the 5G DDNMF	73
6.2.7	Discoverer request procedure for restricted 5G ProSe direct discovery model B	73
6.2.7.1	General	73
6.2.7.2	Discoverer request procedure initiation	73
6.2.7.3	Discoverer request procedure accepted by the 5G DDNMF	75
6.2.7.4	Discoverer request procedure completion by the UE.....	77
6.2.7.5	Discoverer request procedure not accepted by the 5G DDNMF	77
6.2.7.6	Abnormal cases	78
6.2.7.6.1	Abnormal cases in the UE	78
6.2.7.6.2	Abnormal cases in the 5G DDNMF	79
6.2.8	Match report procedure for open 5G ProSe direct discovery.....	79
6.2.8.1	General	79
6.2.8.2	Match report procedure initiation.....	79
6.2.8.3	Match report procedure accepted by the 5G DDNMF	81
6.2.8.4	Match report procedure completion by the UE	82
6.2.8.5	Match report procedure not accepted by the 5G DDNMF	82
6.2.8.6	Abnormal cases	83
6.2.8.6.1	Abnormal cases in the UE	83
6.2.9	Match report procedure for restricted 5G ProSe direct discovery model A	83
6.2.9.1	General	83
6.2.9.2	Match report procedure initiation.....	83
6.2.9.3	Match report procedure accepted by the 5G DDNMF	85
6.2.9.4	Match report procedure completion by the UE	86
6.2.9.5	Match report procedure not accepted by the 5G DDNMF	86
6.2.9.6	Abnormal cases	87
6.2.9.6.1	Abnormal cases in the UE	87
6.2.10	Match report procedure for restricted 5G ProSe direct discovery model B	87
6.2.10.1	General	87

6.2.10.2	Match report procedure initiation.....	87
6.2.10.3	Match report procedure accepted by the 5G DDNMF	89
6.2.10.4	Match report procedure completion by the UE.....	90
6.2.10.5	Match report procedure not accepted by the 5G DDNMF	90
6.2.10.6	Abnormal cases	91
6.2.10.6.1	Abnormal cases in the UE	91
6.2.11	Direct discovery update procedure for open discovery.....	91
6.2.11.1	General	91
6.2.11.2	Direct discovery update procedure initiation	91
6.2.11.3	Direct discovery update procedure accepted by the UE.....	92
6.2.11.4	Direct discovery update procedure completed by the 5G DDNMF	93
6.2.11.5	Direct discovery update procedure not accepted by the UE.....	93
6.2.11.6	Abnormal cases	93
6.2.11.6.1	Abnormal cases in the 5G DDNMF	93
6.2.11.6.2	Abnormal cases in the UE	94
6.2.12	Direct discovery update procedure for restricted discovery.....	94
6.2.12.1	General	94
6.2.12.2	Revocation of restricted discovery filters.....	94
6.2.12.2.1	Restricted discovery filters revocation procedure initiation	94
6.2.12.2.2	Restricted discovery filters revocation procedure accepted by the UE.....	95
6.2.12.2.3	Restricted discovery filters revocation procedure completion by the 5G DDNMF.....	95
6.2.12.2.4	Restricted discovery filters revocation procedure not accepted by the UE	95
6.2.12.2.5	Abnormal cases	95
6.2.12.2.5.1	Abnormal cases in the 5G DDNMF.....	95
6.2.12.2.5.2	Abnormal cases in the UE.....	95
6.2.12.3	Allocation of new ProSe restricted code	96
6.2.12.3.1	New ProSe restricted code allocation procedure initiation.....	96
6.2.12.3.2	ProSe restricted code allocation procedure accepted by the UE.....	96
6.2.12.3.3	ProSe restricted code allocation procedure completion by the 5G DDNMF.....	96
6.2.12.3.4	ProSe restricted code allocation procedure not accepted by the UE.....	97
6.2.12.3.5	Abnormal cases	97
6.2.12.3.5.1	Abnormal cases in the 5G DDNMF.....	97
6.2.12.3.5.2	Abnormal cases in the UE.....	97
6.2.13	Announcing alert procedure.....	97
6.2.13.1	General	97
6.2.13.2	Announcing alert procedure initiation.....	97
6.2.13.3	Announcing alert procedure accepted by the UE	98
6.2.13.4	Announcing alert procedure completion by the 5G DDNMF	99
6.2.13.5	Announcing alert procedure not accepted by the UE	99
6.2.13.6	Abnormal cases	99
6.2.13.6.1	Abnormal cases in the 5G DDNMF	99
6.2.13.6.2	Abnormal cases in the UE	100
6.2.14	5G ProSe direct discovery procedure over PC5 interface.....	100
6.2.14.1	General	100
6.2.14.2	Procedures.....	101
6.2.14.2.1	5G ProSe direct discovery procedure over PC5 interface with model A.....	101
6.2.14.2.1.1	General.....	101
6.2.14.2.1.2	Announcing UE procedure for 5G ProSe direct discovery initiation.....	101
6.2.14.2.1.3	Announcing UE procedure for 5G ProSe direct discovery completion	103
6.2.14.2.1.4	Monitoring UE procedure for 5G ProSe direct discovery initiation	103
6.2.14.2.1.5	Monitoring UE procedure for 5G ProSe direct discovery completion.....	105
6.2.14.2.2	5G ProSe direct discovery procedure over PC5 interface with model B	105
6.2.14.2.2.1	General.....	105
6.2.14.2.2.2	Discoverer UE procedure for 5G ProSe direct discovery initiation	105
6.2.14.2.2.3	Discoverer UE procedure for 5G ProSe direct discovery completion	107
6.2.14.2.2.4	Discoveree UE procedure for 5G ProSe direct discovery initiation.....	107
6.2.14.2.2.5	Discoveree UE procedure for 5G ProSe direct discovery completion.....	110
6.2.15	Group member discovery over PC5 interface.....	110
6.2.15.1	General	110
6.2.15.2	Procedures.....	111
6.2.15.2.1	Group member discovery over PC5 interface with model A.....	111
6.2.15.2.1.1	General.....	111

6.2.15.2.1.2	Announcing UE procedure for group member discovery initiation	111
6.2.15.2.1.3	Announcing UE procedure for group member discovery completion	113
6.2.15.2.1.4	Monitoring UE procedure for group member discovery initiation	113
6.2.15.2.1.5	Monitoring UE procedure for group member discovery completion	114
6.2.15.2.2	Group member discovery over PC5 interface with model B	115
6.2.15.2.2.1	General	115
6.2.15.2.2.2	Discoverer UE procedure for group member discovery initiation	115
6.2.15.2.2.3	Discoverer UE procedure for group member discovery completion	117
6.2.15.2.2.4	Discoveree UE procedure for group member discovery initiation	117
6.2.15.2.2.5	Discoveree UE procedure for group member discovery completion	119
6.2.16	Procedure for UE to use provisioned radio resources for 5G ProSe direct discovery	120
6.2.17	5G PKMF address request procedure	121
6.2.17.1	General	121
6.2.17.2	5G PKMF address request procedure initiation by the UE	121
6.2.17.3	5G PKMF address request procedure accepted by the 5G DDNMF	122
6.2.17.4	5G PKMF address request procedure completed by the UE	122
6.2.17.5	5G PKMF address request procedure not accepted by the 5G DDNMF	122
6.2.17.6	Abnormal cases	122
6.2.17.6.1	Abnormal cases in the UE	122
6.2.17.6.2	Abnormal cases in the 5G DDNMF	122
7	5G ProSe direct communications	123
7.1	Overview	123
7.2	Unicast mode 5G ProSe direct communication over PC5	123
7.2.1	Overview	123
7.2.2	5G ProSe direct link establishment procedure	124
7.2.2.1	General	124
7.2.2.2	5G ProSe direct link establishment procedure initiation by initiating UE	125
7.2.2.3	5G ProSe direct link establishment procedure accepted by the target UE	133
7.2.2.4	5G ProSe direct link establishment procedure completion by the initiating UE	138
7.2.2.5	5G ProSe direct link establishment procedure not accepted by the target UE	139
7.2.2.6	Abnormal cases	145
7.2.2.6.1	Abnormal cases at the initiating UE	145
7.2.2.6.2	Abnormal cases at the target UE	145
7.2.3	5G ProSe direct link modification procedure	146
7.2.3.1	General	146
7.2.3.2	5G ProSe direct link modification procedure initiated by initiating UE	146
7.2.3.3	5G ProSe direct link modification procedure accepted by the target UE	153
7.2.3.4	5G ProSe direct link modification procedure completion by the initiating UE	156
7.2.3.4a	5G ProSe direct link modification procedure completion by the target UE	157
7.2.3.5	5G ProSe direct link modification procedure not accepted by the target UE	158
7.2.3.6	Abnormal cases	159
7.2.3.6.1	Abnormal cases at the initiating UE	159
7.2.3.6.2	Abnormal cases at the target UE	160
7.2.3.7	Void	160
7.2.4	5G ProSe direct link identifier update procedure	160
7.2.4.1	General	160
7.2.4.2	5G ProSe direct link identifier update procedure initiation by initiating UE	160
7.2.4.3	5G ProSe direct link identifier update procedure accepted by the target UE	162
7.2.4.4	5G ProSe direct link identifier update procedure acknowledged by the initiating UE	163
7.2.4.5	5G ProSe direct link identifier update procedure completion by the target UE	164
7.2.4.6	5G ProSe direct link identifier update procedure not accepted by the target UE	164
7.2.4.7	Abnormal cases	164
7.2.4.7.1	Abnormal cases at the initiating UE	164
7.2.4.7.2	Abnormal cases at the target UE	165
7.2.5	5G ProSe direct link keep-alive procedure	166
7.2.5.1	General	166
7.2.5.2	5G ProSe direct link keep-alive procedure initiation by the initiating UE	166
7.2.5.3	5G ProSe direct link keep-alive procedure accepted by the target UE	167
7.2.5.4	5G ProSe direct link keep-alive procedure completion by the initiating UE	167
7.2.5.5	Abnormal cases	167
7.2.5.5.1	Abnormal cases at the initiating UE	167

7.2.5.5.2	Abnormal cases at the target UE	168
7.2.6	5G ProSe direct link release procedure	168
7.2.6.1	General	168
7.2.6.2	5G ProSe direct link release procedure initiation by initiating UE	169
7.2.6.3	5G ProSe direct link release procedure accepted by the target UE	172
7.2.6.4	5G ProSe direct link release procedure completion by the initiating UE	173
7.2.6.5	Abnormal cases	173
7.2.6.5.1	Abnormal cases at the initiating UE	173
7.2.7	PC5 QoS flow establishment over 5G ProSe direct link	173
7.2.8	PC5 QoS flow match over 5G ProSe direct link	174
7.2.9	Data transmission over 5G ProSe direct link	175
7.2.9.1	Transmission	175
7.2.9.2	Procedure for UE to use provisioned radio resources for ProSe communication over PC5	175
7.2.10	5G ProSe direct link security mode control procedure	175
7.2.10.1	General	175
7.2.10.2	5G ProSe direct link security mode control procedure initiation by the initiating UE	176
7.2.10.3	5G ProSe direct link security mode control procedure accepted by the target UE	180
7.2.10.4	5G ProSe direct link security mode control procedure completion by the initiating UE	183
7.2.10.5	5G ProSe direct link security mode control procedure not accepted by the target UE	184
7.2.10.6	Abnormal cases	185
7.2.10.6.1	Abnormal cases at the initiating UE	185
7.2.11	5G ProSe direct link re-keying procedure	186
7.2.11.1	General	186
7.2.11.2	5G ProSe direct link re-keying procedure initiation by the initiating UE	186
7.2.11.3	5G ProSe direct link re-keying procedure accepted by the target UE	187
7.2.11.4	5G ProSe direct link re-keying procedure completion by the initiating UE	188
7.2.11.5	Abnormal cases at the initiating UE	188
7.2.12	5G ProSe direct link authentication procedure	188
7.2.12.1	General	188
7.2.12.2	5G ProSe direct link authentication procedure initiation by the initiating UE	189
7.2.12.3	5G ProSe direct link authentication procedure accepted by the target UE	190
7.2.12.4	5G ProSe direct link authentication procedure completion by the initiating UE	190
7.2.12.5	5G ProSe direct link authentication procedure not accepted by the target UE	191
7.2.12.6	5G ProSe direct link authentication procedure not accepted by the initiating UE	191
7.2.12.7	Abnormal cases	191
7.2.12.7.1	Abnormal cases at the initiating UE	191
7.2.13	5G ProSe UE-to-UE relay update procedure	192
7.2.13.1	General	192
7.2.13.2	5G ProSe UE-to-UE relay update procedure initiation by initiating UE	192
7.2.13.3	5G ProSe UE-to-UE relay update procedure accepted by the target UE	193
7.2.13.4	5G ProSe UE-to-UE relay update procedure completion by the initiating UE	194
7.2.13.5	5G ProSe UE-to-UE relay update procedure not accepted by the target UE	194
7.2.13.6	Abnormal cases	194
7.2.13.6.1	Abnormal cases at the initiating UE	194
7.2.14	5G ProSe direct link identification procedure	194
7.2.14.1	General	194
7.2.14.2	5G ProSe direct link identification procedure initiated by initiating UE	194
7.2.14.3	5G ProSe direct link identification procedure responded by the UE	195
7.2.14.4	5G ProSe direct link identification procedure completion by the initiating UE	195
7.2.14.5	Abnormal cases	195
7.2.14.5.1	Abnormal cases at the initiating UE	195
7.2.14.5.2	Abnormal cases at the target UE	195
7.3	Broadcast mode 5G ProSe direct communication over PC5	195
7.3.1	Overview	195
7.3.2	Transmission of broadcast mode 5G ProSe communication over PC5	196
7.3.2.1	Initiation	196
7.3.2.1.1	Broadcast mode 5G ProSe communication over PC5 triggered by upper layers	196
7.3.2.1.2	PC5 QoS flow match and establishment	197
7.3.2.2	Transmission	198
7.3.2.3	Procedure for UE to use provisioned radio resources for 5G ProSe communication over PC5	199
7.3.2.4	Privacy of 5G ProSe transmission over PC5	200
7.3.3	Reception of broadcast mode 5G ProSe communication over PC5	201

7.3.4	IP address allocation for broadcast mode 5G ProSe communication over PC5.....	201
7.4	Groupcast mode 5G ProSe direct communication over PC5.....	201
7.4.1	Overview	201
7.4.2	Transmission of groupcast mode 5G ProSe communication over PC5	202
7.4.2.1	Initiation.....	202
7.4.2.1.1	Initiation of forming a group	202
7.4.2.1.2	Requirements for 5G ProSe direct communication over PC5	202
7.4.2.1.3	PC5 QoS flow match and establishment	202
7.4.2.2	Transmission	203
7.4.2.3	Procedure for UE to use provisioned radio resources for 5G ProSe direct communication over PC5.....	203
7.4.2.4	Privacy of 5G ProSe direct transmission over PC5.....	203
7.4.3	Reception of groupcast mode 5G ProSe direct communication over PC5.....	203
7.4.4	IP address allocation for groupcast mode 5G ProSe communication over PC5	203
7.5	Void.....	204
7.5.1	Void.....	204
7.5.2	Void.....	204
7.5.3	Void.....	204
7.6	PC3ach control protocol for 5G ProSe direct communication	204
7.6.1	Transport protocol for PC3ach control protocol for 5G ProSe direct communication	204
7.6.2	Procedures for PC3ach control protocol for 5G ProSe direct communication	204
7.6.2.1	Usage information report list sending procedure	204
7.6.2.1.1	General	204
7.6.2.1.2	Usage information report list sending procedure initiation	204
7.6.2.1.3	Usage information report list sending procedure accepted by the 5G DDNMF.....	211
7.6.2.1.4	Usage information report list sending procedure successful completion by the UE	211
7.6.2.1.5	Usage information report list sending procedure not accepted by the 5G DDNMF.....	211
7.6.2.1.6	Usage information report list sending procedure unsuccessful completion by the UE.....	212
7.7	Communication path switching procedure between the direct communication path over Uu and the direct communication path over PC5	212
7.7.1	General.....	212
7.7.2	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5	212
7.7.2.1	General	212
7.7.2.2	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 initiation by initiating UE	213
7.7.2.3	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 accepted by the target UE	214
7.7.2.4	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 completion by the initiating UE.....	214
7.7.2.5	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 not accepted by the target UE	214
7.7.2.6	Abnormal cases	215
7.7.2.6.1	Abnormal cases at the initiating UE	215
7.7.2.6.2	Abnormal cases at the target UE	215
7.7.3	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu	215
7.7.3.1	General	215
7.7.3.2	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu initiation by initiating UE	216
7.7.3.3	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu accepted by the target UE	217
7.7.3.4	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu completion by the initiating UE.....	218
7.7.3.5	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu not accepted by the target UE	218
7.7.3.6	Abnormal cases	219
7.7.3.6.1	Abnormal cases at the initiating UE	219
7.7.3.6.2	Abnormal cases at the target UE	219
7.7.4	Principles of determining the ProSe applications to be switched	219
8	5G ProSe UE-to-network relay	221

8.1	Overview	221
8.2	Procedures	221
8.2.1	UE-to-network relay discovery over PC5 interface	221
8.2.1.1	General	221
8.2.1.2	UE-to-network relay discovery over PC5 interface with model A.....	223
8.2.1.2.1	General	223
8.2.1.2.2	Announcing UE relay discovery for UE-to-network relay discovery.....	223
8.2.1.2.2.1	General.....	223
8.2.1.2.2.2	Announcing UE procedure for UE-to-network relay discovery initiation	223
8.2.1.2.2.3	Announcing UE procedure for UE-to-network relay discovery completion.....	225
8.2.1.2.3	Monitoring UE relay discovery for UE-to-network relay discovery	225
8.2.1.2.3.1	General.....	225
8.2.1.2.3.2	Monitoring UE procedure for UE-to-network relay discovery initiation.....	226
8.2.1.2.3.3	Monitoring UE procedure for UE-to-network relay discovery completion	227
8.2.1.2.4	Announcing UE procedure for relay discovery additional information.....	228
8.2.1.2.4.1	General.....	228
8.2.1.2.4.2	Announcing procedure for relay discovery additional information	228
8.2.1.2.5	Monitoring UE procedure for relay discovery additional information	230
8.2.1.2.5.1	General.....	230
8.2.1.2.5.2	Monitoring procedure for relay discovery additional information.....	230
8.2.1.3	UE-to-network relay discovery over PC5 interface with model B.....	231
8.2.1.3.1	Discoverer UE procedure for UE-to-network Relay discovery	231
8.2.1.3.1.1	General.....	231
8.2.1.3.1.2	Discoverer UE procedure for UE-to-network relay discovery initiation	231
8.2.1.3.1.3	Discoverer UE procedure for UE-to-network Relay discovery completion.....	235
8.2.1.3.2	Discoveree UE procedure for UE-to-network Relay discovery.....	235
8.2.1.3.2.1	General.....	235
8.2.1.3.2.2	Discoveree UE procedure for UE-to-network relay discovery initiation	235
8.2.1.3.2.3	Discoveree UE procedure for UE-to-network relay discovery completion	238
8.2.1.4	Procedure for UE to use provisioned radio resources for 5G ProSe UE-to-network discovery.....	238
8.2.2	UE-to-network relay selection procedure	239
8.2.2.1	General	239
8.2.2.2	UE-to-network relay selection procedure initiation	239
8.2.2.3	UE-to-network relay selection procedure completion.....	239
8.2.3	UE-to-network relay reselection procedure	240
8.2.3.1	General	240
8.2.3.2	UE-to-network relay reselection procedure initiation	240
8.2.4	Procedure for UE to use provisioned radio resources for 5G ProSe UE-to-network relay communication	241
8.2.5	IP address allocation for 5G ProSe remote UE in 5G ProSe layer-3 UE-to-network relay procedure	242
8.2.5a	IPv6 prefix delegation via DHCPv6 for 5G ProSe layer-3 UE-to-network relay	242
8.2.6	QoS handling for 5G ProSe UE-to-network relay	243
8.2.6.1	General	243
8.2.6.2	QoS handling for 5G ProSe layer-2 UE-to-network relay	243
8.2.6.3	QoS handling for 5G ProSe layer-3 UE-to-network relay without N3IWF	243
8.2.6.3.1	General	243
8.2.6.3.2	QoS flows handling initiated by the network	243
8.2.6.3.3	PC5 QoS flows handling initiated by the 5G ProSe layer-3 remote UE.....	244
8.2.6.4	QoS handling for 5G ProSe layer-3 UE-to-network relay with N3IWF	245
8.2.6.4.1	General	245
8.2.6.4.2	QoS handling with QoS signalling procedure	245
8.2.7	5G ProSe layer-3 UE-to-network relay with N3IWF support.....	246
8.2.7.1	General	246
8.2.7.2	5G ProSe layer-3 UE-to-network relay UE establishing PDU session to access N3IWF	246
8.2.7.3	N3IWF selection for 5G ProSe layer-3 remote UE.....	247
8.2.8	5G ProSe additional parameters announcement procedure.....	247
8.2.8.1	General	247
8.2.8.2	5G ProSe additional parameters announcement procedure initiation by the 5G ProSe layer-3 remote UE	247
8.2.8.3	5G ProSe additional parameters announcement procedure accepted by the 5G ProSe layer-3 UE-to-network relay UE.....	248

8.2.8.4	5G ProSe additional parameters announcement procedure completion by the 5G ProSe layer-3 remote UE	248
8.2.8.5	Abnormal cases	248
8.2.8.5.1	Abnormal cases in the 5G ProSe layer-3 remote UE.....	248
8.2.9	5G ProSe AA message reliable transport procedure.....	248
8.2.9.1	General	248
8.2.9.2	5G ProSe AA message reliable transport procedure initiation.....	249
8.2.9.3	5G ProSe AA message reliable transport procedure accepted by the target UE	249
8.2.9.4	5G ProSe AA message reliable transport procedure completion by the initiating UE.....	250
8.2.9.5	Abnormal cases	250
8.2.9.5.1	Abnormal cases at the initiating UE	250
8.2.10	5G ProSe security procedures over PC8 interface	250
8.2.10.1	General	250
8.2.10.1.1	Transport protocol for PC8 messages.....	250
8.2.10.1.2	Handling of UE-initiated procedures.....	250
8.2.10.1.2.1	General.....	250
8.2.10.1.2.2	5G PKMF discovery	251
8.2.10.2	Procedures.....	251
8.2.10.2.1	Types of 5G ProSe procedures over PC8 interface	251
8.2.10.2.2	5G ProSe UE-to-network relay discovery security parameters request procedure.....	251
8.2.10.2.2.1	General.....	251
8.2.10.2.2.2	5G ProSe UE-to-network relay discovery security parameters request procedure initiation ...	251
8.2.10.2.2.3	5G ProSe UE-to-network relay discovery security parameters request procedure accepted by the 5G PKMF.....	253
8.2.10.2.2.4	5G ProSe UE-to-network relay discovery security parameters request procedure completion by the UE	255
8.2.10.2.2.5	5G ProSe UE-to-network relay discovery security parameters request procedure not accepted by the 5G PKMF	255
8.2.10.2.2.6	Abnormal cases in the UE.....	255
8.2.10.2.2.7	Abnormal cases in the 5G PKMF	256
8.2.10.2.3	5G ProSe remote user key request procedure.....	256
8.2.10.2.3.1	General.....	256
8.2.10.2.3.2	5G ProSe remote user key request procedure initiation	256
8.2.10.2.3.3	5G ProSe remote user key request procedure accepted by the 5G PKMF.....	257
8.2.10.2.3.4	5G ProSe remote user key request procedure completion by the UE	257
8.2.10.2.3.5	5G ProSe remote user key request procedure not accepted by the 5G PKMF.....	257
8.2.10.2.3.6	Abnormal cases in the UE.....	258
8.2.10.2.3.7	Abnormal cases in the 5G PKMF	258
8.2.10.2.4	Key request procedure	258
8.2.10.2.4.1	General.....	258
8.2.10.2.4.2	Key request procedure initiation	258
8.2.10.2.4.3	Key request procedure accepted by the 5G PKMF	259
8.2.10.2.4.4	Key request procedure completion by the UE	260
8.2.10.2.4.5	Key request procedure not accepted by the 5G PKMF	260
8.2.10.2.4.6	Abnormal cases in the UE.....	260
8.2.10.2.4.7	Abnormal cases in the 5G PKMF	260
8.2.11	UE-to-network relay unicast direct communication over PC5 interface.....	260
8.2.12	5G ProSe security procedures over PC3a interface	261
8.2.12.1	General	261
8.2.12.1.1	Transport protocol for PC3a messages	261
8.2.12.1.2	Handling of UE-initiated procedures.....	261
8.2.12.1.2.1	General.....	261
8.2.12.1.2.2	5G DDNMF discovery.....	261
8.2.12.2	Procedures.....	261
8.2.12.2.1	Types of 5G ProSe security procedures over PC3a interface	261
8.2.12.2.2	5G ProSe UE-to-network relay discovery security material request procedure	262
8.2.12.2.2.1	General.....	262
8.2.12.2.2.2	5G ProSe UE-to-network relay discovery security material request procedure initiation	262
8.2.12.2.2.3	5G ProSe UE-to-network relay discovery security material request procedure accepted by the 5G DDNMF	263
8.2.12.2.2.4	5G ProSe UE-to-network relay discovery security material request procedure completion by the UE	265

8.2.12.2.2.5	5G ProSe UE-to-network relay discovery security material request procedure not accepted by the 5G DDNMF	265
8.2.12.2.2.6	Abnormal cases in the UE.....	265
8.2.12.2.2.7	Abnormal cases in the 5G DDNMF.....	266
8.2.13	Communication path switching between 5G ProSe UE-to-network relays	266
8.2.13.1	General	266
8.2.13.2	Target UE-to-network relay discovery and selection for communication path switching	266
8.2.13.3	Path switching to 5G ProSe layer-3 UE-to-network relay without N3IWF	267
8.2.13.4	Path switching to 5G ProSe layer-3 UE-to-network relay with N3IWF	267
8.2.13.5	Path switching to 5G ProSe layer-2 UE-to-network relay	267
8.2.14	5G ProSe public warning notification relay procedure	268
8.2.14.1	General	268
8.2.14.2	5G ProSe public warning notification relay procedure initiation for 5G ProSe layer-3 UE-to-network relay.....	268
8.2.14.3	Reception of 5G ProSe public warning notification relay message	269
8.2.15	Multi-path communication via a PDU session and via 5G ProSe UE-to-network relay.....	269
8.2.15.1	General	269
8.2.15.2	Multi-path communication via a PDU session and via 5G ProSe layer-3 UE-to-network relay	269
8.2.15.3	Multi-path communication via a PDU session and via 5G ProSe layer-2 UE-to-network relay.....	270
8a	5G ProSe UE-to-UE relay	270
8a.1	Overview	270
8a.2	Procedures	270
8a.2.1	5G ProSe UE-to-UE relay discovery over PC5 interface	270
8a.2.1.1	General	270
8a.2.1.2	UE-to-UE relay discovery over PC5 interface with model A	271
8a.2.1.2.1	General	271
8a.2.1.2.2	Announcing UE relay discovery for UE-to-UE relay discovery	271
8a.2.1.2.2.1	General.....	271
8a.2.1.2.2.2	Announcing UE procedure for UE-to-UE relay discovery initiation.....	271
8a.2.1.2.2.3	Announcing UE procedure for UE-to-UE relay discovery completion	274
8a.2.1.2.3	Monitoring UE relay discovery for UE-to-UE relay discovery	274
8a.2.1.2.3.1	General.....	274
8a.2.1.2.3.2	Monitoring UE procedure for UE-to-UE relay discovery initiation	274
8a.2.1.2.3.3	Monitoring UE procedure for UE-to-UE relay discovery completion.....	276
8a.2.1.3	UE-to-UE relay discovery over PC5 interface with model B	276
8a.2.1.3.1	General	276
8a.2.1.3.2	Discoverer end UE procedure for UE-to-UE Relay discovery	276
8a.2.1.3.2.1	General.....	276
8a.2.1.3.2.2	Discoverer end UE procedure for UE-to-UE relay discovery initiation	276
8a.2.1.3.2.3	Discoverer end UE procedure for UE-to-UE relay discovery completion.....	279
8a.2.1.3.3	Relay UE procedure for UE-to-UE Relay discovery.....	280
8a.2.1.3.3.1	General.....	280
8a.2.1.3.3.2	Relay UE procedure for UE-to-UE relay discovery initiation	280
8a.2.1.3.3.3	Relay UE procedure for UE-to-UE relay discovery completion.....	284
8a.2.1.3.4	Discoveree end UE procedure for UE-to-UE Relay discovery.....	284
8a.2.1.3.4.1	General.....	284
8a.2.1.3.4.2	Discoveree end UE procedure for UE-to-UE relay discovery initiation.....	284
8a.2.1.3.4.3	Discoveree end UE procedure for UE-to-UE relay discovery completion	287
8a.2.2	5G ProSe UE-to-UE relay selection procedure.....	287
8a.2.2.1	General	287
8a.2.2.2	UE-to-UE relay selection procedure initiation	287
8a.2.2.3	UE-to-UE relay selection procedure completion	287
8a.2.3	5G ProSe UE-to-UE relay reselection procedure.....	288
8a.2.3.1	General	288
8a.2.3.2	UE-to-UE relay reselection procedure initiation.....	288
8a.2.3.3	Candidate 5G ProSe UE-to-UE relay discovery procedure.....	289
8a.2.4	5G ProSe UE-to-UE relay unicast direct communication over PC5 interface.....	290
8a.2.5	IP address allocation for 5G ProSe layer-3 end UE in 5G ProSe layer-3 UE-to-UE relay procedure	290
8a.2.6	Security procedures for 5G ProSe layer-2 end UEs.....	290
8a.2.7	QoS handling for 5G ProSe UE-to-UE relay	290
8a.2.7.1	General	290

8a.2.7.2	QoS handling for 5G ProSe layer-3 UE-to-UE relay	291
8a.2.7.2.1	General	291
8a.2.7.2.2	PC5 QoS flows handling initiated by the source 5G ProSe layer-3 end UE.....	291
8a.2.7.3	QoS handling for 5G ProSe layer-2 UE-to-UE relay	292
8a.2.8	Support for Ethernet traffic via 5G ProSe layer-3 UE-to-UE relay	292
8a.2.9	5G ProSe AA message reliable transport procedure.....	292
8a.2.10	5G ProSe UE-to-UE relay direct link security establishment procedure	293
8a.2.10.1	General	293
8a.2.10.2	5G ProSe UE-to-UE relay direct link security establishment procedure initiation by initiating UE...	293
8a.2.10.3	5G ProSe UE-to-UE relay direct link security establishment procedure accepted by the target UE...	295
8a.2.10.4	5G ProSe UE-to-UE relay direct link security establishment procedure completion by the initiating UE.....	296
8a.2.10.5	5G ProSe UE-to-UE relay direct link security establishment procedure not accepted by the target UE	296
8a.2.10.6	Abnormal cases	297
8a.2.10.6.1	Abnormal cases at the initiating UE	297
8a.2.10.6.2	Abnormal cases at the target UE	298
8a.2.11	5G ProSe security procedures over PC3a interface for 5G ProSe UE-to-UE relay	298
8a.2.11.1	General	298
8a.2.11.1.1	Transport protocol for PC3a messages	298
8a.2.11.1.2	Handling of UE-initiated procedures.....	298
8a.2.11.2	Procedures	298
8a.2.11.2.1	Types of 5G ProSe security procedures over PC3a interface for 5G ProSe UE-to-UE relay	298
8a.2.11.2.2	5G ProSe UE-to-UE relay discovery security material request procedure	298
8a.2.11.2.2.1	General.....	298
8a.2.11.2.2.2	5G ProSe UE-to-UE relay discovery security material request procedure initiation	299
8a.2.11.2.2.3	5G ProSe UE-to-UE relay discovery security material request procedure accepted by the 5G DDNMF	300
8a.2.11.2.2.4	5G ProSe UE-to-UE relay discovery security material request procedure completion by the UE	302
8a.2.11.2.2.5	5G ProSe UE-to-UE relay discovery security material request procedure not accepted by the 5G DDNMF	302
8a.2.11.2.2.6	Abnormal cases in the UE.....	302
8a.2.11.2.2.7	Abnormal cases in the 5G DDNMF.....	303
8a.2.12	5G ProSe security procedures over PC8 interface for 5G ProSe UE-to-UE relay	303
8a.2.12.1	General	303
8a.2.12.1.1	Transport protocol for PC8 messages	303
8a.2.12.1.2	Handling of UE-initiated procedures.....	303
8a.2.12.2	Procedures	303
8a.2.12.2.1	Types of 5G ProSe security procedures over PC8 interface for 5G ProSe UE-to-UE relay.....	303
8a.2.12.2.2	5G ProSe UE-to-UE relay discovery security material request procedure	303
8a.2.12.2.2.1	General.....	303
8a.2.12.2.2.2	5G ProSe UE-to-UE relay discovery security material request procedure initiation	304
8a.2.12.2.2.3	5G ProSe UE-to-UE relay discovery security material request procedure accepted by the 5G PKMF.....	305
8a.2.12.2.2.4	5G ProSe UE-to-UE relay discovery security material request procedure completion by the UE	307
8a.2.12.2.2.5	5G ProSe UE-to-UE relay discovery security material request procedure not accepted by the 5G PKMF.....	307
8a.2.12.2.2.6	Abnormal cases in the UE.....	307
8a.2.12.2.2.7	Abnormal cases in the 5G PKMF	308
8a.2.12.2.3	5G ProSe end UE key request procedure.....	308
8a.2.12.2.4	5G ProSe UE-to-UE relay UE key request procedure	308
8a.2.13	5G ProSe direct discovery set transfer procedure	308
8a.2.13.1	General	308
8a.2.13.2	5G ProSe direct discovery set transfer procedure initiation by initiating UE	308
8a.2.13.3	5G ProSe direct discovery set procedure ack by the target UE.....	309
8a.2.13.4	5G ProSe direct discovery set transfer procedure completion by the initiating UE	309
8a.2.13.5	Abnormal cases	309
8a.2.13.5.1	Abnormal cases at the initiating UE	309
8a.2.13.5.2	Abnormal cases at the target UE	310

9	Handling of unknown, unforeseen and erroneous protocol data	310
9.1	General	310
9.2	Handling of unknown, unforeseen and erroneous protocol data in messages sent over the PC3a or PC8 interface	310
9.2.1	Unforeseen message type	310
9.3	Handling of unknown, unforeseen and erroneous protocol data in messages sent over the PC5 interface ...	310
9.3.0	General	310
9.3.1	Message too short or too long	311
9.3.1.1	Message too short	311
9.3.1.2	Message too long	311
9.3.2	Unknown or unforeseen message type	311
9.3.3	Non-semantical mandatory information element errors	311
9.3.4	Unknown and unforeseen IEs in the non-imperative message part	311
9.3.4.1	IEs unknown in the message	311
9.3.4.2	Out of sequence IEs	311
9.3.4.3	Repeated IEs	311
9.3.5	Non-imperative message part errors	312
9.3.5.1	General	312
9.3.5.2	Syntactically incorrect optional IEs	312
9.3.5.3	Conditional IE errors	312
9.3.6	Messages with semantically incorrect contents	312
10	Message functional definitions and contents	312
10.1	Overview	312
10.2	5G ProSe direct discovery messages	312
10.2.1	Message definition	312
10.2.2	Relay TAI	318
10.2.3	NCGI	318
10.2.4	Target user info	319
10.2.5	Metadata	319
10.2.6	RRC container	319
10.2.7	Target discoveree info	319
10.2.8	Void	320
10.2.8a	Void	320
10.2.9	UE-to-UE relay UE info	320
10.2.10	Status indicator	320
10.2.11	Announce prohibited indication	320
10.2.11	Discoveree user info	320
10.3	PC5 signalling messages	320
10.3.1	ProSe direct link establishment request	320
10.3.1.1	Message definition	320
10.3.1.2	Target user info	321
10.3.1.3	Key establishment information container	322
10.3.1.4	Nonce_1	322
10.3.1.5	MSB of $K_{\text{NRP-session}}$ ID	322
10.3.1.6	K_{NRP} ID	322
10.3.1.7	Relay service code	322
10.3.1.8	ProSe identifiers	322
10.3.1.9	UE identity	322
10.3.1.10	User security key ID	322
10.3.1.11	HPLMN ID	323
10.3.1.12	UTC-based counter LSB	323
10.3.1.13	MIC	323
10.3.1.14	UE-to-UE relay UE user info	323
10.3.1.15	Target end UE layer-2 ID	323
10.3.1.16	MSB of $K_{\text{SLP-session}}$ ID	323
10.3.1.17	K_{SLP} ID	323
10.3.1.18	Relay indication	323
10.3.2	ProSe direct link establishment accept	324
10.3.2.1	Message definition	324
10.3.2.2	IP address configuration	324
10.3.2.3	Target link local IPv6 address	324

10.3.2.4	QoS flow descriptions	324
10.3.2.5	QoS rules	325
10.3.2.6	UE-to-UE relay UE user info	325
10.3.2.7	Target 5G ProSe layer-3 end UE MAC address	325
10.3.2.8	Target end UE IP address	325
10.3.3	ProSe direct link establishment reject	325
10.3.3.1	Message definition	325
10.3.3.2	Back-off value	326
10.3.3.3	EAP message	326
10.3.3.4	PC5 end UE failure cause	326
10.3.3.5	Source end UE info	326
10.3.3.6	Target end UE info	326
10.3.3.7	UE-to-UE relay UE user info	326
10.3.4	ProSe direct link release request	326
10.3.4.1	Message definition	326
10.3.4.2	Back-off value	327
10.3.4.3	PC5 end UE release cause	327
10.3.5	ProSe direct link release accept	327
10.3.5.1	Message definition	327
10.3.6	ProSe direct link modification request	328
10.3.6.1	Message definition	328
10.3.6.2	QoS rules	328
10.3.6.3	Source end UE info	328
10.3.6.4	Target end UE info	329
10.3.6.5	Target end UE layer-2 ID	329
10.3.6.6	Void	330
10.3.6.7	Source 5G ProSe layer-3 end UE MAC address	330
10.3.6.8	Relay reselection indication	330
10.3.6.9	List of candidates U2U relay UE user info	330
10.3.6.10	List of target UE IP addresses	330
10.3.6.11	List of candidates U2U relay UE layer-2 IDs	330
10.3.6.12	Source end UE IP address	330
10.3.6.13	New MSBs of K_{NRP} ID	330
10.3.7	ProSe direct link modification accept	330
10.3.7.1	Message definition	330
10.3.7.2	QoS flow descriptions	331
10.3.7.3	QoS rules	331
10.3.7.4	Source end UE info	331
10.3.7.5	Target end UE info	332
10.3.7.6	Target 5G ProSe layer-3 end UE MAC address	332
10.3.7.7	Relay reselection indication	332
10.3.7.8	New 5G ProSe UE-to-UE relay UE info	332
10.3.7.9	Source end UE IP address	333
10.3.7.10	Target end UE IP address	333
10.3.7.11	Target end UE IP address for new relay	333
10.3.7.12	New LSBs of K_{NRP} ID	333
10.3.7a	ProSe direct link modification ack	333
10.3.7a.1	Message definition	333
10.3.7a.2	Source end UE IP address	334
10.3.7a.3	Target end UE IP address	334
10.3.7a.4	New LSBs of K_{NRP} ID	334
10.3.8	ProSe direct link keepalive request	334
10.3.8.1	Message definition	334
10.3.8.2	Maximum inactivity period	335
10.3.9	ProSe direct link keepalive response	335
10.3.9.1	Message definition	335
10.3.10	ProSe direct link authentication request	335
10.3.10.1	Message definition	335
10.3.11	ProSe direct link authentication response	336
10.3.11.1	Message definition	336
10.3.12	ProSe direct link authentication reject	336
10.3.12.1	Message definition	336