

# ETSI TS 124 554 V19.5.0 (2026-03)



TECHNICAL SPECIFICATION

**5G;  
Proximity-services (ProSe) in 5G System (5GS)  
protocol aspects;  
Stage 3  
(3GPP TS 24.554 version 19.5.0 Release 19)**



---

**Reference**

RTS/TSGC-0124554vj50

---

**Keywords**

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	26
1 Scope .....	28
2 References .....	28
3 Definitions of terms, symbols and abbreviations .....	30
3.1 Terms.....	30
3.2 Abbreviations .....	33
4 General .....	34
4.1 Overview .....	34
5 Provisioning of configuration information for 5G ProSe.....	34
5.1 Overview .....	34
5.2 Configuration and precedence of 5G ProSe configuration information .....	34
5.2.1 General.....	34
5.2.2 Precedence of 5G ProSe configuration information .....	35
5.2.3 Configuration parameters for 5G ProSe direct discovery .....	36
5.2.4 Configuration parameters for 5G ProSe direct communication over PC5 interface .....	37
5.2.5 Configuration parameters for 5G ProSe UE-to-network relay.....	39
5.2.6 Configuration parameters for 5G ProSe usage information reporting .....	42
5.2.7 Configuration parameters for 5G ProSe UE-to-UE relay .....	43
5.2.8 Configuration parameters for 5G ProSe multi-hop UE-to-network relay .....	46
5.2.9 Configuration parameters for 5G ProSe multi-hop layer-3 UE-to-UE relay .....	51
5.3 Procedures .....	53
5.3.1 General.....	53
5.3.2 UE-requested ProSeP provisioning procedure.....	53
5.3.2.1 General .....	53
5.3.2.2 UE-requested ProSeP policy provisioning procedure initiation.....	54
5.3.2.3 UE-requested ProSeP policy provisioning procedure accepted by the network.....	54
5.3.2.4 UE-requested ProSeP policy provisioning procedure not accepted by the network .....	56
5.3.2.5 Abnormal cases on the network side.....	56
5.3.2.6 Abnormal cases on the UE.....	56
6 5G ProSe direct discovery .....	56
6.1 Overview .....	56
6.1.1 Transport protocol for PC3a control protocol messages for 5G ProSe direct discovery .....	56
6.1.2 Handling of UE-initiated procedures .....	57
6.1.2.1 General .....	57
6.1.2.2 5G DDNMF discovery.....	57
6.1.3 Handling of 5G DDNMF-initiated procedures .....	57
6.1.3.1 General .....	57
6.1.3.2 HTTP long polling .....	57
6.1.3.3 OMA Push.....	58
6.2 Procedures .....	58
6.2.1 Types of 5G ProSe direct discovery procedures .....	58
6.2.2 Announce request procedure for open 5G ProSe direct discovery .....	59
6.2.2.1 General .....	59
6.2.2.2 Announce request procedure initiation.....	59
6.2.2.3 Announce request procedure accepted by the 5G DDNMF .....	61
6.2.2.4 Announce request procedure completion by the UE.....	63
6.2.2.5 Announce request procedure not accepted by the 5G DDNMF .....	64
6.2.2.6 Abnormal cases .....	65
6.2.2.6.1 Abnormal cases in the UE .....	65

6.2.2.6.2	Abnormal cases in the 5G DDNMF .....	65
6.2.3	Announce request procedure for restricted 5G ProSe direct discovery model A.....	66
6.2.3.1	General .....	66
6.2.3.2	Announce request procedure initiation.....	66
6.2.3.3	Announce request procedure accepted by the 5G DDNMF .....	68
6.2.3.4	Announce request procedure completion by the UE.....	70
6.2.3.5	Announce request procedure not accepted by the 5G DDNMF .....	71
6.2.3.6	Abnormal cases .....	72
6.2.3.6.1	Abnormal cases in the UE .....	72
6.2.3.6.2	Abnormal cases in the 5G DDNMF .....	72
6.2.4	Monitor request procedure for open 5G ProSe direct discovery.....	73
6.2.4.1	General .....	73
6.2.4.2	Monitor request procedure Initiation.....	73
6.2.4.3	Monitor request procedure accepted by the 5G DDNMF .....	74
6.2.4.4	Monitor request procedure completion by the UE .....	76
6.2.4.5	Monitor request procedure not accepted by the 5G DDNMF .....	76
6.2.4.6	Abnormal cases .....	77
6.2.4.6.1	Abnormal cases in the UE .....	77
6.2.4.6.2	Abnormal cases in the 5G DDNMF .....	77
6.2.5	Monitor request procedure for restricted 5G ProSe direct discovery model A.....	78
6.2.5.1	General .....	78
6.2.5.2	Monitor request procedure Initiation.....	78
6.2.5.3	Monitor request procedure accepted by the 5G DDNMF .....	79
6.2.5.4	Monitor request procedure completion by the UE .....	81
6.2.5.5	Monitor request procedure not accepted by the 5G DDNMF .....	82
6.2.5.6	Abnormal cases .....	83
6.2.5.6.1	Abnormal cases in the UE .....	83
6.2.5.6.2	Abnormal cases in the 5G DDNMF .....	83
6.2.6	Discoveree request procedure for restricted 5G ProSe direct discovery model B .....	83
6.2.6.1	General .....	83
6.2.6.2	Discoveree request procedure initiation.....	84
6.2.6.3	Discoveree request procedure accepted by the 5G DDNMF .....	85
6.2.6.4	Discoveree request procedure completion by the UE .....	87
6.2.6.5	Discoveree request procedure not accepted by the 5G DDNMF .....	87
6.2.6.6	Abnormal cases .....	87
6.2.6.6.1	Abnormal cases in the UE .....	87
6.2.6.6.2	Abnormal cases in the 5G DDNMF .....	88
6.2.7	Discoverer request procedure for restricted 5G ProSe direct discovery model B.....	88
6.2.7.1	General .....	88
6.2.7.2	Discoverer request procedure initiation .....	88
6.2.7.3	Discoverer request procedure accepted by the 5G DDNMF .....	90
6.2.7.4	Discoverer request procedure completion by the UE.....	92
6.2.7.5	Discoverer request procedure not accepted by the 5G DDNMF.....	92
6.2.7.6	Abnormal cases .....	93
6.2.7.6.1	Abnormal cases in the UE .....	93
6.2.7.6.2	Abnormal cases in the 5G DDNMF .....	94
6.2.8	Match report procedure for open 5G ProSe direct discovery.....	94
6.2.8.1	General .....	94
6.2.8.2	Match report procedure initiation.....	94
6.2.8.3	Match report procedure accepted by the 5G DDNMF .....	96
6.2.8.4	Match report procedure completion by the UE .....	97
6.2.8.5	Match report procedure not accepted by the 5G DDNMF .....	97
6.2.8.6	Abnormal cases .....	98
6.2.8.6.1	Abnormal cases in the UE .....	98
6.2.9	Match report procedure for restricted 5G ProSe direct discovery model A.....	98
6.2.9.1	General .....	98
6.2.9.2	Match report procedure initiation.....	98
6.2.9.3	Match report procedure accepted by the 5G DDNMF .....	100
6.2.9.4	Match report procedure completion by the UE .....	101
6.2.9.5	Match report procedure not accepted by the 5G DDNMF .....	101
6.2.9.6	Abnormal cases .....	102
6.2.9.6.1	Abnormal cases in the UE .....	102

6.2.10	Match report procedure for restricted 5G ProSe direct discovery model B .....	102
6.2.10.1	General .....	102
6.2.10.2	Match report procedure initiation.....	102
6.2.10.3	Match report procedure accepted by the 5G DDNMF .....	104
6.2.10.4	Match report procedure completion by the UE .....	105
6.2.10.5	Match report procedure not accepted by the 5G DDNMF .....	106
6.2.10.6	Abnormal cases .....	106
6.2.10.6.1	Abnormal cases in the UE .....	106
6.2.11	Direct discovery update procedure for open discovery.....	106
6.2.11.1	General .....	106
6.2.11.2	Direct discovery update procedure initiation .....	106
6.2.11.3	Direct discovery update procedure accepted by the UE.....	108
6.2.11.4	Direct discovery update procedure completed by the 5G DDNMF .....	109
6.2.11.5	Direct discovery update procedure not accepted by the UE.....	109
6.2.11.6	Abnormal cases .....	109
6.2.11.6.1	Abnormal cases in the 5G DDNMF .....	109
6.2.11.6.2	Abnormal cases in the UE .....	109
6.2.12	Direct discovery update procedure for restricted discovery.....	110
6.2.12.1	General .....	110
6.2.12.2	Revocation of restricted discovery filters.....	110
6.2.12.2.1	Restricted discovery filters revocation procedure initiation .....	110
6.2.12.2.2	Restricted discovery filters revocation procedure accepted by the UE.....	110
6.2.12.2.3	Restricted discovery filters revocation procedure completion by the 5G DDNMF.....	111
6.2.12.2.4	Restricted discovery filters revocation procedure not accepted by the UE .....	111
6.2.12.2.5	Abnormal cases .....	111
6.2.12.2.5.1	Abnormal cases in the 5G DDNMF.....	111
6.2.12.2.5.2	Abnormal cases in the UE.....	111
6.2.12.3	Allocation of new ProSe restricted code.....	111
6.2.12.3.1	New ProSe restricted code allocation procedure initiation.....	111
6.2.12.3.2	ProSe restricted code allocation procedure accepted by the UE.....	112
6.2.12.3.3	ProSe restricted code allocation procedure completion by the 5G DDNMF.....	112
6.2.12.3.4	ProSe restricted code allocation procedure not accepted by the UE.....	112
6.2.12.3.5	Abnormal cases .....	113
6.2.12.3.5.1	Abnormal cases in the 5G DDNMF.....	113
6.2.12.3.5.2	Abnormal cases in the UE.....	113
6.2.13	Announcing alert procedure.....	113
6.2.13.1	General .....	113
6.2.13.2	Announcing alert procedure initiation.....	113
6.2.13.3	Announcing alert procedure accepted by the UE.....	114
6.2.13.4	Announcing alert procedure completion by the 5G DDNMF .....	115
6.2.13.5	Announcing alert procedure not accepted by the UE .....	115
6.2.13.6	Abnormal cases .....	115
6.2.13.6.1	Abnormal cases in the 5G DDNMF .....	115
6.2.13.6.2	Abnormal cases in the UE .....	116
6.2.14	5G ProSe direct discovery procedure over PC5 interface.....	116
6.2.14.1	General .....	116
6.2.14.2	Procedures .....	117
6.2.14.2.1	5G ProSe direct discovery procedure over PC5 interface with model A.....	117
6.2.14.2.1.1	General.....	117
6.2.14.2.1.2	Announcing UE procedure for 5G ProSe direct discovery initiation.....	117
6.2.14.2.1.3	Announcing UE procedure for 5G ProSe direct discovery completion .....	119
6.2.14.2.1.4	Monitoring UE procedure for 5G ProSe direct discovery initiation .....	119
6.2.14.2.1.5	Monitoring UE procedure for 5G ProSe direct discovery completion.....	121
6.2.14.2.2	5G ProSe direct discovery procedure over PC5 interface with model B .....	121
6.2.14.2.2.1	General.....	121
6.2.14.2.2.2	Discoverer UE procedure for 5G ProSe direct discovery initiation .....	121
6.2.14.2.2.3	Discoverer UE procedure for 5G ProSe direct discovery completion .....	123
6.2.14.2.2.4	Discoveree UE procedure for 5G ProSe direct discovery initiation.....	123
6.2.14.2.2.5	Discoveree UE procedure for 5G ProSe direct discovery completion .....	126
6.2.15	Group member discovery over PC5 interface.....	126
6.2.15.1	General .....	126
6.2.15.2	Procedures.....	127

6.2.15.2.1	Group member discovery over PC5 interface with model A.....	127
6.2.15.2.1.1	General.....	127
6.2.15.2.1.2	Announcing UE procedure for group member discovery initiation.....	127
6.2.15.2.1.3	Announcing UE procedure for group member discovery completion .....	129
6.2.15.2.1.4	Monitoring UE procedure for group member discovery initiation .....	129
6.2.15.2.1.5	Monitoring UE procedure for group member discovery completion .....	130
6.2.15.2.2	Group member discovery over PC5 interface with model B.....	131
6.2.15.2.2.1	General.....	131
6.2.15.2.2.2	Discoverer UE procedure for group member discovery initiation .....	131
6.2.15.2.2.3	Discoverer UE procedure for group member discovery completion.....	133
6.2.15.2.2.4	Discoveree UE procedure for group member discovery initiation.....	133
6.2.15.2.2.5	Discoveree UE procedure for group member discovery completion .....	135
6.2.16	Procedure for UE to use provisioned radio resources for 5G ProSe direct discovery.....	136
6.2.17	5G PKMF address request procedure .....	137
6.2.17.1	General .....	137
6.2.17.2	5G PKMF address request procedure initiation by the UE .....	137
6.2.17.3	5G PKMF address request procedure accepted by the 5G DDNMF.....	138
6.2.17.4	5G PKMF address request procedure completed by the UE .....	138
6.2.17.5	5G PKMF address request procedure not accepted by the 5G DDNMF.....	138
6.2.17.6	Abnormal cases .....	139
6.2.17.6.1	Abnormal cases in the UE .....	139
6.2.17.6.2	Abnormal cases in the 5G DDNMF .....	139
7	5G ProSe direct communications .....	139
7.1	Overview .....	139
7.2	Unicast mode 5G ProSe direct communication over PC5 .....	140
7.2.1	Overview .....	140
7.2.2	5G ProSe direct link establishment procedure.....	141
7.2.2.1	General .....	141
7.2.2.2	5G ProSe direct link establishment procedure initiation by initiating UE .....	141
7.2.2.3	5G ProSe direct link establishment procedure accepted by the target UE .....	150
7.2.2.4	5G ProSe direct link establishment procedure completion by the initiating UE .....	155
7.2.2.5	5G ProSe direct link establishment procedure not accepted by the target UE .....	156
7.2.2.6	Abnormal cases .....	162
7.2.2.6.1	Abnormal cases at the initiating UE .....	162
7.2.2.6.2	Abnormal cases at the target UE .....	163
7.2.3	5G ProSe direct link modification procedure.....	163
7.2.3.1	General .....	163
7.2.3.2	5G ProSe direct link modification procedure initiated by initiating UE .....	164
7.2.3.3	5G ProSe direct link modification procedure accepted by the target UE.....	170
7.2.3.4	5G ProSe direct link modification procedure completion by the initiating UE.....	174
7.2.3.4a	5G ProSe direct link modification procedure completion by the target UE.....	175
7.2.3.5	5G ProSe direct link modification procedure not accepted by the target UE.....	175
7.2.3.6	Abnormal cases .....	177
7.2.3.6.1	Abnormal cases at the initiating UE .....	177
7.2.3.6.2	Abnormal cases at the target UE .....	178
7.2.3.7	Void.....	178
7.2.4	5G ProSe direct link identifier update procedure.....	178
7.2.4.1	General .....	178
7.2.4.2	5G ProSe direct link identifier update procedure initiation by initiating UE .....	178
7.2.4.3	5G ProSe direct link identifier update procedure accepted by the target UE .....	180
7.2.4.4	5G ProSe direct link identifier update procedure acknowledged by the initiating UE.....	182
7.2.4.5	5G ProSe direct link identifier update procedure completion by the target UE .....	182
7.2.4.6	5G ProSe direct link identifier update procedure not accepted by the target UE.....	183
7.2.4.7	Abnormal cases .....	183
7.2.4.7.1	Abnormal cases at the initiating UE .....	183
7.2.4.7.2	Abnormal cases at the target UE .....	184
7.2.5	5G ProSe direct link keep-alive procedure .....	184
7.2.5.1	General .....	184
7.2.5.2	5G ProSe direct link keep-alive procedure initiation by the initiating UE.....	185
7.2.5.3	5G ProSe direct link keep-alive procedure accepted by the target UE.....	186
7.2.5.4	5G ProSe direct link keep-alive procedure completion by the initiating UE .....	186

7.2.5.5	Abnormal cases .....	186
7.2.5.5.1	Abnormal cases at the initiating UE .....	186
7.2.5.5.2	Abnormal cases at the target UE .....	186
7.2.6	5G ProSe direct link release procedure .....	187
7.2.6.1	General .....	187
7.2.6.2	5G ProSe direct link release procedure initiation by initiating UE .....	187
7.2.6.3	5G ProSe direct link release procedure accepted by the target UE .....	191
7.2.6.4	5G ProSe direct link release procedure completion by the initiating UE .....	192
7.2.6.5	Abnormal cases .....	192
7.2.6.5.1	Abnormal cases at the initiating UE .....	192
7.2.7	PC5 QoS flow establishment over 5G ProSe direct link .....	192
7.2.8	PC5 QoS flow match over 5G ProSe direct link .....	193
7.2.9	Data transmission over 5G ProSe direct link .....	194
7.2.9.1	Transmission .....	194
7.2.9.2	Procedure for UE to use provisioned radio resources for ProSe communication over PC5 .....	194
7.2.10	5G ProSe direct link security mode control procedure .....	194
7.2.10.1	General .....	194
7.2.10.2	5G ProSe direct link security mode control procedure initiation by the initiating UE .....	195
7.2.10.3	5G ProSe direct link security mode control procedure accepted by the target UE .....	199
7.2.10.4	5G ProSe direct link security mode control procedure completion by the initiating UE .....	202
7.2.10.5	5G ProSe direct link security mode control procedure not accepted by the target UE .....	203
7.2.10.6	Abnormal cases .....	204
7.2.10.6.1	Abnormal cases at the initiating UE .....	204
7.2.11	5G ProSe direct link re-keying procedure .....	205
7.2.11.1	General .....	205
7.2.11.2	5G ProSe direct link re-keying procedure initiation by the initiating UE .....	205
7.2.11.3	5G ProSe direct link re-keying procedure accepted by the target UE .....	206
7.2.11.4	5G ProSe direct link re-keying procedure completion by the initiating UE .....	207
7.2.11.5	Abnormal cases at the initiating UE .....	207
7.2.12	5G ProSe direct link authentication procedure .....	207
7.2.12.1	General .....	207
7.2.12.2	5G ProSe direct link authentication procedure initiation by the initiating UE .....	208
7.2.12.3	5G ProSe direct link authentication procedure accepted by the target UE .....	209
7.2.12.4	5G ProSe direct link authentication procedure completion by the initiating UE .....	209
7.2.12.5	5G ProSe direct link authentication procedure not accepted by the target UE .....	210
7.2.12.6	5G ProSe direct link authentication procedure not accepted by the initiating UE .....	210
7.2.12.7	Abnormal cases .....	210
7.2.12.7.1	Abnormal cases at the initiating UE .....	210
7.2.13	5G ProSe UE-to-UE relay update procedure .....	211
7.2.13.1	General .....	211
7.2.13.2	5G ProSe UE-to-UE relay update procedure initiation by initiating UE .....	211
7.2.13.3	5G ProSe UE-to-UE relay update procedure accepted by the target UE .....	212
7.2.13.4	5G ProSe UE-to-UE relay update procedure completion by the initiating UE .....	213
7.2.13.5	5G ProSe UE-to-UE relay update procedure not accepted by the target UE .....	213
7.2.13.6	Abnormal cases .....	213
7.2.13.6.1	Abnormal cases at the initiating UE .....	213
7.2.14	5G ProSe direct link identification procedure .....	213
7.2.14.1	General .....	213
7.2.14.2	5G ProSe direct link identification procedure initiated by initiating UE .....	213
7.2.14.3	5G ProSe direct link identification procedure responded by the UE .....	214
7.2.14.4	5G ProSe direct link identification procedure completion by the initiating UE .....	214
7.2.14.5	Abnormal cases .....	214
7.2.14.5.1	Abnormal cases at the initiating UE .....	214
7.2.14.5.2	Abnormal cases at the target UE .....	214
7.3	Broadcast mode 5G ProSe direct communication over PC5 .....	214
7.3.1	Overview .....	214
7.3.2	Transmission of broadcast mode 5G ProSe communication over PC5 .....	215
7.3.2.1	Initiation .....	215
7.3.2.1.1	Broadcast mode 5G ProSe communication over PC5 triggered by upper layers .....	215
7.3.2.1.2	PC5 QoS flow match and establishment .....	216
7.3.2.2	Transmission .....	217
7.3.2.3	Procedure for UE to use provisioned radio resources for 5G ProSe communication over PC5 .....	218

7.3.2.4	Privacy of 5G ProSe transmission over PC5.....	219
7.3.3	Reception of broadcast mode 5G ProSe communication over PC5.....	220
7.3.4	IP address allocation for broadcast mode 5G ProSe communication over PC5.....	220
7.4	Groupcast mode 5G ProSe direct communication over PC5.....	220
7.4.1	Overview .....	220
7.4.2	Transmission of groupcast mode 5G ProSe communication over PC5 .....	221
7.4.2.1	Initiation.....	221
7.4.2.1.1	Initiation of forming a group .....	221
7.4.2.1.2	Requirements for 5G ProSe direct communication over PC5 .....	221
7.4.2.1.3	PC5 QoS flow match and establishment .....	221
7.4.2.2	Transmission .....	222
7.4.2.3	Procedure for UE to use provisioned radio resources for 5G ProSe direct communication over PC5.....	222
7.4.2.4	Privacy of 5G ProSe direct transmission over PC5.....	222
7.4.3	Reception of groupcast mode 5G ProSe direct communication over PC5.....	222
7.4.4	IP address allocation for groupcast mode 5G ProSe communication over PC5 .....	222
7.5	Void.....	223
7.6	PC3ach control protocol for 5G ProSe direct communication .....	223
7.6.1	Transport protocol for PC3ach control protocol for 5G ProSe direct communication .....	223
7.6.2	Procedures for PC3ach control protocol for 5G ProSe direct communication .....	223
7.6.2.1	Usage information report list sending procedure .....	223
7.6.2.1.1	General .....	223
7.6.2.1.2	Usage information report list sending procedure initiation .....	223
7.6.2.1.3	Usage information report list sending procedure accepted by the 5G DDNMF.....	230
7.6.2.1.4	Usage information report list sending procedure successful completion by the UE .....	230
7.6.2.1.5	Usage information report list sending procedure not accepted by the 5G DDNMF.....	230
7.6.2.1.6	Usage information report list sending procedure unsuccessful completion by the UE.....	231
7.7	Communication path switching procedure between the direct communication path over Uu and the direct communication path over PC5 .....	231
7.7.1	General.....	231
7.7.2	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 .....	231
7.7.2.1	General .....	231
7.7.2.2	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 initiation by initiating UE .....	232
7.7.2.3	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 accepted by the target UE .....	232
7.7.2.4	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 completion by the initiating UE.....	233
7.7.2.5	Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 not accepted by the target UE .....	233
7.7.2.6	Abnormal cases .....	234
7.7.2.6.1	Abnormal cases at the initiating UE.....	234
7.7.2.6.2	Abnormal cases at the target UE .....	234
7.7.3	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu .....	234
7.7.3.1	General .....	234
7.7.3.2	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu initiation by initiating UE .....	235
7.7.3.3	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu accepted by the target UE.....	236
7.7.3.4	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu completion by the initiating UE.....	236
7.7.3.5	Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu not accepted by the target UE .....	237
7.7.3.6	Abnormal cases .....	237
7.7.3.6.1	Abnormal cases at the initiating UE.....	237
7.7.3.6.2	Abnormal cases at the target UE .....	237
7.7.4	Principles of determining the ProSe applications to be switched .....	238
8	5G ProSe UE-to-network relay .....	239
8.1	Overview .....	239

8.2	Procedures .....	239
8.2.1	UE-to-network relay discovery over PC5 interface .....	239
8.2.1.1	General .....	239
8.2.1.2	UE-to-network relay discovery over PC5 interface with model A.....	241
8.2.1.2.1	General .....	241
8.2.1.2.2	Announcing UE relay discovery for UE-to-network relay discovery.....	241
8.2.1.2.2.1	General.....	241
8.2.1.2.2.2	Announcing UE procedure for UE-to-network relay discovery initiation .....	241
8.2.1.2.2.3	Announcing UE procedure for UE-to-network relay discovery completion.....	244
8.2.1.2.3	Monitoring UE relay discovery for UE-to-network relay discovery .....	244
8.2.1.2.3.1	General.....	244
8.2.1.2.3.2	Monitoring UE procedure for UE-to-network relay discovery initiation.....	244
8.2.1.2.3.3	Monitoring UE procedure for UE-to-network relay discovery completion .....	246
8.2.1.2.4	Announcing UE procedure for relay discovery additional information.....	246
8.2.1.2.4.1	General.....	246
8.2.1.2.4.2	Announcing procedure for relay discovery additional information .....	246
8.2.1.2.5	Monitoring UE procedure for relay discovery additional information .....	248
8.2.1.2.5.1	General.....	248
8.2.1.2.5.2	Monitoring procedure for relay discovery additional information.....	248
8.2.1.3	UE-to-network relay discovery over PC5 interface with model B.....	250
8.2.1.3.1	Discoverer UE procedure for UE-to-network Relay discovery .....	250
8.2.1.3.1.1	General.....	250
8.2.1.3.1.2	Discoverer UE procedure for UE-to-network relay discovery initiation .....	250
8.2.1.3.1.3	Discoverer UE procedure for UE-to-network Relay discovery completion.....	253
8.2.1.3.2	Discoveree UE procedure for UE-to-network Relay discovery.....	253
8.2.1.3.2.1	General.....	253
8.2.1.3.2.2	Discoveree UE procedure for UE-to-network relay discovery initiation .....	253
8.2.1.3.2.3	Discoveree UE procedure for UE-to-network relay discovery completion .....	256
8.2.1.4	Procedure for UE to use provisioned radio resources for 5G ProSe UE-to-network discovery .....	256
8.2.2	UE-to-network relay selection procedure .....	257
8.2.2.1	General .....	257
8.2.2.2	UE-to-network relay selection procedure initiation .....	257
8.2.2.3	UE-to-network relay selection procedure completion.....	258
8.2.3	UE-to-network relay reselection procedure .....	258
8.2.3.1	General .....	258
8.2.3.2	UE-to-network relay reselection procedure initiation .....	258
8.2.4	Procedure for UE to use provisioned radio resources for 5G ProSe UE-to-network relay communication .....	259
8.2.5	IP address allocation for 5G ProSe remote UE in 5G ProSe layer-3 UE-to-network relay procedure .....	260
8.2.5a	IPv6 prefix delegation via DHCPv6 for 5G ProSe layer-3 UE-to-network relay .....	261
8.2.6	QoS handling for 5G ProSe UE-to-network relay .....	261
8.2.6.1	General .....	261
8.2.6.2	QoS handling for 5G ProSe layer-2 UE-to-network relay .....	262
8.2.6.3	QoS handling for 5G ProSe layer-3 UE-to-network relay without N3IWF .....	262
8.2.6.3.1	General .....	262
8.2.6.3.2	QoS flows handling initiated by the network .....	262
8.2.6.3.3	PC5 QoS flows handling initiated by the 5G ProSe layer-3 remote UE.....	263
8.2.6.4	QoS handling for 5G ProSe layer-3 UE-to-network relay with N3IWF .....	264
8.2.6.4.1	General .....	264
8.2.6.4.2	QoS handling with QoS signalling procedure .....	264
8.2.7	5G ProSe layer-3 UE-to-network relay with N3IWF support.....	264
8.2.7.1	General .....	264
8.2.7.2	5G ProSe layer-3 UE-to-network relay UE establishing PDU session to access N3IWF .....	265
8.2.7.3	N3IWF selection for 5G ProSe layer-3 remote UE.....	265
8.2.8	5G ProSe additional parameters announcement procedure.....	266
8.2.8.1	General .....	266
8.2.8.2	5G ProSe additional parameters announcement procedure initiation by the 5G ProSe layer-3 remote UE .....	266
8.2.8.3	5G ProSe additional parameters announcement procedure accepted by the 5G ProSe layer-3 UE-to-network relay UE.....	267
8.2.8.4	5G ProSe additional parameters announcement procedure completion by the 5G ProSe layer-3 remote UE .....	267

8.2.8.5	Abnormal cases .....	267
8.2.8.5.1	Abnormal cases in the 5G ProSe layer-3 remote UE.....	267
8.2.9	5G ProSe AA message reliable transport procedure.....	267
8.2.9.1	General.....	267
8.2.9.2	5G ProSe AA message reliable transport procedure initiation.....	267
8.2.9.3	5G ProSe AA message reliable transport procedure accepted by the target UE .....	268
8.2.9.4	5G ProSe AA message reliable transport procedure completion by the initiating UE.....	268
8.2.9.5	Abnormal cases .....	268
8.2.9.5.1	Abnormal cases at the initiating UE.....	268
8.2.10	5G ProSe security procedures over PC8 interface .....	269
8.2.10.1	General.....	269
8.2.10.1.1	Transport protocol for PC8 messages.....	269
8.2.10.1.2	Handling of UE-initiated procedures.....	269
8.2.10.1.2.1	General.....	269
8.2.10.1.2.2	5G PKMF discovery .....	269
8.2.10.2	Procedures.....	269
8.2.10.2.1	Types of 5G ProSe procedures over PC8 interface .....	269
8.2.10.2.2	5G ProSe UE-to-network relay discovery security parameters request procedure.....	270
8.2.10.2.2.1	General.....	270
8.2.10.2.2.2	5G ProSe UE-to-network relay discovery security parameters request procedure initiation ...	270
8.2.10.2.2.3	5G ProSe UE-to-network relay discovery security parameters request procedure accepted by the 5G PKMF.....	271
8.2.10.2.2.4	5G ProSe UE-to-network relay discovery security parameters request procedure completion by the UE .....	273
8.2.10.2.2.5	5G ProSe UE-to-network relay discovery security parameters request procedure not accepted by the 5G PKMF .....	274
8.2.10.2.2.6	Abnormal cases in the UE.....	274
8.2.10.2.2.7	Abnormal cases in the 5G PKMF .....	274
8.2.10.2.3	5G ProSe remote user key request procedure.....	274
8.2.10.2.3.1	General.....	274
8.2.10.2.3.2	5G ProSe remote user key request procedure initiation .....	274
8.2.10.2.3.3	5G ProSe remote user key request procedure accepted by the 5G PKMF.....	275
8.2.10.2.3.4	5G ProSe remote user key request procedure completion by the UE .....	275
8.2.10.2.3.5	5G ProSe remote user key request procedure not accepted by the 5G PKMF.....	275
8.2.10.2.3.6	Abnormal cases in the UE.....	276
8.2.10.2.3.7	Abnormal cases in the 5G PKMF .....	276
8.2.10.2.4	Key request procedure .....	276
8.2.10.2.4.1	General.....	276
8.2.10.2.4.2	Key request procedure initiation.....	276
8.2.10.2.4.3	Key request procedure accepted by the 5G PKMF.....	277
8.2.10.2.4.4	Key request procedure completion by the UE .....	278
8.2.10.2.4.5	Key request procedure not accepted by the 5G PKMF.....	278
8.2.10.2.4.6	Abnormal cases in the UE.....	278
8.2.10.2.4.7	Abnormal cases in the 5G PKMF .....	278
8.2.11	UE-to-network relay unicast direct communication over PC5 interface.....	279
8.2.12	5G ProSe security procedures over PC3a interface .....	279
8.2.12.1	General.....	279
8.2.12.1.1	Transport protocol for PC3a messages .....	279
8.2.12.1.2	Handling of UE-initiated procedures.....	279
8.2.12.1.2.1	General.....	279
8.2.12.1.2.2	5G DDNMF discovery.....	279
8.2.12.2	Procedures.....	279
8.2.12.2.1	Types of 5G ProSe security procedures over PC3a interface .....	279
8.2.12.2.2	5G ProSe UE-to-network relay discovery security material request procedure .....	280
8.2.12.2.2.1	General.....	280
8.2.12.2.2.2	5G ProSe UE-to-network relay discovery security material request procedure initiation .....	280
8.2.12.2.2.3	5G ProSe UE-to-network relay discovery security material request procedure accepted by the 5G DDNMF .....	281
8.2.12.2.2.4	5G ProSe UE-to-network relay discovery security material request procedure completion by the UE .....	283
8.2.12.2.2.5	5G ProSe UE-to-network relay discovery security material request procedure not accepted by the 5G DDNMF .....	283

8.2.12.2.2.6	Abnormal cases in the UE.....	284
8.2.12.2.2.7	Abnormal cases in the 5G DDNMF.....	284
8.2.13	Communication path switching between 5G ProSe UE-to-network relays .....	284
8.2.13.1	General .....	284
8.2.13.2	Target UE-to-network relay discovery and selection for communication path switching .....	284
8.2.13.3	Path switching to 5G ProSe layer-3 UE-to-network relay without N3IWF .....	285
8.2.13.4	Path switching to 5G ProSe layer-3 UE-to-network relay with N3IWF .....	285
8.2.13.5	Path switching to 5G ProSe layer-2 UE-to-network relay .....	286
8.2.14	5G ProSe public warning notification relay procedure .....	286
8.2.14.1	General .....	286
8.2.14.2	5G ProSe public warning notification relay procedure initiation for 5G ProSe layer-3 UE-to-network relay.....	286
8.2.14.3	Reception of 5G ProSe public warning notification relay message .....	287
8.2.15	Multi-path communication via a PDU session and via 5G ProSe UE-to-network relay.....	287
8.2.15.1	General.....	287
8.2.15.2	Multi-path communication via a PDU session and via 5G ProSe layer-3 UE-to-network relay.....	287
8.2.15.3	Multi-path communication via a PDU session and via 5G ProSe layer-2 UE-to-network relay.....	288
8a	5G ProSe UE-to-UE relay .....	288
8a.1	Overview .....	288
8a.2	Procedures .....	288
8a.2.1	5G ProSe UE-to-UE relay discovery over PC5 interface .....	288
8a.2.1.1	General .....	288
8a.2.1.2	UE-to-UE relay discovery over PC5 interface with model A .....	289
8a.2.1.2.1	General .....	289
8a.2.1.2.2	Announcing UE relay discovery for UE-to-UE relay discovery .....	289
8a.2.1.2.2.1	General.....	289
8a.2.1.2.2.2	Announcing UE procedure for UE-to-UE relay discovery initiation.....	289
8a.2.1.2.2.3	Announcing UE procedure for UE-to-UE relay discovery completion .....	292
8a.2.1.2.3	Monitoring UE relay discovery for UE-to-UE relay discovery.....	292
8a.2.1.2.3.1	General.....	292
8a.2.1.2.3.2	Monitoring UE procedure for UE-to-UE relay discovery initiation .....	292
8a.2.1.2.3.3	Monitoring UE procedure for UE-to-UE relay discovery completion.....	294
8a.2.1.3	UE-to-UE relay discovery over PC5 interface with model B .....	294
8a.2.1.3.1	General .....	294
8a.2.1.3.2	Discoverer end UE procedure for UE-to-UE Relay discovery .....	294
8a.2.1.3.2.1	General.....	294
8a.2.1.3.2.2	Discoverer end UE procedure for UE-to-UE relay discovery initiation .....	294
8a.2.1.3.2.3	Discoverer end UE procedure for UE-to-UE relay discovery completion.....	298
8a.2.1.3.3	Relay UE procedure for UE-to-UE Relay discovery.....	298
8a.2.1.3.3.1	General.....	298
8a.2.1.3.3.2	Relay UE procedure for UE-to-UE relay discovery initiation .....	298
8a.2.1.3.3.3	Relay UE procedure for UE-to-UE relay discovery completion.....	302
8a.2.1.3.4	Discoverer end UE procedure for UE-to-UE Relay discovery.....	303
8a.2.1.3.4.1	General.....	303
8a.2.1.3.4.2	Discoverer end UE procedure for UE-to-UE relay discovery initiation.....	303
8a.2.1.3.4.3	Discoverer end UE procedure for UE-to-UE relay discovery completion .....	305
8a.2.2	5G ProSe UE-to-UE relay selection procedure.....	305
8a.2.2.1	General .....	305
8a.2.2.2	UE-to-UE relay selection procedure initiation .....	305
8a.2.2.3	UE-to-UE relay selection procedure completion .....	306
8a.2.3	5G ProSe UE-to-UE relay reselection procedure.....	306
8a.2.3.1	General .....	306
8a.2.3.2	UE-to-UE relay reselection procedure initiation.....	306
8a.2.3.3	Candidate 5G ProSe UE-to-UE relay discovery procedure.....	307
8a.2.4	5G ProSe UE-to-UE relay unicast direct communication over PC5 interface .....	308
8a.2.5	IP address allocation for 5G ProSe layer-3 end UE in 5G ProSe layer-3 UE-to-UE relay procedure .....	308
8a.2.6	Security procedures for 5G ProSe layer-2 end UEs.....	309
8a.2.7	QoS handling for 5G ProSe UE-to-UE relay .....	309
8a.2.7.1	General .....	309
8a.2.7.2	QoS handling for 5G ProSe layer-3 UE-to-UE relay .....	309
8a.2.7.2.1	General .....	309

8a.2.7.2.2	PC5 QoS flows handling initiated by the source 5G ProSe layer-3 end UE.....	309
8a.2.7.3	QoS handling for 5G ProSe layer-2 UE-to-UE relay .....	310
8a.2.8	Support for Ethernet traffic via 5G ProSe layer-3 UE-to-UE relay .....	310
8a.2.9	5G ProSe AA message reliable transport procedure.....	311
8a.2.10	5G ProSe UE-to-UE relay direct link security establishment procedure .....	311
8a.2.10.1	General .....	311
8a.2.10.2	5G ProSe UE-to-UE relay direct link security establishment procedure initiation by initiating UE...311	
8a.2.10.3	5G ProSe UE-to-UE relay direct link security establishment procedure accepted by the target UE...313	
8a.2.10.4	5G ProSe UE-to-UE relay direct link security establishment procedure completion by the initiating UE.....	314
8a.2.10.5	5G ProSe UE-to-UE relay direct link security establishment procedure not accepted by the target UE .....	314
8a.2.10.6	Abnormal cases .....	316
8a.2.10.6.1	Abnormal cases at the initiating UE .....	316
8a.2.10.6.2	Abnormal cases at the target UE .....	316
8a.2.11	5G ProSe security procedures over PC3a interface for 5G ProSe UE-to-UE relay .....	316
8a.2.11.1	General .....	316
8a.2.11.1.1	Transport protocol for PC3a messages .....	316
8a.2.11.1.2	Handling of UE-initiated procedures.....	316
8a.2.11.2	Procedures.....	316
8a.2.11.2.1	Types of 5G ProSe security procedures over PC3a interface for 5G ProSe UE-to-UE relay .....	316
8a.2.11.2.2	5G ProSe UE-to-UE relay discovery security material request procedure .....	317
8a.2.11.2.2.1	General.....	317
8a.2.11.2.2.2	5G ProSe UE-to-UE relay discovery security material request procedure initiation .....	317
8a.2.11.2.2.3	5G ProSe UE-to-UE relay discovery security material request procedure accepted by the 5G DDNMF .....	318
8a.2.11.2.2.4	5G ProSe UE-to-UE relay discovery security material request procedure completion by the UE .....	320
8a.2.11.2.2.5	5G ProSe UE-to-UE relay discovery security material request procedure not accepted by the 5G DDNMF .....	320
8a.2.11.2.2.6	Abnormal cases in the UE.....	320
8a.2.11.2.2.7	Abnormal cases in the 5G DDNMF.....	321
8a.2.12	5G ProSe security procedures over PC8 interface for 5G ProSe UE-to-UE relay .....	321
8a.2.12.1	General .....	321
8a.2.12.1.1	Transport protocol for PC8 messages.....	321
8a.2.12.1.2	Handling of UE-initiated procedures.....	321
8a.2.12.2	Procedures.....	321
8a.2.12.2.1	Types of 5G ProSe security procedures over PC8 interface for 5G ProSe UE-to-UE relay.....	321
8a.2.12.2.2	5G ProSe UE-to-UE relay discovery security parameters request procedure.....	322
8a.2.12.2.2.1	General.....	322
8a.2.12.2.2.2	5G ProSe UE-to-UE relay discovery security parameters request procedure initiation.....	322
8a.2.12.2.2.3	5G ProSe UE-to-UE relay discovery security parameters request procedure accepted by the 5G PKMF.....	323
8a.2.12.2.2.4	5G ProSe UE-to-UE relay discovery security parameters request procedure completion by the UE .....	325
8a.2.12.2.2.5	5G ProSe UE-to-UE relay discovery security parameters request procedure not accepted by the 5G PKMF.....	325
8a.2.12.2.2.6	Abnormal cases in the UE.....	325
8a.2.12.2.2.7	Abnormal cases in the 5G PKMF .....	326
8a.2.12.2.3	5G ProSe end UE key request procedure.....	326
8a.2.12.2.4	5G ProSe UE-to-UE relay UE key request procedure .....	326
8a.2.13	5G ProSe direct discovery set transfer procedure .....	326
8a.2.13.1	General .....	326
8a.2.13.2	5G ProSe direct discovery set transfer procedure initiation by initiating UE .....	326
8a.2.13.3	5G ProSe direct discovery set procedure ack by the target UE .....	327
8a.2.13.4	5G ProSe direct discovery set transfer procedure completion by the initiating UE .....	327
8a.2.13.5	Abnormal cases .....	327
8a.2.13.5.1	Abnormal cases at the initiating UE .....	327
8a.2.13.5.2	Abnormal cases at the target UE .....	328
8b	5G ProSe multi-hop UE-to-network relay.....	328
8b.1	Overview .....	328

8b.2	Procedures .....	328
8b.2.1	5G ProSe multi-hop UE-to-network relay discovery over PC5 interface .....	328
8b.2.1.1	General .....	328
8b.2.1.2	Multi-hop UE-to-network relay discovery over PC5 interface with model A .....	330
8b.2.1.2.1	General .....	330
8b.2.1.2.2	Announcing multi-hop UE-to-network relay discovery .....	330
8b.2.1.2.2.1	General .....	330
8b.2.1.2.2.2	ProSe multi-hop UE-to-network relay UE procedure for multi-hop UE-to-network relay discovery initiation .....	330
8b.2.1.2.2.3	ProSe intermediate UE-to-network relay UE procedure for multi-hop UE-to-network relay discovery initiation .....	332
8b.2.1.2.2.4	Announcing UE procedure for multi-hop UE-to-network relay discovery completion .....	335
8b.2.1.2.3	Monitoring multi-hop UE-to-network relay discovery .....	335
8b.2.1.2.3.1	General .....	335
8b.2.1.2.3.2	ProSe intermediate UE-to-network relay UE procedure for multi-hop UE-to-network relay discovery monitoring .....	335
8b.2.1.2.3.3	ProSe multi-hop remote UE procedure for multi-hop UE-to-network relay discovery monitoring .....	338
8b.2.1.2.3.4	Monitoring UE procedure for multi-hop UE-to-network relay discovery completion .....	340
8b.2.1.2.4	Announcing multi-hop UE-to-network relay discovery additional information .....	340
8b.2.1.2.4.1	General .....	340
8b.2.1.2.4.2	ProSe multi-hop UE-to-network relay UE procedure .....	340
8b.2.1.2.4.3	ProSe intermediate UE-to-network relay UE procedure .....	343
8b.2.1.2.5	Monitoring multi-hop UE-to-network relay discovery additional information .....	345
8b.2.1.2.5.1	General .....	345
8b.2.1.2.5.2	ProSe intermediate UE-to-network relay UE procedure .....	345
8b.2.1.2.5.3	ProSe multi-hop remote UE procedure .....	346
8b.2.1.3	Multi-hop UE-to-network relay discovery over PC5 interface with model B .....	347
8b.2.1.3.1	General .....	347
8b.2.1.3.2	Discoverer UE procedure for multi-hop UE-to-network relay discovery .....	347
8b.2.1.3.2.1	General .....	347
8b.2.1.3.2.2	Discoverer remote UE procedure for multi-hop UE-to-network relay discovery initiation .....	348
8b.2.1.3.2.3	Discoverer intermediate UE procedure for multi-hop UE-to-network relay discovery initiation .....	352
8b.2.1.3.2.4	Discoverer UE procedure for multi-hop UE-to-network relay discovery completion .....	356
8b.2.1.3.3	Discoveree UE procedure for multi-hop UE-to-network relay discovery .....	356
8b.2.1.3.3.1	General .....	356
8b.2.1.3.3.2	Discoveree UE-to-network relay UE procedure for multi-hop UE-to-network relay discovery initiation .....	356
8b.2.1.3.3.3	Discoveree intermediate UE procedure for multi-hop UE-to-network relay discovery initiation .....	359
8b.2.1.3.3.4	Discoveree UE procedure for multi-hop UE-to-network relay discovery completion .....	362
8b.2.2	5G ProSe multi-hop UE-to-network relay unicast direct communication over PC5 interface .....	362
8b.2.2.1	Overview .....	362
8b.2.2.2	5G ProSe direct link establishment procedure for multi-hop UE-to-network relay .....	363
8b.2.2.2.1	General .....	363
8b.2.2.2.2	5G ProSe direct link establishment procedure for multi-hop UE-to-network relay based on model A discovery .....	363
8b.2.2.2.3	5G ProSe direct link establishment procedure for multi-hop UE-to-network relay based on model B discovery .....	363
8b.2.2.3	5G ProSe direct link modification procedure for multi-hop UE-to-network relay .....	364
8b.2.3	Multi-hop UE-to-network relay reselection procedure .....	366
8b.2.3.1	General .....	366
8b.2.3.2	Multi-hop UE-to-network relay reselection procedure initiation .....	366
8b.2.3.3	Multi-hop UE-to-network relay reselection procedure completion .....	367
8b.2.4	Procedure for UE to use provisioned radio resources for 5G ProSe multi-hop UE-to-network discovery .....	368
8b.2.5	Multi-hop UE-to-network relay selection procedure .....	369
8b.2.5.1	General .....	369
8b.2.5.2	Multi-hop UE-to-network relay selection procedure initiation .....	369
8b.2.5.3	Multi-hop UE-to-network relay selection procedure completion .....	370
8b.2.6	QoS handling for 5G ProSe multi-hop UE-to-network relay .....	370

8b.2.6.1	General .....	370
8b.2.6.2	QoS handling for 5G ProSe multi-hop layer-3 UE-to-network relay without N3IWF.....	371
8b.2.6.2.1	General .....	371
8b.2.6.2.2	QoS flows handling initiated by the network .....	371
8b.2.6.2.3	PC5 QoS flows handling initiated by the 5G ProSe multi-hop layer-3 remote UE.....	372
8b.2.7	IP address allocation in 5G ProSe multi-hop layer-3 UE-to-network relay procedure.....	373
8b.2.8	5G ProSe additional parameters announcement procedure for multi-hop UE-to-network relay .....	374
8b.2.8.1	General .....	374
8b.2.8.2	5G ProSe additional parameters announcement procedure initiation by the 5G ProSe multi-hop layer-3 remote UE.....	374
8b.2.8.3	5G ProSe additional parameters announcement procedure by the 5G ProSe layer-3 intermediate UE-to-network relay UE .....	375
8b.2.8.4	5G ProSe additional parameters announcement procedure accepted by the 5G ProSe multi-hop layer-3 UE-to-network relay UE.....	376
8b.2.8.5	5G ProSe additional parameters announcement procedure completion by the 5G ProSe multi-hop layer-3 remote UE.....	376
8b.2.8.6	Abnormal cases .....	376
8b.2.8.6.1	Abnormal cases in the 5G ProSe multi-hop layer-3 remote UE.....	376
8b.2.8.6.2	Abnormal cases in the 5G ProSe layer-3 intermediate UE-to-network relay UE.....	376
8b.2.9	5G ProSe multi-hop public warning notification relay procedure .....	376
8b.2.9.1	General .....	376
8b.2.9.2	5G ProSe public warning notification relay initiation procedure for 5G ProSe multi-hop layer-3 UE-to-network relay.....	377
8b.2.9.3	5G ProSe public warning notification reception procedure for 5G ProSe multi-hop layer-3 UE-to-network relay .....	378
8b.2.10	5G ProSe security procedures over PC8 interface .....	379
8b.2.10.1	General .....	379
8b.2.10.1.1	Transport protocol for PC8 messages.....	379
8b.2.10.1.2	Handling of UE-initiated procedures.....	379
8b.2.10.2	Procedures .....	379
8b.2.11	5G ProSe security procedures over PC3a interface .....	379
8b.2.11.1	General .....	379
8b.2.11.1.1	Transport protocol for PC3a messages.....	379
8b.2.11.1.2	Handling of UE-initiated procedures.....	380
8b.2.11.2	Procedures .....	380
8c	5G ProSe multi-hop UE-to-UE relay .....	380
8c.1	Overview .....	380
8c.2	Procedures .....	380
8c.2.1	5G ProSe multi-hop layer-3 UE-to-UE relay discovery over PC5 interface.....	380
8c.2.1.1	General .....	380
8c.2.1.2	5G ProSe multi-hop layer-3 UE-to-UE relay discovery over PC5 interface for IP data unit type .....	381
8c.2.1.2.1	General .....	381
8c.2.1.2.2	Multi-hop layer-3 UE-to-UE relay discovery for IP data unit type with model A .....	382
8c.2.1.2.2.1	General.....	382
8c.2.1.2.2.2	Announcing UE relay discovery for multi-hop layer-3 UE-to-UE relay discovery.....	382
8c.2.1.2.2.2.1	General .....	382
8c.2.1.2.2.2.2	Announcing UE procedure for multi-hop layer-3 UE-to-UE relay discovery initiation .....	382
8c.2.1.2.2.2.3	Announcing UE procedure for multi-hop layer-3 UE-to-UE relay discovery for IP data unit type completion.....	384
8c.2.1.2.2.3	Monitoring UE relay discovery for multi-hop layer-3 UE-to-UE relay discovery for IP data unit type.....	384
8c.2.1.2.2.3.1	General .....	384
8c.2.1.2.2.3.2	Monitoring UE procedure for multi-hop layer-3 UE-to-UE relay discovery initiation for IP data unit type.....	384
8c.2.1.2.2.3.3	Monitoring UE procedure for multi-hop layer-3 UE-to-UE relay discovery completion for IP data unit type.....	386
8c.2.1.2.3	5G ProSe multi-hop layer-3 UE-to-UE relay discovery for IP data unit type with model B.....	386
8c.2.1.2.3.1	General.....	386
8c.2.1.2.3.2	Discoverer end UE procedure for 5G ProSe multi-hop layer-3 UE-to-UE relay discovery .....	386
8c.2.1.2.3.2.1	General .....	386