

ETSI TS 125 427 V11.0.0 (2012-11)



Technical Specification

**Universal Mobile Telecommunications System (UMTS);
UTRAN Iub/Iur interface user plane protocol
for DCH data streams
(3GPP TS 25.427 version 11.0.0 Release 11)**

[ETSI TS 125 427 V11.0.0 \(2012-11\)](https://standards.iteh.ai/catalog/standards/etsi/8bafd5cc-d6d9-48f3-ae00-9d65054c570c/etsi-ts-125-427-v11-0-0-2012-11)

<https://standards.iteh.ai/catalog/standards/etsi/8bafd5cc-d6d9-48f3-ae00-9d65054c570c/etsi-ts-125-427-v11-0-0-2012-11>



Reference

RTS/TSGR-0325427vb00

Keywords

UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

<https://standards.iteh.ai>
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ETSI TS 125 427 V11.0.0 \(2012-11\)](https://standards.iteh.ai/catalog/standards/etsi/8bafd5cc-d6d9-48f3-ae00-9d65054c570c/etsi-ts-125-427-v11-0-0-2012-11)

<https://standards.iteh.ai/catalog/standards/etsi/8bafd5cc-d6d9-48f3-ae00-9d65054c570c/etsi-ts-125-427-v11-0-0-2012-11>

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	6
1 Scope	7
2 References	7
3 Definitions and abbreviations.....	7
3.1 Definitions	7
3.2 Abbreviations	8
3.3 Specification Notations	8
4 General aspects.....	9
4.1 DCH and E-DCH FP services	10
4.2 Services expected from the Data Transport Network layer.....	10
4.3 Protocol Version.....	10
5 DCH Frame Protocol procedures	11
5.1 Data Transfer.....	11
5.1.0 General.....	11
5.1.1 Uplink for DCH	11
5.1.1a Uplink for E-DCH	11
5.1.2 Downlink	12
5.2 Timing Adjustment.....	13
5.3 DCH Synchronisation.....	14
5.4 Outer Loop PC Information Transfer [FDD, 1.28 Mcps TDD].....	14
5.5 Node Synchronisation	14
5.6 Rx Timing Deviation Measurement [3.84 Mcps and 7.68 Mcps TDD]	15
5.7 DSCH TFCI Signalling [FDD].....	15
5.8 Radio Interface Parameter Update [FDD].....	15
5.9 Timing Advance [3.84 Mcps and 7.68 Mcps TDD].....	16
5.10 General	16
5.10.1 Transport bearer replacement	16
5.10.2 Transport channel addition	17
5.11 Generation of subframe number	17
5.12 Generation of number of HARQ retransmissions	17
5.13 Indication of HARQ failure	18
5.14 TNL Congestion Indication	19
6 Frame structure and coding	19
6.1 General	19
6.1.1 General principles for the coding.....	20
6.2 Data frames	20
6.2.1 Introduction.....	20
6.2.2 UL DATA FRAME	21
6.2.2.1 UL DATA FRAME FOR DCH	21
6.2.2.2 UL DATA FRAME FOR E-DCH TYPE 1.....	23
6.2.2.3 UL DATA FRAME FOR E-DCH TYPE 2.....	24
6.2.3 DL DATA FRAME	26
6.2.4 Coding of information elements in data frames	28
6.2.4.1 Header CRC	28
6.2.4.2 Frame Type (FT).....	28
6.2.4.3 Connection Frame Number (CFN).....	28
6.2.4.4 Transport Format Indicator (TFI).....	28
6.2.4.5 Quality Estimate (QE).....	28
6.2.4.6 Transport Block (TB).....	29
6.2.4.7 CRC indicator (CRCI).....	29

6.2.4.8	Payload CRC.....	29
6.2.4.9	Spare Extension.....	29
6.2.4.10	Subframe Number.....	29
6.2.4.11	Number of HARQ Retransmissions, NHR.....	30
6.2.4.12	Number of Subframes.....	30
6.2.4.13	Number of MAC-es PDUs.....	30
6.2.4.14	Data Description Indicator, DDI.....	30
6.2.4.15	Number of MAC-d PDUs, N.....	30
6.2.4.16	FSN – Frame Sequence Number.....	30
6.2.4.17	Number of MAC-is PDUs.....	31
6.2.4.18	User Buffer size.....	31
6.2.4.19	Number of MAC-is SDU in frame.....	31
6.2.4.20	MAC-is PDU descriptor.....	31
6.2.4.21	UL Multiplexing Information (UL Mux Info)[FDD].....	31
6.2.4.22	UL CLTD Removal (CLTD-R)[FDD].....	31
6.3	Control frames.....	32
6.3.1	Introduction.....	32
6.3.2	Header structure of the control frames.....	32
6.3.2.1	Frame CRC.....	32
6.3.2.2	Frame Type (FT).....	32
6.3.2.3	Control Frame Type.....	32
6.3.3	Payload structure and information elements.....	33
6.3.3.1	TIMING ADJUSTMENT.....	33
6.3.3.1.1	Payload structure.....	33
6.3.3.1.2	CFN.....	33
6.3.3.1.3	Time of Arrival (ToA).....	33
6.3.3.1.4	Spare Extension.....	34
6.3.3.2	DL SYNCHRONISATION.....	34
6.3.3.2.1	Payload structure.....	34
6.3.3.2.2	CFN.....	34
6.3.3.2.3	Spare Extension.....	34
6.3.3.3	UL SYNCHRONISATION.....	34
6.3.3.3.1	Payload structure.....	34
6.3.3.3.2	CFN.....	35
6.3.3.3.3	Time of Arrival (ToA).....	35
6.3.3.3.4	Spare Extension.....	35
6.3.3.4	OUTER LOOP POWER CONTROL [FDD, 1.28Mcps TDD].....	35
6.3.3.4.1	Payload structure.....	35
6.3.3.4.2	SIR Target.....	36
6.3.3.4.3	Spare Extension.....	36
6.3.3.4.4	UL Mux Info.....	36
6.3.3.5	DL NODE SYNCHRONISATION.....	36
6.3.3.5.1	Payload structure.....	36
6.3.3.5.2	T1.....	36
6.3.3.5.3	Spare Extension.....	37
6.3.3.6	UL NODE SYNCHRONISATION.....	37
6.3.3.6.1	Payload structure.....	37
6.3.3.6.2	T1.....	37
6.3.3.6.3	T2.....	38
6.3.3.6.4	T3.....	38
6.3.3.6.5	Spare Extension.....	38
6.3.3.7	RX TIMING DEVIATION [3.84 Mcps and 7.68Mcps TDD].....	38
6.3.3.7.1	Payload structure.....	38
6.3.3.7.2	Rx Timing Deviation [3.84 Mcps TDD].....	39
6.3.3.7.2A	Rx Timing Deviation [7.68 Mcps TDD].....	39
6.3.3.7.2B	E-RUCCH Flag.....	39
6.3.3.7.3	Spare Extension.....	39
6.3.3.7.4	CFN.....	39
6.3.3.7.5	New IE Flags.....	39
6.3.3.8	DSCH TFCI SIGNALLING [FDD].....	40
6.3.3.8.1	Payload structure.....	40
6.3.3.8.2	TFCI (field 2).....	40

6.3.3.8.3	Spare Extension	40
6.3.3.8.4	CFN	40
6.3.3.9	RADIO INTERFACE PARAMETER UPDATE [FDD]	40
6.3.3.9.1	Payload structure	40
6.3.3.9.2	Radio Interface Parameter Update flags	41
6.3.3.9.3	TPC Power Offset (TPC PO).....	42
6.3.3.9.4	Spare Extension	42
6.3.3.9.4A	CFN	42
6.3.3.9.5	DPC Mode.....	42
6.3.3.9.6	TFCI Power Offset (TFCI PO).....	42
6.3.3.9.7	TFCI Power Offset for primary cell (TFCI PO_primary)	42
6.3.3.9.8	Multiple RL Sets Indicator	42
6.3.3.9.9	Maximum UE TX Power.....	42
6.3.3.10	TIMING ADVANCE [3.84Mcps and 7.68 Mcps TDD].....	43
6.3.3.10.1	Payload structure	43
6.3.3.10.2	CFN	44
6.3.3.10.3	TA [3.84 Mcps]	44
6.3.3.10.3A	TA [7.68 Mcps]	44
6.3.3.10.4	Spare Extension	44
6.3.3.10.5	New IE Flags [7.68Mcps TDD]	44
6.3.3.11	TNL CONGESTION INDICATION	44
6.3.3.11.1	Payload structure	44
6.3.3.11.2	Congestion Status	45
6.3.3.11.3	Spare Extension	45
7	Handling of Unknown, Unforeseen and Erroneous Protocol Data	45
7.1	General	45
7.2	Error detection.....	45
7.2.1	CRC Calculation.....	45
7.2.1.1	Relation between input and output of the Cyclic Redundancy Check	46
Annex A (informative):	Change history	47
History		49

[ETSI TS 125 427 V11.0.0 \(2012-11\)](https://standards.iteh.ai/catalog/standards/etsi/8bafd5cc-d6d9-48f3-ae00-9d65054c570c/etsi-ts-125-427-v11-0-0-2012-11)

<https://standards.iteh.ai/catalog/standards/etsi/8bafd5cc-d6d9-48f3-ae00-9d65054c570c/etsi-ts-125-427-v11-0-0-2012-11>

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ETSI TS 125 427 V11.0.0 \(2012-11\)](https://standards.iteh.ai/catalog/standards/etsi/8bafd5cc-d6d9-48f3-ae00-9d65054c570c/etsi-ts-125-427-v11-0-0-2012-11)

<https://standards.iteh.ai/catalog/standards/etsi/8bafd5cc-d6d9-48f3-ae00-9d65054c570c/etsi-ts-125-427-v11-0-0-2012-11>