



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
Transparent end-to-end
Packet-switched Streaming Service (PSS);
Progressive Download and Dynamic Adaptive Streaming over
HTTP (3GP-DASH)
(3GPP TS 26.247 version 19.1.0 Release 19)**



ReferenceRTS/TSGS-0426247v10

KeywordsLTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	9
Introduction	9
1 Scope	10
2 References	10
3 Definitions and abbreviations.....	13
3.1 Definitions	13
3.2 Abbreviations	13
3.3 Conventions.....	14
4 Overview	14
5 System description	15
5.1 Overview	15
5.2 Service access.....	16
5.3 Protocols.....	16
5.3.1 General.....	16
5.3.2 Partial file handling.....	17
6 Progressive Download over HTTP.....	17
6.1 General	17
6.2 Progressive Download.....	17
6.3 3GPP file format profiles	17
7 3GPP Dynamic Adaptive Streaming over HTTP.....	18
7.1 System description	18
7.2 3GP-DASH client model.....	19
7.3 3GP-DASH profiles	19
7.3.1 General.....	19
7.3.2 3GPP Adaptive HTTP Streaming (Release-9 AHS).....	19
7.3.3 3GP-DASH Release-10 Profile.....	19
7.3.3.1 Introduction.....	19
7.3.4 3GP-DASH Release 11 multiview stereoscopic 3D video profile.....	20
7.3.5 3GP-DASH Release 11 frame-packed stereoscopic 3D video profile	20
7.3.6 Media codecs	20
7.3.7 Content protection	21
7.3.8 Partial file handling.....	21
7.3.9 3GP-DASH enhanced interoperability point	21
7.3.10 DASH in TeleVision (TV) over 3GPP services.....	22
7.3.11 5G Media Streaming DASH interoperability point	22
8 DASH: media presentation.....	23
8.1 Introduction	23
8.2 Media Presentation Description	24
8.2.1 General.....	24
8.2.2 Schema and 3GPP extension	24
8.2.3 Void	25
8.2.4 Void	25
8.3 MPD assembly	25
8.4 Hierarchical data model.....	25
8.4.1 General.....	25
8.4.2 Period.....	26
8.4.2.1 General.....	26
8.4.2.2 Content offering with multiple Periods.....	27

8.4.3	Adaptation Sets and Representations	28
8.4.3.1	Overview	28
8.4.3.2	Common attributes and elements	28
8.4.3.3	Adaptation Set	29
8.4.3.4	Representation	30
8.4.3.5	Sub-representation	30
8.4.3.6	Content Component	31
8.4.4	Segments and Segment Information	31
8.5	MPD update	32
8.5.1	General	32
8.5.2	Media Presentation Description delta	32
8.6	Additional Media Presentation Information	33
8.6.1	Introduction	33
8.6.2	Program Information	33
8.6.3	Descriptors	34
8.7	Base URL processing	34
8.8	Event Streams	34
9	DASH: usage of 3GPP file format	35
9.1	Introduction	35
9.2	Segment types and formats	35
9.2.1	Introduction	35
9.2.2	Initialization Segment	35
9.2.3	Media Segment	36
9.2.3.1	General	36
9.2.3.2	Subsegments and Segment Index	36
9.2.3.3	Subsegment Index	36
9.2.3.4	3GP-DASH Media Segment format	36
9.2.4	Self-initializing Media Segment	36
9.2.5	Media Stream and Segment properties	36
9.2.5.1	Media Stream Access Points	36
9.2.5.2	Non-overlapping Segments and Subsegments	36
9.2.5.3	Bitstream concatenation	36
9.3	Usage on server and client	37
9.4	Segment properties with MPD constraints	37
9.4.1	General	37
9.4.1.1	Introduction	37
9.4.1.2	Media Presentation timeline	37
9.4.1.3	Segment Index	37
9.4.2	Segment alignment	37
9.4.3	Bitstream switching	37
9.4.4	Sub-representation	37
10	QoE for Progressive Download and DASH	38
10.1	General	38
10.2	QoE metric definitions	38
10.2.1	Introduction	38
10.2.2	Void	38
10.2.3	Representation switch events	39
10.2.4	Average throughput	39
10.2.5	Initial playout delay	39
10.2.6	Buffer level	40
10.2.7	Playlist	40
10.2.8	MPD information	42
10.2.9	Playout delay for media start-up	43
10.2.10	Device information	43
10.3	Quality metrics for Progressive Download	44
10.4	Quality metrics for DASH	44
10.5	Quality reporting scheme for DASH	46
10.6	Quality reporting protocol	48
10.6.1	General	48
10.6.2	Report format	48

10.6.3	Reporting protocols.....	53
11	Live services.....	55
11.1	Overview of dynamic and live media presentations.....	55
11.2	Dynamic segment download	56
11.2.1	Background and assumptions	56
11.2.2	MPD information and timing model.....	56
11.2.2.1	MPD information.....	56
11.2.2.2	Segment information derivation.....	57
11.2.2.2.1	Introduction	57
11.2.2.2.2	Definitions	57
11.2.2.2.3	MPD information.....	57
11.2.2.2.4	Period information.....	57
11.2.2.2.5	Representation information	58
11.2.2.2.6	Media time information of segment	58
11.2.2.2.7	Segment List parameters	58
11.2.2.2.8	URL generation with segment template	60
11.2.3	Service offering requirements and guidelines.....	60
11.2.3.1	General service offering requirements	60
11.2.3.2	Dynamic service offering guidelines.....	60
11.2.3.2.1	Introduction	60
11.2.3.2.2	Basic parameter settings	61
11.2.3.3	Content offering with Periods	62
11.2.3.3.1	General	62
11.2.3.4	Joining recommendation	64
11.2.4	Client operation, recommendations and guidelines (informative)	65
11.2.4.1	Basic operation.....	65
11.2.4.2	Joining, initial buffering and playout recommendations	67
11.2.4.2.1	General	67
11.2.4.2.2	Joining at the live edge	67
11.2.5	Considerations on live edge	67
11.3	Live services with MPD updates.....	68
11.3.1	Background and assumptions	68
11.3.2	Preliminaries	68
11.3.2.1	MPD information	68
11.3.2.2	Segment Information derivation.....	69
11.3.3	Service offering requirements and guidelines.....	69
11.3.3.1	General	69
11.3.3.2	Setting the minimum update period value.....	70
11.3.3.3	Permitted updates in an MPD.....	70
11.3.3.4	Last segment message	70
11.3.4	MPD-based live client operation based on MPD.....	71
11.4	Provisioning of live content in On-Demand mode	71
11.4.1	Scenario	71
11.4.2	Content Offering Requirements and Recommendations.....	72
11.4.3	Client behaviour.....	72
11.5	Availability time synchronization between client and server	72
11.5.1	Background.....	72
11.5.2	Service Provider requirements and guidelines.....	73
11.5.3	Client requirements and guidelines.....	73
11.6	Robust operation	74
11.6.1	General robustness	74
11.6.2	Synchronization loss of segmenter	74
11.6.3	Encoder clock drift.....	74
11.6.4	Segment unavailability	74
11.6.5	Swapping across redundant tools.....	74
12	Ad insertion enablers.....	75
12.1	Background	75
12.2	Enablers.....	75
12.2.1	Period elements and Remote Periods.....	75
12.2.2	Asset identifiers	75

12.2.3	MPD updates	76
13	Server And Network-assisted DASH (SAND) support.....	76
13.1	Introduction	76
13.2	SAND modes for 3GP-DASH.....	76
13.3	DANE discovery	77
13.4	SAND messages and protocols for 3GP-DASH.....	77
13.5	SAND message handling behaviours for DANEs and DASH clients	79
13.5.1	DASH client behaviour.....	79
13.5.2	DANE behaviour	80
13.6	Use of SAND for Network Assistance.....	80
13.6.1	General description	80
13.6.2	Common functions.....	81
13.6.2.1	Introduction.....	81
13.6.2.2	DANE discovery	81
13.6.2.3	Network Assistance session initiation.....	81
13.6.2.4	Network Assistance session termination.....	81
13.6.3	Rate recommendation function.....	82
13.6.4	Temporary delivery boost function.....	82
13.6.5	SAND messages usage and extensions.....	82
13.6.5.1	Introduction.....	82
13.6.5.2	Use of existing SAND messages.....	82
13.6.5.2.1	Shared resource allocation.....	82
13.6.5.2.2	Buffer level.....	83
13.6.5.2.3	Shared resource assignment.....	83
13.6.5.3	SAND message extensions	83
13.6.5.3.1	Network Assistance session initiation	83
13.6.5.3.2	Network Assistance session termination	84
13.6.5.3.3	Segment duration.....	85
13.6.5.3.4	Delivery boost request.....	85
13.6.5.3.6	Delivery boost response.....	86
13.6.6	Network Assistance transactions	87
13.6.6.1	General.....	87
13.6.6.2	Network Assistance request	87
13.6.7	Example workflow for Network Assistance	90
13.7	Use of SAND for proxy caching	91
13.7.1	Introduction.....	91
13.7.2	Status messages for proxy caching	91
13.7.2.1	AnticipatedRequests.....	91
13.7.2.2	AcceptedAlternatives	91
13.7.3	PER messages for proxy caching.....	92
13.7.3.1	ResourceStatus	92
13.7.3.2	MPDValidityEndTime	92
13.7.3.3	DeliveredAlternative	92
13.7.4	Example workflow on SAND use for proxy caching	93
13.8	Use of SAND for consistent QoE/QoS.....	94
13.9	SAND extension messages XML schema.....	96
13.10	SAND for multi-network access mode.....	97
13.10.1	Introduction.....	97
13.10.2	DANE functionalities for SAND4M.....	98
13.10.3	DASH client functionalities for SAND4M.....	98
13.10.4	Message Channel	98
13.10.4.1	General	98
13.10.4.2	Assistance.....	99
13.10.4.3	Enforcement	99
13.10.4.4	Error case	99
14	Auxiliary metrics and reporting	99
14.1	General	99
14.2	Interactivity Usage metrics and reporting	99
14.2.1	Introduction.....	99
14.2.2	Interactivity Usage metric definitions.....	100

14.2.2.1	Introduction.....	100
14.2.2.2	Interactivity summary	100
14.2.2.3	Interactivity event list.....	101
14.2.3	Interactivity usage reporting scheme	101
14.2.4	Interactivity metrics	103
14.2.5	Interactivity Usage reporting protocol.....	103
14.2.5.1	General.....	103
14.2.5.2	Report format	103
14.2.5.3	Reporting protocol	104
15	Service Interactivity support via event signalling and DASH APIs.....	105
Annex A (informative): Example DASH client behaviour.....		106
A.1	Introduction	106
A.2	Overview	106
A.3	Segment List generation.....	106
A.4	Seeking.....	106
A.5	Support for trick modes.....	106
A.6	Switching Representations	106
A.7	Reaction to error codes.....	106
A.8	Encoder clock drift control.....	106
A.9	Handling partial file responses.....	107
A.10	Utilization of QoS information.....	107
A.11	Utilization of Quality Metadata.....	107
Annex B (normative): Media Presentation Description Schema.....		108
B.1	Introduction	108
B.2	Main schema	108
B.3	3GPP extension schema	108
Annex C (normative): Descriptor scheme definitions		110
C.1	Introduction	110
C.2	Void.....	110
C.3	Void.....	110
C.4	3D Video Disparity Range description scheme.....	110
C.5	3D Video Display Information description scheme	111
Annex D (informative): MPD examples		112
D.1	On-Demand service.....	112
D.2	Live service	113
D.3	MPD assembly	114
D.4	MPD deltas.....	115
Annex E (normative): Void.....		119
Annex F (normative): OMA DM QoE Management Object.....		120
Annex G (normative): File format extensions for 3GP-DASH support.....		125

G.1	Introduction	125
G.2	Void.....	125
G.3	Void.....	125
G.4	Void.....	125
G.5	Void.....	125
G.6	Void.....	125
Annex H (normative): MIME type registration for MPD		126
H.1	MPD MIME type	126
H.1.1	Introduction	126
H.1.2	Void.....	126
H.1.3	Void.....	126
H.2	MPD delta MIME type.....	126
H.2.1	Introduction	126
H.2.2	MIME type and subtype	126
Annex I (informative): Signalling of DASH AVP values for QoS handling in the PCC		128
Annex J (normative): MIME type registration for QoE reports		129
J.1	Introduction	129
J.2	MIME type and subtype	129
Annex K (normative): ITU-T P.1203 audio/video MOS estimation.....		131
K.1	Introduction	131
K.2	Calculation	131
Annex L (normative): QoE measurement collection functionalities.....		134
L.1	Configuration and reporting	134
L.2	XML configuration.....	137
Annex M (informative): Registrations information		141
M.1	3GPP registered URIs	141
Annex N (informative): Change history		143
History		146

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The 3GPP transparent end-to-end packet-switched streaming service (PSS) specification consists of seven 3GPP TSs: 3GPP TS 22.233 [1], 3GPP TS 26.233 [2], 3GPP TS 26.234 [3], 3GPP TS 26.244 [4], 3GPP TS 26.245 [5], 3GPP TS 26.246 [6], and the present document.

The TS 22.233 contains the service requirements for the PSS. The TS 26.233 provides an overview of the PSS. The TS 26.234 provides the details of the protocols and codecs used by the PSS. The TS 26.244 defines the 3GPP file format (3GP) used by the PSS and MMS services. The TS 26.245 defines the Timed text format used by the PSS and MMS services. The TS 26.246 defines the 3GPP SMIL language profile. The present document defines Progressive Download and Dynamic Adaptive Streaming over HTTP.

The TS 26.244, TS 26.245 and TS 26.246 start with Release 6. Earlier releases of the 3GPP file format, the Timed text format and the 3GPP SMIL language profile can be found in TS 26.234.

The TS 26.247 starts with Release 10. Earlier releases of Progressive Download and Dynamic Adaptive Streaming over HTTP can be found in TS 26.234.

Introduction

Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH) collects a set of technologies how progressive download and adaptive streaming of continuous media may be carried out exclusively over HTTP.

1 Scope

The present document specifies Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH). This specification is part of Packet-switched Streaming Service (PSS) and 5G Media Streaming. HTTP-based progressive download and dynamic adaptive streaming had initially been separated from TS 26.234 to differentiate from RTP-based streaming that is maintained in TS 26.234. HTTP-based progressive download and dynamic adaptive streaming may be deployed independently from RTP-based PSS, for example by using standard HTTP/1.1 servers for hosting data formatted as defined in the present document, and in particular together with 5G Media Streaming.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 22.233: "Transparent End-to-End Packet-switched Streaming Service; Stage 1".
- [2] 3GPP TS 26.233: "Transparent end-to-end Packet-switched Streaming service (PSS); General description".
- [3] 3GPP TS 26.234: "Transparent end-to-end packet switched streaming service (PSS); Protocols and codecs".
- [4] 3GPP TS 26.244: "Transparent end-to-end packet switched streaming service (PSS); 3GPP file format (3GP)".
- [5] 3GPP TS 26.245: "Transparent end-to-end packet switched streaming service (PSS); Timed text format".
- [6] 3GPP TS 26.246: "Transparent end-to-end packet switched streaming service (PSS); 3GPP SMIL Language Profile".
- [7] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [8] IETF STD 0007: "Transmission Control Protocol", Postel J., September 1981.
- [9] IETF RFC 9112: "HTTP/1.1", June 2022.
- [10] Open Mobile Alliance, Service and Content Protection for Mobile Broadcast Services, Approved Version 1.0, February 2009.
- [11] ISO/IEC 14496-12:2012 | 15444-12:2012 "Information technology - Coding of audio-visual objects - Part 12: ISO base media file format" | "Information technology — JPEG 2000 image coding system — Part 12: ISO base media file format".
- [12] IETF RFC 2818: "HTTP Over TLS", May 2000.
- [13] IETF RFC 5646: "Tags for Identifying Languages", A. Phillips, M. Davis, September 2009.
- [14] Void.
- [15] Open Mobile Alliance: "DRM Content Format V 2.0".
- [16] Open Mobile Alliance: "DRM Content Format V 2.1".

- [17] IETF RFC 3986: "Uniform Resource Identifiers (URI): Generic Syntax", January 2005.
- [18] IETF RFC 1952: "GZIP file format specification" version 4.3, P. Deutsch, May 1996.
- [19] IETF RFC 1738: "Uniform Resource Locators (URL)", December 1994.
- [20] Void.
- [21] Void.
- [22] OMA-ERELD-DM-V1_2-20070209-A: "Enabler Release Definition for OMA Device Management", Approved Version 1.2.
- [23] 3GPP TS 33.310: "Network Domain Security (NDS); Authentication Framework (AF)".
- [24] IETF RFC 2045: "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies".
- [25] IETF RFC 2231: "MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations".
- [26] IETF RFC 6381: "The 'Codecs' and 'Profiles' Parameters for "Bucket" Media Types," August 2011.
- [27] Void.
- [28] IEEE 1003.1-2008: "IEEE Standard for Information Technology - Portable Operating System Interface (POSIX), Base Specifications", Issue 7.
- [29] IETF RFC 4337, "MIME Type Registration for MPEG-4," March 2006.
- [30] IETF RFC 3023, "XML Media Types," January 2001.
- [31] 3GPP TS 23.203: "Policy and charging control architecture".
- [32] 3GPP TS 29.213: "Policy and Charging Control signalling flows and Quality of Service (QoS) parameter mapping".
- [33] 3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
- [34] Void.
- [35] ITU-T Recommendation H.264 (04/2013): "Advanced video coding for generic audiovisual services".
- [36] 3GPP TR 26.946: "Multimedia Broadcast/Multicast Service (MBMS); User service guidelines".
- [37] IETF RFC 3629: "UTF-8, a transformation format of ISO 10646," November 2003.
- [38] IETF RFC 4288: "Media Type Specifications and Registration Procedures," December 2005.
- [39] IETF RFC 4648: "The Base16, Base32, and Base64 Data Encodings," October 2006.
- [40] IETF RFC 5234: "Augmented BNF for Syntax Specifications: ABNF", January 2008.
- [41] 3GPP TR 26.905: "Mobile stereoscopic 3D video".
- [42] 3GPP TS 26.346: " Multimedia Broadcast/Multicast Service (MBMS); Protocols and codecs".
- [43] ISO/IEC 23009-1:2020/Amd. 1 " Information technology — Dynamic adaptive streaming over HTTP (DASH) — Part 1: Media presentation description and segment formats".
- [44] ISO/IEC 23009-3 "Information technology — Dynamic adaptive streaming over HTTP (DASH) — Part 3: Implementation and Deployment Guidelines".
- [45] ISO/IEC 23009-2 " Information technology — Dynamic adaptive streaming over HTTP (DASH) — Part 2: Conformance and Reference Software".

- [46] 3GPP TR 26.938: "Packet-switched Streaming Service (PSS); Improved support for dynamic adaptive streaming over HTTP in 3GPP".
- [47] ISO/IEC 23001-7:2015: "Information technology -- MPEG systems technologies -- Part 7: Common encryption in ISO base media file format files".
- [48] IETF RFC 7164, "RTP and Leap Seconds", March 2014.
- [49] ITU-T P.1203 (11/2016), "Parametric bitstream-based quality assessment of progressive download and adaptive audiovisual streaming services over reliable transport".
- [50] ITU-T P.910 (04/2008), "Subjective video quality assessment methods for multimedia applications".
- [51] "Mobile Location Protocol (MLP) ", Open Mobile Alliance, OMA-LIF-MLP-V3_1, Approved Version 3.1 – 20 Sep 2011.
- [52] IEEE 1003.1-2008 "IEEE Standard for Information Technology - Portable Operating System Interface (POSIX(R))".
- [53] 3GPP TS 25.331 "Radio Resource Control (RRC); Protocol specification".
- [54] ISO/IEC 23009-5:2017: "Information Technology — Dynamic adaptive streaming over HTTP (DASH) — Part 5: Server and network assisted DASH (SAND)".
- [55] 3GPP TR 26.957: "Study on Server And Network-assisted DASH (SAND) for 3GPP Multimedia Services".
- [56] IETF RFC 6455: "The WebSocket Protocol".
- [57] 3GPP TS 23.003: "Numbering, addressing and identification".
- [58] 3GPP TS 26.116: "Television (TV) over 3GPP services; Video profiles".
- [59] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".
- [60] 3GPP TS 26.347: " Multimedia Broadcast/Multicast Service (MBMS); Application Programming Interface and URL".
- [61] 3GPP TS 27.007: " Technical Specification Group Core Network and Terminals; AT command set for User Equipment (UE)".
- [62] DASH Industry Forum: "DASH Player's Application Events and Timed Metadata Processing Model and APIs", see under <https://dashif.org/guidelines/>.
- [63] 3GPP TS 28.405; "Management of Quality of Experience (QoE) measurement collection; Control and configuration"
- [64] 3GPP TS 26.501: "5G Media Streaming (5GMS); General description and architecture".
- [65] 3GPP TS 26.511: "5G Media Streaming (5GMS); Profiles, codecs and formats".
- [66] 3GPP TS 26.512: " 5G Media Streaming (5GMS); Protocols".
- [67] ISO/IEC 23000-19: "Information Technology Multimedia Application Format (MPEG-A) – Part 19: Common Media Application Format (CMAF) for segmented media".
- [68] DASH Industry Forum – Guidelines for Interoperability: "DASH Low Latency Modes", see <https://dashif.org/guidelines/>.
- [69] 3GPP TS 24.526: "User Equipment (UE) policies for 5G System (5GS); Stage 3".
- [70] 3GPP TS 38.331: "NR; Radio Resource Control (RRC); Protocol specification".

[71] 3GPP TS 38.300: "NR; NR and NG-RAN Overall description; Stage-2".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [7], in ISO/IEC 23009-1 [43], clause 3.1, and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [7].

frame-packed stereoscopic 3D video: a video consisting of two views in which both views were packed into a single stream before compression.

multiview stereoscopic 3D video: a video consisting of two views packed into a single stream during compression.

interactivity event: Time interval, whose occurrence may be either pre-scheduled or unscheduled during the presentation of a main program, within which the user may engage with and/or consume interactive content.

rebuffering: a condition occurring in the media buffer when the buffer fill level is sufficiently depleted and buffer exhaust is imminent, typically resulting in suspended media playout.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [7] and the following apply.

An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [7].

3GP	3GPP file format
3GP-DASH	3GPP Dynamic Adaptive Streaming over HTTP
5GMS	5G Media Streaming
AHS	Adaptive HTTP Streaming
A/V	Audio/Video
AVC	Advanced Video Coding
CMAF	Common Media Application Format
DANE	DASH-Aware Network Element
DM	Device Management
DNS	Domain Name System
DRM	Digital Rights Management
FQDN	Fully Qualified Domain Name
HSD	HTTP Streaming and Download
HTML	Hypertext Markup Language
HTTP	Hypertext Transfer Protocol
HTTPS	Hypertext Transfer Protocol Secure
IDR	Instantaneous Decoding Refresh
MPD	Media Presentation Description
MPEG-2 TS	Moving Picture Experts Group Transport Stream
MIME	Multipurpose Internet Mail Extensions
MOS	Mean Opinion Score
NAS	Non-Access Stratum
OMA	Open Mobile Alliance
PDCF	Packetized DRM Content Format
PER	Parameters Enhancing Reception
PSS	Packet-switched Streaming Service
QMC	QoE Measurement Collection
QoE	Quality-of-Experience
RFC	Request For Comments
RRC	Radio Resource Control
RTP	Real-time Transport Protocol

SAND	Server and Network Assisted DASH
SMIL	Synchronised Multimedia Integration Language
TLS	Transport Layer Security
URI	Uniform Resource Identifier
URL	Uniform Resource Locator
URN	Uniform Resource Name
UTF-8	Unicode Transformation Format (the 8-bit form)
XML	eXtensible Markup Language

3.3 Conventions

The naming conventions of ISO/IEC 23009-1 [43], clause 3.3 apply in the present document.

4 Overview

The present document specifies Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH) for continuous media. The features are separated from the umbrella specification TS 26.234 [3] to differentiate from RTP-based streaming that is specified and maintained in TS 26.234. Services relying exclusively on these features may be deployed independently from RTP-based PSS servers, for example by using standard HTTP/1.1 servers for hosting the services and in particular also for 5G Media Downlink Streaming when content is hosted on 5GMSd ASs as defined in the stage 2 specification in TS 26.501 [64] as well as in the stage 3 specifications in TS 26.511 [65] and TS 26.512 [66].

The specification covers the following aspects:

- System description (clause 5): describes the relationship to the PSS architecture and refines the architecture, interfaces and protocols that are defined in the present document.
- Progressive Download over HTTP (clause 6).
- 3GPP Dynamic Adaptive Streaming over HTTP (3GP-DASH) (clause 7) provides an overview of the architecture, the formats and the models that build the basis for 3GP-DASH. Also, 3GP-DASH Profiles provide identifiers and refers to a set of specific restrictions in this or other specifications.
- DASH: media presentation (clause 8) describes the data model of a Media Presentation. It also provides an overview on elements and attributes that may be used to describe components and properties of a media presentation in a Media Presentation Description (MPD).
- DASH: usage of the 3GP file format (clause 9) defines how segments can be formed based on the 3GP file format.
- Quality of Experience for Progressive Download and 3GP-DASH (clause 10).
- Server And Network-assisted DASH (SAND) (clause 13) introduces messages between DASH clients and network elements or between various network elements for the purpose to improve efficiency of streaming sessions by providing information about real-time operational characteristics of networks, servers, proxies, caches as well as DASH client's performance and status.
- Normative annexes for MPD schema (annex B), Descriptor Scheme Definitions (annex C), OMA DM QoE Management Object (annex F), File format extensions for 3GPP DASH support (annex G) and MIME type registration for MPD (annex H).
- Informative annexes for client behaviour (annex A), MPD examples (annex D), and mapping MPD structure and semantics to SMIL (annex E).

NOTE: Several of the annexes refer partially or exclusively to ISO/IEC 23009-1 [43].