

ETSI TS 126 445 V15.6.0 (2026-03)



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
Codec for Enhanced Voice Services (EVS);
Detailed algorithmic description
(3GPP TS 26.445 version 15.6.0 Release 15)**



Reference

RTS/TSGS-0426445vf60

Keywords

5G,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	14
1 Scope	15
2 References	15
3 Definitions, abbreviations and mathematical expressions.....	17
3.1 Definitions	17
3.2 Abbreviations	17
3.3 Mathematical Expressions.....	19
4 General description of the coder	20
4.1 Introduction	20
4.2 Input/output sampling rate.....	20
4.3 Codec delay	20
4.4 Coder overview	20
4.4.1 Encoder overview	21
4.4.1.1 Linear Prediction Based Operation	21
4.4.1.2 Frequency Domain Operation	22
4.4.1.3 Inactive Signal coding.....	23
4.4.1.4 Source Controlled VBR Coding.....	23
4.4.2 Decoder overview	23
4.4.2.1 Parametric Signal Representation Decoding (Bandwidth Extension)	23
4.4.2.2 Frame loss concealment	23
4.4.3 DTX/CNG operation.....	24
4.4.3.1 Inactive Signal coding.....	24
4.4.4 AMR-WB-interoperable option	24
4.4.5 Channel-Aware Mode.....	24
4.5 Organization of the rest of the Technical Standard	24
5 Functional description of the encoder	25
5.1 Common processing	25
5.1.1 High-pass Filtering	25
5.1.2 Complex low-delay filter bank analysis.....	25
5.1.2.1 Sub-band analysis	25
5.1.2.2 Sub-band energy estimation	26
5.1.3 Sample rate conversion to 12.8 kHz	27
5.1.3.1 Conversion of 16, 32 and 48 kHz signals to 12.8 kHz	27
5.1.3.2 Conversion of 8 kHz signals to 12.8 kHz.....	27
5.1.3.3 Conversion of input signals to 16, 25.6 and 32 kHz	29
5.1.4 Pre-emphasis.....	29
5.1.5 Spectral analysis	30
5.1.5.1 Windowing and DFT.....	30
5.1.5.2 Energy calculations	31
5.1.6 Bandwidth detection	32
5.1.6.1 Mean and maximum energy values per band.....	32
5.1.7 Bandwidth decision.....	34
5.1.8 Time-domain transient detection	37
5.1.9 Linear prediction analysis.....	38
5.1.9.1 LP analysis window	38
5.1.9.2 Autocorrelation computation.....	38
5.1.9.3 Adaptive lag windowing	38
5.1.9.4 Levinson-Durbin algorithm.....	39
5.1.9.5 Conversion of LP coefficients to LSP parameters	40
5.1.9.6 LSP interpolation	41

5.1.9.7	Conversion of LSP parameters to LP coefficients	41
5.1.9.8	LP analysis at 16kHz.....	42
5.1.10	Open-loop pitch analysis	43
5.1.10.1	Perceptual weighting	43
5.1.10.2	Correlation function computation	44
5.1.10.3	Correlation reinforcement with past pitch values.....	44
5.1.10.4	Normalized correlation computation.....	45
5.1.10.5	Correlation reinforcement with pitch lag multiples.....	46
5.1.10.6	Initial pitch lag determination and reinforcement based on pitch coherence with other half-frames.....	47
5.1.10.7	Pitch lag determination and parameter update	47
5.1.10.8	Correction of very short and stable open-loop pitch estimates	48
5.1.10.9	Fractional open-loop pitch estimate for each subframe.....	51
5.1.11	Background noise energy estimation	51
5.1.11.1	First stage of noise energy update	52
5.1.11.2	Second stage of noise energy update.....	53
5.1.11.2.1	Basic parameters for noise energy update	54
5.1.11.2.2	Spectral diversity	54
5.1.11.2.3	Complementary non-stationarity	55
5.1.11.2.4	HF energy content	55
5.1.11.2.5	Tonal stability.....	56
5.1.11.2.6	High frequency dynamic range.....	59
5.1.11.2.7	Combined decision for background noise energy update	59
5.1.11.3	Energy-based parameters for noise energy update	61
5.1.11.3.1	Closeness to current background estimate.....	61
5.1.11.3.2	Features related to last correlation or harmonic event	61
5.1.11.3.3	Energy-based pause detection	62
5.1.11.3.4	Long-term linear prediction efficiency	62
5.1.11.3.5	Additional long-term parameters used for noise estimation	63
5.1.11.4	Decision logic for noise energy update	64
5.1.12	Signal activity detection.....	67
5.1.12.1	SAD1 module.....	68
5.1.12.1.1	SNR outlier filtering	70
5.1.12.2	SAD2 module.....	71
5.1.12.3	Combined decision of SAD1 and SAD2 modules for WB and SWB signals	74
5.1.12.4	Final decision of the SAD1 module for NB signals	74
5.1.12.5	Post-decision parameter update.....	75
5.1.12.6	SAD3 module.....	76
5.1.12.6.1	Sub-band FFT.....	76
5.1.12.6.2	Computation of signal features.....	77
5.1.12.6.3	Computation of SNR parameters.....	80
5.1.12.6.4	Decision of background music	82
5.1.12.6.5	Decision of background update flag.....	82
5.1.12.6.6	SAD3 Pre-decision	83
5.1.12.6.7	SAD3 Hangover	85
5.1.12.7	Final SAD decision	85
5.1.12.8	DTX hangover addition.....	87
5.1.13	Coding mode determination.....	89
5.1.13.1	Unvoiced signal classification.....	91
5.1.13.1.1	Voicing measure	91
5.1.13.1.2	Spectral tilt	91
5.1.13.1.3	Sudden energy increase from a low energy level	92
5.1.13.1.4	Total frame energy difference	93
5.1.13.1.5	Energy decrease after spike	93
5.1.13.1.6	Decision about UC mode.....	94
5.1.13.2	Stable voiced signal classification.....	95
5.1.13.3	Signal classification for FEC.....	95
5.1.13.3.1	Signal classes for FEC.....	96
5.1.13.3.2	Signal classification parameters	96
5.1.13.3.3	Classification procedure	97
5.1.13.4	Transient signal classification	98
5.1.13.5	Modification of coding mode in special cases	99

5.1.13.6	Speech/music classification.....	100
5.1.13.6.1	First stage of the speech/music classifier.....	100
5.1.13.6.2	Scaling of features in the first stage of the speech/music classifier.....	102
5.1.13.6.3	Log-probability and decision smoothing.....	103
5.1.13.6.4	State machine and final speech/music decision.....	104
5.1.13.6.5	Improvement of the classification for mixed and music content.....	107
5.1.13.6.6	Second stage of the speech/music classifier.....	111
5.1.13.6.7	Context-based improvement of the classification for stable tonal signals.....	113
5.1.13.6.8	Detection of sparse spectral content.....	117
5.1.13.6.9	Decision about AC mode.....	119
5.1.13.6.10	Decision about IC mode.....	119
5.1.14	Coder technology selection.....	119
5.1.14.1	ACELP/MDCT-based technology selection at 9.6kbps, 16.4 and 24.4 kbps.....	120
5.1.14.1.1	Segmental SNR estimation of the MDCT-based technology.....	120
5.1.14.1.2	Segmental SNR estimation of the ACELP technology.....	126
5.1.14.1.3	Hysteresis and final decision.....	127
5.1.14.2	TCX/HQ MDCT technology selection at 13.2 and 16.4 kbps.....	128
5.1.14.3	TCX/HQ MDCT technology selection at 24.4 and 32 kbps.....	130
5.1.14.4	TD/Multi-mode FD BWE technology selection at 13.2 kbps and 32 kbps.....	133
5.2	LP-based Coding.....	134
5.2.1	Perceptual weighting.....	134
5.2.2	LP filter coding and interpolation.....	135
5.2.2.1	LSF quantization.....	135
5.2.2.1.1	LSF weighting function.....	135
5.2.2.1.2	Bit allocation.....	138
5.2.2.1.3	Predictor allocation.....	139
5.2.2.1.4	LSF quantizer structure.....	139
5.2.2.1.5	LSFQ for voiced coding mode at 16 kHz internal sampling frequency : BC-TCVQ.....	144
5.2.2.1.6	Mid-frame LSF quantizer.....	150
5.2.3	Excitation coding.....	151
5.2.3.1	Excitation coding in the GC, VC and high rate IC/UC modes.....	151
5.2.3.1.1	Computation of the LP residual signal.....	152
5.2.3.1.2	Target signal computation.....	153
5.2.3.1.3	Impulse response computation.....	153
5.2.3.1.4	Adaptive codebook.....	153
5.2.3.1.5	Algebraic codebook.....	156
5.2.3.1.6	Combined algebraic codebook.....	166
5.2.3.1.7	Gain quantization.....	180
5.2.3.2	Excitation coding in TC mode.....	185
5.2.3.2.1	Glottal pulse codebook search.....	185
5.2.3.2.2	TC frame configurations.....	189
5.2.3.3	Excitation coding in UC mode at low rates.....	194
5.2.3.3.1	Structure of the Gaussian codebook.....	194
5.2.3.3.2	Correction of the Gaussian codebook spectral tilt.....	195
5.2.3.3.3	Search of the Gaussian codebook.....	196
5.2.3.3.4	Quantization of the Gaussian codevector gain.....	197
5.2.3.3.5	Other parameters in UC mode.....	198
5.2.3.3.6	Update of filter memories.....	198
5.2.3.4	Excitation coding in IC and UC modes at 9.6 kbps.....	198
5.2.3.4.1	Algebraic codebook.....	199
5.2.3.4.2	Gaussian noise generation.....	200
5.2.3.4.3	Gain coding.....	200
5.2.3.4.4	Memory update.....	202
5.2.3.5	Excitation coding in GSC mode.....	202
5.2.3.5.1	Determining the subframe length.....	203
5.2.3.5.2	Computing time-domain excitation contribution.....	203
5.2.3.5.3	Frequency transform of residual and time-domain excitation contribution.....	204
5.2.3.5.4	Computing energy dynamics of transformed residual and quantization of noise level.....	205
5.2.3.5.6	Find and encode the cut-off frequency.....	205
5.2.3.5.7	Band energy computation and quantization.....	207
5.2.3.5.8	PVQ Bit allocation.....	207
5.2.3.5.9	Quantization of difference signal.....	208

5.2.3.5.10	Spectral dynamic and noise filling	208
5.2.3.5.11	Quantized gain addition, temporal and frequency contributions combination	208
5.2.3.5.12	Specifics for wideband 8kbps	209
5.2.3.5.13	Inverse DCT	210
5.2.3.5.14	Remove pre-echo in case of onset detection	210
5.2.4	Bass post-filter gain quantization	211
5.2.5	Source Controlled VBR Coding	211
5.2.5.1	Principles of VBR Coding	211
5.2.5.2	EVS VBR Encoder Coding Modes and Bit-Rates	212
5.2.5.3	Prototype-Pitch-Period (PPP) Encoding	212
5.2.5.3.1	PPP Algorithm	212
5.2.5.3.2	Amplitude Quantization	214
5.2.5.3.3	Phase Quantization	214
5.2.5.4	Noise-Excited-Linear-Prediction (NELP) Encoding	214
5.2.5.5	Average Data Rate (ADR) Control for the EVS VBR mode	214
5.2.6	Coding of upper band for LP-based Coding Modes	218
5.2.6.1	Bandwidth extension in time domain	218
5.2.6.1.1	High band target signal generation	219
5.2.6.1.2	TBE LP analysis	220
5.2.6.1.3	Quantization of linear prediction parameters	222
5.2.6.1.4	Interpolation of LSF coefficients	225
5.2.6.1.5	Target and residual energy calculation and quantization	227
5.2.6.1.6	Generation of the upsampled version of the lowband excitation	227
5.2.6.1.7	Non-Linear Excitation Generation	228
5.2.6.1.8	Spectral flip of non-linear excitation in time domain	229
5.2.6.1.9	Down-sample using all-pass filters	229
5.2.6.1.10	Adaptive spectral whitening	230
5.2.6.1.11	Envelope modulated noise mixing	230
5.2.6.1.12	Spectral shaping of the noise added excitation	232
5.2.6.1.13	Post processing of the shaped excitation	233
5.2.6.1.14	Estimation of temporal gain shape parameters	234
5.2.6.1.15	Estimation of frame gain parameters	237
5.2.6.1.16	Estimation of TEC/TFA envelope parameters	239
5.2.6.1.17	Estimation of full-band frame energy parameters	241
5.2.6.2	Multi-mode FD Bandwidth Extension Coding	243
5.2.6.2.1	SWB/FB Multi-mode FD Bandwidth Extension	244
5.2.6.2.2	WB Multi-mode FD Bandwidth Extension	254
5.2.6.3	Coding of upper band at 64 kb/s	258
5.2.6.3.1	Coding in normal mode	258
5.2.6.3.2	Coding in transient mode	262
5.3	MDCT Coding Mode	265
5.3.1	General description	265
5.3.2	Time-to-frequency transformations	265
5.3.2.1	Transform sizes and MDCT configurations	265
5.3.2.2	Long block transformation (ALDO window)	265
5.3.2.2.1	Folding and on-the-fly window decimation	267
5.3.2.2.2	eDCT	269
5.3.2.3	Transient location dependent overlap and transform length	271
5.3.2.4	Short block transformation	272
5.3.2.4.2	Short window transform for MDCT based TCX	276
5.3.2.5	Special window transitions	277
5.3.2.5.1	ALDO to short transition	277
5.3.2.5.2	Short to ALDO transition	277
5.3.2.6	Modified Discrete Sine Transform	277
5.3.3	MDCT based TCX	278
5.3.3.1	General description	278
5.3.3.1.1	High level overview	278
5.3.3.1.2	Rate dependent configuration	278
5.3.3.2	General encoding procedure	279
5.3.3.2.1	LPC parameter calculation	279
5.3.3.2.2	Temporal Noise Shaping	283
5.3.3.2.3	LPC shaping in MDCT domain	284

5.3.3.2.4	Adaptive low frequency emphasis.....	288
5.3.3.2.5	Spectrum noise measure in power spectrum.....	289
5.3.3.2.6	Low pass factor detector.....	289
5.3.3.2.7	Uniform quantizer with adaptive dead-zone.....	290
5.3.3.2.8	Arithmetic coder.....	290
5.3.3.2.9	Global gain coding.....	302
5.3.3.2.10	Noise Filling.....	303
5.3.3.2.11	Intelligent Gap Filling.....	305
5.3.3.2.12	Memory updates.....	320
5.3.3.2.13	Global Gain Adjuster.....	320
5.3.4	High Quality MDCT coder (HQ).....	321
5.3.4.1	Low-rate HQ coder.....	321
5.3.4.1.1	Tonality Estimation.....	322
5.3.4.1.2	Grouping of spectral coefficients.....	322
5.3.4.1.3	Energy Envelope coding.....	326
5.3.4.1.4	MDCT coefficients quantization.....	332
5.3.4.2	High-rate HQ coder.....	369
5.3.4.2.1	Normal Mode.....	371
5.3.4.2.2	Transient Mode.....	380
5.3.4.2.3	Generic, Harmonic and HVQ mode detector.....	381
5.3.4.2.4	Harmonic Mode.....	383
5.3.4.2.5	HVQ.....	383
5.3.4.2.6	Generic Mode.....	386
5.3.4.2.7	Pyramid Vector Quantization (PVQ) and indexing.....	393
5.4	Switching of Coding Modes.....	404
5.4.1	General description.....	404
5.4.2	MDCT coding mode to CELP coding mode.....	404
5.4.2.1	MDCT to CELP transition 1 (MC1).....	405
5.4.2.2	MDCT to CELP transition 2 (MC2).....	405
5.4.2.3	MDCT to CELP transition 3 (MC3).....	405
5.4.3	CELP coding mode to MDCT coding mode.....	405
5.4.3.1	CELP coding mode to MDCT based TCX coding mode.....	405
5.4.3.2	CELP coding mode to HQ MDCT coding mode.....	406
5.4.3.2.1	Constrained CELP coding and simplified BWE coding.....	406
5.4.3.2.2	HQ MDCT coding with a modified analysis window.....	407
5.4.4	Internal sampling rate switching.....	408
5.4.4.1	Reset of LPC memory.....	408
5.4.4.2	Conversion of LP filter between 12.8 and 16 kHz internal sampling rates.....	408
5.5.4.1.1	Modification of the Power Spectrum.....	408
5.5.4.1.2	Computation of the Power Spectrum.....	409
5.5.4.1.3	Computation of the Autocorrelation.....	410
5.4.4.3	Extrapolation of LP filter.....	411
5.4.4.4	Buffer resampling with linear interpolation.....	411
5.4.4.5	Update of CELP input signal memories.....	411
5.4.4.6	Update of MDCT-based TCX input signal memories.....	412
5.4.4.7	Update of CELP synthesis memories.....	412
5.4.5	EVS primary and AMR-WB IO.....	412
5.4.5.1	Switching from primary modes to AMR-WB IO.....	412
5.4.5.2	Switching from AMR-WB IO mode to primary modes.....	413
5.4.6	Rate switching.....	413
5.4.6.1	Rate switching along with internal sampling rate switching.....	413
5.4.6.2	Rate switching along with coding mode switching.....	413
5.5	Frame erasure concealment side information.....	414
5.5.1	Signal classification parameter.....	414
5.5.2	Energy information.....	414
5.5.3	Phase control information.....	415
5.5.4	Pitch lag information.....	415
5.5.5	Spectral envelope diffuser.....	416
5.5.6	Tonality flag information.....	417
5.6	DTX/CNG operation.....	418
5.6.1	Overview.....	418
5.6.1.1	SID update.....	419

5.6.1.2	Spectral tilt based SID transmission.....	420
5.6.1.3	CNG selector.....	421
5.6.2	Encoding for LP-CNG	421
5.6.2.1	LP-CNG CN parameters estimation.....	422
5.6.2.1.1	LP-CNG Hangover analysis period determination	422
5.6.2.1.2	LP-CNG filter parameters evaluation for low-band signal.....	422
5.6.2.1.3	LP-CNG CNG-LSF quantization for low-band signal	423
5.6.2.1.4	LP-CNG synthesis filter computation for local CNG synthesis	424
5.6.2.1.5	LP-CNG energy calculation and quantization	425
5.6.2.1.6	LP-CNG energy smoothing for local CNG synthesis.....	426
5.6.2.1.7	LP-CNG LF-BOOST determination and quantization	426
5.6.2.1.8	LP-CNG high band analysis and quantization.....	427
5.6.2.2	LP-CNG local CNG synthesis.....	429
5.6.2.3	LP-CNG CNG Memory update.....	429
5.6.3	Encoding for FD-CNG.....	429
5.6.3.1	Spectral partition energies.....	430
5.6.3.1.1	Computation of the FFT partition energies.....	430
5.6.3.1.2	Computation of the CLDFB partition energies.....	430
5.6.3.1.3	FD-CNG configurations	430
5.6.3.2	FD-CNG noise estimation.....	431
5.6.3.2.1	Dynamic range compression for the input energies.....	431
5.6.3.2.2	Noise tracking.....	431
5.6.3.2.3	Dynamic range expansion for the estimated noise energies	436
5.6.3.3	Adjusting the first SID frame in FD-CNG	436
5.6.3.4	FD-CNG resetting mechanism.....	436
5.6.3.5	Encoding SID frames in FD-CNG	436
5.6.3.6	FD-CNG local CNG synthesis	438
5.6.3.6.1	SID parameters interpolation.....	439
5.6.3.6.2	LPC estimation from the interpolated SID parameters.....	439
5.6.3.6.3	FD-CNG encoder comfort noise generation.....	439
5.6.3.6.4	FD-CNG encoder memory update.....	439
5.7	AMR-WB-interoperable modes	440
5.7.1	Pre-processing.....	440
5.7.2	Linear prediction analysis and quantization.....	440
5.7.2.1	Windowing and auto-correlation computation.....	440
5.7.2.2	Levinson-Durbin algorithm.....	440
5.7.2.3	LP to ISP conversion.....	440
5.7.2.4	ISP to LP conversion.....	441
5.7.2.5	Quantization of the ISP coefficients.....	441
5.7.2.6	Interpolation of the ISPs.....	441
5.7.3	Perceptual weighting.....	441
5.7.4	Open-loop pitch analysis	441
5.7.5	Impulse response computation.....	441
5.7.6	Target signal computation	441
5.7.7	Adaptive codebook search	442
5.7.8	Algebraic codebook search	442
5.7.9	Quantization of the adaptive and fixed codebook gains	442
5.7.10	Memory update	442
5.7.11	High-band gain generation.....	442
5.7.12	CNG coding	442
5.8	Channel Aware Coding	442
5.8.1	Introduction.....	442
5.8.2	Principles of Channel Aware Coding.....	443
5.8.3	Bit-Rate Allocation for Primary and Partial Redundant Frame Coding	444
5.8.3.1	Primary frame bit-rate reduction	444
5.8.3.2	Partial Redundant Frame Coding	444
5.8.3.2.1	Construction of partial redundant frame for Generic and Voiced Coding modes	444
5.8.3.2.2	Construction of partial redundant frame for Unvoiced Coding mode	444
5.8.3.2.3	Construction of partial redundant frame for TCX frame	445
5.8.3.2.4	RF_NO_DATA partial redundant frame type	445
5.8.3.3	Decoding	445
5.8.4	Channel aware mode encoder configurable parameters.....	445

6	Functional description of the Decoder	447
6.1	LP-based Decoding	447
6.1.1	General LP-based decoding	447
6.1.1.1	LSF decoding	447
6.1.1.1.1	General LSF decoding	447
6.1.1.1.2	LSF decoding for voiced coding mode at 16 kHz internal sampling frequency	450
6.1.1.2	Reconstruction of the excitation	452
6.1.1.2.1	Reconstruction of the excitation in GC and VC modes and high rate IC/UC modes	452
6.1.1.2.2	Reconstruction of the excitation in TC mode	459
6.1.1.2.3	Reconstruction of the excitation in UC mode at low rates	459
6.1.1.2.4	Reconstruction of the excitation in IC/UC mode at 9.6 kbps	461
6.1.1.2.5	Reconstruction of the excitation in GSC	462
6.1.1.3	Excitation post-processing	463
6.1.1.3.1	Anti-sparseness processing	463
6.1.1.3.2	Gain smoothing for noise enhancement	463
6.1.1.3.3	Pitch enhancer	464
6.1.1.3.4	Music post processing	465
6.1.2	Source Controlled VBR decoding	472
6.1.3	Synthesis	472
6.1.4	Post-processing	473
6.1.4.1.1	Long-term post-filter	473
6.1.4.1.2	Short-term post-filter	474
6.1.4.1.3	Post-filter NB parameters	475
6.1.4.1.4	Post-filter WB and SWB parameters	475
6.1.4.1.5	Tilt compensation	476
6.1.4.1.6	Adaptive gain control	476
6.1.4.2	Bass post-filter	477
6.1.5	Decoding of upper band for LP-based Coding Modes	479
6.1.5.1	Decoding Time-domain Bandwidth Extension	479
6.1.5.1.1	Generation of the upsampled version of the lowband excitation	479
6.1.5.1.2	Non-Linear Excitation Generation	480
6.1.5.1.3	De-quantization of high band parameters	481
6.1.5.1.4	LSP interpolation	481
6.1.5.1.5	Spectral flip in time domain	481
6.1.5.1.6	Down-sample using all-pass filters	482
6.1.5.1.7	Adaptive spectral whitening	482
6.1.5.1.8	Envelope modulated noise mixing	483
6.1.5.1.9	Spectral shaping of the noise added excitation	484
6.1.5.1.10	Post processing of the shaped excitation	484
6.1.5.1.11	Gain shape update	485
6.1.5.1.12	SHB synthesis	485
6.1.5.1.13	Core-switching and high-band memory updates	487
6.1.5.1.14	TEC/TFA post processing	487
6.1.5.1.15	Full-band synthesis	489
6.1.5.2	Multi-mode FD Bandwidth Extension decoding	490
6.1.5.2.1	SWB multi-mode FD BWE decoding	490
6.1.5.2.2	WB multi-mode FD BWE decoding	497
6.1.5.3	Decoding of upper band at 64 kb/s	505
6.1.5.3.1	Decoding in normal mode	506
6.1.5.3.2	Decoding in transient mode	511
6.1.5.3.3	Windowing and frequency-to-time transformation	513
6.1.5.3.4	Post-processing in temporal domain	513
6.2	MDCT Coding mode decoding	515
6.2.1	General MDCT decoding	515
6.2.2	MDCT based TCX	515
6.2.2.1	Rate dependent configurations	515
6.2.2.2	Init module parameters	515
6.2.2.2.1	TCX block configuration	515
6.2.2.2.2	LPC parameter	515
6.2.2.2.3	PLC Waveform adjustment	516
6.2.2.2.4	Global Gain	516
6.2.2.2.5	Noise fill parameter	517

6.2.2.2.6	LTP.....	517
6.2.2.2.7	TNS parameter.....	517
6.2.2.2.8	Harmonic model.....	517
6.2.2.2.9	IGF bit stream reader.....	517
6.2.2.2.10	Spectral data.....	520
6.2.2.2.11	Residual bits.....	520
6.2.2.3	Decoding process.....	520
6.2.2.3.1	Arithmetic decoder.....	520
6.2.2.3.2	Adaptive low frequency de-emphasis.....	522
6.2.2.3.3	Global gain decoding.....	523
6.2.2.3.4	Residual bits decoding.....	523
6.2.2.3.5	TCX formant enhancement.....	524
6.2.2.3.6	Noise Filling.....	524
6.2.2.3.7	Apply global gain and LPC shaping in MDCT domain.....	525
6.2.2.3.8	IGF apply.....	526
6.2.2.3.9	Inverse window grouping (TCX5 separation).....	531
6.2.2.3.10	Temporal Noise Shaping.....	532
6.2.2.3.11	IGF temporal flattening.....	532
6.2.3	High Quality MDCT decoder (HQ).....	533
6.2.3.1	Low-rate HQ decoder.....	533
6.2.3.1.1	Mode decoding.....	533
6.2.3.1.2	Energy Envelope decoding.....	533
6.2.3.1.3	Spectral coefficients decoding.....	535
6.2.3.2	High-rate HQ decoder.....	545
6.2.3.2.1	Normal Mode.....	545
6.2.3.2.2	Transient Mode.....	554
6.2.3.2.3	Harmonic Mode.....	554
6.2.3.2.4	HVQ.....	557
6.2.3.2.5	Generic Mode.....	558
6.2.3.2.6	PVQ decoding and de-indexing.....	563
6.2.4	Frequency-to-time transformation.....	565
6.2.4.1	Long block transformation (ALDO window).....	565
6.2.4.1.1	eDCT.....	565
6.2.4.1.2	Unfolding and windowing.....	565
6.2.4.1.3	Overlap-add.....	566
6.2.4.1.4	Pre-echo attenuation.....	567
6.2.4.2	Transient location dependent overlap and transform length.....	573
6.2.4.3	Short block transformation.....	573
6.2.4.3.1	Short window transform in TDA domain.....	573
6.2.4.3.2	Short window transform for MDCT based TCX.....	574
6.2.4.4	Special window transitions.....	574
6.2.4.4.1	ALDO to short transition.....	574
6.2.4.4.2	Short to ALDO transition.....	575
6.2.4.5	Low Rate MDCT Synthesis.....	575
6.3	Switching coding modes in decoding.....	575
6.3.1	General description.....	575
6.3.2	MDCT coding mode to CELP coding mode.....	576
6.3.2.1	MDCT to CELP transition 1 (MC1).....	576
6.3.2.2	MDCT to CELP transition 2 (MC2).....	577
6.3.2.3	MDCT to CELP transition 3 (MC3).....	577
6.3.3	CELP coding mode to MDCT coding mode.....	577
6.3.3.1	CELP coding mode to MDCT based TCX coding mode.....	578
6.3.3.2	CELP coding mode to HQ MDCT coding mode.....	579
6.3.3.2.1	Constrained CELP decoding and simplified BWE decoding.....	580
6.3.3.2.1.1	Optimized cubic interpolation.....	580
6.3.3.2.2	HQ MDCT decoding with a modified synthesis window.....	581
6.3.3.2.3	Cross-fading.....	581
6.3.4	Internal sampling rate switching.....	581
6.3.4.1	Reset of LPC memory.....	581
6.3.4.2	Conversion of LP filter between 12.8 and 16 kHz internal sampling rates.....	581
6.3.4.3	Extrapolation of LP filter.....	582
6.3.4.4	Update of CELP synthesis memories.....	582

6.3.4.5	Update of CELP decoded past signal	582
6.3.4.6	Post-processing	582
6.3.4.6.1	Adaptive post-filtering	582
6.3.4.6.2	Bass post filter.....	582
6.3.4.7	CLDFB	582
6.3.5	EVS primary modes and AMR-WB IO	582
6.3.5.1	Switching from primary modes to AMR-WB IO	582
6.3.5.2	Switching from AMR-WB IO mode to primary modes	583
6.3.6	Rate switching	583
6.3.6.1	Rate switching along with internal sampling rate switching	583
6.3.6.2	Rate switching along with coding mode switching	583
6.3.6.3	Adaptive post-filter reset and smoothing	583
6.3.7	Bandwidth switching	583
6.3.7.1	Bandwidth switching detector.....	583
6.3.7.2	Super wideband switching to wideband.....	584
6.3.7.2.1	TBE mode.....	584
6.3.7.2.2	Multi-mode FD BWE mode	586
6.3.7.2.3	MDCT core.....	587
6.3.7.3	Wideband switching to super wideband.....	587
6.4	De-emphasis	587
6.5	Resampling to the output sampling frequency	587
6.6	Decoding of frame erasure concealment side information	587
6.7	Decoding in DTX/CNG operation.....	588
6.7.1	Overview	588
6.7.2	Decoding for LP-CNG.....	588
6.7.2.1	LP-CNG decoding Overview	588
6.7.2.1.1	CNG parameter updates in active periods	588
6.7.2.1.2	DTX-hangover based parameter analysis in LP-CNG mode.....	589
6.7.2.1.3	LP-CNG low-band energy decoding	591
6.7.2.1.4	LP-CNG low-band filter parameters decoding	591
6.7.2.1.5	LP-CNG low-band excitation generation	591
6.7.2.1.6	LP-CNG low-band synthesis	593
6.7.2.1.7	LP-CNG high-band decoding and synthesis.....	593
6.7.2.2	Memory update	595
6.7.3	Decoding for FD-CNG	595
6.7.3.1	Decoding SID frames in FD-CNG	595
6.7.3.1.1	SID parameters decoding.....	596
6.7.3.1.2	SID parameters interpolation.....	596
6.7.3.1.3	LPC estimation from the interpolated SID parameters.....	597
6.7.3.2	Noise tracking during active frames in FD-CNG.....	597
6.7.3.2.1	Spectral partition energies	597
6.7.3.2.2	FD-CNG noise estimation	598
6.7.3.2.3	Noise shaping in FD-CNG	598
6.7.3.3	Noise generation for SID or zero frames in FD-CNG	600
6.7.3.3.1	Update of the noise levels for FD-CNG	600
6.7.3.3.2	Comfort noise generation in the frequency domain.....	600
6.7.3.3.3	Comfort noise generation in the time domain	600
6.7.3.3.4	FD-CNG decoder memory update.....	602
6.8	AMR-WB-interoperable modes	603
6.8.1	Decoding and speech synthesis.....	603
6.8.1.1	Excitation decoding.....	603
6.8.1.2	Excitation post-processing	604
6.8.1.2.1	Anti-sparseness processing.....	604
6.8.1.2.2	Gain smoothing for noise enhancement	604
6.8.1.2.3	Pitch enhancer	604
6.8.1.3	Synthesis filtering	604
6.8.1.4	Music and Unvoiced/inactive Post-processing.....	604
6.8.1.4.1	Music post processing	604
6.8.1.4.2	Unvoiced and inactive post processing.....	605
6.8.1.5	Synthesis filtering and overwriting the current CELP synthesis	608
6.8.1.6	Formant post-filter	608
6.8.1.7	Comfort noise addition.....	608

6.8.1.8	Bass post-filter	608
6.8.2	Resampling	609
6.8.3	High frequency band.....	609
6.8.3.1	Preliminary estimation steps	609
6.8.3.1.1	Estimation of tilt, figure of merit and voice factors.....	610
6.8.3.1.2	Estimation of sub-frame gains based on LP spectral envelopes	611
6.8.3.2	Generation of high-band excitation.....	614
6.8.3.2.1	DCT	614
6.8.3.2.2	High band generation	614
6.8.3.2.3	Extraction of tonal and ambiance components	616
6.8.3.2.4	Recombination.....	617
6.8.3.2.5	Filtering in DCT domain	618
6.8.3.2.6	Inverse DCT	619
6.8.3.2.7	Gain computation and scaling of excitation	619
6.8.3.3	LP filter for the high frequency band	621
6.8.3.4	High band synthesis	621
6.8.4	CNG decoding	622
6.9	Common post-processing	622
6.9.1	Comfort noise addition	622
6.9.1.1	Noisy speech detection.....	622
6.9.1.2	Noise estimation for CNA.....	623
6.9.1.2.1	CNA noise estimation in DTX-on mode when FD-CNG is triggered.....	623
6.9.1.2.2	CNA noise estimation in DTX-on mode when LP-CNG is triggered	623
6.9.1.2.3	CNA noise estimation in DTX-off mode.....	623
6.9.1.3	Noise generation in the FFT domain and addition in the time domain	623
6.9.1.4	Noise generation and addition in the MDCT domain	624
6.9.2	Long term prediction processing	624
6.9.2.1	Decoding LTP parameters.....	624
6.9.2.2	LTP post filtering	625
6.9.3	Complex low delay filter bank synthesis	627
6.9.4	High pass filtering.....	628
7	Description of the transmitted parameter indices	628
7.1	Bit allocation for the default option.....	628
7.1.1	Bit allocation at VBR 5.9, 7.2 – 9.6 kbps	628
7.1.2	Bit allocation at 13.2 kbps	628
7.1.3	Bit allocation at 16.4 and 24.4 kbps.....	629
7.1.4	Bit allocation at 32 kbps	630
7.1.5	Bit allocation at 48, 64, 96 and 128 kbps.....	631
7.2	Bit allocation for SID frames in the DTX operation	631
7.3	Bit allocation for the AMR-WB-interoperable option.....	632
7.4	Bit Allocation for the Channel-Aware Mode	632
Annex A (normative):	RTP Payload Format and SDP Parameters	634
A.0	General	634
A.1	RTP Header Usage	634
A.2	EVS RTP Payload Format.....	634
A.2.1	EVS codec Compact Format	634
A.2.1.1	Compact format for EVS Primary mode.....	635
A.2.1.2	Compact format for EVS AMR-WB IO mode (except SID).....	635
A.2.1.2.1	Representation of Codec Mode Request (CMR) in Compact format for EVS AMR-WB IO mode ...	635
A.2.1.2.2	Payload structure of Compact EVS AMR-WB IO mode frame.....	636
A.2.1.3	Special case for 56 bit payload size (EVS Primary or EVS AMR-WB IO SID)	637
A.2.2	EVS codec Header-Full format	637
A.2.2.1	EVS RTP payload structure	637
A.2.2.1.1	CMR byte.....	638
A.2.2.1.2	ToC byte.....	640
A.2.2.1.3	Speech Data.....	642
A.2.2.1.4	Zero padding	642
A.2.2.1.4.1	Zero padding for octet alignment of speech data (EVS AMR-WB IO).....	642

A.2.2.1.4.2	Zero padding for size collision avoidance	642
A.2.2.1.4.3	Additional zero padding	642
A.2.3	Header-Full/Compact format handling.....	642
A.2.3.1	Default format handling.....	643
A.2.3.2	Header-Full-only format handling	643
A.2.4	AMR-WB backward compatible EVS AMR-WB IO mode format	643
A.2.5	Sessions with multiple mono channels.....	643
A.2.5.1	Encoding of multiple mono channels.....	643
A.2.5.2	RTP header usage	643
A.2.5.3	Construction of the RTP payload.....	643
A.2.6	Storage Format	644
A.2.6.1	Header.....	644
A.2.6.2	Speech Frames	645
A.3	Payload Format Parameters.....	645
A.3.1	EVS Media Type Registration.....	645
A.3.2	Mapping Media Type Parameters into SDP	648
A.3.3	Detailed Description of Usage of SDP Parameters	648
A.3.3.1	Offer-Answer Model Considerations.....	648
A.3.3.2	Examples	650
A.3.3.3	Interactions of the dtx and dtx-recv parameters.....	651
Annex B (informative):	Change history	652
History		653

Sample Document

get full document from standards.iteh.ai

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Sample Document

get full document from standards.iteh.ai