

ETSI TS 126 512 V19.2.0 (2026-04)



TECHNICAL SPECIFICATION

**5G;
5G Media Streaming (5GMS);
Protocols
(3GPP TS 26.512 version 19.2.0 Release 19)**

Sample Document
get full document from standards.iteh.ai



Reference

RTS/TSGS-0426512vj20

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	14
1 Scope	16
2 References	16
3 Definitions of terms, symbols and abbreviations	19
3.1 Terms.....	19
3.3 Abbreviations	19
4 Procedures for Downlink Media Streaming.....	20
4.1 General	20
4.2 APIs relevant to downlink media streaming.....	21
4.3 Procedures of the M1 (5GMS Provisioning) interface	22
4.3.1 General.....	22
4.3.2 Provisioning Session procedures	23
4.3.2.1 General	23
4.3.2.2 Void.....	23
4.3.2.3 Void.....	23
4.3.2.4 Void.....	23
4.3.2.5 Void.....	23
4.3.3 Content Hosting provisioning procedures.....	23
4.3.3.1 General	23
4.3.3.2 Void.....	23
4.3.3.3 Void.....	23
4.3.3.4 Void.....	23
4.3.3.5 Void.....	23
4.3.3.6 Void.....	23
4.3.3A Content Publishing provisioning procedures	23
4.3.3A.1 General	23
4.3.4 Content Protocols Discovery procedures.....	24
4.3.4.1 General	24
4.3.4.2 Void.....	24
4.3.4.3 Void.....	24
4.3.4.4 Void.....	24
4.3.4.5 Void.....	24
4.3.5 Content Preparation Template provisioning procedures.....	24
4.3.5.1 General	24
4.3.5.2 Void.....	24
4.3.5.3 Void.....	24
4.3.5.4 Void.....	24
4.3.5.5 Void.....	24
4.3.6 Server Certificate provisioning procedures.....	24
4.3.6.1 General	24
4.3.6.2 Void.....	25
4.3.6.3 Void.....	25
4.3.6.4 Void.....	25
4.3.6.5 Void.....	25
4.3.6.6 Void.....	25
4.3.6.7 Void.....	25
4.3.7 Dynamic Policy provisioning procedures	26
4.3.7.1 General	26
4.3.7.2 Void.....	26
4.3.7.3 Void.....	26
4.3.7.4 Void.....	26

4.3.7.5	Void.....	26
4.3.8	Consumption Reporting Configuration provisioning procedures	26
4.3.8.1	General	26
4.3.8.2	Void.....	26
4.3.8.3	Void.....	26
4.3.8.4	Void.....	26
4.3.8.5	Void.....	26
4.3.9	Metrics Reporting provisioning procedures.....	26
4.3.9.1	General	26
4.3.9.2	Void.....	26
4.3.9.3	Void.....	26
4.3.9.4	Void.....	26
4.3.9.5	Void.....	26
4.3.10	Edge Resources provisioning procedures	27
4.3.10.1	General	27
4.3.10.2	Void.....	27
4.3.10.3	Void.....	27
4.3.10.4	Void.....	27
4.3.10.5	Void.....	27
4.3.11	Event Data Processing provisioning procedures.....	27
4.3.11.1	General	27
4.3.11.2	Void.....	27
4.3.11.3	Void.....	27
4.3.11.3A	Void.....	27
4.3.11.4	Void.....	27
4.4	Procedures of the M2d (5GMS content ingest) interface	27
4.5	Procedures of the M3d interface.....	28
4.5.1	General.....	28
4.5.2	Server Certificate configuration procedures	28
4.5.2.1	General	28
4.5.2.2	Enumerate Server Certificates collection	28
4.5.2.3	Create Server Certificate	28
4.5.2.4	Retrieve Server Certificate	28
4.5.2.5	Update Server Certificate	28
4.5.2.6	Destroy Server Certificate	29
4.5.3	Content Preparation Template configuration procedures.....	29
4.5.3.1	General	29
4.5.3.2	Enumerate Content Preparation Templates collection	29
4.5.3.3	Create Content Preparation Template	29
4.5.3.4	Retrieve Content Preparation Template	30
4.5.3.5	Update Content Preparation Template	30
4.5.3.6	Destroy Content Preparation Template	30
4.5.4	Content Hosting Configuration procedures	30
4.5.4.1	General	30
4.5.4.2	Enumerate Content Hosting Configurations collection.....	31
4.5.4.3	Create Content Hosting Configuration.....	31
4.5.4.4	Retrieve Content Hosting Configuration.....	31
4.5.4.5	Update Content Hosting Configuration.....	31
4.5.4.6	Destroy Content Hosting Configuration.....	32
4.5.4.7	(De)activate Content Hosting Configuration	32
4.5.4.8	Interrogate Content Hosting Configuration state	32
4.5.4.9	Purge Content Hosting cache	32
4.5.5	Content Publishing Configuration procedures.....	33
4.5.5.1	General	33
4.5.5.2	Enumerate Content Publishing Configurations collection	33
4.5.5.3	Create Content Publishing Configuration	33
4.5.5.4	Retrieve Content Publishing Configuration	34
4.5.5.5	Update Content Publishing Configuration	34
4.5.5.6	Destroy Content Publishing Configuration	34
4.5.5.7	(De)activate Content Publishing Configuration	34
4.5.5.8	Interrogate Content Publishing Configuration state	35
4.5.5.9	Purge Content Publishing cache.....	35

4.5.6	Service Access Information procedures.....	35
4.5.7	Dynamic policy invocation procedures.....	36
4.5.8	Consumption reporting procedures.....	36
4.5.9	Metrics reporting procedures.....	36
4.5.10	Network Assistance procedures.....	36
4.6	Procedures of the M4d (Media Streaming) interface.....	36
4.6.0	General.....	36
4.6.0.1	ECN marking for L4S.....	36
4.6.1	Procedures for DASH session.....	36
4.6.2	Procedures for Progressive Download Session.....	37
4.6.3	Procedures for using multiple service locations.....	37
4.7	Procedures of the M5 (Media Session Handling) interface.....	38
4.7.1	Introduction.....	38
4.7.2	Procedures for Service Access Information.....	38
4.7.2.1	General.....	38
4.7.2.2	Void.....	39
4.7.2.3	Void.....	39
4.7.2.4	Void.....	39
4.7.2.5	Void.....	39
4.7.3	Procedures for dynamic policy invocation.....	39
4.7.4	Procedures for consumption reporting.....	40
4.7.5	Procedures for metrics reporting.....	40
4.7.6	Procedures for network assistance.....	40
4.8	Procedures of the M6d (UE Media Session Handling) interface.....	41
4.8.1	General.....	41
4.8.2	Consumption reporting procedures.....	41
4.8.3	3GPP Service URL handling procedures.....	41
4.8.3.1	Launch of 5G Media Streaming session.....	41
4.8.3.2	Retrieval of Service Access Information from 5GMS AF.....	41
4.8.3.3	Processing of 5GMS-specific parameters in 3GPP Service URL.....	42
4.8.3.4	Responding to the requesting application.....	42
4.9	Procedures of the M7d/M11d (UE Media Player) interface.....	43
4.9.1	General.....	43
4.9.1A	Procedures for configuring downlink content delivery.....	43
4.9.2	Metrics reporting procedures.....	43
4.9.3	Dynamic Policy procedures.....	44
4.10	Procedures of the M8d interface.....	44
4.10A	Procedures of the M10d interface.....	44
4.10B	Procedures of the M13d interface.....	44
4.11	Data collection and reporting procedures at reference point R4.....	44
4.11.1	General.....	44
4.11.2	5GMS AS data collection and reporting client configuration.....	44
4.11.3	5GMS AS data reporting.....	45
4.11A	Data collection and reporting procedures at reference point R2.....	45
4.11A.1	General.....	45
4.11A.2	Data collection and reporting client configuration.....	45
4.11A.3	ANBR-based Network Assistance invocation reporting.....	46
4.12	Event Exposure procedures at reference points R5 and R6.....	46
4.12.1	General.....	46
4.12.2	Event Exposure subscription procedure.....	47
4.12.3	Event Exposure unsubscription procedure.....	47
4.12.4	Event Exposure notification procedure.....	47
4.13	Procedures for downlink media streaming via eMBMS.....	47
4.14	Procedures for downlink media streaming via MBS.....	48
5	Procedures for Uplink Media streaming.....	49
5.1	General.....	49
5.2	APIs relevant to Uplink Media Streaming.....	50
5.3	Procedures of the M1u (5GMSu Provisioning) interface.....	50
5.4	Procedures of the M2u (5GMSu content egest) interface.....	51
5.5	Procedures of the M3u interface.....	51
5.6	Procedures of the M4u (Media Streaming) interface.....	51

5.6.1	General.....	51
5.6.2	ECN marking for L4S.....	51
5.7	Procedures of the M5u (Media Session Handling) interface.....	51
5.8	Procedures of the M6u (UE Media Session Handling) interface.....	51
5.9	Procedures of the M7u/M11u (UE Media Streamer) interface.....	51
5.9.1	General.....	51
5.9.2	Procedures for configuring uplink content delivery.....	52
5.10	Procedures of the M8u interface.....	52
6	General aspects of APIs for 5G Media Streaming.....	52
6.0	HTTP endpoint addresses.....	52
6.0.1	Default 5GMS AF endpoint addresses.....	52
6.0.1.1	Default 5GMS AF endpoint address at reference point M1.....	52
6.0.1.2	Default 5GMS AF endpoint address at reference point M3.....	52
6.0.1.3	Default 5GMS AF endpoint address at reference point M5.....	52
6.0.2	Default 5GMS AS endpoint addresses.....	53
6.0.2.1	Default 5GMS AS endpoint address at reference point M3.....	53
6.0.2.2	Canonical 5GMS AS authority at reference point M4.....	53
6.1	HTTP resource URIs.....	54
6.1.1	5GMS AF resource URIs.....	54
6.1.2	5GMS AS resource URIs.....	54
6.2	Usage of HTTP.....	54
6.2.1	HTTP protocol version.....	54
6.2.1.1	5GMS AF.....	54
6.2.1.2	5GMS AS.....	54
6.2.2	HTTP message bodies for API resources.....	55
6.2.3	Usage of HTTP headers.....	55
6.2.3.1	General.....	55
6.2.3.2	User Agent identification.....	55
6.2.3.2.1	Media Stream Handler identification.....	55
6.2.3.2.2	Media Session Handler identification.....	55
6.2.3.3	Server identification.....	56
6.2.3.3.1	5GMS AF identification.....	56
6.2.3.4	Support for conditional HTTP GET requests.....	56
6.2.3.5	Support for conditional HTTP POST, PUT, PATCH and DELETE requests.....	56
6.2.3.6	Media delivery session identifier.....	56
6.3	HTTP response codes.....	56
6.4	Common API data types.....	57
6.4.1	General.....	57
6.4.2	Simple data types.....	57
6.4.3	Structured data types.....	58
6.4.3.1	Void.....	58
6.4.3.2	Void.....	58
6.4.3.3	Void.....	58
6.4.3.4	Void.....	58
6.4.3.5	Void.....	58
6.4.3.6	Void.....	58
6.4.3.7	Void.....	58
6.4.3.8	Void.....	58
6.4.3.9	Void.....	58
6.4.3.9A	MediaStreamingBaseReportingRecord type.....	58
6.4.3.10	MediaStreamingSessionIdentification type.....	58
6.4.3.11	MediaStreamingAccess type.....	58
6.4.3.12	NetworkAssistanceInvocation type.....	60
6.4.3.13	Void.....	60
6.4.4	Enumerated data types.....	60
6.4.4.1	Void.....	60
6.4.4.2	Void.....	60
6.4.4.3	Void.....	60
6.4.4.4	Void.....	60
6.4.4.5	CacheStatus enumeration.....	60
6.5	Void.....	60

6.6	Security	61
6.6.1	General.....	61
6.6.2	Authorising 5GMS Application Provider access to the 5GMS AF at reference point M1	61
6.6.3	Authorising 5GMS AF access to the 5GMS AS at reference point M3.....	61
6.6.4	Authorising Media Session Handler access to the 5GMS AF at reference point M5	61
6.6.5	Authorising 5GMS AS access to the 5GMS AF at reference point M3.....	62
7	Provisioning (M1) APIs	62
7.1	General	62
7.2	Provisioning Sessions API	62
7.2.1	Overview	62
7.2.2	Void	62
7.2.3	Void	62
7.3	Server Certificates Provisioning API	62
7.3.1	Overview	62
7.3.2	Void	62
7.3.3	Void	62
7.4	Content Preparation Templates Provisioning API.....	63
7.4.1	Overview	63
7.4.2	Void	63
7.4.3	Void	63
7.4.4	Void	63
7.5	Content Protocols Discovery API	63
7.5.1	Overview	63
7.5.2	Void	63
7.5.3	Void	63
7.6	Content Hosting Provisioning API.....	64
7.6.1	Overview	64
7.6.2	Void	64
7.6.3	Void	64
7.6.4	5GMSd AS functions supporting Content Hosting.....	64
7.6.4.1	Overview	64
7.6.4.2	Content caching.....	64
7.6.4.3	Cache purging	65
7.6.4.4	Content processing	65
7.6.4.5	URL signing.....	65
7.6.4.6	Geofencing.....	66
7.6.4.7	Service chaining	66
7.6.4.8	Service location deployment	66
7.6A	Content Publishing Provisioning API.....	67
7.6A.1	Overview	67
7.7	Consumption Reporting Provisioning API.....	67
7.7.1	Overview	67
7.7.2	Void	67
7.7.3	Void	67
7.8	Metrics Reporting Provisioning API	68
7.8.1	Overview	68
7.8.2	Void	68
7.8.3	Void	68
7.9	Policy Templates Provisioning API	68
7.9.1	Overview	68
7.9.2	Void	68
7.9.3	Void	68
7.10	Edge Resources Provisioning API.....	68
7.10.1	General.....	68
7.10.2	Void	69
7.10.3	Void	69
7.11	Event Data Processing Provisioning API	69
7.11.1	General.....	69
7.11.2	Void	69
7.11.3	Void	69

8	Media ingest and publish (M2 and M10) protocols	69
8.1	General	69
8.2	HTTP pull-based content ingest protocol	70
8.3	DASH-IF push-based content ingest protocol	70
8.4	HTTP low-latency pull-based content ingest protocol	71
8.5	HTTP pull-based content egest protocol	71
8.6	DASH-IF push-based content egest protocol	71
8.7	HTTP low-latency pull-based content egest protocol	72
8.8	Key exchange for encrypted content	72
9	Application Server Configuration (M3) APIs	72
9.1	General	72
9.2	Server Certificates Configuration API	73
9.2.1	Overview	73
9.2.2	Resource structure	73
9.2.3	Data model	73
9.3	Content Preparation Templates Configuration API	74
9.3.1	Overview	74
9.3.2	Resource structure	74
9.3.3	Data model	74
9.4	Content Hosting Configuration API	75
9.4.1	Overview	75
9.4.2	Resource structure	75
9.4.3	Data model	76
9.5	Content Publishing Configuration API	76
9.5.1	Overview	76
9.5.2	Resource structure	77
9.5.3	Data model	77
10	Media Streaming (M4) interface	78
10.1	General	78
10.1A	Media delivery session identification	78
10.2	DASH distribution	78
10.3	HTTP low-latency content distribution	79
10.3A	Content distribution from multiple service locations	80
10.3A.1	General	80
10.3A.2	Media Access Client capabilities to support switching between multiple service locations during content distribution	80
10.3A.3	Media Access Client capabilities to support concurrent use of multiple service locations for content distribution	80
10.3A.4	Media Access Client capabilities to support content steering for content distribution	81
10.4	Contribution protocols	81
10.4.1	General	81
10.4.2	DASH-IF push-based contribution protocol	81
10.4.3	Concurrent use of service locations for content contribution	81
10.5	In-band client data reporting	82
10.5.1	CMCD-based client data reporting	82
11	Media Session Handling (M5/M3) APIs	83
11.1	General	83
11.2	Service Access Information API	83
11.2.1	General	83
11.2.2	Void	83
11.2.3	Void	83
11.3	Consumption Reporting API	83
11.3.1	General	83
11.3.2	Void	83
11.3.3	Report format	83
11.3.3.1	ConsumptionReport data type	83
11.3.3.2	ConsumptionReportingUnit type	84
11.3.3.2	ConsumptionReportingUnit type	84
11.4	Metrics Reporting API	84
11.4.1	General	84

11.4.2	Void	84
11.4.3	Report format	85
11.4.3.1	General	85
11.4.3.2	QoE metrics reporting for DASH-based downlink media streaming	85
11.4.3.3	Client data reporting	85
11.4.3.3.1	General	85
11.4.3.3.2	Client data reporting for DASH-based downlink media streaming	86
11.5	Dynamic Policies API	87
11.5.1	Overview	87
11.5.2	Void	87
11.5.3	Void	87
11.5.4	Void	87
11.6	Network Assistance API	87
11.6.1	Overview	87
11.6.2	Void	88
11.6.3	Void	88
11.6.4	Void	88
12	UE Media Session Handling (M6/M11) APIs for uplink and downlink	88
12.1	General	88
12.2	Media session handling for downlink media streaming – APIs and functions	88
12.2.1	Overview	88
12.2.2	Void	89
12.2.3	Void	89
12.2.4	Void	89
12.2.5	Void	89
12.2.6	Void	89
12.2.7	Void	89
12.3	Media session handling for uplink Streaming – APIs and functions	89
12.4	3GPP Service URL for 5G Media Streaming	90
13	UE Media Stream Handler (M7/M11) APIs	92
13.1	General	92
13.2	DASH Media Player APIs and functions	92
13.2.1	Overview	92
13.2.2	Media Player model	94
13.2.3	Media Player methods	96
13.2.3.1	General	96
13.2.3.2	Initialize	96
13.2.3.3	Attach	97
13.2.3.4	Pre-load	98
13.2.3.5	Play	99
13.2.3.6	Pause	100
13.2.3.7	Seek	100
13.2.3.7A	Download and store	101
13.2.3.8	Reset	102
13.2.3.9	Destroy	103
13.2.4	Configurations and settings API	104
13.2.5	Notifications and error events	106
13.2.6	Dynamic Status Information	108
13.2.7	Usage of Media Player information by Media Session Handler	111
14	Application (M8) APIs for uplink and downlink	111
15	Miscellaneous UE-internal APIs	111
15.1	General	111
15.2	Void	111
15.3	Void	111
16	Usage of 5GC interfaces and APIs	111
16.1	General	111
16.2	Void	111
16.3	Void	111

17	Media Streaming data reporting at R4.....	112
17.1	General	112
17.2	MediaStreamingAccessRecord type.....	112
17A	Data reporting at R2	112
17A.1	General	112
17A.2	ANBRNetworkAssistanceInvocationRecord type.....	112
18	Event exposure at R5 and R6	113
18.1	General	113
18.2	Common data types for event exposure	114
18.2.1	BaseEventCollection data type	114
18.2.2	BaseEventRecord data type	114
18.3	QoE metrics event notifications	116
18.3.1	QoEMetricsCollection data type.....	116
18.3.2	QoEMetricsEvent data type	117
18.3.3	Exposure of client data	118
18.3.3.1	Exposure of CMCD version 1 information	118
18.4	Consumption reporting event notifications	119
18.4.1	ConsumptionReportingUnitsCollection data type	119
18.4.2	ConsumptionReportingEvent data type	119
18.5	Network Assistance invocation event notifications.....	121
18.5.1	NetworkAssistanceInvocationsCollection data type.....	121
18.5.2	NetworkAssistanceInvocationEvent data type.....	121
18.6	Dynamic policy invocation event notifications	123
18.6.1	DynamicPolicyInvocationsCollection data type	123
18.6.2	DynamicPolicyInvocationEvent data type.....	123
18.7	Media streaming access event notifications	124
18.7.1	MediaStreamingAccessesCollection data type	124
18.7.2	MediaStreamingAccessEvent data type.....	125
Annex A (informative): 5GMS Parameter propagation for DASH Streaming		127
A.1	End-to-end model.....	127
A.2	Premium QoS dynamic policy	128
A.2.1	General	128
A.2.2	Procedure.....	130
A.2.3	Example parameters	131
A.3	(Conditional) Zero Rating dynamic policy.....	132
A.3.1	General	132
A.3.2	Procedure.....	133
A.3.3	Example parameters	134
A.4	Background Download.....	135
A.4.1	General	135
A.4.2	Procedure.....	136
A.4.3	Example parameters	137
Annex B (informative): Content Hosting Configuration examples.....		138
B.1	Pull-based content ingest example	138
B.1.1	Overview	138
B.1.2	Desired URL mapping.....	138
B.1.3	Content Hosting Configuration	139
B.2	Push-based content ingest example	139
B.2.0	Overview	139
B.2.1	Desired URL mapping.....	140
B.2.2	Content Hosting Configuration	140
B.3	Pull-based content ingest with 5GMSd AS service chaining via M10d.....	141
B.3.1	Overview	141
B.3.2	Desired URL mapping.....	141

B.3.3	Content Hosting Configurations.....	142
B.4	Push-based content ingest with 5GMSd AS service chaining via M10d	143
B.4.1	Overview	143
B.4.2	Desired URL mapping.....	143
B.4.3	Content Hosting Configuration	144
Annex C (normative): OpenAPI representation of the 5GMS HTTP REST APIs		146
C.1	General	146
C.2	Data Types applicable to several APIs.....	146
C.3	OpenAPI representation of the M1 APIs	148
C.3.0	Maf_Provisioning API	148
C.3.1	Void.....	149
C.3.2	Void.....	149
C.3.3	Void.....	149
C.3.4	Void.....	149
C.3.5	Void.....	149
C.3.6	Void.....	149
C.3.7	Void.....	149
C.3.8	Void.....	149
C.3.9	Void.....	149
C.3.10	Void.....	149
C.3A	OpenAPI representation of the M3 APIs	149
C.3A.0	Mas_Configuration API	149
C.3A.1	Mas_Configuration_ServerCertificates API.....	149
C.3A.2	Mas_Configuration_ContentPreparationTemplates API.....	149
C.3A.3	Mas_Configuration_ContentHosting API.....	150
C.3A.4	Mas_Configuration_ContentPublishing API.....	150
C.4	OpenAPI representation of the M5 APIs	150
C.4.0	Maf_SessionHandling API.....	150
C.4.1	Void.....	150
C.4.2	Void.....	150
C.4.3	Void.....	150
C.4.4	M5_DynamicPolicies API.....	150
C.4.5	M5_NetworkAssistance API.....	151
C.5	OpenAPI representation of data reporting records.....	152
C.5.1	R4 data reporting records	152
C.5.2	R2 data reporting records	153
C.6	OpenAPI representation of event exposure data types.....	153
C.7	OpenAPI representation of client data	158
Annex D (informative): Void.....		159
Annex E (normative): Controlled vocabularies of 5G Media Streaming UE data parameters.....		160
E.1	General	160
E.2	Controlled vocabularies of 5GMS QoE metrics reporting parameters.....	160
E.2.1	Reporting parameters for 3GP-DASH metrics.....	160
E.2.2	Reporting parameters for Virtual Reality (VR) DASH metrics.....	160
E.2.3	Reporting parameters for 5GMS delivery over eMBMS.....	160
E.2.4	Reporting parameters for 5GMS delivery over MBS.....	161
E.2.5	Reporting parameters for CMCD-based client data	161
E.3	Controlled vocabulary of 5GMS consumption reporting parameters	161
E.4	Controlled vocabulary of 5GMS Network Assistance reporting parameters	162
E.5	Controlled vocabulary of 5GMS Dynamic Policy reporting parameters	162

E.6	Controlled vocabulary of 5GMS media access activity parameters.....	163
Annex F (informative): 5GMS AS Certificate provisioning and discovery.....		164
F.1	General	164
F.2	5GMS AS discovery and media streaming access with a Server Certificate created by the 5GMS System.....	164
F.3	5GMS AS discovery and service access with a Server Certificate owned by the 5GMS Application Provider	167
Annex G (normative): DASH in 5G Media Streaming		170
G.1	Introduction	170
G.2	General mapping of DASH to 5G Media Streaming.....	170
G.3	Content Protection and DRM.....	170
G.3.1	Overview	170
G.3.2	DASH content encoding requirements and recommendations	170
G.3.3	Media Player requirements and recommendations.....	170
G.3.4	Content Preparation Template requirements	171
G.3.5	Content Preparation Template syntax.....	171
G.3.6	Examples (informative).....	171
G.4	DASH content distribution using multiple service locations	171
G.4.1	Overview	171
G.4.2	General Content Preparation requirements to support multiple service locations.....	172
G.4.2.1	Introduction.....	172
G.4.2.2	Pre-configured service locations	172
G.4.2.3	Configuration of service locations in the 5GMSd AS	173
G.4.3	Client-side switching between service locations	173
G.4.3.1	Introduction.....	173
G.4.3.2	DASH content offering requirements and recommendations	173
G.4.3.3	Media Player requirements and recommendations	174
G.4.3.4	Examples (informative)	174
G.4.4	Switching between service locations using Content Steering for DASH	175
G.4.4.1	Introduction.....	175
G.4.4.2	DASH content offering requirements and recommendations	175
G.4.4.3	Media Player requirements and recommendations	175
G.4.4.4	Examples (informative)	175
G.4.5	Switching between service locations using SAND4M.....	177
G.4.5.1	Introduction.....	177
G.4.5.2	DASH content offering requirements and recommendations	177
G.4.5.3	Media Player requirements and recommendations	177
G.4.5.4	Examples (informative)	178
G.5	In-band client data reporting in DASH	179
G.5.1	Overview	179
G.5.2	CMCD-based client data reporting.....	179
G.5.2.1	Introduction.....	179
G.5.2.2	DASH content offering requirements and recommendations	179
G.5.2.3	Media Player requirements and recommendations	180
G.5.2.4	Examples (informative)	180
Annex H (normative): Media streaming in the 5GMS System using CMMF.....		182
H.1	Introduction	182
H.2	Downlink media streaming from multiple service locations using CMMF.....	182
H.2.1	General	182
H.2.2	Procedures for downlink media streaming from multiple service locations using CMMF	182
H.2.2.1	Provisioning (M1d) and configuration (M3d) interfaces for downlink media delivery using CMMF	182
H.2.2.1.1	Overview.....	182

H.2.2.1.2	Content Hosting	182
H.2.2.1.3	Content Preparation	183
H.2.2.2	Media Streaming (M4d) interface for downlink media delivery using CMMF	183
H.2.2.3	Media Session Handling (M5d) interface for downlink media streaming using CMMF	184
H.2.2.4	UE Media Player interface (M7d/M11d) for downlink media delivery using CMMF	184
H.2.2.5	Media Player requirements and recommendations	184
H.2.3	Protocols and formats for downlink media streaming using CMMF	184
H.2.3.1	HTTP-based CMMF delivery conformance profile	184
H.2.3.2	Content Preparation Template for downlink media streaming using CMMF	184
H.2.3.3	CMMF Media Player Entry	185
H.2.3.3.1	General	185
H.2.3.3.2	CMMF Media Player Entry based on Extended FDT	185
H.2.3.3.3	CMMF Media Player Entry based on CMMF Configuration Information document	185
H.3	Examples of downlink media streaming using CMMF (informative)	186
H.3.1	General	186
H.3.2	CMMF Media Player Entry examples	186
H.3.2.1	General	186
H.3.2.2	Single file EFDT example	187
H.3.2.3	EFDT referencing a DASH MPD	187
H.3.2.4	Single file CMMF Configuration Information document example	190
H.3.2.5	CMMF Configuration Information document referencing a DASH MPD	190
H.3.3	Provisioning Session and Content Hosting Configuration examples	191
H.3.3.1	General	191
H.3.3.2	Example of media delivery from multiple service locations using CMMF	192
H.3.3.2.1	Overview	192
H.3.3.2.2	Provisioning Session provisioning	193
H.3.3.2.3	Content Preparation Templates provisioning	193
H.3.3.2.4	Server Certificates provisioning	193
H.3.3.2.5	Content Hosting provisioning and configuration	194
H.3.3.2.6	End-to-end URL mapping	195
H.3.3.3	Example of media delivery from multiple service locations using CMMF and 5GMSd AS service chaining at reference point M10d	195
H.3.3.3.1	Overview	195
H.3.3.3.2	Provisioning Session provisioning	196
H.3.3.3.3	Content Preparation Templates provisioning	196
H.3.3.3.4	Server Certificates provisioning	197
H.3.3.3.5	Content Hosting provisioning and configuration	197
H.3.3.3.6	End-to-end URL mapping	198
H.3.4	Example CMMF Content Preparation Template	199
Annex I (informative): Change history		201
History		204

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

shall indicates a mandatory requirement to do something

shall not indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

should indicates a recommendation to do something

should not indicates a recommendation not to do something

may indicates permission to do something

need not indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

can indicates that something is possible

cannot indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

will indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document

will not indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document

might indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document