

ETSI TS 128 541 V16.25.0 (2025-10)



TECHNICAL SPECIFICATION

**5G;
Management and orchestration;
5G Network Resource Model (NRM);
Stage 2 and stage 3
(3GPP TS 28.541 version 16.25.0 Release 16)**

[ETSI TS 128 541 V16.25.0 \(2025-10\)](https://standards.iteh.ai/catalog/standards/etsi/f6a2ced9-dc92-4852-aae0-bab11d049a61/etsi-ts-128-541-v16-25-0-2025-10)

<https://standards.iteh.ai/catalog/standards/etsi/f6a2ced9-dc92-4852-aae0-bab11d049a61/etsi-ts-128-541-v16-25-0-2025-10>



Reference

RTS/TSGS-0528541vgp0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-10)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	22
Introduction	23
1 Scope	24
2 References	24
3 Definitions and abbreviations.....	26
3.1 Definitions	26
3.2 Abbreviations	27
4 Information model definitions for NR NRM.....	27
4.1 Imported and associated information	27
4.1.1 Imported information entities and local labels.....	27
4.1.2 Associated information entities and local labels.....	28
4.2 Class diagram	28
4.2.1 Class diagram for gNB and en-gNB	28
4.2.1.1 Relationships.....	28
4.2.1.2 Inheritance.....	34
4.3 Class definitions	37
4.3.1 GNBDUFunction	37
4.3.1.1 Definition	37
4.3.1.2 Attributes.....	38
4.3.1.3 Attribute constraints	38
4.3.1.4 Notifications.....	38
4.3.2 GNBCUCPFunction	38
4.3.2.1 Definition	38
4.3.2.2 Attributes.....	38
4.3.2.3 Attribute constraints	39
4.3.2.4 Notifications.....	39
4.3.3 GNBCUUPFunction	39
4.3.3.1 Definition	39
4.3.3.2 Attributes.....	40
4.3.3.3 Attribute constraints	40
4.3.3.4 Notifications.....	40
4.3.4 NRCellCU	40
4.3.4.1 Definition	40
4.3.4.2 Attributes.....	40
4.3.4.3 Void.....	40
4.3.4.4 Notifications.....	40
4.3.5 NRCellDU	40
4.3.5.1 Definition	40
4.3.5.2 Attributes.....	41
4.3.5.3 Attribute constraints	42
4.3.5.4 Notifications.....	42
4.3.6 NRSectorCarrier	42
4.3.6.1 Definition	42
4.3.6.2 Attributes.....	42
4.3.6.3 Attribute constraints	43
4.3.6.4 Notifications.....	43
4.3.7 BWP	43
4.3.7.1 Definition	43
4.3.7.2 Attributes.....	43
4.3.7.3 Attribute constraints	43

4.3.7.4 Notifications 43

4.3.8 EP_E1 43

4.3.8.1 Definition 43

4.3.8.2 Attributes 44

4.3.8.3 Attribute constraints 44

4.3.8.4 Notifications 44

4.3.9 EP_XnU 44

4.3.9.1 Definition 44

4.3.9.2 Attributes 44

4.3.9.3 Attribute constraints 44

4.3.9.4 Notifications 44

4.3.10 EP_NgC 44

4.3.10.1 Definition 44

4.3.10.2 Attributes 45

4.3.10.3 Attribute constraints 45

4.3.10.4 Notifications 45

4.3.11 EP_NgU 45

4.3.11.1 Definition 45

4.3.11.2 Attributes 45

4.3.11.3 Attribute constraints 45

4.3.11.4 Notifications 45

4.3.12 EP_F1C 45

4.3.12.1 Definition 45

4.3.12.2 Attributes 46

4.3.12.3 Attribute constraints 46

4.3.12.4 Notifications 46

4.3.13 EP_F1U 46

4.3.13.1 Definition 46

4.3.13.2 Attributes 46

4.3.13.3 Attribute constraints 46

4.3.13.4 Notifications 46

4.3.14 EP_S1U 46

4.3.14.1 Definition 46

4.3.14.2 Attributes 47

4.3.14.3 Attribute constraints 47

4.3.14.4 Notifications 47

4.3.15 EP_X2C 47

4.3.15.1 Definition 47

4.3.15.2 Attributes 47

4.3.15.3 Attribute constraints 47

4.3.15.4 Notifications 47

4.3.16 EP_X2U 47

4.3.16.1 Definition 47

4.3.16.2 Attributes 47

4.3.16.3 Attribute constraints 48

4.3.16.4 Notifications 48

4.3.17 EP_XnC 48

4.3.17.1 Definition 48

4.3.17.2 Attributes 48

4.3.17.3 Attribute constraints 48

4.3.17.4 Notifications 48

4.3.18 ExternalGNBCUCPFfunction 48

4.3.18.1 Definition 48

4.3.18.2 Attributes 48

4.3.18.3 Attribute constraints 48

4.3.18.4 Notifications 49

4.3.19 ExternalGNBCUUPFunction 49

4.3.19.1 Definition 49

4.3.19.2 Attributes 49

4.3.19.3 Attribute constraints 49

4.3.19.4 Notifications 49

4.3.20	ExternalGNBDUFunction	49
4.3.20.1	Definition	49
4.3.20.2	Attributes	49
4.3.20.3	Attribute constraints	49
4.3.20.4	Notifications	49
4.3.21	ExternalUPFFunction	50
4.3.21.1	Definition	50
4.3.21.2	Attributes	50
4.3.21.3	Attribute constraints	50
4.3.21.4	Notifications	50
4.3.22	ExternalAMFFunction	50
4.3.22.1	Definition	50
4.3.22.2	Attributes	50
4.3.22.3	Attribute constraints	50
4.3.22.4	Notifications	50
4.3.23	Void	50
4.3.24	ENBFunction <<ProxyClass>>	50
4.3.24.1	Definition	50
4.3.24.2	Attributes	51
4.3.24.3	Attribute constraints	51
4.3.24.4	Notifications	51
4.3.25	GNBCUCPFunction <<ProxyClass>>	51
4.3.25.1	Definition	51
4.3.25.2	Attributes	51
4.3.25.3	Attribute constraints	51
4.3.25.4	Notifications	51
4.3.26	GNBCUUPFunction <<ProxyClass>>	51
4.3.26.1	Definition	51
4.3.26.2	Attributes	51
4.3.26.3	Attribute constraints	51
4.3.26.4	Notifications	51
4.3.27	GNBDUFunction <<ProxyClass>>	51
4.3.27.1	Definition	51
4.3.27.2	Attributes	52
4.3.27.3	Attribute constraints	52
4.3.27.4	Notifications	52
4.3.28	ServingGWFFunction <<ProxyClass>>	52
4.3.28.1	Definition	52
4.3.28.2	Attributes	52
4.3.28.3	Attribute constraints	52
4.3.28.4	Notifications	52
4.3.29	UPFFunction <<ProxyClass>>	52
4.3.29.1	Definition	52
4.3.29.2	Attributes	52
4.3.29.3	Attribute constraints	52
4.3.29.4	Notifications	52
4.3.30	AMFFunction <<ProxyClass>>	52
4.3.30.1	Definition	52
4.3.30.2	Attributes	53
4.3.30.3	Attribute constraints	53
4.3.30.4	Notifications	53
4.3.31	Void	53
4.3.32	NRCellRelation	53
4.3.32.1	Definition	53
4.3.32.2	Attributes	53
4.3.32.3	Attribute constraints	53
4.3.32.4	Notifications	53
4.3.33	NRFreqRelation	54
4.3.33.1	Definition	54
4.3.33.2	Attributes	54
4.3.33.3	Attribute constraints	54

4.3.33.4	Notifications.....	54
4.3.34	Void.....	54
4.3.35	ExternalNRCellCU.....	54
4.3.35.1	Definition.....	54
4.3.35.2	Attributes.....	55
4.3.35.3	Attribute constraints.....	55
4.3.35.4	Notifications.....	55
4.3.36	RRMPolicyRatio.....	55
4.3.36.1	Definition.....	55
4.3.36.2	Attributes.....	56
4.3.36.3	Attribute constraints.....	56
4.3.36.4	Notifications.....	56
4.3.37	S-NSSAI <<dataType>>.....	56
4.3.37.1	Definition.....	56
4.3.37.2	Attributes.....	56
4.3.37.3	Attribute constraints.....	56
4.3.37.4	Notifications.....	56
4.3.38	NRFrequency.....	57
4.3.38.1	Definition.....	57
4.3.38.2	Attributes.....	57
4.3.38.3	Attribute constraints.....	57
4.3.38.4	Notifications.....	57
4.3.39	CommonBeamformingFunction.....	57
4.3.39.1	Definition.....	57
4.3.39.2	Attributes.....	57
4.3.39.3	Attribute constraints.....	57
4.3.39.4	Notifications.....	58
4.3.40	Beam.....	58
4.3.40.1	Definition.....	58
4.3.40.2	Attributes.....	58
4.3.40.3	Attribute constraints.....	58
4.3.41	PLMNInfo <<dataType>>.....	58
4.3.41.1	Definition.....	58
4.3.41.2	Attributes.....	59
4.3.41.3	Attribute constraints.....	59
4.3.41.4	Notifications.....	59
4.3.42	RRMPolicyMember <<dataType>>.....	59
4.3.42.1	Definition.....	59
4.3.42.2	Attributes.....	59
4.3.42.3	Attribute constraints.....	59
4.3.42.4	Notifications.....	59
4.3.43	RRMPolicy_.....	59
4.3.43.1	Definition.....	59
4.3.43.2	Attributes.....	60
4.3.43.3	Attribute constraints.....	60
4.3.43.4	Notifications.....	60
4.3.44	RRMPolicyManagedEntity <<ProxyClass>>.....	60
4.3.44.1	Definition.....	60
4.3.44.2	Attributes.....	60
4.3.44.3	Attribute constraints.....	60
4.3.44.4	Notifications.....	60
4.3.45	GNBCUCPNeighbour <<ProxyClass>>.....	61
4.3.45.1	Definition.....	61
4.3.45.2	Attributes.....	61
4.3.45.3	Attribute constraints.....	61
4.3.45.4	Notifications.....	61
4.3.46	GNBCUUPNeighbour <<ProxyClass>>.....	61
4.3.46.1	Definition.....	61
4.3.46.2	Attributes.....	61
4.3.46.3	Attribute constraints.....	61
4.3.46.4	Notifications.....	61