

ETSI TS 129 122 V15.17.0 (2026-03)



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
T8 reference point for Northbound APIs
(3GPP TS 29.122 version 15.17.0 Release 15)**

Sample Document



Reference

RTS/TSGC-0329122vfh0

Keywords

5G,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	12
1 Scope	13
2 References	13
3 Definitions and abbreviations.....	15
3.1 Definitions	15
3.2 Abbreviations	15
4 T8 reference point	16
4.1 Overview	16
4.2 Reference model.....	16
4.3 Functional elements.....	17
4.3.1 SCEF.....	17
4.3.2 SCS/AS	17
4.4 Procedures over T8 reference point.....	17
4.4.1 Introduction.....	17
4.4.2 Monitoring Procedures	17
4.4.2.1 General	17
4.4.2.2 Monitoring Events Configuration	17
4.4.2.2.1 General	17
4.4.2.2.2 Monitoring Events Configuration via HSS.....	19
4.4.2.2.3 Monitoring Events Configuration directly via MME/SGSN	20
4.4.2.2.4 Monitoring Events Configuration via PCRF	20
4.4.2.3 Reporting of Monitoring Event Procedure	21
4.4.2.4 Network-initiated Explicit Monitoring Event Deletion Procedure.....	22
4.4.3 Procedures for resource management of Background Data Transfer.....	22
4.4.4 Procedures for changing the chargeable party at session set up or during the session.....	23
4.4.5 Procedures for Non-IP Data Delivery	24
4.4.5.1 General	24
4.4.5.2 NIDD Configuration	24
4.4.5.2.1 NIDD Configuration for a single UE.....	24
4.4.5.2.2 NIDD Configuration for a group of UEs.....	25
4.4.5.3 Mobile Terminated NIDD procedure	25
4.4.5.3.1 Mobile Terminated NIDD for a single UE	25
4.4.5.3.2 Mobile Terminated NIDD for a group of UEs	27
4.4.5.4 Mobile Originated NIDD procedure	27
4.4.5.5 NIDD Authorisation Update procedure	27
4.4.6 Procedures for Device Triggering	28
4.4.7 Procedures for Group Message Delivery	29
4.4.7.1 General	29
4.4.7.2 Group Message Delivery via MBMS.....	29
4.4.7.2.1 General	29
4.4.7.2.2 Group Message Delivery via MBMS by MB2	29
4.4.7.2.3 Group message Delivery via MBMS by xMB.....	31
4.4.8 Procedures for Reporting of Network Status	33
4.4.8.1 General	33
4.4.8.2 Network Status Reporting Subscription.....	33
4.4.8.3 Network Status Reporting Notification.....	34
4.4.9 Procedures for Communication Pattern Parameters Provisioning	34
4.4.10 Procedures for PFD Management.....	35
4.4.11 Procedures for Enhanced Coverage Restriction Control.....	36
4.4.12 Procedures for Network Parameter Configuration.....	37
4.4.12.1 General	37

4.4.12.2	Configuration Request for an individual UE.....	37
4.4.12.3	Configuration Request for a group of UEs.....	38
4.4.13	Procedures for setting up an AS session with required QoS.....	38
4.4.14	Procedures for MSISDN-less Mobile Originated SMS	39
4.4.14.1	General	39
4.4.14.2	Delivery of MSISDN-less MO SMS.....	39
5	T8 APIs	40
5.1	Introduction	40
5.2	Information applicable to several APIs	40
5.2.1	Data Types	40
5.2.1.1	Introduction	40
5.2.1.2	Referenced structured data types.....	40
5.2.1.2.1	Type: SponsorInformation.....	40
5.2.1.2.2	Type: UsageThreshold.....	40
5.2.1.2.3	Type: TimeWindow.....	41
5.2.1.2.4	Type: Acknowledgement.....	41
5.2.1.2.5	Type: NotificationData	41
5.2.1.2.6	Type: EventReport.....	41
5.2.1.2.7	Type: AccumulatedUsage.....	41
5.2.1.2.8	Type: FlowInfo.....	42
5.2.1.2.9	Type: TestNotification.....	42
5.2.1.2.10	Type: WebsocketNotifConfig	42
5.2.1.2.11	Type: LocationArea.....	43
5.2.1.2.12	Type: ProblemDetails	43
5.2.1.2.13	Type: InvalidParam	43
5.2.1.2.14	Type: PlmnId	43
5.2.1.2.15	Type: ConfigResult	44
5.2.1.2.16	Type: UsageThresholdRm.....	44
5.2.1.2.17	Type: LocationArea5G.....	44
5.2.1.3	Referenced Simple data types and enumerations	44
5.2.1.3.1	Introduction	44
5.2.1.3.2	Simple data types.....	44
5.2.1.3.3	Enumeration: Event.....	46
5.2.1.3.4	Enumeration: ResultReason	46
5.2.1.4	Conventions for documenting structured data types	46
5.2.2	Usage of HTTP	47
5.2.2.1	General	47
5.2.2.2	Usage of the HTTP PATCH method.....	47
5.2.3	Content type.....	47
5.2.4	URI structure	47
5.2.5	Notifications	48
5.2.5.1	General	48
5.2.5.2	Notification Delivery using a separate HTTP connection.....	48
5.2.5.3	Notification Test Event	48
5.2.5.4	Notification Delivery using Websocket	48
5.2.6	Error handling.....	50
5.2.7	Feature negotiation	53
5.2.8	HTTP custom headers.....	53
5.2.8.1	General	53
5.2.8.2	Reused HTTP custom headers	53
5.2.9	Conventions for Open API specification files	53
5.2.9.1	General	53
5.2.9.2	Formatting of OpenAPI files.....	53
5.2.9.3	Structured data types	54
5.2.9.4	Info	55
5.2.9.5	Servers.....	55
5.2.9.6	References to other 3GPP-defined Open API specification files	55
5.2.9.7	Server-initiated communication	56
5.2.9.8	Describing the body of HTTP PATCH requests	56
5.2.9.9	Error Responses	57
5.2.9.10	Enumerations	58

5.2.9.11	Read only attribute	58
5.2.9.12	externalDocs.....	59
5.3	MonitoringEvent API.....	59
5.3.1	Overview	59
5.3.2	Data model.....	59
5.3.2.1	Resource data types.....	59
5.3.2.1.1	Introduction	59
5.3.2.1.2	Type: MonitoringEventSubscription	59
5.3.2.2	Notification data types	63
5.3.2.2.1	Introduction	63
5.3.2.2.2	Type: MonitoringNotification	63
5.3.2.3	Referenced structured data types.....	64
5.3.2.3.1	Introduction	64
5.3.2.3.2	Type: MonitoringEventReport	64
5.3.2.3.3	Type: IdleStatusInfo	67
5.3.2.3.4	Type: UePerLocationReport.....	67
5.3.2.3.5	Type: LocationInfo	68
5.3.2.3.6	Type: FailureCause.....	68
5.3.2.4	Referenced simple data types and enumerations.....	69
5.3.2.4.1	Introduction	69
5.3.2.4.2	Simple data types.....	69
5.3.2.4.3	Enumeration: MonitoringType	69
5.3.2.4.4	Enumeration: ReachabilityType	70
5.3.2.4.5	Enumeration: LocationType	70
5.3.2.4.6	Enumeration: AssociationType	71
5.3.2.4.7	Enumeration: Accuracy	71
5.3.3	Resource structure.....	71
5.3.3.1	General	71
5.3.3.2	Resource: Monitoring Event Subscriptions.....	72
5.3.3.2.1	Introduction	72
5.3.3.2.2	Resource definition.....	72
5.3.3.2.3	Resource methods.....	72
5.3.3.3	Resource: Individual Monitoring Event Subscription	74
5.3.3.3.1	Introduction	74
5.3.3.3.2	Resource definition.....	75
5.3.3.3.3	Resource methods.....	75
5.3.3.4	Monitoring Notification	77
5.3.3.4.1	Introduction	77
5.3.3.4.2	Resource definition.....	77
5.3.3.4.3	Resource methods.....	77
5.3.4	Used Features.....	77
5.3.5	Error handling.....	78
5.3.5.1	General	78
5.3.5.2	Protocol Errors	78
5.3.5.3	Application Errors.....	78
5.4	ResourceManagementOfBdt API.....	79
5.4.1	Overview	79
5.4.2	Data model.....	79
5.4.2.1	Resource data types.....	79
5.4.2.1.1	Introduction	79
5.4.2.1.2	Type: Bdt.....	79
5.4.2.1.3	Type: BdtPatch	80
5.4.2.2	Referenced structured data types.....	80
5.4.2.2.1	Introduction	80
5.4.2.2.2	Type: TransferPolicy	80
5.4.3	Resource structure.....	81
5.4.3.1	General	81
5.4.3.2	Resource: BDT Subscriptions	81
5.4.3.2.1	Introduction	81
5.4.3.2.2	Resource definition.....	81
5.4.3.2.3	Resource methods.....	82
5.4.3.3	Resource: Individual BDT Subscription	83

5.4.3.3.1	Introduction	83
5.4.3.3.2	Resource definition.....	83
5.4.3.3.3	Resource methods.....	83
5.4.4	Used Features.....	85
5.5	ChargeableParty API.....	86
5.5.1	Overview	86
5.5.2	Data model.....	86
5.5.2.1	Resource data types.....	86
5.5.2.1.1	Introduction	86
5.5.2.1.2	Type: ChargeableParty	86
5.5.2.1.3	Type: ChargeablePartyPatch	87
5.5.3	Resource structure.....	88
5.5.3.1	General	88
5.5.3.2	Resource: Chargeable Party Transactions	88
5.5.3.2.1	Introduction	88
5.5.3.2.2	Resource definition.....	89
5.5.3.2.3	Resource methods.....	89
5.5.3.3	Resource: Individual Chargeable Party Transaction	90
5.5.3.3.1	Introduction	90
5.5.3.3.2	Resource definition.....	90
5.5.3.3.3	Resource methods.....	90
5.5.3.4	Event Notification	92
5.5.3.4.1	Introduction	92
5.5.3.4.2	Resource definition.....	92
5.5.3.4.3	Resource methods.....	92
5.5.4	Used Features.....	93
5.6	NIDD API	93
5.6.1	Overview	93
5.6.2	Data model.....	93
5.6.2.1	Resource data types.....	93
5.6.2.1.1	Introduction	93
5.6.2.1.2	Type: NiddConfiguration	93
5.6.2.1.3	Type: NiddDownlinkDataTransfer	96
5.6.2.1.4	Type: NiddUplinkDataNotification	99
5.6.2.1.5	Type: NiddDownlinkDataDeliveryStatusNotification.....	99
5.6.2.1.6	Type: NiddConfigurationStatusNotifiatiion	100
5.6.2.1.7	Type: NiddConfigurationPatch.....	100
5.6.2.1.8	Type: GmdNiddDownlinkDataDeliveryNotification	101
5.6.2.2	Referenced structured data types.....	101
5.6.2.2.1	Introduction	101
5.6.2.2.2	Type: RdsPort.....	102
5.6.2.2.3	Type: GmdResult.....	102
5.6.2.2.4	Type: NiddDownlinkDataDeliveryFailure	102
5.6.2.3	Referenced simple data types and enumerations.....	102
5.6.2.3.1	Introduction	102
5.6.2.3.2	Simple data types.....	102
5.6.2.3.3	Enumeration: PdnEstablishmentOptions	103
5.6.2.3.4	Enumeration: DeliveryStatus.....	103
5.6.2.3.5	Enumeration: NiddStatus.....	103
5.6.2.3.6	Enumeration: PdnEstablishmentOptionsRm	104
5.6.3	Resource structure.....	104
5.6.3.1	General	104
5.6.3.2	Resource: NIDD Configurations	105
5.6.3.2.1	Introduction	105
5.6.3.2.2	Resource definition.....	105
5.6.3.2.3	Resource methods.....	106
5.6.3.3	Resource: Individual NIDD Configuration	107
5.6.3.3.1	Introduction	107
5.6.3.3.2	Resource definition.....	107
5.6.3.3.3	Resource methods.....	107
5.6.3.4	Resource: NIDD downlink data deliveries.....	109
5.6.3.4.1	Introduction	109

5.6.3.4.2	Resource definition.....	109
5.6.3.4.3	Resource methods.....	109
5.6.3.5	Resource: Individual NIDD downlink data delivery	111
5.6.3.5.1	Introduction	111
5.6.3.5.2	Resource definition.....	111
5.6.3.5.3	Resource methods.....	111
5.6.3.6	NIDD Configuration Update Notification.....	113
5.6.3.6.1	Introduction	113
5.6.3.6.2	Resource definition.....	113
5.6.3.6.3	Resource methods.....	113
5.6.3.7	NIDD Downlink Data Delivery Status Notification	114
5.6.3.7.1	Introduction	114
5.6.3.7.2	Resource definition.....	114
5.6.3.7.3	Resource methods.....	114
5.6.3.8	NIDD Uplink Data Notification.....	115
5.6.3.8.1	Introduction	115
5.6.3.8.2	Resource definition.....	115
5.6.3.8.3	Resource methods.....	116
5.6.4	Used Features.....	116
5.6.5	Error handling.....	116
5.6.5.1	General	116
5.6.5.2	Protocol Errors	117
5.6.5.3	Application Errors.....	117
5.7	DeviceTriggering API	117
5.7.1	Overview	117
5.7.2	Data model.....	117
5.7.2.1	Resource data types.....	117
5.7.2.1.1	Introduction	117
5.7.2.1.2	Type: DeviceTriggering	118
5.7.2.1.3	Type: DeviceTriggeringDeliveryReportNotification.....	119
5.7.2.2	Referenced simple data types and enumerations.....	119
5.7.2.2.1	Introduction	119
5.7.2.2.2	Simple data types.....	119
5.7.2.2.3	Enumeration: DeliveryResult	119
5.7.2.2.4	Enumeration: Priority	120
5.7.3	Resource structure.....	120
5.7.3.1	General	120
5.7.3.2	Resource: Device Triggering Transactions	121
5.7.3.2.1	Introduction	121
5.7.3.2.2	Resource definition.....	121
5.7.3.2.3	Resource methods.....	121
5.7.3.3	Resource: Individual Device Triggering Transaction	123
5.7.3.3.1	Introduction	123
5.7.3.3.2	Resource definition.....	123
5.7.3.3.3	Resource methods.....	123
5.7.3.4	Device Triggering Delivery Report Notification	124
5.7.3.4.1	Introduction	124
5.7.3.4.2	Resource definition.....	124
5.7.3.4.3	Resource methods.....	125
5.7.4	Used Features.....	125
5.8	GMD via MBMS related APIs.....	126
5.8.1	Overview	126
5.8.2	GMDviaMBMSbyMB2 API.....	126
5.8.2.1	Data model	126
5.8.2.1.1	Resource data types	126
5.8.2.2	Resource structure.....	129
5.8.2.2.1	General	129
5.8.2.2.2	Resource: TMGI Allocation	130
5.8.2.2.3	Resource: Individual TMGI Allocation.....	132
5.8.2.2.4	Resource: GMD via MBMS by MB2.....	133
5.8.2.2.5	Resource: Individual GMD via MBMS by MB2.....	135
5.8.2.2.6	Resource: GMD via MBMS by MB2 Notification.....	137

5.8.2.3	Used Features	138
5.8.3	GMDviaMBMSbyxMB API.....	139
5.8.3.1	Data model	139
5.8.3.1.1	Resource data types	139
5.8.3.1.2	Referenced simple data types and enumerations	141
5.8.3.2	Resource structure	142
5.8.3.2.1	General	142
5.8.3.2.2	Resource: xMB Services	143
5.8.3.2.3	Resource: Individual xMB Service.....	145
5.8.3.2.4	Resource: GMD via MBMS by xMB	146
5.8.3.2.5	Resource: Individual GMD via MBMS by xMB.....	147
5.8.3.2.6	Resource: GMD via MBMS by xMB Notification.....	149
5.8.3.3	Used Features	150
5.9	ReportingNetworkStatus API.....	151
5.9.1	Overview	151
5.9.2	Data model.....	151
5.9.2.1	Resource data types.....	151
5.9.2.1.1	Introduction	151
5.9.2.1.2	Type: NetworkStatusReportingSubscription	151
5.9.2.2	Notification data types	152
5.9.2.2.1	Introduction	152
5.9.2.2.2	Type: NetworkStatusReportingNotification	152
5.9.2.3	Referenced simple data types and enumerations.....	153
5.9.2.3.1	Introduction	153
5.9.2.3.2	Simple data types.....	153
5.9.2.3.3	Enumeration: CongestionType	153
5.9.3	Resource structure.....	153
5.9.3.1	General	153
5.9.3.2	Resource: Network Status Reporting Subscriptions.....	154
5.9.3.2.1	Introduction	154
5.9.3.2.2	Resource definition.....	154
5.9.3.2.3	Resource methods.....	154
5.9.3.3	Resource: Individual Network Status Reporting Subscription.....	156
5.9.3.3.1	Introduction	156
5.9.3.3.2	Resource definition.....	156
5.9.3.3.3	Resource methods.....	156
5.9.3.4	Network Status Reporting Notification.....	157
5.9.3.4.1	Introduction	157
5.9.3.4.2	Resource definition.....	157
5.9.3.4.3	Resource methods.....	158
5.9.4	Used Features.....	158
5.9.5	Error handling	159
5.9.5.1	General	159
5.9.5.2	Protocol Errors	159
5.9.5.3	Application Errors.....	159
5.10	CpProvisioning API	159
5.10.1	Overview	159
5.10.2	Data model.....	159
5.10.2.1	Resource data types	159
5.10.2.1.1	Introduction	159
5.10.2.1.2	Type: CpInfo	160
5.10.2.2	Referenced structured data types.....	160
5.10.2.2.1	Introduction	160
5.10.2.2.2	Type: CpParameterSet.....	160
5.10.2.2.3	Type: ScheduledCommunicationTime	161
5.10.2.2.4	Type: CpReport	161
5.10.2.3	Referenced simple data types and enumerations.....	162
5.10.2.3.1	Introduction	162
5.10.2.3.2	Simple data types.....	162
5.10.2.3.3	Enumeration: CommunicationIndicator	162
5.10.2.3.4	Enumeration: StationaryIndication.....	162
5.10.2.3.5	Enumeration: CpFailureCode	162

5.10.3	Resource structure.....	163
5.10.3.1	General	163
5.10.3.2	Resource: CP Provisioning Subscriptions	163
5.10.3.2.1	Introduction	163
5.10.3.2.2	Resource definition.....	164
5.10.3.2.3	Resource methods.....	164
5.10.3.3	Resource: Individual CP Provisioning Subscription	165
5.10.3.3.1	Introduction	165
5.10.3.3.2	Resource definition.....	165
5.10.3.3.3	Resource methods.....	165
5.10.3.4	Resource: Individual CP Set Provisioning	167
5.10.3.4.1	Introduction	167
5.10.3.4.2	Resource definition.....	167
5.10.3.4.3	Resource methods.....	167
5.10.4	Used Features.....	169
5.11	PfdManagement API	169
5.11.1	Overview	169
5.11.2	Data model.....	169
5.11.2.1	Resource data types.....	169
5.11.2.1.1	Introduction	169
5.11.2.1.2	Type: PfdManagement	169
5.11.2.1.3	Type: PfdData.....	170
5.11.2.1.4	Type: Pfd	171
5.11.2.1.5	Type: PfdReport	171
5.11.2.2	Referenced simple data types and enumerations.....	171
5.11.2.2.1	Introduction	171
5.11.2.2.2	Simple data types.....	171
5.11.2.2.3	Enumeration: FailureCode.....	172
5.11.3	Resource structure.....	172
5.11.3.1	General	172
5.11.3.2	Resource: PFD Management Transactions	173
5.11.3.2.1	Introduction	173
5.11.3.2.2	Resource definition.....	173
5.11.3.2.3	Resource methods.....	173
5.11.3.3	Resource: Individual PFD Management Transaction.....	175
5.11.3.3.1	Introduction	175
5.11.3.3.2	Resource definition.....	175
5.11.3.3.3	Resource methods.....	175
5.11.3.4	Resource: Individual Application PFD Management.....	176
5.11.3.4.1	Introduction	176
5.11.3.4.2	Resource definition.....	177
5.11.3.4.3	Resource methods.....	177
5.11.4	Used Features.....	179
5.12	ECRControl API	179
5.12.1	Overview	179
5.12.2	Data model.....	179
5.12.2.1	Data types.....	179
5.12.2.1.1	Introduction	179
5.12.2.1.2	Type: ECRControl.....	180
5.12.2.1.3	Type: ECRData	180
5.12.3	Custom Operations without associated resources	181
5.12.3.1	Overview	181
5.12.3.2	Operation: query	181
5.12.3.2.1	Description	181
5.12.3.2.2	Operation Definition.....	181
5.12.3.3	Operation: configure	181
5.12.3.3.1	Description	181
5.12.3.3.2	Operation Definition.....	182
5.12.4	Used Features.....	182
5.12.5	Error handling	182
5.12.5.1	General	182
5.12.5.2	Protocol Errors	182

5.12.5.3	Application Errors.....	182
5.13	NpConfiguration API.....	183
5.13.1	Overview.....	183
5.13.2	Data model.....	183
5.13.2.1	Resource data types.....	183
5.13.2.1.1	Introduction.....	183
5.13.2.1.2	Type: NpConfiguration.....	183
5.13.2.1.3	Type: NpConfigurationPatch.....	184
5.13.2.1.4	Type: ConfigurationNotification.....	185
5.13.3	Resource structure.....	185
5.13.3.1	General.....	185
5.13.3.2	Resource: NP Configurations.....	186
5.13.3.2.1	Introduction.....	186
5.13.3.2.2	Resource definition.....	186
5.13.3.2.3	Resource methods.....	186
5.13.3.3	Resource: Individual NP Configuration.....	188
5.13.3.3.1	Introduction.....	188
5.13.3.3.2	Resource definition.....	188
5.13.3.3.3	Resource methods.....	188
5.13.3.4	Configuration Notification.....	190
5.13.3.4.1	Introduction.....	190
5.13.3.4.2	Resource definition.....	191
5.13.3.4.3	Resource methods.....	191
5.13.4	Used Features.....	191
5.13.5	Error handling.....	192
5.13.5.1	General.....	192
5.13.5.2	Protocol Errors.....	192
5.13.5.3	Application Errors.....	192
5.14	AsSessionWithQoS API.....	192
5.14.1	Overview.....	192
5.14.2	Data model.....	192
5.14.2.1	Resource data types.....	192
5.14.2.1.1	Introduction.....	192
5.14.2.1.2	Type: AsSessionWithQoSSubscription.....	193
5.14.2.1.3	Type: AsSessionWithQoSSubscriptionPatch.....	194
5.14.3	Resource structure.....	194
5.14.3.1	General.....	194
5.14.3.2	Resource: AS Session with Required QoS subscriptions.....	195
5.14.3.2.1	Introduction.....	195
5.14.3.2.2	Resource definition.....	195
5.14.3.2.3	Resource methods.....	195
5.14.3.3	Resource: Individual AS Session with Required QoS Subscription.....	197
5.14.3.3.1	Introduction.....	197
5.14.3.3.2	Resource definition.....	197
5.14.3.3.3	Resource methods.....	197
5.14.3.4	Event Notification.....	199
5.14.3.4.1	Introduction.....	199
5.14.3.4.2	Resource definition.....	199
5.14.3.4.3	Resource methods.....	199
5.14.4	Used Features.....	200
5.15	MsisdnLessMoSms API.....	200
5.15.1	Overview.....	200
5.15.2	Data model.....	200
5.15.2.1	Notification data types.....	200
5.15.2.1.1	Introduction.....	200
5.15.2.1.2	Type: MsisdnLessMoSmsNotification.....	200
5.15.2.1.3	Type: MsisdnLessMoSmsNotificationReply.....	201
5.15.3	Resource structure.....	201
5.15.3.1	General.....	201
5.15.3.2	MSISDN-less MO SMS Notification.....	201
5.15.3.2.1	Introduction.....	201
5.15.3.2.2	Resource definition.....	202

5.15.3.2.3	Resource methods.....	202
5.15.4	Used Features.....	202
6	Security.....	202
7	Using Common API Framework.....	203
7.1	General	203
7.2	Security	203
Annex A (normative): OpenAPI representation for the APIs defined in the present document		204
A.1	General	204
A.2	Data Types applicable to several APIs.....	204
A.3	MonitoringEvent API.....	211
A.4	ResourceManagementOfBdt API.....	220
A.5	ChargeableParty API.....	224
A.6	NIDD API	229
A.7	DeviceTriggering API.....	239
A.8	GMDViaMBMS APIs.....	244
A.8.1	GMDviaMBMSbyMB2 API	244
A.8.2	GMDviaMBMSbyxMB API.....	254
A.9	ReportingNetworkStatus API.....	263
A.10	CpProvisioning API	268
A.11	PfdManagement API.....	275
A.12	ECRControl API	282
A.13	NpConfiguration API.....	284
A.14	AsSessionWithQoS API.....	290
A.15	MsisdnLessMoSms API.....	295
Annex B (informative): Change history		297
History		303

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- Y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Sample Document

get full document from standards.iteh.ai

1 Scope

The present specification describes the protocol for the T8 reference point between the SCEF and the SCS/AS. The T8 reference point and the related stage 2 functional requirements are defined in 3GPP TS 23.682 [2].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.682: "Architecture enhancements to facilitate communications with packet data networks and applications".
- [3] 3GPP TS 23.032: "Universal Geographical Area Description (GAD)".
- [4] IETF RFC 5246: "The Transport Layer Security (TLS) Protocol Version 1.2".
- [5] IETF RFC 7159: "The JavaScript Object Notation (JSON) Data Interchange Format".
- [6] Hypertext Transfer Protocol (HTTP) Status Code Registry at IANA, <http://www.iana.org/assignments/http-status-codes>.
- [7] IETF RFC 3986: "Uniform Resource Identifier (URI): Generic Syntax".
- [8] IETF RFC 7807: "Problem Details for HTTP APIs".
- [9] 3GPP TS 29.154: "Service capability exposure functionality over Nt reference point".
- [10] 3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
- [11] 3GPP TS 29.336: "Home Subscriber Server (HSS) diameter interfaces for interworking with packet data networks and applications".
- [12] 3GPP TS 29.128: "Mobility Management Entity (MME) and Serving GPRS Support Node (SGSN) interfaces for interworking with packet data networks and applications".
- [13] 3GPP TS 29.201: "Representational State Transfer (REST) reference point between Application Function (AF) and Protocol Converter (PC)".
- [14] 3GPP TS 23.003: "Numbering, addressing and identification".
- [15] IETF RFC 3339: "Date and Time on the Internet: Timestamps".
- [16] IETF RFC 7230: "Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing".
- [17] IETF RFC 7231: "Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content".
- [18] IETF RFC 7232: "Hypertext Transfer Protocol (HTTP/1.1): Conditional Requests".
- [19] IETF RFC 7233: "Hypertext Transfer Protocol (HTTP/1.1): Range Requests".
- [20] IETF RFC 7234: "Hypertext Transfer Protocol (HTTP/1.1): Caching".

- [21] IETF RFC 7235: "Hypertext Transfer Protocol (HTTP/1.1): Authentication".
- [22] IETF RFC 7540: "Hypertext Transfer Protocol Version 2 (HTTP/2)".
- [23] 3GPP TS 29.155: "Traffic steering control; Representational state transfer (REST) over St reference point".
- [24] 3GPP TS 29.368: "Tsp interface protocol between the MTC Interworking Function (MTC-IWF) and Service Capability Server (SCS)".
- [25] 3GPP TS 29.337: "Diameter-based T4 interface for communications with packet data networks and applications".
- [26] 3GPP TS 29.250: "Nu reference point between SCEF and PFDF for sponsored data connectivity".
- [27] Open API Initiative, "OpenAPI 3.0.0 Specification", <https://github.com/OAI/OpenAPI-Specification/blob/master/versions/3.0.0.md>.
- [28] IETF RFC 1166: "Internet Numbers".
- [29] IETF RFC 5952: "A recommendation for Ipv6 address text representation".
- [30] 3GPP TS 29.153: "Service capability exposure functionality over Ns reference point".
- [31] 3GPP TS 24.250: "Protocol for Reliable Data Service between UE and SCEF; Stage 3".
- [32] IETF RFC 6455: "The WebSocket Protocol".
- [33] 3GPP TS 29.272: "Mobility Management Entity (MME) and Serving GPRS Support Node (SGSN) related interfaces based on Diameter protocol".
- [34] 3GPP TS 29.338: "Diameter based protocols to support Short Message Service (SMS) capable Mobile Management Entities (MMEs)".
- [35] 3GPP TS 33.187: "Security aspects of Machine-Type Communications (MTC) and other mobile data applications communications enhancements".
- [36] 3GPP TS 29.468: "Group Communication System Enablers for LTE (GCSE_LTE);MB2 Reference Point;Stage 3".
- [37] 3GPP TS 29.116: "Presentational state transfer over xMB reference point between Content Provider and BM-SC".
- [38] IETF RFC 5789: "PATCH method for HTTP".
- [39] IETF RFC 7396: "JSON Merge Patch".
- [40] IETF RFC 8259: "The JavaScript Object Notation (JSON) Data Interchange Format".
- [41] YAML (10/2009): "YAML Ain't Markup Language (YAML™) Version 1.2", <http://www.yaml.org/spec/1.2/spec.html>.
- [42] 3GPP TS 29.572: "5G System; Location Management Services; Stage 3".
- [43] 3GPP TS 23.040: "Technical realization of the Short Message Service (SMS)".
- [44] 3GPP TS 29.500: "5G System; Technical Realization of Service Based Architecture; Stage 3".
- [45] 3GPP TS 29.571: "5G System; Common Data Types for Service Based Interfaces Stage 3".
- [46] IETF RFC 6733: "Diameter Base Protocol".
- [47] 3GPP TS 23.222: "Common API Framework for 3GPP Northbound APIs; Stage 2".
- [48] 3GPP TS 29.222: "Common API Framework for 3GPP Northbound APIs; Stage 3".
- [49] 3GPP TS 29.501: "5G System; Principles and Guidelines for Services Definition; Stage 3".