

ETSI TS 129 122 V16.18.0 (2026-03)



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
T8 reference point for Northbound APIs
(3GPP TS 29.122 version 16.18.0 Release 16)**

Sample Document



Reference

RTS/TSGC-0329122vgi0

Keywords

5G,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Legal Notice | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 14 |
| 1 Scope | 15 |
| 2 References | 15 |
| 3 Definitions and abbreviations..... | 17 |
| 3.1 Definitions | 17 |
| 3.2 Abbreviations | 17 |
| 4 T8 reference point | 18 |
| 4.1 Overview | 18 |
| 4.2 Reference model..... | 19 |
| 4.3 Functional elements..... | 19 |
| 4.3.1 SCEF..... | 19 |
| 4.3.2 SCS/AS | 19 |
| 4.4 Procedures over T8 reference point..... | 20 |
| 4.4.1 Introduction..... | 20 |
| 4.4.2 Monitoring Procedures | 20 |
| 4.4.2.1 General | 20 |
| 4.4.2.2 Monitoring Events Configuration | 20 |
| 4.4.2.2.1 General | 20 |
| 4.4.2.2.2 Monitoring Events Configuration via HSS..... | 21 |
| 4.4.2.2.3 Monitoring Events Configuration directly via MME/SGSN | 23 |
| 4.4.2.2.4 Monitoring Events Configuration via PCRF | 23 |
| 4.4.2.3 Reporting of Monitoring Event Procedure | 24 |
| 4.4.2.4 Network-initiated Explicit Monitoring Event Deletion Procedure..... | 24 |
| 4.4.2.5 Network initiated notification of applied parameter configuration | 25 |
| 4.4.3 Procedures for resource management of Background Data Transfer..... | 25 |
| 4.4.4 Procedures for changing the chargeable party at session set up or during the session..... | 26 |
| 4.4.5 Procedures for Non-IP Data Delivery | 27 |
| 4.4.5.1 General | 27 |
| 4.4.5.2 NIDD Configuration | 27 |
| 4.4.5.2.1 NIDD Configuration for a single UE..... | 27 |
| 4.4.5.2.2 NIDD Configuration for a group of UEs..... | 28 |
| 4.4.5.3 Mobile Terminated NIDD procedure | 28 |
| 4.4.5.3.1 Mobile Terminated NIDD for a single UE | 28 |
| 4.4.5.3.2 Mobile Terminated NIDD for a group of UEs | 30 |
| 4.4.5.4 Mobile Originated NIDD procedure | 30 |
| 4.4.5.5 NIDD Authorisation Update procedure | 30 |
| 4.4.5.6 Port Management Configuration..... | 31 |
| 4.4.5.6.1 Port Reservation and Release | 31 |
| 4.4.5.6.2 Port Notification | 32 |
| 4.4.6 Procedures for Device Triggering..... | 32 |
| 4.4.7 Procedures for Group Message Delivery | 33 |
| 4.4.7.1 General | 33 |
| 4.4.7.2 Group Message Delivery via MBMS..... | 33 |
| 4.4.7.2.1 General | 33 |
| 4.4.7.2.2 Group Message Delivery via MBMS by MB2 | 33 |
| 4.4.7.2.3 Group message Delivery via MBMS by xMB..... | 35 |
| 4.4.8 Procedures for Reporting of Network Status | 37 |
| 4.4.8.1 General | 37 |
| 4.4.8.2 Network Status Reporting Subscription..... | 37 |
| 4.4.8.3 Network Status Reporting Notification..... | 38 |
| 4.4.9 Procedures for Communication Pattern Parameters Provisioning | 38 |

| | | |
|------------|--|----|
| 4.4.10 | Procedures for PFD Management | 39 |
| 4.4.11 | Procedures for Enhanced Coverage Restriction Control..... | 40 |
| 4.4.12 | Procedures for Network Parameter Configuration..... | 41 |
| 4.4.12.1 | General | 41 |
| 4.4.12.2 | Configuration Request for an individual UE..... | 42 |
| 4.4.12.3 | Configuration Request for a group of UEs..... | 42 |
| 4.4.12.4 | Notification of applied parameter configuration | 43 |
| 4.4.13 | Procedures for setting up an AS session with required QoS..... | 43 |
| 4.4.14 | Procedures for MSISDN-less Mobile Originated SMS | 44 |
| 4.4.14.1 | General | 44 |
| 4.4.14.2 | Delivery of MSISDN-less MO SMS..... | 44 |
| 4.4.15 | Procedures for RACS Parameter Provisioning | 44 |
| 5 | T8 APIs | 45 |
| 5.1 | Introduction | 45 |
| 5.2 | Information applicable to several APIs | 45 |
| 5.2.1 | Data Types | 45 |
| 5.2.1.1 | Introduction..... | 45 |
| 5.2.1.2 | Referenced structured data types..... | 45 |
| 5.2.1.2.1 | Type: SponsorInformation..... | 45 |
| 5.2.1.2.2 | Type: UsageThreshold..... | 46 |
| 5.2.1.2.3 | Type: TimeWindow..... | 46 |
| 5.2.1.2.4 | Type: Acknowledgement..... | 46 |
| 5.2.1.2.5 | Type: NotificationData | 46 |
| 5.2.1.2.6 | Type: EventReport..... | 46 |
| 5.2.1.2.7 | Type: AccumulatedUsage..... | 47 |
| 5.2.1.2.8 | Type: FlowInfo..... | 47 |
| 5.2.1.2.9 | Type: TestNotification..... | 47 |
| 5.2.1.2.10 | Type: WebsocketNotifConfig | 47 |
| 5.2.1.2.11 | Type: LocationArea..... | 48 |
| 5.2.1.2.12 | Type: ProblemDetails..... | 49 |
| 5.2.1.2.13 | Type: InvalidParam | 49 |
| 5.2.1.2.14 | Type: PlmnId | 49 |
| 5.2.1.2.15 | Type: ConfigResult | 49 |
| 5.2.1.2.16 | Type: UsageThresholdRm..... | 50 |
| 5.2.1.2.17 | Type: LocationArea5G..... | 50 |
| 5.2.1.3 | Referenced Simple data types and enumerations | 50 |
| 5.2.1.3.1 | Introduction | 50 |
| 5.2.1.3.2 | Simple data types..... | 50 |
| 5.2.1.3.3 | Enumeration: Event | 51 |
| 5.2.1.3.4 | Enumeration: ResultReason | 52 |
| 5.2.1.4 | Conventions for documenting structured data types | 52 |
| 5.2.2 | Usage of HTTP..... | 53 |
| 5.2.2.1 | General | 53 |
| 5.2.2.2 | Usage of the HTTP PATCH method..... | 53 |
| 5.2.3 | Content type..... | 53 |
| 5.2.4 | URI structure | 53 |
| 5.2.5 | Notifications | 54 |
| 5.2.5.1 | General | 54 |
| 5.2.5.2 | Notification Delivery using a separate HTTP connection..... | 54 |
| 5.2.5.3 | Notification Test Event | 54 |
| 5.2.5.4 | Notification Delivery using WebSocket | 54 |
| 5.2.6 | Error handling..... | 56 |
| 5.2.7 | Feature negotiation | 59 |
| 5.2.8 | HTTP custom headers..... | 59 |
| 5.2.8.1 | General | 59 |
| 5.2.8.2 | Reused HTTP custom headers | 59 |
| 5.2.9 | Conventions for Open API specification files | 59 |
| 5.2.9.1 | General | 59 |
| 5.2.9.2 | Formatting of OpenAPI files..... | 59 |
| 5.2.9.3 | Structured data types | 60 |
| 5.2.9.4 | Info..... | 61 |

| | | |
|------------|---|----|
| 5.2.9.5 | Servers..... | 61 |
| 5.2.9.6 | References to other 3GPP-defined Open API specification files | 61 |
| 5.2.9.7 | Server-initiated communication | 62 |
| 5.2.9.8 | Describing the body of HTTP PATCH requests | 62 |
| 5.2.9.9 | Error Responses | 63 |
| 5.2.9.10 | Enumerations | 64 |
| 5.2.9.11 | Read only attribute | 64 |
| 5.2.9.12 | externalDocs..... | 65 |
| 5.2.10 | Redirection handling..... | 65 |
| 5.3 | MonitoringEvent API..... | 65 |
| 5.3.1 | Overview | 65 |
| 5.3.2 | Data model..... | 65 |
| 5.3.2.1 | Resource data types..... | 65 |
| 5.3.2.1.1 | Introduction | 65 |
| 5.3.2.1.2 | Type: MonitoringEventSubscription | 66 |
| 5.3.2.2 | Notification data types | 72 |
| 5.3.2.2.1 | Introduction | 72 |
| 5.3.2.2.2 | Type: MonitoringNotification | 72 |
| 5.3.2.3 | Referenced structured data types..... | 73 |
| 5.3.2.3.1 | Introduction | 73 |
| 5.3.2.3.2 | Type: MonitoringEventReport | 73 |
| 5.3.2.3.3 | Type: IdleStatusInfo | 77 |
| 5.3.2.3.4 | Type: UePerLocationReport..... | 77 |
| 5.3.2.3.5 | Type: LocationInfo..... | 77 |
| 5.3.2.3.6 | Type: FailureCause..... | 79 |
| 5.3.2.3.7 | Type: PdnConnectionInformation | 79 |
| 5.3.2.3.8 | Type: AppliedParameterConfiguration | 80 |
| 5.3.2.3.9 | Type: ApiCapabilityInfo..... | 80 |
| 5.3.2.4 | Referenced simple data types and enumerations..... | 80 |
| 5.3.2.4.1 | Introduction | 80 |
| 5.3.2.4.2 | Simple data types..... | 80 |
| 5.3.2.4.3 | Enumeration: MonitoringType | 81 |
| 5.3.2.4.4 | Enumeration: ReachabilityType | 81 |
| 5.3.2.4.5 | Enumeration: LocationType | 82 |
| 5.3.2.4.6 | Enumeration: AssociationType | 82 |
| 5.3.2.4.7 | Enumeration: Accuracy | 82 |
| 5.3.2.4.8 | Enumeration: PdnConnectionStatus | 83 |
| 5.3.2.4.9 | Enumeration: PdnType..... | 83 |
| 5.3.2.4.10 | Enumeration: InterfaceIndication | 83 |
| 5.3.2.4.11 | Enumeration: LocationFailureCause | 84 |
| 5.3.3 | Resource structure..... | 84 |
| 5.3.3.1 | General | 84 |
| 5.3.3.2 | Resource: Monitoring Event Subscriptions..... | 84 |
| 5.3.3.2.1 | Introduction | 84 |
| 5.3.3.2.2 | Resource definition..... | 84 |
| 5.3.3.2.3 | Resource methods..... | 85 |
| 5.3.3.3 | Resource: Individual Monitoring Event Subscription..... | 87 |
| 5.3.3.3.1 | Introduction | 87 |
| 5.3.3.3.2 | Resource definition..... | 87 |
| 5.3.3.3.3 | Resource methods..... | 87 |
| 5.3.3.4 | Void..... | 90 |
| 5.3.3a | Notifications | 90 |
| 5.3.3a.1 | General | 90 |
| 5.3.3a.2 | Monitoring Notification | 91 |
| 5.3.3a.2.1 | Description | 91 |
| 5.3.3a.2.2 | Target URI..... | 91 |
| 5.3.3a.2.3 | Standard Methods | 91 |
| 5.3.4 | Used Features..... | 92 |
| 5.3.5 | Error handling..... | 94 |
| 5.3.5.1 | General | 94 |
| 5.3.5.2 | Protocol Errors | 94 |
| 5.3.5.3 | Application Errors..... | 94 |

| | | |
|------------|---|-----|
| 5.4 | ResourceManagementOfBdt API | 94 |
| 5.4.1 | Overview | 94 |
| 5.4.2 | Data model | 94 |
| 5.4.2.1 | Resource data types | 94 |
| 5.4.2.1.1 | Introduction | 94 |
| 5.4.2.1.2 | Type: Bdt | 95 |
| 5.4.2.1.3 | Type: BdtPatch | 96 |
| 5.4.2.1.4 | Type: ExNotification | 96 |
| 5.4.2.2 | Referenced structured data types | 96 |
| 5.4.2.2.1 | Introduction | 96 |
| 5.4.2.2.2 | Type: TransferPolicy | 96 |
| 5.4.2.3 | Referenced simple data types and enumerations | 97 |
| 5.4.2.3.1 | Introduction | 97 |
| 5.4.2.3.2 | Simple data types | 97 |
| 5.4.3 | Resource structure | 97 |
| 5.4.3.1 | General | 97 |
| 5.4.3.2 | Resource: BDT Subscriptions | 98 |
| 5.4.3.2.1 | Introduction | 98 |
| 5.4.3.2.2 | Resource definition | 98 |
| 5.4.3.2.3 | Resource methods | 98 |
| 5.4.3.3 | Resource: Individual BDT Subscription | 100 |
| 5.4.3.3.1 | Introduction | 100 |
| 5.4.3.3.2 | Resource definition | 100 |
| 5.4.3.3.3 | Resource methods | 100 |
| 5.4.3.4 | Void | 104 |
| 5.4.3a | Notifications | 104 |
| 5.4.3a.1 | General | 104 |
| 5.4.3a.2 | BDT Warning Notification | 105 |
| 5.4.3a.2.1 | Description | 105 |
| 5.4.3a.2.2 | Target URI | 105 |
| 5.4.3a.2.3 | Standard Methods | 105 |
| 5.4.4 | Used Features | 106 |
| 5.5 | ChargeableParty API | 106 |
| 5.5.1 | Overview | 106 |
| 5.5.2 | Data model | 106 |
| 5.5.2.1 | Resource data types | 106 |
| 5.5.2.1.1 | Introduction | 106 |
| 5.5.2.1.2 | Type: ChargeableParty | 107 |
| 5.5.2.1.3 | Type: ChargeablePartyPatch | 108 |
| 5.5.3 | Resource structure | 109 |
| 5.5.3.1 | General | 109 |
| 5.5.3.2 | Resource: Chargeable Party Transactions | 109 |
| 5.5.3.2.1 | Introduction | 109 |
| 5.5.3.2.2 | Resource definition | 109 |
| 5.5.3.2.3 | Resource methods | 110 |
| 5.5.3.3 | Resource: Individual Chargeable Party Transaction | 111 |
| 5.5.3.3.1 | Introduction | 111 |
| 5.5.3.3.2 | Resource definition | 111 |
| 5.5.3.3.3 | Resource methods | 112 |
| 5.5.3.4 | Void | 114 |
| 5.5.3a | Notifications | 114 |
| 5.5.3a.1 | General | 114 |
| 5.5.3a.2 | Event Notification | 115 |
| 5.5.3a.2.1 | Description | 115 |
| 5.5.3a.2.2 | Target URI | 115 |
| 5.5.3a.2.3 | Standard Methods | 115 |
| 5.5.4 | Used Features | 116 |
| 5.6 | NIDD API | 116 |
| 5.6.1 | Overview | 116 |
| 5.6.2 | Data model | 116 |
| 5.6.2.1 | Resource data types | 116 |
| 5.6.2.1.1 | Introduction | 116 |

| | | |
|------------|--|-----|
| 5.6.2.1.2 | Type: NiddConfiguration | 117 |
| 5.6.2.1.3 | Type: NiddDownlinkDataTransfer | 120 |
| 5.6.2.1.4 | Type: NiddUplinkDataNotification | 123 |
| 5.6.2.1.5 | Type: NiddDownlinkDataDeliveryStatusNotification | 123 |
| 5.6.2.1.6 | Type: NiddConfigurationStatusNotification | 124 |
| 5.6.2.1.7 | Type: NiddConfigurationPatch | 124 |
| 5.6.2.1.8 | Type: GmdNiddDownlinkDataDeliveryNotification | 125 |
| 5.6.2.1.9 | Type: ManagePort | 125 |
| 5.6.2.1.10 | Type: ManagePortNotification | 126 |
| 5.6.2.2 | Referenced structured data types | 126 |
| 5.6.2.2.1 | Introduction | 126 |
| 5.6.2.2.2 | Type: RdsPort | 126 |
| 5.6.2.2.3 | Type: GmdResult | 127 |
| 5.6.2.2.4 | Type: NiddDownlinkDataDeliveryFailure | 127 |
| 5.6.2.2.5 | Type: RdsDownlinkDataDeliveryFailure | 127 |
| 5.6.2.3 | Referenced simple data types and enumerations | 128 |
| 5.6.2.3.1 | Introduction | 128 |
| 5.6.2.3.2 | Simple data types | 128 |
| 5.6.2.3.3 | Enumeration: PdnEstablishmentOptions | 128 |
| 5.6.2.3.4 | Enumeration: DeliveryStatus | 128 |
| 5.6.2.3.5 | Enumeration: NiddStatus | 129 |
| 5.6.2.3.6 | Enumeration: PdnEstablishmentOptionsRm | 129 |
| 5.6.2.3.7 | Enumeration: ManageEntity | 130 |
| 5.6.3 | Resource structure | 130 |
| 5.6.3.1 | General | 130 |
| 5.6.3.2 | Resource: NIDD Configurations | 131 |
| 5.6.3.2.1 | Introduction | 131 |
| 5.6.3.2.2 | Resource definition | 132 |
| 5.6.3.2.3 | Resource methods | 132 |
| 5.6.3.3 | Resource: Individual NIDD Configuration | 133 |
| 5.6.3.3.1 | Introduction | 133 |
| 5.6.3.3.2 | Resource definition | 134 |
| 5.6.3.3.3 | Resource methods | 134 |
| 5.6.3.4 | Resource: NIDD downlink data deliveries | 136 |
| 5.6.3.4.1 | Introduction | 136 |
| 5.6.3.4.2 | Resource definition | 137 |
| 5.6.3.4.3 | Resource methods | 137 |
| 5.6.3.5 | Resource: Individual NIDD downlink data delivery | 140 |
| 5.6.3.5.1 | Introduction | 140 |
| 5.6.3.5.2 | Resource definition | 140 |
| 5.6.3.5.3 | Resource methods | 140 |
| 5.6.3.6 | Void | 144 |
| 5.6.3.7 | Void | 144 |
| 5.6.3.8 | Void | 144 |
| 5.6.3.9 | Resource: Individual ManagePort Configuration | 144 |
| 5.6.3.9.1 | Introduction | 144 |
| 5.6.3.9.2 | Resource definition | 144 |
| 5.6.3.9.3 | Resource methods | 144 |
| 5.6.3.10 | Void | 147 |
| 5.6.3.11 | Resource: ManagePort Configurations | 147 |
| 5.6.3.11.1 | Introduction | 147 |
| 5.6.3.11.2 | Resource definition | 147 |
| 5.6.3.11.3 | Resource methods | 148 |
| 5.6.3a | Notifications | 149 |
| 5.6.3a.1 | General | 149 |
| 5.6.3a.2 | NIDD Configuration Update Notification | 149 |
| 5.6.3a.2.1 | Description | 149 |
| 5.6.3a.2.2 | Target URI | 149 |
| 5.6.3a.2.3 | Standard Methods | 150 |
| 5.6.3a.3 | NIDD Downlink Data Delivery Status Notification | 151 |
| 5.6.3a.3.1 | Description | 151 |
| 5.6.3a.3.2 | Target URI | 151 |

| | | |
|------------|--|-----|
| 5.6.3a.3.3 | Standard Methods | 151 |
| 5.6.3a.4 | NIDD Uplink Data Notification | 153 |
| 5.6.3a.4.1 | Description | 153 |
| 5.6.3a.4.2 | Target URI | 153 |
| 5.6.3a.4.3 | Standard Methods | 153 |
| 5.6.3a.5 | ManagePort Notification | 154 |
| 5.6.3a.5.1 | Description | 154 |
| 5.6.3a.5.2 | Target URI | 154 |
| 5.6.3a.5.3 | Standard Methods | 155 |
| 5.6.4 | Used Features | 156 |
| 5.6.5 | Error handling | 156 |
| 5.6.5.1 | General | 156 |
| 5.6.5.2 | Protocol Errors | 156 |
| 5.6.5.3 | Application Errors | 156 |
| 5.7 | DeviceTriggering API | 157 |
| 5.7.1 | Overview | 157 |
| 5.7.2 | Data model | 157 |
| 5.7.2.1 | Resource data types | 157 |
| 5.7.2.1.1 | Introduction | 157 |
| 5.7.2.1.2 | Type: DeviceTriggering | 158 |
| 5.7.2.1.3 | Type: DeviceTriggeringDeliveryReportNotification | 159 |
| 5.7.2.2 | Referenced simple data types and enumerations | 159 |
| 5.7.2.2.1 | Introduction | 159 |
| 5.7.2.2.2 | Simple data types | 159 |
| 5.7.2.2.3 | Enumeration: DeliveryResult | 159 |
| 5.7.2.2.4 | Enumeration: Priority | 160 |
| 5.7.3 | Resource structure | 160 |
| 5.7.3.1 | General | 160 |
| 5.7.3.2 | Resource: Device Triggering Transactions | 161 |
| 5.7.3.2.1 | Introduction | 161 |
| 5.7.3.2.2 | Resource definition | 161 |
| 5.7.3.2.3 | Resource methods | 161 |
| 5.7.3.3 | Resource: Individual Device Triggering Transaction | 163 |
| 5.7.3.3.1 | Introduction | 163 |
| 5.7.3.3.2 | Resource definition | 163 |
| 5.7.3.3.3 | Resource methods | 163 |
| 5.7.3.4 | Void | 166 |
| 5.7.3a | Notifications | 166 |
| 5.7.3a.1 | General | 166 |
| 5.7.3a.2 | Device Triggering Delivery Report Notification | 167 |
| 5.7.3a.2.1 | Description | 167 |
| 5.7.3a.2.2 | Target URI | 167 |
| 5.7.3a.2.3 | Standard Methods | 167 |
| 5.7.4 | Used Features | 168 |
| 5.8 | GMD via MBMS related APIs | 168 |
| 5.8.1 | Overview | 168 |
| 5.8.2 | GMDviaMBMSbyMB2 API | 169 |
| 5.8.2.1 | Data model | 169 |
| 5.8.2.1.1 | Resource data types | 169 |
| 5.8.2.2 | Resource structure | 171 |
| 5.8.2.2.1 | General | 171 |
| 5.8.2.2.2 | Resource: TMGI Allocation | 172 |
| 5.8.2.2.3 | Resource: Individual TMGI Allocation | 174 |
| 5.8.2.2.4 | Resource: GMD via MBMS by MB2 | 176 |
| 5.8.2.2.5 | Resource: Individual GMD via MBMS by MB2 | 177 |
| 5.8.2.2.6 | Void | 179 |
| 5.8.2.2a | Notifications | 179 |
| 5.8.2.2a.1 | General | 179 |
| 5.8.2.2a.2 | GMD via MBMS by MB2 Notification | 180 |
| 5.8.2.3 | Used Features | 181 |
| 5.8.3 | GMDviaMBMSbyxMB API | 181 |
| 5.8.3.1 | Data model | 181 |

| | | |
|------------|--|-----|
| 5.8.3.1.1 | Resource data types | 181 |
| 5.8.3.1.2 | Referenced simple data types and enumerations | 184 |
| 5.8.3.2 | Resource structure | 185 |
| 5.8.3.2.1 | General | 185 |
| 5.8.3.2.2 | Resource: xMB Services | 186 |
| 5.8.3.2.3 | Resource: Individual xMB Service | 187 |
| 5.8.3.2.4 | Resource: GMD via MBMS by xMB | 188 |
| 5.8.3.2.5 | Resource: Individual GMD via MBMS by xMB | 190 |
| 5.8.3.2.6 | Void | 192 |
| 5.8.3.2a | Notifications | 192 |
| 5.8.3.2a.1 | General | 192 |
| 5.8.3.2a.2 | GMD via MBMS by xMB Notification | 193 |
| 5.8.3.3 | Used Features | 194 |
| 5.9 | ReportingNetworkStatus API | 194 |
| 5.9.1 | Overview | 194 |
| 5.9.2 | Data model | 194 |
| 5.9.2.1 | Resource data types | 194 |
| 5.9.2.1.1 | Introduction | 194 |
| 5.9.2.1.2 | Type: NetworkStatusReportingSubscription | 194 |
| 5.9.2.2 | Notification data types | 195 |
| 5.9.2.2.1 | Introduction | 195 |
| 5.9.2.2.2 | Type: NetworkStatusReportingNotification | 195 |
| 5.9.2.3 | Referenced simple data types and enumerations | 196 |
| 5.9.2.3.1 | Introduction | 196 |
| 5.9.2.3.2 | Simple data types | 196 |
| 5.9.2.3.3 | Enumeration: CongestionType | 196 |
| 5.9.3 | Resource structure | 196 |
| 5.9.3.1 | General | 196 |
| 5.9.3.2 | Resource: Network Status Reporting Subscriptions | 197 |
| 5.9.3.2.1 | Introduction | 197 |
| 5.9.3.2.2 | Resource definition | 197 |
| 5.9.3.2.3 | Resource methods | 197 |
| 5.9.3.3 | Resource: Individual Network Status Reporting Subscription | 199 |
| 5.9.3.3.1 | Introduction | 199 |
| 5.9.3.3.2 | Resource definition | 199 |
| 5.9.3.3.3 | Resource methods | 199 |
| 5.9.3.4 | Void | 201 |
| 5.9.3a | Notifications | 201 |
| 5.9.3a.1 | General | 201 |
| 5.9.3a.2 | Network Status Reporting Notification | 201 |
| 5.9.3a.2.1 | Description | 201 |
| 5.9.3a.2.2 | Target URI | 201 |
| 5.9.3a.2.3 | Standard Methods | 201 |
| 5.9.4 | Used Features | 202 |
| 5.9.5 | Error handling | 202 |
| 5.9.5.1 | General | 202 |
| 5.9.5.2 | Protocol Errors | 202 |
| 5.9.5.3 | Application Errors | 202 |
| 5.10 | CpProvisioning API | 203 |
| 5.10.1 | Overview | 203 |
| 5.10.2 | Data model | 203 |
| 5.10.2.1 | Resource data types | 203 |
| 5.10.2.1.1 | Introduction | 203 |
| 5.10.2.1.2 | Type: CpInfo | 203 |
| 5.10.2.2 | Referenced structured data types | 204 |
| 5.10.2.2.1 | Introduction | 204 |
| 5.10.2.2.2 | Type: CpParameterSet | 204 |
| 5.10.2.2.3 | Type: ScheduledCommunicationTime | 205 |
| 5.10.2.2.4 | Type: CpReport | 206 |
| 5.10.2.2.5 | Type: UmtLocationArea5G | 206 |
| 5.10.2.3 | Referenced simple data types and enumerations | 206 |
| 5.10.2.3.1 | Introduction | 206 |

| | | |
|-------------|---|-----|
| 5.10.2.3.2 | Simple data types..... | 206 |
| 5.10.2.3.3 | Enumeration: CommunicationIndicator | 207 |
| 5.10.2.3.4 | Enumeration: StationaryIndication | 207 |
| 5.10.2.3.5 | Enumeration: CpFailureCode | 207 |
| 5.10.2.3.6 | Enumeration: BatteryIndication | 207 |
| 5.10.2.3.7 | Enumeration: TrafficProfile | 208 |
| 5.10.2.3.8a | Enumeration: ScheduledCommunicationType | 208 |
| 5.10.3 | Resource structure..... | 208 |
| 5.10.3.1 | General | 208 |
| 5.10.3.2 | Resource: CP Provisioning Subscriptions | 209 |
| 5.10.3.2.1 | Introduction | 209 |
| 5.10.3.2.2 | Resource definition..... | 209 |
| 5.10.3.2.3 | Resource methods..... | 209 |
| 5.10.3.3 | Resource: Individual CP Provisioning Subscription | 211 |
| 5.10.3.3.1 | Introduction | 211 |
| 5.10.3.3.2 | Resource definition..... | 211 |
| 5.10.3.3.3 | Resource methods..... | 211 |
| 5.10.3.4 | Resource: Individual CP Set Provisioning | 214 |
| 5.10.3.4.1 | Introduction | 214 |
| 5.10.3.4.2 | Resource definition..... | 214 |
| 5.10.3.4.3 | Resource methods..... | 215 |
| 5.10.4 | Used Features..... | 217 |
| 5.11 | PfdManagement API | 218 |
| 5.11.1 | Overview | 218 |
| 5.11.2 | Data model..... | 218 |
| 5.11.2.1 | Resource data types | 218 |
| 5.11.2.1.1 | Introduction | 218 |
| 5.11.2.1.2 | Type: PfdManagement | 218 |
| 5.11.2.1.3 | Type: PfdData..... | 219 |
| 5.11.2.1.4 | Type: Pfd..... | 220 |
| 5.11.2.1.5 | Type: PfdReport | 221 |
| 5.11.2.1.6 | Type: UserPlaneLocationArea | 221 |
| 5.11.2.2 | Referenced simple data types and enumerations..... | 222 |
| 5.11.2.2.1 | Introduction | 222 |
| 5.11.2.2.2 | Simple data types..... | 222 |
| 5.11.2.2.3 | Enumeration: FailureCode..... | 222 |
| 5.11.2.2.4 | Enumeration: DomainNameProtocol..... | 223 |
| 5.11.3 | Resource structure..... | 223 |
| 5.11.3.1 | General | 223 |
| 5.11.3.2 | Resource: PFD Management Transactions | 224 |
| 5.11.3.2.1 | Introduction | 224 |
| 5.11.3.2.2 | Resource definition..... | 224 |
| 5.11.3.2.3 | Resource methods..... | 224 |
| 5.11.3.3 | Resource: Individual PFD Management Transaction..... | 227 |
| 5.11.3.3.1 | Introduction | 227 |
| 5.11.3.3.2 | Resource definition..... | 227 |
| 5.11.3.3.3 | Resource methods..... | 227 |
| 5.11.3.4 | Resource: Individual Application PFD Management..... | 230 |
| 5.11.3.4.1 | Introduction | 230 |
| 5.11.3.4.2 | Resource definition..... | 230 |
| 5.11.3.4.3 | Resource methods..... | 231 |
| 5.11.3.5 | Void..... | 234 |
| 5.11.3a | Notifications | 234 |
| 5.11.3a.1 | General | 234 |
| 5.11.3a.2 | PFD Management Notification | 235 |
| 5.11.3a.2.1 | Description | 235 |
| 5.11.3a.2.2 | Target URI..... | 235 |
| 5.11.3a.2.3 | Standard Methods..... | 235 |
| 5.11.4 | Used Features..... | 236 |
| 5.12 | ECRControl API | 236 |
| 5.12.1 | Overview | 236 |
| 5.12.2 | Data model..... | 236 |

| | | |
|-------------|--|-----|
| 5.12.2.1 | Data types..... | 236 |
| 5.12.2.1.1 | Introduction | 236 |
| 5.12.2.1.2 | Type: ECRControl..... | 237 |
| 5.12.2.1.3 | Type: ECRData | 237 |
| 5.12.2.1.4 | Type: PlmnEcRestrictionDataWb | 238 |
| 5.12.3 | Custom Operations without associated resources | 238 |
| 5.12.3.1 | Overview | 238 |
| 5.12.3.2 | Operation: query | 238 |
| 5.12.3.2.1 | Description | 238 |
| 5.12.3.2.2 | Operation Definition..... | 238 |
| 5.12.3.3 | Operation: configure | 239 |
| 5.12.3.3.1 | Description | 239 |
| 5.12.3.3.2 | Operation Definition..... | 240 |
| 5.12.4 | Used Features..... | 240 |
| 5.12.5 | Error handling | 241 |
| 5.12.5.1 | General | 241 |
| 5.12.5.2 | Protocol Errors | 241 |
| 5.12.5.3 | Application Errors | 241 |
| 5.13 | NpConfiguration API | 241 |
| 5.13.1 | Overview | 241 |
| 5.13.2 | Data model..... | 241 |
| 5.13.2.1 | Resource data types..... | 241 |
| 5.13.2.1.1 | Introduction | 241 |
| 5.13.2.1.2 | Type: NpConfiguration | 242 |
| 5.13.2.1.3 | Type: NpConfigurationPatch..... | 244 |
| 5.13.2.1.4 | Type: ConfigurationNotification | 244 |
| 5.13.3 | Resource structure..... | 244 |
| 5.13.3.1 | General | 244 |
| 5.13.3.2 | Resource: NP Configurations..... | 245 |
| 5.13.3.2.1 | Introduction | 245 |
| 5.13.3.2.2 | Resource definition..... | 245 |
| 5.13.3.2.3 | Resource methods..... | 245 |
| 5.13.3.3 | Resource: Individual NP Configuration | 247 |
| 5.13.3.3.1 | Introduction | 247 |
| 5.13.3.3.2 | Resource definition..... | 247 |
| 5.13.3.3.3 | Resource methods..... | 248 |
| 5.13.3.4 | Void..... | 251 |
| 5.13.3a | Notifications | 251 |
| 5.13.3a.1 | General | 251 |
| 5.13.3a.2 | Configuration Notification | 252 |
| 5.13.3a.2.1 | Description | 252 |
| 5.13.3a.2.2 | Target URI..... | 252 |
| 5.13.3a.2.3 | Standard Methods | 252 |
| 5.13.4 | Used Features..... | 253 |
| 5.13.5 | Error handling | 254 |
| 5.13.5.1 | General | 254 |
| 5.13.5.2 | Protocol Errors | 254 |
| 5.13.5.3 | Application Errors | 254 |
| 5.14 | AsSessionWithQoS API..... | 254 |
| 5.14.1 | Overview | 254 |
| 5.14.2 | Data model..... | 254 |
| 5.14.2.1 | Resource data types..... | 254 |
| 5.14.2.1.1 | Introduction | 254 |
| 5.14.2.1.2 | Type: AsSessionWithQoSSubscription | 255 |
| 5.14.2.1.3 | Type: AsSessionWithQoSSubscriptionPatch | 257 |
| 5.14.2.1.4 | Type: UserPlaneNotificationData..... | 257 |
| 5.14.2.1.5 | Type: UserPlaneEventReport | 257 |
| 5.14.2.1.6 | Type: QosMonitoringInformation | 258 |
| 5.14.2.1.7 | Type: QosMonitoringInformationRm | 259 |
| 5.14.2.1.8 | Type: QosMonitoringReport | 259 |
| 5.14.2.2 | Referenced simple data types and enumerations..... | 260 |
| 5.14.2.2.1 | Introduction | 260 |

| | | |
|-------------|---|-----|
| 5.14.2.2.2 | Simple data types..... | 260 |
| 5.14.2.2.3 | Enumeration: UserPlaneEvent..... | 260 |
| 5.14.3 | Resource structure..... | 260 |
| 5.14.3.1 | General..... | 260 |
| 5.14.3.2 | Resource: AS Session with Required QoS subscriptions..... | 261 |
| 5.14.3.2.1 | Introduction..... | 261 |
| 5.14.3.2.2 | Resource definition..... | 261 |
| 5.14.3.2.3 | Resource methods..... | 261 |
| 5.14.3.3 | Resource: Individual AS Session with Required QoS Subscription..... | 263 |
| 5.14.3.3.1 | Introduction..... | 263 |
| 5.14.3.3.2 | Resource definition..... | 263 |
| 5.14.3.3.3 | Resource methods..... | 264 |
| 5.14.3.4 | Void..... | 267 |
| 5.14.3a | Notifications..... | 267 |
| 5.14.3a.1 | General..... | 267 |
| 5.14.3a.2 | Event Notification..... | 268 |
| 5.14.3a.2.1 | Description..... | 268 |
| 5.14.3a.2.2 | Target URI..... | 268 |
| 5.14.3a.2.3 | Standard Methods..... | 268 |
| 5.14.4 | Used Features..... | 269 |
| 5.15 | MsisdnLessMoSms API..... | 269 |
| 5.15.1 | Overview..... | 269 |
| 5.15.2 | Data model..... | 269 |
| 5.15.2.1 | Notification data types..... | 269 |
| 5.15.2.1.1 | Introduction..... | 269 |
| 5.15.2.1.2 | Type: MsisdnLessMoSmsNotification..... | 270 |
| 5.15.2.1.3 | Type: MsisdnLessMoSmsNotificationReply..... | 270 |
| 5.15.3 | Resource structure..... | 270 |
| 5.15.3.1 | General..... | 270 |
| 5.15.3.2 | MSISDN-less MO SMS Notification..... | 271 |
| 5.15.3.2.1 | Introduction..... | 271 |
| 5.15.3.2.2 | Resource definition..... | 271 |
| 5.15.3.2.3 | Standard methods..... | 271 |
| 5.15.4 | Used Features..... | 272 |
| 5.16 | RacsParameterProvisioning API..... | 272 |
| 5.16.1 | Overview..... | 272 |
| 5.16.2 | Data model..... | 273 |
| 5.16.2.1 | Resource data types..... | 273 |
| 5.16.2.1.1 | Introduction..... | 273 |
| 5.16.2.1.2 | Type: RacsProvisioningData..... | 273 |
| 5.16.2.1.3 | Type: RacsFailureReport..... | 273 |
| 5.16.2.1.4 | Type: RacsConfiguration..... | 274 |
| 5.16.2.1.5 | Type: RacsProvisioningDataPatch..... | 274 |
| 5.16.2.1.6 | Type: RacsConfigurationRm..... | 274 |
| 5.16.2.2 | Referenced simple data types and enumerations..... | 275 |
| 5.16.2.2.1 | Introduction..... | 275 |
| 5.16.2.2.2 | Simple data types..... | 275 |
| 5.16.2.2.3 | Enumeration: RacsFailureCode..... | 275 |
| 5.16.3 | Resource structure..... | 275 |
| 5.16.3.1 | General..... | 275 |
| 5.16.3.2 | Resource: RACS Parameter Provisionings..... | 276 |
| 5.16.3.2.1 | Introduction..... | 276 |
| 5.16.3.2.2 | Resource definition..... | 276 |
| 5.16.3.2.3 | Resource methods..... | 276 |
| 5.16.3.3 | Resource: Individual RACS Parameter Provisioning..... | 278 |
| 5.16.3.3.1 | Introduction..... | 278 |
| 5.16.3.3.2 | Resource definition..... | 278 |
| 5.16.3.3.3 | Resource methods..... | 278 |
| 5.16.4 | Used Features..... | 282 |
| 5.16.5 | Error handling..... | 282 |
| 5.16.5.1 | General..... | 282 |
| 5.16.5.2 | Protocol Errors..... | 282 |

| | | |
|---|--|------------|
| 5.16.5.3 | Application Errors..... | 283 |
| 6 | Security..... | 283 |
| 7 | Using Common API Framework..... | 283 |
| 7.1 | General..... | 283 |
| 7.2 | Security..... | 283 |
| Annex A (normative): OpenAPI representation for the APIs defined in the present document | | 285 |
| A.1 | General..... | 285 |
| A.2 | Data Types applicable to several APIs..... | 285 |
| A.3 | MonitoringEvent API..... | 292 |
| A.4 | ResourceManagementOfBdt API..... | 304 |
| A.5 | ChargeableParty API..... | 309 |
| A.6 | NIDD API..... | 314 |
| A.7 | DeviceTriggering API..... | 328 |
| A.8 | GMDViaMBMS APIs..... | 333 |
| A.8.1 | GMDviaMBMSbyMB2 API..... | 333 |
| A.8.2 | GMDviaMBMSbyxMB API..... | 343 |
| A.9 | ReportingNetworkStatus API..... | 353 |
| A.10 | CpProvisioning API..... | 357 |
| A.11 | PfdManagement API..... | 366 |
| A.12 | ECRControl API..... | 374 |
| A.13 | NpConfiguration API..... | 377 |
| A.14 | AsSessionWithQoS API..... | 383 |
| A.15 | MsisdnLessMoSms API..... | 391 |
| A.16 | RacsParameterProvisioning API..... | 392 |
| Annex B (informative): Change history | | 398 |
| History..... | | 405 |

get full document from standards.iteh.ai

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- Y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Sample Document

get full document from standards.iteh.ai