

ETSI TS 129 122 V17.13.0 (2026-03)



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
T8 reference point for Northbound APIs
(3GPP TS 29.122 version 17.13.0 Release 17)**

Sample Document



Reference

RTS/TSGC-0329122vhd0

Keywords

5G,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	15
1 Scope	16
2 References	16
3 Definitions and abbreviations.....	18
3.1 Definitions	18
3.2 Abbreviations	18
4 T8 reference point	19
4.1 Overview	19
4.2 Reference model.....	20
4.3 Functional elements.....	20
4.3.1 SCEF.....	20
4.3.2 SCS/AS	21
4.4 Procedures over T8 reference point.....	21
4.4.1 Introduction.....	21
4.4.2 Monitoring Procedures	21
4.4.2.1 General	21
4.4.2.2 Monitoring Events Configuration	21
4.4.2.2.1 General	21
4.4.2.2.2 Monitoring Events Configuration via HSS.....	23
4.4.2.2.3 Monitoring Events Configuration directly via MME/SGSN	25
4.4.2.2.4 Monitoring Events Configuration via PCRF	25
4.4.2.3 Reporting of Monitoring Event Procedure	26
4.4.2.4 Network-initiated Explicit Monitoring Event Deletion Procedure.....	27
4.4.2.5 Network initiated notification of applied parameter configuration	27
4.4.3 Procedures for resource management of Background Data Transfer.....	27
4.4.4 Procedures for changing the chargeable party at session set up or during the session.....	28
4.4.5 Procedures for Non-IP Data Delivery	29
4.4.5.1 General	29
4.4.5.2 NIDD Configuration	29
4.4.5.2.1 NIDD Configuration for a single UE.....	29
4.4.5.2.2 NIDD Configuration for a group of UEs.....	30
4.4.5.3 Mobile Terminated NIDD procedure	31
4.4.5.3.1 Mobile Terminated NIDD for a single UE	31
4.4.5.3.2 Mobile Terminated NIDD for a group of UEs	33
4.4.5.4 Mobile Originated NIDD procedure	33
4.4.5.5 NIDD Authorisation Update procedure	34
4.4.5.6 Port Management Configuration.....	34
4.4.5.6.1 Port Reservation and Release	34
4.4.5.6.2 Port Notification	35
4.4.6 Procedures for Device Triggering.....	35
4.4.7 Procedures for Group Message Delivery	36
4.4.7.1 General	36
4.4.7.2 Group Message Delivery via MBMS.....	37
4.4.7.2.1 General	37
4.4.7.2.2 Group Message Delivery via MBMS by MB2	37
4.4.7.2.3 Group message Delivery via MBMS by xMB.....	39
4.4.8 Procedures for Reporting of Network Status	41
4.4.8.1 General	41
4.4.8.2 Network Status Reporting Subscription.....	41
4.4.8.3 Network Status Reporting Notification.....	42
4.4.9 Procedures for Communication Pattern Parameters Provisioning	42

4.4.10	Procedures for PFD Management	43
4.4.11	Procedures for Enhanced Coverage Restriction Control.....	44
4.4.12	Procedures for Network Parameter Configuration.....	45
4.4.12.1	General	45
4.4.12.2	Configuration Request for an individual UE.....	46
4.4.12.3	Configuration Request for a group of UEs.....	46
4.4.12.4	Notification of applied parameter configuration	47
4.4.13	Procedures for setting up an AS session with required QoS.....	47
4.4.14	Procedures for MSISDN-less Mobile Originated SMS	48
4.4.14.1	General	48
4.4.14.2	Delivery of MSISDN-less MO SMS.....	48
4.4.15	Procedures for RACS Parameter Provisioning	49
5	T8 APIs	49
5.1	Introduction	49
5.2	Information applicable to several APIs	50
5.2.1	Data Types	50
5.2.1.1	Introduction.....	50
5.2.1.2	Referenced structured data types.....	54
5.2.1.2.1	Type: SponsorInformation.....	54
5.2.1.2.2	Type: UsageThreshold.....	54
5.2.1.2.3	Type: TimeWindow.....	54
5.2.1.2.4	Type: Acknowledgement.....	55
5.2.1.2.5	Type: NotificationData	55
5.2.1.2.6	Type: EventReport.....	55
5.2.1.2.7	Type: AccumulatedUsage.....	55
5.2.1.2.8	Type: FlowInfo	55
5.2.1.2.9	Type: TestNotification.....	56
5.2.1.2.10	Type: WebsocketNotifConfig	56
5.2.1.2.11	Type: LocationArea	56
5.2.1.2.12	Type: ProblemDetails.....	57
5.2.1.2.13	Type: InvalidParam	57
5.2.1.2.14	Type: PlmnId	58
5.2.1.2.15	Type: ConfigResult	58
5.2.1.2.16	Type: UsageThresholdRm.....	58
5.2.1.2.17	Type: LocationArea5G.....	58
5.2.1.2.18	Type: EthFlowInfo	59
5.2.1.3	Referenced Simple data types and enumerations	59
5.2.1.3.1	Introduction	59
5.2.1.3.2	Simple data types.....	59
5.2.1.3.3	Enumeration: Event	60
5.2.1.3.4	Enumeration: ResultReason	61
5.2.1.4	Conventions for documenting structured data types	61
5.2.2	Usage of HTTP	62
5.2.2.1	General	62
5.2.2.2	Usage of the HTTP PATCH method.....	62
5.2.3	Content type.....	62
5.2.4	URI structure	63
5.2.4.1	Resource URI structure	63
5.2.4.2	Custom operations URI structure.....	63
5.2.4.3	Callback URI structure.....	63
5.2.5	Notifications	64
5.2.5.1	General	64
5.2.5.2	Notification Delivery using a separate HTTP connection.....	64
5.2.5.3	Notification Test Event	64
5.2.5.4	Notification Delivery using Websocket	64
5.2.6	Error handling.....	66
5.2.7	Feature negotiation	69
5.2.8	HTTP custom headers.....	69
5.2.8.1	General	69
5.2.8.2	Reused HTTP custom headers	69
5.2.8.3.1	General	69

5.2.9	Conventions for Open API specification files	71
5.2.9.1	General	71
5.2.9.2	Formatting of OpenAPI files	71
5.2.9.3	Structured data types	71
5.2.9.4	Info	73
5.2.9.5	Servers	73
5.2.9.6	References to other 3GPP-defined Open API specification files	73
5.2.9.7	Server-initiated communication	74
5.2.9.8	Describing the body of HTTP PATCH requests	74
5.2.9.8.1	General	74
5.2.9.8.2	JSON Merge Patch	75
5.2.9.8.3	JSON PATCH	75
5.2.9.9	Error Responses	75
5.2.9.10	Enumerations	76
5.2.9.11	Read only attribute	77
5.2.9.12	externalDocs	77
5.2.9.13	Operation identifiers	77
5.2.9.14	Usage of the "tags" field	78
5.2.10	Redirection handling	78
5.2.11	Support of Load and Overload Control	78
5.2.12	Query parameters	79
5.3	MonitoringEvent API	80
5.3.1	Overview	80
5.3.2	Data model	80
5.3.2.1	Resource data types	80
5.3.2.1.1	Introduction	80
5.3.2.1.2	Type: MonitoringEventSubscription	84
5.3.2.1.3	Void	93
5.3.2.2	Notification data types	93
5.3.2.2.1	Introduction	93
5.3.2.2.2	Type: MonitoringNotification	93
5.3.2.3	Referenced structured data types	94
5.3.2.3.1	Introduction	94
5.3.2.3.2	Type: MonitoringEventReport	94
5.3.2.3.3	Type: IdleStatusInfo	98
5.3.2.3.4	Type: UePerLocationReport	99
5.3.2.3.5	Type: LocationInfo	99
5.3.2.3.6	Type: FailureCause	102
5.3.2.3.7	Type: PdnConnectionInformation	102
5.3.2.3.8	Type: AppliedParameterConfiguration	102
5.3.2.3.9	Type: ApiCapabilityInfo	103
5.3.2.3.10	Type: MonitoringEventReports	103
5.3.2.3.11	Type: UavPolicy	103
5.3.2.3.11	Type: ConsentRevocNotif	104
5.3.2.3.12	Type: ConsentRevoked	104
5.3.2.4	Referenced simple data types and enumerations	104
5.3.2.4.1	Introduction	104
5.3.2.4.2	Simple data types	104
5.3.2.4.3	Enumeration: MonitoringType	105
5.3.2.4.4	Enumeration: ReachabilityType	105
5.3.2.4.5	Enumeration: LocationType	106
5.3.2.4.6	Enumeration: AssociationType	106
5.3.2.4.7	Enumeration: Accuracy	106
5.3.2.4.8	Enumeration: PdnConnectionStatus	107
5.3.2.4.9	Enumeration: PdnType	107
5.3.2.4.10	Enumeration: InterfaceIndication	107
5.3.2.4.11	Enumeration: LocationFailureCause	108
5.3.2.4.12	Enumeration: SubType	108
5.3.2.4.13	Enumeration: SACRepFormat	108
5.3.3	Resource structure	108
5.3.3.1	General	108
5.3.3.2	Resource: Monitoring Event Subscriptions	109

5.3.3.2.1	Introduction	109
5.3.3.2.2	Resource definition.....	109
5.3.3.2.3	Resource methods.....	109
5.3.3.3	Resource: Individual Monitoring Event Subscription	112
5.3.3.3.1	Introduction	112
5.3.3.3.2	Resource definition.....	112
5.3.3.3.3	Resource methods.....	112
5.3.3.4	Void.....	116
5.3.3A	Notifications	116
5.3.3A.1	General	116
5.3.3A.2	Monitoring Notification	117
5.3.3A.2.1	Description	117
5.3.3A.2.2	Target URI.....	117
5.3.3A.2.3	Standard Methods.....	117
5.3.3A.3	User Consent Revocation Notification.....	118
5.3.3A.3.1	Description	118
5.3.3A.3.2	Target URI.....	118
5.3.3A.3.3	Operation Definition.....	119
5.3.4	Used Features.....	119
5.3.5	Error handling.....	122
5.3.5.1	General	122
5.3.5.2	Protocol Errors	122
5.3.5.3	Application Errors.....	122
5.4	ResourceManagementOfBdt API.....	124
5.4.1	Overview	124
5.4.2	Data model.....	124
5.4.2.1	Resource data types.....	124
5.4.2.1.1	Introduction	124
5.4.2.1.2	Type: Bdt.....	124
5.4.2.1.3	Type: BdtPatch.....	125
5.4.2.1.4	Type: ExNotification	126
5.4.2.2	Referenced structured data types.....	126
5.4.2.2.1	Introduction	126
5.4.2.2.2	Type: TransferPolicy	126
5.4.2.3	Referenced simple data types and enumerations.....	127
5.4.2.3.1	Introduction	127
5.4.2.3.2	Simple data types.....	127
5.4.3	Resource structure.....	127
5.4.3.1	General	127
5.4.3.2	Resource: BDT Subscriptions	128
5.4.3.2.1	Introduction	128
5.4.3.2.2	Resource definition.....	128
5.4.3.2.3	Resource methods.....	128
5.4.3.3	Resource: Individual BDT Subscription	130
5.4.3.3.1	Introduction	130
5.4.3.3.2	Resource definition.....	130
5.4.3.3.3	Resource methods.....	130
5.4.3.4	Void.....	134
5.4.3A	Notifications	134
5.4.3A.1	General	134
5.4.3A.2	BDT Warning Notification	135
5.4.3A.2.1	Description	135
5.4.3A.2.2	Target URI.....	135
5.4.3A.2.3	Standard Methods.....	135
5.4.4	Used Features.....	136
5.4.5	Error handling.....	136
5.4.5.1	General	136
5.4.5.2	Protocol Errors	136
5.4.5.3	Application Errors.....	136
5.5	ChargeableParty API.....	137
5.5.1	Overview	137
5.5.2	Data model.....	137

5.5.2.1	Resource data types.....	137
5.5.2.1.1	Introduction	137
5.5.2.1.2	Type: ChargeableParty	137
5.5.2.1.3	Type: ChargeablePartyPatch	140
5.5.3	Resource structure.....	140
5.5.3.1	General	140
5.5.3.2	Resource: Chargeable Party Transactions	141
5.5.3.2.1	Introduction	141
5.5.3.2.2	Resource definition.....	141
5.5.3.2.3	Resource methods.....	141
5.5.3.3	Resource: Individual Chargeable Party Transaction	143
5.5.3.3.1	Introduction	143
5.5.3.3.2	Resource definition.....	143
5.5.3.3.3	Resource methods.....	143
5.5.3.4	Void.....	146
5.5.3A	Notifications	146
5.5.3A.1	General	146
5.5.3A.2	Event Notification	147
5.5.3A.2.1	Description	147
5.5.3A.2.2	Target URI.....	147
5.5.3A.2.3	Standard Methods	147
5.5.4	Used Features.....	148
5.5.5	Error handling	148
5.5.5.1	General	148
5.5.5.2	Protocol Errors	148
5.5.5.3	Application Errors	148
5.6	NIDD API	149
5.6.1	Overview	149
5.6.2	Data model.....	149
5.6.2.1	Resource data types.....	149
5.6.2.1.1	Introduction	149
5.6.2.1.2	Type: NiddConfiguration	150
5.6.2.1.3	Type: NiddDownlinkDataTransfer	153
5.6.2.1.4	Type: NiddUplinkDataNotification	156
5.6.2.1.5	Type: NiddDownlinkDataDeliveryStatusNotification.....	156
5.6.2.1.6	Type: NiddConfigurationStatusNotification.....	157
5.6.2.1.7	Type: NiddConfigurationPatch.....	157
5.6.2.1.8	Type: GmdNiddDownlinkDataDeliveryNotification	158
5.6.2.1.9	Type: ManagePort	158
5.6.2.1.10	Type: ManagePortNotification	159
5.6.2.1.11	Type: NiddDownlinkDataTransferPatch	159
5.6.2.2	Referenced structured data types.....	160
5.6.2.2.1	Introduction	160
5.6.2.2.2	Type: RdsPort.....	160
5.6.2.2.3	Type: GmdResult.....	161
5.6.2.2.4	Type: NiddDownlinkDataDeliveryFailure	161
5.6.2.2.5	Type: RdsDownlinkDataDeliveryFailure	161
5.6.2.3	Referenced simple data types and enumerations.....	162
5.6.2.3.1	Introduction	162
5.6.2.3.2	Simple data types.....	162
5.6.2.3.3	Enumeration: PdnEstablishmentOptions	162
5.6.2.3.4	Enumeration: DeliveryStatus.....	162
5.6.2.3.5	Enumeration: NiddStatus.....	163
5.6.2.3.6	Enumeration: PdnEstablishmentOptionsRm	163
5.6.2.3.7	Enumeration: ManageEntity.....	164
5.6.2.3.8	Enumeration: SerializationFormat.....	164
5.6.3	Resource structure.....	164
5.6.3.1	General	164
5.6.3.2	Resource: NIDD Configurations	165
5.6.3.2.1	Introduction	165
5.6.3.2.2	Resource definition.....	166
5.6.3.2.3	Resource methods.....	166

5.6.3.3	Resource: Individual NIDD Configuration	167
5.6.3.3.1	Introduction	167
5.6.3.3.2	Resource definition.....	168
5.6.3.3.3	Resource methods.....	168
5.6.3.4	Resource: NIDD downlink data deliveries.....	170
5.6.3.4.1	Introduction	170
5.6.3.4.2	Resource definition.....	171
5.6.3.4.3	Resource methods.....	171
5.6.3.5	Resource: Individual NIDD downlink data delivery.....	174
5.6.3.5.1	Introduction	174
5.6.3.5.2	Resource definition.....	174
5.6.3.5.3	Resource methods.....	174
5.6.3.6	Void.....	179
5.6.3.7	Void.....	179
5.6.3.8	Void.....	179
5.6.3.9	Resource: Individual ManagePort Configuration.....	179
5.6.3.9.1	Introduction	179
5.6.3.9.2	Resource definition.....	179
5.6.3.9.3	Resource methods.....	179
5.6.3.10	Void.....	182
5.6.3.11	Resource: ManagePort Configurations	182
5.6.3.11.1	Introduction	182
5.6.3.11.2	Resource definition.....	183
5.6.3.11.3	Resource methods.....	183
5.6.3A	Notifications	184
5.6.3A.1	General	184
5.6.3A.2	NIDD Configuration Update Notification.....	184
5.6.3A.2.1	Description	184
5.6.3A.2.2	Target URI.....	185
5.6.3A.2.3	Standard Methods.....	185
5.6.3A.3	NIDD Downlink Data Delivery Status Notification	186
5.6.3A.3.1	Description	186
5.6.3A.3.2	Target URI.....	186
5.6.3A.3.3	Standard Methods.....	186
5.6.3A.4	NIDD Uplink Data Notification.....	188
5.6.3A.4.1	Description	188
5.6.3A.4.2	Target URI.....	188
5.6.3A.4.3	Standard Methods.....	188
5.6.3A.5	ManagePort Notification.....	189
5.6.3A.5.1	Description	189
5.6.3A.5.2	Target URI.....	189
5.6.3A.5.3	Standard Methods.....	190
5.6.4	Used Features.....	191
5.6.5	Error handling.....	191
5.6.5.1	General	191
5.6.5.2	Protocol Errors	191
5.6.5.3	Application Errors.....	191
5.7	DeviceTriggering API	192
5.7.1	Overview	192
5.7.2	Data model.....	192
5.7.2.1	Resource data types.....	192
5.7.2.1.1	Introduction	192
5.7.2.1.2	Type: DeviceTriggering	193
5.7.2.1.3	Type: DeviceTriggeringDeliveryReportNotification.....	194
5.7.2.1.4	Type: DeviceTriggeringPatch.....	195
5.7.2.2	Referenced simple data types and enumerations.....	195
5.7.2.2.1	Introduction	195
5.7.2.2.2	Simple data types.....	195
5.7.2.2.3	Enumeration: DeliveryResult	195
5.7.2.2.4	Enumeration: Priority	196
5.7.3	Resource structure.....	196
5.7.3.1	General	196

5.7.3.2	Resource: Device Triggering Transactions	197
5.7.3.2.1	Introduction	197
5.7.3.2.2	Resource definition.....	197
5.7.3.2.3	Resource methods.....	197
5.7.3.3	Resource: Individual Device Triggering Transaction	199
5.7.3.3.1	Introduction	199
5.7.3.3.2	Resource definition.....	199
5.7.3.3.3	Resource methods.....	199
5.7.3.4	Void.....	203
5.7.3A	Notifications	203
5.7.3A.1	General	203
5.7.3A.2	Device Triggering Delivery Report Notification	204
5.7.3A.2.1	Description	204
5.7.3A.2.2	Target URI.....	204
5.7.3A.2.3	Standard Methods.....	204
5.7.4	Used Features.....	205
5.7.5	Error handling	205
5.7.5.1	General	205
5.7.5.2	Protocol Errors	205
5.7.5.3	Application Errors.....	205
5.8	GMD via MBMS related APIs	206
5.8.1	Overview	206
5.8.2	GMDviaMBMSbyMB2 API.....	206
5.8.2.1	Data model	206
5.8.2.1.1	Resource data types	206
5.8.2.2	Resource structure.....	209
5.8.2.2.1	General	209
5.8.2.2.2	Resource: TMGI Allocation	210
5.8.2.2.3	Resource: Individual TMGI Allocation.....	212
5.8.2.2.4	Resource: GMD via MBMS by MB2.....	216
5.8.2.2.5	Resource: Individual GMD via MBMS by MB2.....	218
5.8.2.2.6	Void.....	222
5.8.2.2A	Notifications.....	222
5.8.2.2A.1	General	222
5.8.2.2A.2	GMD via MBMS by MB2 Notification.....	223
5.8.2.3	Used Features.....	224
5.8.2.4	Error handling	224
5.8.2.4.1	General	224
5.8.2.4.2	Protocol Errors	224
5.8.2.4.3	Application Errors	224
5.8.3	GMDviaMBMSbyxMB API.....	225
5.8.3.1	Data model	225
5.8.3.1.1	Resource data types	225
5.8.3.1.2	Referenced simple data types and enumerations	228
5.8.3.2	Resource structure.....	229
5.8.3.2.1	General	229
5.8.3.2.2	Resource: xMB Services	230
5.8.3.2.3	Resource: Individual xMB Service.....	232
5.8.3.2.4	Resource: GMD via MBMS by xMB	234
5.8.3.2.5	Resource: Individual GMD via MBMS by xMB.....	236
5.8.3.2.6	Void.....	240
5.8.3.2A	Notifications.....	240
5.8.3.2A.1	General	240
5.8.3.2A.2	GMD via MBMS by xMB Notification.....	241
5.8.3.3	Used Features.....	242
5.8.3.4	Error handling	242
5.8.3.4.1	General	242
5.8.3.4.2	Protocol Errors	242
5.8.3.4.3	Application Errors	242
5.9	ReportingNetworkStatus API.....	243
5.9.1	Overview	243
5.9.2	Data model.....	243

5.9.2.1	Resource data types.....	243
5.9.2.1.1	Introduction	243
5.9.2.1.2	Type: NetworkStatusReportingSubscription	243
5.9.2.1.3	Type: NetStatusRepSubsPatch	244
5.9.2.2	Notification data types	245
5.9.2.2.1	Introduction	245
5.9.2.2.2	Type: NetworkStatusReportingNotification	245
5.9.2.3	Referenced simple data types and enumerations.....	246
5.9.2.3.1	Introduction	246
5.9.2.3.2	Simple data types.....	246
5.9.2.3.3	Enumeration: CongestionType	246
5.9.3	Resource structure.....	246
5.9.3.1	General	246
5.9.3.2	Resource: Network Status Reporting Subscriptions.....	247
5.9.3.2.1	Introduction	247
5.9.3.2.2	Resource definition.....	247
5.9.3.2.3	Resource methods.....	247
5.9.3.3	Resource: Individual Network Status Reporting Subscription.....	249
5.9.3.3.1	Introduction	249
5.9.3.3.2	Resource definition.....	249
5.9.3.3.3	Resource methods.....	249
5.9.3.4	Void.....	253
5.9.3A	Notifications	253
5.9.3A.1	General	253
5.9.3A.2	Network Status Reporting Notification.....	254
5.9.3A.2.1	Description	254
5.9.3A.2.2	Target URI.....	254
5.9.3A.2.3	Standard Methods.....	254
5.9.4	Used Features.....	255
5.9.5	Error handling	255
5.9.5.1	General	255
5.9.5.2	Protocol Errors	255
5.9.5.3	Application Errors.....	255
5.10	CpProvisioning API	256
5.10.1	Overview	256
5.10.2	Data model.....	256
5.10.2.1	Resource data types.....	256
5.10.2.1.1	Introduction	256
5.10.2.1.2	Type: CpInfo	257
5.10.2.2	Referenced structured data types.....	260
5.10.2.2.1	Introduction	260
5.10.2.2.2	Type: CpParameterSet.....	260
5.10.2.2.3	Type: ScheduledCommunicationTime	261
5.10.2.2.4	Type: CpReport	262
5.10.2.2.5	Type: UmtLocationArea5G.....	262
5.10.2.3	Referenced simple data types and enumerations.....	262
5.10.2.3.1	Introduction	262
5.10.2.3.2	Simple data types.....	262
5.10.2.3.3	Enumeration: CommunicationIndicator	263
5.10.2.3.4	Enumeration: StationaryIndication.....	263
5.10.2.3.5	Enumeration: CpFailureCode	263
5.10.2.3.6	Enumeration: BatteryIndication	263
5.10.2.3.7	Enumeration: TrafficProfile	264
5.10.2.3.8A	Enumeration: ScheduledCommunicationType	264
5.10.3	Resource structure.....	264
5.10.3.1	General	264
5.10.3.2	Resource: CP Provisioning Subscriptions	265
5.10.3.2.1	Introduction	265
5.10.3.2.2	Resource definition.....	265
5.10.3.2.3	Resource methods.....	265
5.10.3.3	Resource: Individual CP Provisioning Subscription	267
5.10.3.3.1	Introduction	267

5.10.3.3.2	Resource definition.....	267
5.10.3.3.3	Resource methods.....	268
5.10.3.4	Resource: Individual CP Set Provisioning	270
5.10.3.4.1	Introduction	270
5.10.3.4.2	Resource definition.....	270
5.10.3.4.3	Resource methods.....	271
5.10.4	Used Features.....	273
5.10.5	Error handling.....	274
5.10.5.1	General	274
5.10.5.2	Protocol Errors	274
5.10.5.3	Application Errors.....	274
5.11	PfdManagement API.....	274
5.11.1	Overview	274
5.11.2	Data model.....	274
5.11.2.1	Resource data types.....	274
5.11.2.1.1	Introduction	274
5.11.2.1.2	Type: PfdManagement	275
5.11.2.1.3	Type: PfdData.....	276
5.11.2.1.4	Type: Pfd.....	277
5.11.2.1.5	Type: PfdReport	278
5.11.2.1.6	Type: UserPlaneLocationArea	278
5.11.2.1.7	Type: PfdManagementPatch.....	279
5.11.2.2	Referenced simple data types and enumerations.....	279
5.11.2.2.1	Introduction	279
5.11.2.2.2	Simple data types.....	279
5.11.2.2.3	Enumeration: FailureCode.....	280
5.11.2.2.4	Enumeration: DomainNameProtocol.....	280
5.11.3	Resource structure.....	280
5.11.3.1	General	280
5.11.3.2	Resource: PFD Management Transactions	281
5.11.3.2.1	Introduction	281
5.11.3.2.2	Resource definition.....	281
5.11.3.2.3	Resource methods.....	282
5.11.3.3	Resource: Individual PFD Management Transaction.....	284
5.11.3.3.1	Introduction	284
5.11.3.3.2	Resource definition.....	284
5.11.3.3.3	Resource methods.....	284
5.11.3.4	Resource: Individual Application PFD Management.....	288
5.11.3.4.1	Introduction	288
5.11.3.4.2	Resource definition.....	288
5.11.3.4.3	Resource methods.....	289
5.11.3.5	Void.....	292
5.11.3A	Notifications	292
5.11.3A.1	General	292
5.11.3A.2	PFD Management Notification	293
5.11.3A.2.1	Description	293
5.11.3A.2.2	Target URI.....	293
5.11.3A.2.3	Standard Methods	293
5.11.4	Used Features.....	294
5.11.5	Error handling.....	294
5.11.5.1	General	294
5.11.5.2	Protocol Errors	294
5.11.5.3	Application Errors.....	294
5.12	ECRControl API	295
5.12.1	Overview	295
5.12.2	Data model.....	295
5.12.2.1	Data types.....	295
5.12.2.1.1	Introduction	295
5.12.2.1.2	Type: ECRControl.....	295
5.12.2.1.3	Type: ECRData	296
5.12.2.1.4	Type: PlmnEcRestrictionDataWb	297
5.12.3	Custom Operations without associated resources	297

5.12.3.1	Overview	297
5.12.3.2	Operation: query	297
5.12.3.2.1	Description	297
5.12.3.2.2	Operation Definition.....	297
5.12.3.3	Operation: configure	298
5.12.3.3.1	Description	298
5.12.3.3.2	Operation Definition.....	299
5.12.4	Used Features.....	299
5.12.5	Error handling.....	300
5.12.5.1	General	300
5.12.5.2	Protocol Errors	300
5.12.5.3	Application Errors.....	300
5.13	NpConfiguration API	300
5.13.1	Overview	300
5.13.2	Data model.....	300
5.13.2.1	Resource data types.....	300
5.13.2.1.1	Introduction	300
5.13.2.1.2	Type: NpConfiguration	301
5.13.2.1.3	Type: NpConfigurationPatch.....	304
5.13.2.1.4	Type: ConfigurationNotification	304
5.13.3	Resource structure.....	305
5.13.3.1	General	305
5.13.3.2	Resource: NP Configurations	305
5.13.3.2.1	Introduction	305
5.13.3.2.2	Resource definition.....	305
5.13.3.2.3	Resource methods.....	305
5.13.3.3	Resource: Individual NP Configuration.....	307
5.13.3.3.1	Introduction	307
5.13.3.3.2	Resource definition.....	307
5.13.3.3.3	Resource methods.....	308
5.13.3.4	Void.....	311
5.13.3A	Notifications	311
5.13.3A.1	General	311
5.13.3A.2	Configuration Notification	312
5.13.3A.2.1	Description	312
5.13.3A.2.2	Target URI.....	312
5.13.3A.2.3	Standard Methods	312
5.13.4	Used Features.....	313
5.13.5	Error handling.....	314
5.13.5.1	General	314
5.13.5.2	Protocol Errors	314
5.13.5.3	Application Errors.....	314
5.14	AsSessionWithQoS API.....	314
5.14.1	Overview	314
5.14.2	Data model.....	314
5.14.2.1	Resource data types.....	314
5.14.2.1.1	Introduction	314
5.14.2.1.2	Type: AsSessionWithQoSSubscription	316
5.14.2.1.3	Type: AsSessionWithQoSSubscriptionPatch	319
5.14.2.1.4	Type: UserPlaneNotificationData.....	321
5.14.2.1.5	Type: UserPlaneEventReport	321
5.14.2.1.6	Type: QosMonitoringInformation	322
5.14.2.1.7	Type: QosMonitoringInformationRm	322
5.14.2.1.8	Type: QosMonitoringReport	323
5.14.2.1.9	Type: TscQosRequirement	324
5.14.2.1.10	Type: TscQosRequirementRm	324
5.14.2.2	Referenced simple data types and enumerations.....	325
5.14.2.2.1	Introduction	325
5.14.2.2.2	Simple data types.....	325
5.14.2.2.3	Enumeration: UserPlaneEvent.....	325
5.14.3	Resource structure.....	325
5.14.3.1	General	325

5.14.3.2	Resource: AS Session with Required QoS subscriptions.....	326
5.14.3.2.1	Introduction	326
5.14.3.2.2	Resource definition.....	326
5.14.3.2.3	Resource methods.....	326
5.14.3.3	Resource: Individual AS Session with Required QoS Subscription	328
5.14.3.3.1	Introduction	328
5.14.3.3.2	Resource definition.....	328
5.14.3.3.3	Resource methods.....	329
5.14.3.4	Void.....	332
5.14.3A	Notifications	332
5.14.3A.1	General	332
5.14.3A.2	Event Notification.....	333
5.14.3A.2.1	Description	333
5.14.3A.2.2	Target URI.....	333
5.14.3A.2.3	Standard Methods.....	333
5.14.4	Used Features.....	334
5.14.5	Error handling.....	335
5.14.5.1	General.....	335
5.14.5.2	Protocol Errors	335
5.14.5.3	Application Errors.....	335
5.15	MsisdnLessMoSms API	335
5.15.1	Overview	335
5.15.2	Data model.....	335
5.15.2.1	Notification data types	335
5.15.2.1.1	Introduction	335
5.15.2.1.2	Type: MsisdnLessMoSmsNotification	336
5.15.2.1.3	Type: MsisdnLessMoSmsNotificationReply.....	336
5.15.3	Resource structure.....	336
5.15.3.1	General	336
5.15.3.2	MSISDN-less MO SMS Notification.....	337
5.15.3.2.1	Introduction	337
5.15.3.2.2	Resource definition.....	337
5.15.3.2.3	Standard methods	337
5.15.4	Used Features.....	338
5.15.5	Error handling.....	338
5.15.5.1	General.....	338
5.15.5.2	Protocol Errors	339
5.15.5.3	Application Errors.....	339
5.16	RacsParameterProvisioning API	339
5.16.1	Overview	339
5.16.2	Data model.....	339
5.16.2.1	Resource data types.....	339
5.16.2.1.1	Introduction	339
5.16.2.1.2	Type: RacsProvisioningData	340
5.16.2.1.3	Type: RacsFailureReport	340
5.16.2.1.4	Type: RacsConfiguration.....	340
5.16.2.1.5	Type: RacsProvisioningDataPatch	341
5.16.2.1.6	Type: RacsConfigurationRm.....	341
5.16.2.2	Referenced simple data types and enumerations.....	342
5.16.2.2.1	Introduction	342
5.16.2.2.2	Simple data types.....	342
5.16.2.2.3	Enumeration: RacsFailureCode	342
5.16.3	Resource structure.....	342
5.16.3.1	General	342
5.16.3.2	Resource: RACS Parameter Provisionings	343
5.16.3.2.1	Introduction	343
5.16.3.2.2	Resource definition.....	343
5.16.3.2.3	Resource methods.....	343
5.16.3.3	Resource: Individual RACS Parameter Provisioning.....	345
5.16.3.3.1	Introduction	345
5.16.3.3.2	Resource definition.....	345
5.16.3.3.3	Resource methods.....	345

5.16.4	Used Features.....	349
5.16.5	Error handling.....	349
5.16.5.1	General.....	349
5.16.5.2	Protocol Errors.....	349
5.16.5.3	Application Errors.....	349
6	Security.....	350
7	Using Common API Framework.....	350
7.1	General.....	350
7.2	Security.....	350
Annex A (normative): OpenAPI representation for the APIs defined in the present document		352
A.1	General.....	352
A.2	Data Types applicable to several APIs.....	352
A.3	MonitoringEvent API.....	360
A.4	ResourceManagementOfBdt API.....	376
A.5	ChargeableParty API.....	382
A.6	NIDD API.....	388
A.7	DeviceTriggering API.....	404
A.8	GMDViaMBMS APIs.....	411
A.8.1	GMDviaMBMSbyMB2 API.....	411
A.8.2	GMDviaMBMSbyxMB API.....	422
A.9	ReportingNetworkStatus API.....	432
A.10	CpProvisioning API.....	438
A.11	PfdManagement API.....	447
A.12	ECRControl API.....	457
A.13	NpConfiguration API.....	460
A.14	AsSessionWithQoS API.....	466
A.15	MsisdnLessMoSms API.....	477
A.16	RacsParameterProvisioning API.....	478
Annex B (informative): Change history		485
History.....		495