

ETSI TS 129 500 V17.16.0 (2026-02)



TECHNICAL SPECIFICATION

**5G;
5G System;
Technical Realization of Service Based Architecture;
Stage 3
(3GPP TS 29.500 version 17.16.0 Release 17)**

[ETSI TS 129 500 V17.16.0 \(2026-02\)](https://standards.iteh.ai/catalog/standards/etsi/14f47e4e-58bc-4f89-ba63-496ba90c544a/etsi-ts-129-500-v17-16-0-2026-02)

<https://standards.iteh.ai/catalog/standards/etsi/14f47e4e-58bc-4f89-ba63-496ba90c544a/etsi-ts-129-500-v17-16-0-2026-02>



Reference

RTS/TSGC-0429500vhg0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2026-02)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope	10
2 References	10
3 Definitions and abbreviations.....	12
3.1 Definitions	12
3.2 Abbreviations	13
3.3 Special characters, operators and delimiters.....	13
3.3.1 General.....	13
3.3.2 ABNF operators.....	13
3.3.3 URI – reserved and special characters	13
3.3.4 SBI specific usage of delimiters	13
4 Service Based Architecture Overview.....	14
4.1 NF Services	14
4.2 Service Based Interfaces	14
4.3 NF Service Framework	14
4.3.1 General.....	14
4.3.2 NF Service Advertisement URI.....	14
5 Protocols Over Service Based Interfaces	15
5.1 Protocol Stack Overview.....	15
5.2 HTTP/2 Protocol	15
5.2.1 General.....	15
5.2.2 HTTP standard headers.....	15
5.2.2.1 General	15
5.2.2.2 Mandatory to support HTTP standard headers.....	16
5.2.3 HTTP custom headers.....	18
5.2.3.1 General	18
5.2.3.2 Mandatory to support custom headers.....	19
5.2.3.2.1 General	19
5.2.3.2.2 3gpp-Sbi-Message-Priority.....	24
5.2.3.2.3 3gpp-Sbi-Callback.....	24
5.2.3.2.4 3gpp-Sbi-Target-apiRoot.....	24
5.2.3.2.5 3gpp-Sbi-Routing-Binding	25
5.2.3.2.6 3gpp-Sbi-Binding	26
5.2.3.2.7 3gpp-Sbi-Discovery.....	29
5.2.3.2.8 3gpp-Sbi-Producer-Id	30
5.2.3.2.9 3gpp-Sbi-Oci	31
5.2.3.2.10 3gpp-Sbi-Lci.....	33
5.2.3.2.11 3gpp-Sbi-Client-Credentials	35
5.2.3.2.12 3gpp-Sbi-Nrf-Uri	36
5.2.3.2.13 3gpp-Sbi-Target-Nf-Id	37
5.2.3.2.14 3gpp-Sbi-Max-Forward-Hops	37
5.2.3.2.16 3gpp-Sbi-Access-Scope.....	38
5.2.3.2.17 3gpp-Sbi-Access-Token	38
5.2.3.2.18 Void.....	39
5.2.3.2.19 3gpp-Sbi-Target-Nf-Group-Id	39
5.2.3.2.20 3gpp-Sbi-Nrf-Uri-Callback	39
5.2.3.2.21 3gpp-Sbi-NF-Peer-Info.....	39
5.2.3.2.22 3gpp-Sbi-Source-NF-Client-Credentials	40
5.2.3.3 Optional to support custom headers	40
5.2.3.3.1 General	40

5.2.3.3.2	3gpp-Sbi-Sender-Timestamp	43
5.2.3.3.3	3gpp-Sbi-Max-Rsp-Time	43
5.2.3.3.4	3gpp-Sbi-Correlation-Info	43
5.2.3.3.5	3gpp-Sbi-Alternate-Chf-Id	44
5.2.3.3.6	3gpp-Sbi-Notif-Accepted-Encoding	45
5.2.3.3.7	3gpp-Sbi-Consumer-Info	45
5.2.3.3.8	3gpp-Sbi-Response-Info	46
5.2.3.3.9	Void	47
5.2.3.3.10	3gpp-Sbi-Selection-Info	47
5.2.3.3.11	3gpp-Sbi-Interplmn-Purpose	48
5.2.3.3.12	3gpp-Sbi-Request-Info	49
5.2.4	HTTP error handling	50
5.2.5	HTTP/2 server push	50
5.2.6	HTTP/2 connection management	50
5.2.7	HTTP status codes	51
5.2.7.1	General	51
5.2.7.2	NF as HTTP Server	52
5.2.7.3	NF as HTTP Client	57
5.2.7.4	SCP/SEPP	58
5.2.8	HTTP/2 request retries	61
5.2.9	Handling of unsupported query parameters	62
5.2.10	URL Encoding of data	62
5.2.10.1	General	62
5.2.10.2	URL Encoding of URI components	63
5.2.10.3	URL Encoding of HTTP/2 request bodies	64
5.3	Transport Protocol	64
5.4	Serialization Protocol	64
5.5	Interface Definition Language	65
6	General Functionalities in Service Based Architecture	65
6.1	Routing Mechanisms	65
6.1.1	General	65
6.1.2	Identifying a target resource	65
6.1.3	Connecting inbound	65
6.1.4	Pseudo-header setting	65
6.1.4.1	General	65
6.1.4.2	Routing within a PLMN	66
6.1.4.3	Routing across PLMN	66
6.1.4.3.1	General	66
6.1.4.3.2	Use of telescopic FQDN between NFs and SEPP within a PLMN	67
6.1.4.3.3	Use of 3gpp-Sbi-Target-apiRoot between NFs and SEPP within a PLMN	67
6.1.4.3.4	Routing between SEPPs	68
6.1.5	Host header	68
6.1.6	Message forwarding	68
6.2	Server-Initiated Communication	68
6.2.1	General	68
6.2.2	Subscription on behalf of NF Service Consumer	69
6.3	Load Control	70
6.3.1	General	70
6.3.2	Load Control based on load signalled via the NRF	70
6.3.3	Load Control based on LCI Header	70
6.3.3.1	General	70
6.3.3.2	Conveyance of Load Control Information	71
6.3.3.3	Frequency of Conveyance	71
6.3.3.4	Load Control Information	71
6.3.3.4.1	General Description	71
6.3.3.4.2	Load Control Timestamp	72
6.3.3.4.3	Load Metric	72
6.3.3.4.4	Scope of LCI	72
6.3.3.4.5	S-NSSAI/DNN Relative Capacity	74
6.3.3.5	LC-H feature support	75
6.3.3.5.1	Indicating supports for the LC-H feature	75

6.3.3.5.2	Utilizing the LC-H feature support indication	75
6.4	Overload Control	75
6.4.1	General	75
6.4.2	Overload Control based on HTTP status codes	76
6.4.2.1	General	76
6.4.2.2	HTTP Status Code "503 Service Unavailable"	76
6.4.2.3	HTTP Status Code "429 Too Many Requests"	77
6.4.2.4	HTTP Status Code "307 Temporary Redirect"	77
6.4.3	Overload Control based on OCI Header	77
6.4.3.1	General	77
6.4.3.2	Conveyance of Overload Control Information	78
6.4.3.3	Frequency of Conveyance	78
6.4.3.4	Overload Control Information	78
6.4.3.4.1	General Description	78
6.4.3.4.2	Overload Control Timestamp	79
6.4.3.4.3	Overload Reduction Metric	80
6.4.3.4.4	Overload Control Period of Validity	80
6.4.3.4.5	Scope of OCI	80
6.4.3.5	Overload Control Enforcement	84
6.4.3.5.1	Message Throttling	84
6.4.3.5.2	Loss Algorithm	85
6.4.3.6	OLC-H feature support	85
6.4.3.6.1	Indicating supports for the OLC-H feature	85
6.5	Support of Stateless NFs	85
6.5.1	General	85
6.5.2	Stateless AMFs	85
6.5.2.1	General	85
6.5.2.2	AMF as service consumer	85
6.5.2.3	AMF as service producer	86
6.5.3	Stateless NFs (for any 5GC NF type)	87
6.5.3.1	General	87
6.5.3.2	Stateless NF as service consumer	87
6.5.3.3	Stateless NF as service producer	88
6.6	Extensibility Mechanisms	89
6.6.1	General	89
6.6.2	Feature negotiation	89
6.6.3	Vendor-specific extensions	91
6.6.4	Extensibility for Query parameters	91
6.7	Security Mechanisms	92
6.7.1	General	92
6.7.2	Transport layer security protection of messages	92
6.7.3	Authorization of NF service access	92
6.7.4	Application layer security across PLMN	93
6.7.4.1	General	93
6.7.4.2	N32 Procedures	94
6.7.5	Client credentials assertion and authentication	94
6.7.5.1	General	94
6.7.5.2	Authorization of NF Service Consumers for data access via DCCF	94
6.8	SBI Message Priority Mechanism	95
6.8.1	General	95
6.8.2	Message level priority	95
6.8.3	Stream priority	96
6.8.4	Recommendations when defining SBI Message Priorities	96
6.8.5	HTTP/2 client behaviour	97
6.8.6	HTTP/2 server behaviour	97
6.8.7	HTTP/2 proxy behaviour	97
6.8.8	DSCP marking of messages	98
6.9	Discovering the supported communication options	98
6.9.1	General	98
6.9.2	Discoverable communication options	98
6.9.2.1	Content-encodings supported in HTTP requests	98
6.9.2.2	Content-encodings supported in HTTP responses	99

6.10	Support of Indirect Communication	99
6.10.1	General	99
6.10.2	Routing Mechanisms with SCP Known to the NF	99
6.10.2.1	General	99
6.10.2.2	HTTP/2 connection management	100
6.10.2.3	Connecting inbound	100
6.10.2.4	Pseudo-header setting	100
6.10.2.5	3gpp-Sbi-Target-apiRoot header setting	101
6.10.2.6	Cache key (ck) query parameter	102
6.10.2A	Routing Mechanism with SCP Unknown to the NF	102
6.10.2A.1	Connecting inbound	102
6.10.2A.2	HTTP/2 connection management	102
6.10.2A.3	Pseudo-header setting	103
6.10.3	NF Discovery and Selection for indirect communication with Delegated Discovery	103
6.10.3.1	General	103
6.10.3.2	Conveyance of NF Discovery Factors	103
6.10.3.3	Notifications corresponding to default notification subscriptions	104
6.10.3.4	Returning the Producer's NF Instance ID and NF Group ID to the NF Service Consumer	105
6.10.3.5	Returning an Alternate CHF instance ID to the NF Service Consumer	105
6.10.4	Authority and/or deployment-specific string in apiRoot of resource URI	106
6.10.5	NF / NF service instance selection for Indirect Communication without Delegated Discovery	107
6.10.5.1	General	107
6.10.5.2	Notifications corresponding to default notification subscriptions	108
6.10.6	Feature negotiation for Indirect Communication with Delegated Discovery	109
6.10.7	Notification and callback requests sent with Indirect Communication	109
6.10.8	Error Handling	109
6.10.8.1	General	109
6.10.8.2	Requirements for the originator of an HTTP error response	110
6.10.8.3	Requirements for an SCP or SEPP relaying an HTTP error response	111
6.10.9	HTTP redirection	111
6.10.9.1	General	111
6.10.10	Detection and handling of loop path when relaying message with indirect communication	112
6.10.10.1	General	112
6.10.10.2	Message Forwarding Depth Control	112
6.10.10.3	Loop Detection with Via header	112
6.10.11	Authorization of NF service access	113
6.10.11.1	General	113
6.10.11.2	Authorization for indirect communication with delegated discovery	113
6.10.11.2.1	General	113
6.10.11.2.2	Error handling when the SCP fails to obtain an access token	114
6.10.11.2.3	Error handling when SCP receives a "401 Unauthorized" response or a "403 Forbidden" response with a "WWW-Authenticate" header	114
6.10.11.3	Authorization for indirect communication without delegated discovery	115
6.11	Detection and handling of late arriving requests	115
6.11.1	General	115
6.11.2	Detection and handling of requests which have timed out at the HTTP client	115
6.11.2.1	General	115
6.11.2.2	Principles	115
6.12	Binding between an NF Service Consumer and an NF Service Resource	116
6.12.1	General	116
6.12.2	Binding created as part of a service response	118
6.12.3	Binding created as part of a service request	119
6.12.4	Binding for explicit or implicit subscription requests	119
6.12.5	Binding for service requests creating a callback resource	121
6.13	SBI messages correlation for network troubleshooting	121
6.13.1	General	121
6.13.2	SBI messages correlation using UE identifier	122
6.13.2.1	General	122
6.13.2.2	Principles	122
6.13.3	SBI messages correlation using NF Peer Information	122
6.13.3.1	General	122
6.13.3.2	Principles	123