

# ETSI TS 129 502 V17.14.0 (2026-02)



TECHNICAL SPECIFICATION

**5G;  
5G System;  
Session Management Services;  
Stage 3  
(3GPP TS 29.502 version 17.14.0 Release 17)**

[ETSI TS 129 502 V17.14.0 \(2026-02\)](https://standards.iteh.ai/catalog/standards/etsi/dea7a410-f6ab-404b-9475-bdd39d5b58f0/etsi-ts-129-502-v17-14-0-2026-02)

<https://standards.iteh.ai/catalog/standards/etsi/dea7a410-f6ab-404b-9475-bdd39d5b58f0/etsi-ts-129-502-v17-14-0-2026-02>



---

**Reference**RTS/TSGC-0429502vhe0

---

**Keywords**5G

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

---

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

---

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2026-02)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](https://standards.iteh.ai/catalog/standards/etsi/dea7a410-f6ab-404b-9475-bdd39d5b58f0/etsi-ts-129-502-v17-14-0-2026-02).

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope .....	12
2 References .....	12
3 Definitions and abbreviations.....	14
3.1 Definitions .....	14
3.2 Abbreviations .....	14
4 Overview .....	14
4.1 Introduction .....	14
5 Services offered by the SMF .....	15
5.1 Introduction .....	15
5.2 Nsmf_PDU Session Service .....	16
5.2.1 Service Description.....	16
5.2.2 Service Operations.....	17
5.2.2.1 Introduction.....	17
5.2.2.2 Create SM Context service operation.....	18
5.2.2.2.1 General .....	18
5.2.2.2.2 EPS to 5GS Idle mode mobility using N26 interface (with or without data forwarding).....	22
5.2.2.2.3 EPS to 5GS Handover Preparation using N26 interface.....	23
5.2.2.2.4 I-SMF Insertion, Change or Removal during Xn based Handover.....	24
5.2.2.2.5 I-SMF Insertion, Change or Removal during N2 based Handover.....	25
5.2.2.2.6 Service Request with I-SMF insertion/change/removal or with V-SMF change.....	25
5.2.2.2.7 Registration procedure for a UE with a PDU session with I-SMF or V-SMF insertion, change and removal .....	26
5.2.2.2.8 SMF Context Transfer procedure, LBO or no Roaming, no I-SMF .....	27
5.2.2.2.9 I-SMF Context Transfer procedure .....	27
5.2.2.2.10 Handover between 3GPP and non-3GPP accesses with I-SMF insertion/removal or V-SMF change.....	28
5.2.2.2.11 Void.....	28
5.2.2.2.12 SMF triggered I-SMF selection or removal.....	28
5.2.2.3 Update SM Context service operation.....	29
5.2.2.3.1 General .....	29
5.2.2.3.2 Activation and Deactivation of the User Plane connection of a PDU session.....	32
5.2.2.3.2.1 General.....	32
5.2.2.3.2.2 Activation of User Plane connectivity of a PDU session.....	32
5.2.2.3.2.3 Deactivation of User Plane connectivity of a PDU session .....	34
5.2.2.3.2.4 Changing the access type of a PDU session from non-3GPP access to 3GPP access during a Service Request procedure .....	35
5.2.2.3.3 Xn Handover .....	36
5.2.2.3.4 N2 Handover .....	37
5.2.2.3.4.1 General.....	37
5.2.2.3.4.2 N2 Handover Preparation .....	37
5.2.2.3.4.3 N2 Handover Execution.....	39
5.2.2.3.4.4 N2 Handover Cancellation.....	40
5.2.2.3.5 Handover between 3GPP and untrusted non-3GPP access procedures .....	41
5.2.2.3.5.1 General.....	41
5.2.2.3.5.2 Handover of a PDU session without AMF change or with target AMF in same PLMN .....	41
5.2.2.3.6 Inter-AMF change or mobility .....	42
5.2.2.3.7 RAN Initiated QoS Flow Mobility .....	42
5.2.2.3.8 EPS to 5GS Handover using N26 interface .....	43
5.2.2.3.8.1 General.....	43

5.2.2.3.8.2	EPS to 5GS Handover Preparation .....	43
5.2.2.3.8.3	EPS to 5GS Handover Execution.....	44
5.2.2.3.8.4	EPS to 5GS Handover Cancellation.....	44
5.2.2.3.8.5	EPS to 5GS Handover Failure .....	45
5.2.2.3.9	5GS to EPS Handover using N26 interface.....	45
5.2.2.3.9.1	General.....	45
5.2.2.3.9.2	Data forwarding tunnels setup during 5GS to EPS handover .....	45
5.2.2.3.9.3	Indirect data forwarding tunnels removal for 5GS to EPS handover cancellation or failure .....	46
5.2.2.3.10	P-CSCF Restoration Procedure via AMF.....	46
5.2.2.3.11	AMF requested PDU Session Release due to duplicated PDU Session Id.....	46
5.2.2.3.12	AMF requested PDU Session Release due to slice not available .....	47
5.2.2.3.13	Indirect Data Forwarding Tunnel establishment during N2 based Handover with I-SMF .....	47
5.2.2.3.13A	Indirect Data Forwarding Tunnel removal during N2 based Handover with I-SMF.....	48
5.2.2.3.14	Request to forward buffered downlink data packets at I-UPF.....	48
5.2.2.3.15	Connection Suspend procedure .....	49
5.2.2.3.16	Connection Resume in CM-IDLE with Suspend procedure.....	50
5.2.2.3.17	AMF requested PDU Session Release due to Network Slice-Specific Authentication and Authorization failure or revocation .....	51
5.2.2.3.18	5GS to EPS Idle mode mobility using N26 interface with data forwarding.....	51
5.2.2.3.19	AMF requested PDU Session Release due to Control Plane Only indication associated with PDU Session is not applicable any longer .....	51
5.2.2.3.20	AMF requested PDU Session Release due to ODB changes.....	52
5.2.2.3.21	N9 Forwarding Tunnel establishment between Branching Points or UL CLs controlled by different I-SMFs .....	52
5.2.2.3.22	Remote UE Report during 5G ProSe Communication via 5G ProSe Layer-3 UE-to-Network Relay without N3IWF procedure.....	53
5.2.2.3.23	AMF requested PDU Session Release due to V/I-SMF failure .....	53
5.2.2.4	Release SM Context service operation.....	53
5.2.2.4.1	General .....	53
5.2.2.5	Notify SM Context Status service operation .....	55
5.2.2.5.1	General .....	55
5.2.2.6	Retrieve SM Context service operation.....	58
5.2.2.6.1	General .....	58
5.2.2.7	Create service operation.....	61
5.2.2.7.1	General .....	61
5.2.2.7.2	EPS to 5GS Idle mode mobility .....	64
5.2.2.7.3	EPS to 5GS Handover Preparation .....	65
5.2.2.7.4	N2 Handover Preparation with I-SMF Insertion .....	66
5.2.2.7.5	Xn Handover with I-SMF Insertion.....	66
5.2.2.7.6	UE Triggered Service Request with I-SMF Insertion.....	66
5.2.2.8	Update service operation.....	67
5.2.2.8.1	General .....	67
5.2.2.8.2	Update service operation towards H-SMF or SMF .....	68
5.2.2.8.2.1	General.....	68
5.2.2.8.2.2	UE or network (e.g. AMF, V-SMF, I-SMF) requested PDU session modification .....	69
5.2.2.8.2.3	UE requested PDU session release .....	70
5.2.2.8.2.4	EPS to 5GS Handover Execution.....	70
5.2.2.8.2.5	Handover between 3GPP access and untrusted or trusted non-3GPP access.....	71
5.2.2.8.2.6	P-CSCF Restoration Procedure via AMF .....	71
5.2.2.8.2.7	Addition of PSA and BP or UL CL controlled by I-SMF.....	72
5.2.2.8.2.8	Removal of PSA and BP or UL CL controlled by I-SMF.....	72
5.2.2.8.2.9	Change of PSA for IPv6 multi-homing or UL CL controlled by I-SMF .....	72
5.2.2.8.2.10	PDU Session modification with I-SMF or V-SMF change.....	73
5.2.2.8.2.11	Sending by I-SMF of N4 notifications related with traffic usage reporting.....	73
5.2.2.8.2.12	N2 Handover Execution with I-SMF Insertion .....	74
5.2.2.8.2.13	N2 Handover Cancellation with I-SMF Insertion.....	74
5.2.2.8.2.14	EPS to 5GS Handover Cancellation.....	75
5.2.2.8.2.15	5G-AN requested PDU session resource release .....	75
5.2.2.8.2.16	Xn Handover with or without I-SMF or V-SMF Change .....	75
5.2.2.8.2.17	EPS to 5GS Handover Failure .....	76
5.2.2.8.2.18	EPS Bearer ID revocation.....	76
5.2.2.8.2.19	Network requested PDU session release.....	76

5.2.2.8.2.20	N2 Handover Execution with or without I-SMF or V-SMF Change .....	76
5.2.2.8.2.21	Reporting of satellite backhaul change to (H-)SMF .....	77
5.2.2.8.2.22	Simultaneous change of PSA and BP or UL CL controlled by I-SMF .....	77
5.2.2.8.2.23	Service Request without I-SMF/V-SMF Change or with I-SMF/V-SMF Change or with I-SMF Insertion .....	78
5.2.2.8.2.24	Remote UE Report during 5G ProSe Communication via 5G ProSe Layer-3 UE-to-Network Relay without N3IWF .....	79
5.2.2.8.3	Update service operation towards V-SMF or I-SMF .....	79
5.2.2.8.3.1	General .....	79
5.2.2.8.3.2	Network (e.g. H-SMF, SMF) requested PDU session modification .....	80
5.2.2.8.3.3	Network (e.g. H-SMF, SMF) or UE requested PDU session release .....	81
5.2.2.8.3.4	Handover between 3GPP and untrusted non-3GPP access, from 5GC-N3IWF to EPS or from 5GS to EPC/ePDG .....	81
5.2.2.8.3.5	EPS Bearer ID assignment .....	82
5.2.2.8.3.6	Addition of PSA and BP or UL CL controlled by I-SMF .....	82
5.2.2.8.3.7	Removal of PSA and BP or UL CL controlled by I-SMF .....	83
5.2.2.8.3.8	Change of PSA for IPv6 multi-homing or UL CL controlled by I-SMF .....	83
5.2.2.8.3.9	Policy update procedures with an I-SMF .....	84
5.2.2.8.3.10	Simultaneous change of PSA and BP or UL CL controlled by I-SMF .....	84
5.2.2.9	Release service operation .....	85
5.2.2.9.1	General .....	85
5.2.2.10	Notify Status service operation .....	86
5.2.2.10.1	General .....	86
5.2.2.11	Send MO Data service operation .....	88
5.2.2.11.1	General .....	88
5.2.2.12	Transfer MO Data service operation .....	89
5.2.2.12.1	General .....	89
5.2.2.13	Transfer MT Data service operation .....	90
5.2.2.13.1	General .....	90
5.2.2.14	Retrieve service operation .....	90
5.2.2.14.1	General .....	90
5.2.3	General procedures .....	91
5.2.3.1	Transfer of NAS SM information between UE and H-SMF for Home Routed PDU sessions .....	91
5.2.3.1.1	General .....	91
5.2.3.1.2	V-SMF Behaviour .....	91
5.2.3.1.3	H-SMF Behaviour .....	92
5.2.3.2	Transfer of NAS SM information between UE and SMF for PDU sessions with an I-SMF .....	92
5.2.3.2.1	General .....	92
5.2.3.3	Detection and handling of late arriving requests .....	92
5.2.3.3.1	Handling of requests which collide with an existing SM context or PDU session context .....	92
5.2.3.3.1.1	General .....	92
5.2.3.3.1.2	Principles .....	92
5.2.3.3.2	Detection and handling of requests which have timed out at the HTTP client .....	93
5.2.3.3.2.1	General .....	93
5.2.3.4	UE Location Information .....	93
6	API Definitions .....	94
6.1	Nsmf_PDUSession Service API .....	94
6.1.1	API URI .....	94
6.1.2	Usage of HTTP .....	94
6.1.2.1	General .....	94
6.1.2.2	HTTP standard headers .....	94
6.1.2.2.1	General .....	94
6.1.2.2.2	Content type .....	94
6.1.2.3	HTTP custom headers .....	95
6.1.2.3.1	General .....	95
6.1.2.3.2	3gpp-Sbi-Origination-Timestamp .....	95
6.1.2.4	HTTP multipart messages .....	95
6.1.2.5	HTTP/2 request retries .....	96
6.1.3	Resources .....	96
6.1.3.1	Overview .....	96
6.1.3.2	Resource: SM contexts collection .....	98

6.1.3.2.1	Description .....	98
6.1.3.2.2	Resource Definition .....	98
6.1.3.2.3	Resource Standard Methods .....	99
6.1.3.2.3.1	POST .....	99
6.1.3.2.4	Resource Custom Operations .....	103
6.1.3.3	Resource: Individual SM context .....	103
6.1.3.3.1	Description .....	103
6.1.3.3.2	Resource Definition .....	103
6.1.3.3.3	Resource Standard Methods .....	103
6.1.3.3.4	Resource Custom Operations .....	103
6.1.3.3.4.1	Overview .....	103
6.1.3.3.4.2	Operation: modify .....	103
6.1.3.3.4.2.1	Description .....	103
6.1.3.3.4.2.2	Operation Definition .....	103
6.1.3.3.4.3	Operation: release .....	107
6.1.3.3.4.3.1	Description .....	107
6.1.3.3.4.3.2	Operation Definition .....	107
6.1.3.3.4.4	Operation: retrieve .....	108
6.1.3.3.4.4.1	Description .....	108
6.1.3.3.4.4.2	Operation Definition .....	108
6.1.3.3.4.5	Operation: send-mo-data .....	110
6.1.3.3.4.5.1	Description .....	110
6.1.3.3.4.5.2	Operation Definition .....	110
6.1.3.4	Void .....	111
6.1.3.5	Resource: PDU sessions collection (H-SMF or SMF) .....	111
6.1.3.5.1	Description .....	111
6.1.3.5.2	Resource Definition .....	111
6.1.3.5.3	Resource Standard Methods .....	111
6.1.3.5.3.1	POST .....	111
6.1.3.5.4	Resource Custom Operations .....	115
6.1.3.5.4.1	Overview .....	115
6.1.3.6	Resource: Individual PDU session (H-SMF or SMF) .....	116
6.1.3.6.1	Description .....	116
6.1.3.6.2	Resource Definition .....	116
6.1.3.6.3	Resource Standard Methods .....	116
6.1.3.6.4	Resource Custom Operations .....	116
6.1.3.6.4.1	Overview .....	116
6.1.3.6.4.2	Operation: modify .....	116
6.1.3.6.4.2.1	Description .....	116
6.1.3.6.4.2.2	Operation Definition .....	116
6.1.3.6.4.3	Operation: release .....	119
6.1.3.6.4.3.1	Description .....	119
6.1.3.6.4.3.2	Operation Definition .....	119
6.1.3.6.4.4	Operation: transfer-mo-data .....	120
6.1.3.6.4.4.1	Description .....	120
6.1.3.6.4.4.2	Operation Definition .....	120
6.1.3.6.4.5	Operation: retrieve .....	121
6.1.3.6.4.5.1	Description .....	121
6.1.3.6.4.5.2	Operation Definition .....	121
6.1.3.7	Resource: Individual PDU session (V-SMF or I-SMF) .....	123
6.1.3.7.1	Description .....	123
6.1.3.7.2	Resource Definition .....	123
6.1.3.7.3	Resource Standard Methods .....	123
6.1.3.7.3.1	POST .....	123
6.1.3.7.4	Resource Custom Operations .....	124
6.1.3.7.4.1	Overview .....	124
6.1.3.7.4.2	Operation: modify .....	125
6.1.3.7.4.2.1	Description .....	125
6.1.3.7.4.2.2	Operation Definition .....	125
6.1.3.7.4.3	Operation: transfer-mt-data .....	128
6.1.3.7.4.3.1	Description .....	128
6.1.3.7.4.3.2	Operation Definition .....	128