

ETSI TS 129 502 V18.11.0 (2026-02)



**5G;
5G System;
Session Management Services;
Stage 3
(3GPP TS 29.502 version 18.11.0 Release 18)**

[ETSI TS 129 502 V18.11.0 \(2026-02\)](https://standards.iteh.ai/catalog/standards/etsi/65242c54-45e0-4d2a-80e8-4141d04c695b/etsi-ts-129-502-v18-11-0-2026-02)

<https://standards.iteh.ai/catalog/standards/etsi/65242c54-45e0-4d2a-80e8-4141d04c695b/etsi-ts-129-502-v18-11-0-2026-02>



Reference

RTS/TSGC-0429502vib0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2026-02)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope	12
2 References	12
3 Definitions and abbreviations.....	14
3.1 Definitions	14
3.2 Abbreviations	14
4 Overview	14
4.1 Introduction	14
5 Services offered by the SMF	15
5.1 Introduction	15
5.2 Nsmf_PDUSession Service	16
5.2.1 Service Description.....	16
5.2.2 Service Operations.....	17
5.2.2.1 Introduction.....	17
5.2.2.2 Create SM Context service operation.....	18
5.2.2.2.1 General	18
5.2.2.2.2 EPS to 5GS Idle mode mobility using N26 interface (with or without data forwarding).....	22
5.2.2.2.3 EPS to 5GS Handover Preparation using N26 interface.....	24
5.2.2.2.4 I-SMF Insertion, Change or Removal during Xn based Handover.....	25
5.2.2.2.5 I-SMF Insertion, Change or Removal during N2 based Handover.....	26
5.2.2.2.6 Service Request with I-SMF insertion/change/removal or with V-SMF change.....	26
5.2.2.2.7 Registration procedure for a UE with a PDU session with I-SMF or V-SMF insertion, change and removal	27
5.2.2.2.8 SMF Context Transfer procedure, LBO or no Roaming, no I-SMF	28
5.2.2.2.9 I-SMF Context Transfer procedure	28
5.2.2.2.10 Handover between 3GPP and non-3GPP accesses with I-SMF insertion/removal or V-SMF change.....	28
5.2.2.2.11 Void.....	29
5.2.2.2.12 SMF triggered I-SMF selection/removal or V-SMF selection	29
5.2.2.3 Update SM Context service operation.....	30
5.2.2.3.1 General	30
5.2.2.3.2 Activation and Deactivation of the User Plane connection of a PDU session.....	33
5.2.2.3.2.1 General.....	33
5.2.2.3.2.2 Activation of User Plane connectivity of a PDU session.....	33
5.2.2.3.2.3 Deactivation of User Plane connectivity of a PDU session	35
5.2.2.3.2.4 Changing the access type of a PDU session from non-3GPP access to 3GPP access during a Service Request procedure	36
5.2.2.3.3 Xn Handover	36
5.2.2.3.4 N2 Handover	38
5.2.2.3.4.1 General.....	38
5.2.2.3.4.2 N2 Handover Preparation	38
5.2.2.3.4.3 N2 Handover Execution.....	40
5.2.2.3.4.4 N2 Handover Cancellation.....	41
5.2.2.3.5 Handover between 3GPP and untrusted non-3GPP access procedures	42
5.2.2.3.5.1 General.....	42
5.2.2.3.5.2 Handover of a PDU session without AMF change or with target AMF in same PLMN	42
5.2.2.3.6 Inter-AMF change or mobility	42
5.2.2.3.7 RAN Initiated QoS Flow Mobility	43
5.2.2.3.8 EPS to 5GS Handover using N26 interface	44
5.2.2.3.8.1 General.....	44

5.2.2.3.8.2	EPS to 5GS Handover Preparation	44
5.2.2.3.8.3	EPS to 5GS Handover Execution.....	45
5.2.2.3.8.4	EPS to 5GS Handover Cancellation.....	45
5.2.2.3.8.5	EPS to 5GS Handover Failure	45
5.2.2.3.9	5GS to EPS Handover using N26 interface.....	45
5.2.2.3.9.1	General.....	45
5.2.2.3.9.2	Data forwarding tunnels setup during 5GS to EPS handover	46
5.2.2.3.9.3	Indirect data forwarding tunnels removal for 5GS to EPS handover cancellation or failure	46
5.2.2.3.10	P-CSCF Restoration Procedure via AMF.....	47
5.2.2.3.11	AMF requested PDU Session Release due to duplicated PDU Session Id.....	47
5.2.2.3.12	AMF requested PDU Session Release due to slice not available	47
5.2.2.3.13	Indirect Data Forwarding Tunnel establishment during N2 based Handover with I-SMF	48
5.2.2.3.13A	Indirect Data Forwarding Tunnel removal during N2 based Handover with I-SMF.....	48
5.2.2.3.14	Request to forward buffered downlink data packets at I-UPF.....	49
5.2.2.3.15	Connection Suspend procedure	50
5.2.2.3.16	Connection Resume in CM-IDLE with Suspend procedure.....	50
5.2.2.3.17	AMF requested PDU Session Release due to Network Slice-Specific Authentication and Authorization failure or revocation	51
5.2.2.3.18	5GS to EPS Idle mode mobility using N26 interface with data forwarding.....	51
5.2.2.3.19	AMF requested PDU Session Release due to Control Plane Only indication associated with PDU Session is not applicable any longer	52
5.2.2.3.20	AMF requested PDU Session Release due to ODB changes.....	52
5.2.2.3.21	N9 Forwarding Tunnel establishment between Branching Points or UL CLs controlled by different I-SMFs	52
5.2.2.3.22	Remote UE Report during 5G ProSe Communication via 5G ProSe Layer-3 UE-to-Network Relay without N3IWF procedure.....	53
5.2.2.3.23	AMF requested PDU Session Release due to V/I-SMF failure.....	53
5.2.2.3.24	Connection Inactive procedure with CN based MT communication handling.....	54
5.2.2.3.25	UE Triggered Connection Resume in RRC Inactive procedure	54
5.2.2.3.26	AMF requested PDU Session Release due to Network Slice instance not available.....	55
5.2.2.3.27	AMF requested PDU Session Release due to MBSR not authorized	56
5.2.2.4	Release SM Context service operation.....	56
5.2.2.4.1	General	56
5.2.2.5	Notify SM Context Status service operation.....	58
5.2.2.5.1	General	58
5.2.2.6	Retrieve SM Context service operation.....	61
5.2.2.6.1	General	61
5.2.2.7	Create service operation.....	64
5.2.2.7.1	General	64
5.2.2.7.2	EPS to 5GS Idle mode mobility	68
5.2.2.7.3	EPS to 5GS Handover Preparation	69
5.2.2.7.4	N2 Handover Preparation with I-SMF Insertion	70
5.2.2.7.5	Xn Handover with I-SMF Insertion.....	70
5.2.2.7.6	UE Triggered Service Request with I-SMF Insertion.....	70
5.2.2.8	Update service operation.....	71
5.2.2.8.1	General	71
5.2.2.8.2	Update service operation towards H-SMF or SMF	73
5.2.2.8.2.1	General.....	73
5.2.2.8.2.2	UE or network (e.g. AMF, V-SMF, I-SMF) requested PDU session modification	74
5.2.2.8.2.3	UE requested PDU session release	74
5.2.2.8.2.4	EPS to 5GS Handover Execution.....	75
5.2.2.8.2.5	Handover between 3GPP access and untrusted or trusted non-3GPP access.....	75
5.2.2.8.2.6	P-CSCF Restoration Procedure via AMF	76
5.2.2.8.2.7	Addition of PSA and BP or UL CL controlled by I-SMF.....	76
5.2.2.8.2.8	Removal of PSA and BP or UL CL controlled by I-SMF.....	77
5.2.2.8.2.9	Change of PSA for IPv6 multi-homing or UL CL controlled by I-SMF	77
5.2.2.8.2.10	PDU Session modification with I-SMF or V-SMF change.....	78
5.2.2.8.2.11	Sending by I-SMF of N4 notifications related with traffic usage reporting.....	78
5.2.2.8.2.12	N2 Handover Execution with I-SMF Insertion	78
5.2.2.8.2.13	N2 Handover Cancellation with I-SMF Insertion	79
5.2.2.8.2.14	EPS to 5GS Handover Cancellation.....	79
5.2.2.8.2.15	5G-AN requested PDU session resource release	80

5.2.2.8.2.16	Xn Handover with or without I-SMF or V-SMF Change	80
5.2.2.8.2.17	EPS to 5GS Handover Failure	81
5.2.2.8.2.18	EPS Bearer ID revocation	81
5.2.2.8.2.19	Network requested PDU session release	81
5.2.2.8.2.20	N2 Handover Execution with or without I-SMF or V-SMF Change	81
5.2.2.8.2.21	Reporting of satellite backhaul change to (H-)SMF	82
5.2.2.8.2.22	Simultaneous change of PSA and BP or UL CL controlled by I-SMF	82
5.2.2.8.2.23	Service Request without I-SMF/V-SMF Change or with I-SMF/V-SMF Change or with I-SMF Insertion	83
5.2.2.8.2.24	Remote UE Report during 5G ProSe Communication via 5G ProSe Layer-3 UE-to-Network Relay without N3IWF	84
5.2.2.8.3	Update service operation towards V-SMF or I-SMF	84
5.2.2.8.3.1	General	84
5.2.2.8.3.2	Network (e.g. H-SMF, SMF) requested PDU session modification	85
5.2.2.8.3.3	Network (e.g. H-SMF, SMF) or UE requested PDU session release	86
5.2.2.8.3.4	Handover between 3GPP and untrusted non-3GPP access, from 5GC-N3IWF to EPS or from 5GS to EPC/ePDG	86
5.2.2.8.3.5	EPS Bearer ID assignment	87
5.2.2.8.3.6	Addition of PSA and BP or UL CL controlled by I-SMF	87
5.2.2.8.3.7	Removal of PSA and BP or UL CL controlled by I-SMF	88
5.2.2.8.3.8	Change of PSA for IPv6 multi-homing or UL CL controlled by I-SMF	88
5.2.2.8.3.9	Policy update procedures with an I-SMF	89
5.2.2.8.3.10	Simultaneous change of PSA and BP or UL CL controlled by I-SMF	89
5.2.2.8.3.11	Network (e.g. AMF) triggered network slice replacement with PDU session retained	90
5.2.2.9	Release service operation	91
5.2.2.9.1	General	91
5.2.2.10	Notify Status service operation	92
5.2.2.10.1	General	92
5.2.2.11	Send MO Data service operation	94
5.2.2.11.1	General	94
5.2.2.12	Transfer MO Data service operation	95
5.2.2.12.1	General	95
5.2.2.13	Transfer MT Data service operation	95
5.2.2.13.1	General	95
5.2.2.14	Retrieve service operation	96
5.2.2.14.1	General	96
5.2.3	General procedures	97
5.2.3.1	Transfer of NAS SM information between UE and H-SMF for Home Routed PDU sessions	97
5.2.3.1.1	General	97
5.2.3.1.2	V-SMF Behaviour	97
5.2.3.1.3	H-SMF Behaviour	98
5.2.3.2	Transfer of NAS SM information between UE and SMF for PDU sessions with an I-SMF	98
5.2.3.2.1	General	98
5.2.3.3	Detection and handling of late arriving requests	98
5.2.3.3.1	Handling of requests which collide with an existing SM context or PDU session context	98
5.2.3.3.1.1	General	98
5.2.3.3.1.2	Principles	98
5.2.3.3.2	Detection and handling of requests which have timed out at the HTTP client	99
5.2.3.3.2.1	General	99
5.2.3.4	UE Location Information	99
6	API Definitions	100
6.1	Nsmf_PDUSESSION Service API	100
6.1.1	API URI	100
6.1.2	Usage of HTTP	100
6.1.2.1	General	100
6.1.2.2	HTTP standard headers	100
6.1.2.2.1	General	100
6.1.2.2.2	Content type	100
6.1.2.3	HTTP custom headers	101
6.1.2.3.1	General	101
6.1.2.3.2	3gpp-Sbi-Origination-Timestamp	101

6.1.2.4	HTTP multipart messages	101
6.1.2.5	HTTP/2 request retries	102
6.1.3	Resources	102
6.1.3.1	Overview	102
6.1.3.2	Resource: SM contexts collection	104
6.1.3.2.1	Description	104
6.1.3.2.2	Resource Definition	104
6.1.3.2.3	Resource Standard Methods	105
6.1.3.2.3.1	POST	105
6.1.3.2.4	Resource Custom Operations	108
6.1.3.3	Resource: Individual SM context	108
6.1.3.3.1	Description	108
6.1.3.3.2	Resource Definition	109
6.1.3.3.3	Resource Standard Methods	109
6.1.3.3.4	Resource Custom Operations	109
6.1.3.3.4.1	Overview	109
6.1.3.3.4.2	Operation: modify	109
6.1.3.3.4.2.1	Description	109
6.1.3.3.4.2.2	Operation Definition	109
6.1.3.3.4.3	Operation: release	112
6.1.3.3.4.3.1	Description	112
6.1.3.3.4.3.2	Operation Definition	112
6.1.3.3.4.4	Operation: retrieve	113
6.1.3.3.4.4.1	Description	113
6.1.3.3.4.4.2	Operation Definition	113
6.1.3.3.4.5	Operation: send-mo-data	114
6.1.3.3.4.5.1	Description	114
6.1.3.3.4.5.2	Operation Definition	114
6.1.3.4	Void	116
6.1.3.5	Resource: PDU sessions collection (H-SMF or SMF)	116
6.1.3.5.1	Description	116
6.1.3.5.2	Resource Definition	116
6.1.3.5.3	Resource Standard Methods	116
6.1.3.5.3.1	POST	116
6.1.3.5.4	Resource Custom Operations	119
6.1.3.5.4.1	Overview	119
6.1.3.6	Resource: Individual PDU session (H-SMF or SMF)	119
6.1.3.6.1	Description	119
6.1.3.6.2	Resource Definition	120
6.1.3.6.3	Resource Standard Methods	120
6.1.3.6.4	Resource Custom Operations	120
6.1.3.6.4.1	Overview	120
6.1.3.6.4.2	Operation: modify	120
6.1.3.6.4.2.1	Description	120
6.1.3.6.4.2.2	Operation Definition	120
6.1.3.6.4.3	Operation: release	122
6.1.3.6.4.3.1	Description	122
6.1.3.6.4.3.2	Operation Definition	122
6.1.3.6.4.4	Operation: transfer-mo-data	123
6.1.3.6.4.4.1	Description	123
6.1.3.6.4.4.2	Operation Definition	123
6.1.3.6.4.5	Operation: retrieve	124
6.1.3.6.4.5.1	Description	124
6.1.3.6.4.5.2	Operation Definition	124
6.1.3.7	Resource: Individual PDU session (V-SMF or I-SMF)	125
6.1.3.7.1	Description	125
6.1.3.7.2	Resource Definition	125
6.1.3.7.3	Resource Standard Methods	125
6.1.3.7.3.1	POST	125
6.1.3.7.4	Resource Custom Operations	127
6.1.3.7.4.1	Overview	127
6.1.3.7.4.2	Operation: modify	127