

# ETSI TS 129 518 V16.18.0 (2026-03)



TECHNICAL SPECIFICATION

**5G;  
5G System;  
Access and Mobility Management Services;  
Stage 3  
(3GPP TS 29.518 version 16.18.0 Release 16)**



---

**Reference**

RTS/TSGC-0429518vgi0

---

**Keywords**

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	13
1 Scope .....	15
2 References .....	15
3 Definitions and abbreviations.....	16
3.1 Definitions .....	16
3.2 Abbreviations .....	17
4 Overview .....	18
4.1 Introduction .....	18
5 Services offered by the AMF .....	18
5.1 Introduction .....	18
5.2 Namf_Communication Service .....	20
5.2.1 Service Description.....	20
5.2.2 Service Operations .....	20
5.2.2.1 Introduction.....	20
5.2.2.2 UE Context Operations .....	21
5.2.2.2.1 UEContextTransfer.....	21
5.2.2.2.1.1 General.....	21
5.2.2.2.1.2 Retrieve UE Context after successful UE authentication.....	23
5.2.2.2.2 RegistrationStatusUpdate .....	23
5.2.2.2.2.1 General.....	23
5.2.2.2.3 CreateUEContext.....	24
5.2.2.2.3.1 General.....	24
5.2.2.2.4 ReleaseUEContext.....	26
5.2.2.2.4.1 General.....	26
5.2.2.2.5 RelocateUEContext .....	26
5.2.2.2.5.1 General.....	26
5.2.2.2.6 CancelRelocateUEContext .....	27
5.2.2.2.6.1 General.....	27
5.2.2.3 UE Specific N1N2 Message Operations .....	28
5.2.2.3.1 N1N2MessageTransfer.....	28
5.2.2.3.1.1 General.....	28
5.2.2.3.1.2 Detailed behaviour of the AMF .....	30
5.2.2.3.2 N1N2Transfer Failure Notification .....	32
5.2.2.3.3 N1N2MessageSubscribe.....	33
5.2.2.3.3.1 General.....	33
5.2.2.3.4 N1N2MessageUnSubscribe.....	34
5.2.2.3.4.1 General.....	34
5.2.2.3.5 N1MessageNotify.....	34
5.2.2.3.5.1 General.....	34
5.2.2.3.5.2 Using N1MessageNotify in the Registration with AMF Re-allocation Procedure .....	35
5.2.2.3.5.3 Using N1MessageNotify in the UE Assisted and UE Based Positioning Procedure .....	35
5.2.2.3.5.4 Using N1MessageNotify in the UE Configuration Update for transparent UE Policy delivery .....	36
5.2.2.3.5.5 Using N1MessageNotify in the LCS Event Report, LCS Cancel Location and LCS Periodic-Triggered Invoke Procedures .....	36
5.2.2.3.5.6 Using N1MessageNotify in the UE triggered policy provisioning procedure to request UE policies.....	36
5.2.2.3.6 N2InfoNotify .....	37
5.2.2.3.6.1 General.....	37
5.2.2.3.6.2 Using N2InfoNotify during Inter NG-RAN node N2 based handover procedure.....	37

5.2.2.3.6.3	Using N2InfoNotify during Location Services procedures.....	39
5.2.2.3.6.4	Using N2InfoNotify during AMF planned removal procedure with UDSF deployed procedure .....	39
5.2.2.4	Non-UE N2 Message Operations .....	39
5.2.2.4.1	NonUeN2MessageTransfer .....	39
5.2.2.4.1.1	General.....	39
5.2.2.4.1.2	Obtaining Non UE Associated Network Assistance Data Procedure .....	40
5.2.2.4.1.3	Warning Request Transfer Procedure .....	40
5.2.2.4.1.4	Configuration Transfer Procedure .....	41
5.2.2.4.1.5	RIM Information Transfer Procedures.....	41
5.2.2.4.1.6	Broadcast of Assistance Data by an LMF.....	41
5.2.2.4.2	NonUeN2InfoSubscribe .....	41
5.2.2.4.2.1	General.....	41
5.2.2.4.3	NonUeN2InfoUnSubscribe .....	42
5.2.2.4.3.1	General.....	42
5.2.2.4.4	NonUeN2InfoNotify.....	43
5.2.2.4.4.1	General.....	43
5.2.2.4.4.2	Using NonUeN2InfoNotify during Location Services procedures .....	43
5.2.2.4.4.3	Use of NonUeN2InfoNotify for PWS related events.....	43
5.2.2.5	AMF Status Change Operations.....	44
5.2.2.5.1	AMFStatusChangeSubscribe.....	44
5.2.2.5.1.1	General.....	44
5.2.2.5.1.2	Creation of a subscription .....	44
5.2.2.5.1.3	Modification of a subscription .....	45
5.2.2.5.2	AMFStatusChangeUnSubscribe.....	45
5.2.2.5.2.1	General.....	45
5.2.2.5.3	AMFStatusChangeNotify .....	46
5.2.2.5.3.1	General.....	46
5.2.2.6	EBIAssignment .....	46
5.2.2.6.1	General .....	46
5.3	Namf_EventExposure Service.....	48
5.3.1	Service Description.....	48
5.3.2	Service Operations.....	52
5.3.2.1	Introduction.....	52
5.3.2.2	Subscribe.....	52
5.3.2.2.1	General .....	52
5.3.2.2.2	Creation of a subscription.....	52
5.3.2.2.3	Modification of a subscription.....	54
5.3.2.3	Unsubscribe.....	54
5.3.2.3.1	General .....	54
5.3.2.4	Notify .....	55
5.3.2.4.1	General .....	55
5.3.2.4.2	Event Subscription Synchronization for specific UE .....	55
5.4	Namf_MT Service.....	56
5.4.1	Service Description.....	56
5.4.2	Service Operations.....	56
5.4.2.1	Introduction.....	56
5.4.2.2	EnableUEReachability .....	56
5.4.2.2.1	General .....	56
5.4.2.3	ProvideDomainSelectionInfo .....	57
5.4.2.3.1	General .....	57
5.5	Namf_Location Service.....	58
5.5.1	Service Description.....	58
5.5.2	Service Operations.....	58
5.5.2.1	Introduction.....	58
5.5.2.2	ProvidePositioningInfo .....	58
5.5.2.2.1	General .....	58
5.5.2.3	EventNotify .....	59
5.5.2.3.1	General .....	59
5.5.2.4	ProvideLocationInfo .....	60
5.5.2.4.1	General .....	60
5.5.2.5	CancelLocation .....	61

5.5.2.5.1	General .....	61
6	API Definitions .....	62
6.1	Namf_Communication Service API .....	62
6.1.1	API URI .....	62
6.1.2	Usage of HTTP .....	62
6.1.2.1	General .....	62
6.1.2.2	HTTP standard headers .....	63
6.1.2.2.1	General .....	63
6.1.2.2.2	Content type .....	63
6.1.2.3	HTTP custom headers .....	63
6.1.2.3.1	General .....	63
6.1.2.4	HTTP multipart messages .....	63
6.1.3	Resources .....	64
6.1.3.1	Overview .....	64
6.1.3.2	Resource: Individual ueContext .....	65
6.1.3.2.1	Description .....	65
6.1.3.2.2	Resource Definition .....	66
6.1.3.2.3	Resource Standard Methods .....	66
6.1.3.2.3.1	PUT .....	66
6.1.3.2.4	Resource Custom Operations .....	68
6.1.3.2.4.1	Overview .....	68
6.1.3.2.4.2	Operation: release (POST) .....	68
6.1.3.2.4.2.1	Description .....	68
6.1.3.2.4.2.2	Operation Definition .....	68
6.1.3.2.4.3	Operation: assign-ebi (POST) .....	69
6.1.3.2.4.3.1	Description .....	69
6.1.3.2.4.3.2	Operation Definition .....	69
6.1.3.2.4.4	Operation: transfer (POST) .....	72
6.1.3.2.4.4.1	Description .....	72
6.1.3.2.4.4.2	Operation Definition .....	72
6.1.3.2.4.5	Operation: transfer-update (POST) .....	74
6.1.3.2.4.5.1	Description .....	74
6.1.3.2.4.5.2	Operation Definition .....	74
6.1.3.2.4.6	Operation: relocate (POST) .....	75
6.1.3.2.4.6.1	Description .....	75
6.1.3.2.4.6.2	Operation Definition .....	75
6.1.3.2.4.7	Operation: cancel-relocate (POST) .....	76
6.1.3.2.4.7.1	Description .....	76
6.1.3.2.4.7.2	Operation Definition .....	76
6.1.3.3	Resource: N1N2 Subscriptions Collection for Individual UE Contexts .....	77
6.1.3.3.1	Description .....	77
6.1.3.3.2	Resource Definition .....	77
6.1.3.3.3	Resource Standard Methods .....	78
6.1.3.3.3.1	POST .....	78
6.1.3.3.4	Resource Custom Operations .....	79
6.1.3.4	Resource: N1N2 Individual Subscription .....	79
6.1.3.4.1	Description .....	79
6.1.3.4.2	Resource Definition .....	79
6.1.3.4.3	Resource Standard Methods .....	80
6.1.3.4.3.1	DELETE .....	80
6.1.3.4.4	Resource Custom Operations .....	80
6.1.3.5	Resource: N1N2 Messages Collection .....	81
6.1.3.5.1	Description .....	81
6.1.3.5.2	Resource Definition .....	81
6.1.3.5.3	Resource Standard Methods .....	81
6.1.3.5.3.1	POST .....	81
6.1.3.6	Resource: subscriptions collection .....	85
6.1.3.6.1	Description .....	85
6.1.3.6.2	Resource Definition .....	85
6.1.3.6.3	Resource Standard Methods .....	85
6.1.3.6.3.1	POST .....	85

6.1.3.7	Resource: individual subscription .....	87
6.1.3.7.1	Description .....	87
6.1.3.7.2	Resource Definition .....	87
6.1.3.7.3	Resource Standard Methods .....	87
6.1.3.7.3.1	DELETE .....	87
6.1.3.7.3.2	PUT .....	88
6.1.3.8	Resource: Non UE N2 Messages Collection .....	89
6.1.3.8.1	Description .....	89
6.1.3.8.2	Resource Definition .....	89
6.1.3.8.3	Resource Standard Methods .....	90
6.1.3.8.4	Resource Custom Operations .....	90
6.1.3.8.4.1	Overview .....	90
6.1.3.8.4.2	Operation: transfer .....	90
6.1.3.8.4.2.1	Description .....	90
6.1.3.8.4.2.2	Operation Definition .....	90
6.1.3.9	Resource: Non UE N2 Messages Subscriptions Collection .....	92
6.1.3.9.1	Description .....	92
6.1.3.9.2	Resource Definition .....	92
6.1.3.9.3	Resource Standard Methods .....	92
6.1.3.9.3.1	POST .....	92
6.1.3.9.4	Resource Custom Operations .....	93
6.1.3.10	Resource: Non UE N2 Message Notification Individual Subscription .....	94
6.1.3.10.1	Description .....	94
6.1.3.10.2	Resource Definition .....	94
6.1.3.10.3	Resource Standard Methods .....	94
6.1.3.10.3.1	DELETE .....	94
6.1.3.10.4	Resource Custom Operations .....	95
6.1.4	Custom Operations without associated resources .....	95
6.1.5	Notifications .....	95
6.1.5.1	General .....	95
6.1.5.2	AMF Status Change Notification .....	95
6.1.5.2.1	Description .....	95
6.1.5.2.2	Notification Definition .....	96
6.1.5.2.3	Notification Standard Methods .....	96
6.1.5.2.3.1	POST .....	96
6.1.5.3	Non UE N2 Information Notification .....	97
6.1.5.3.1	Description .....	97
6.1.5.3.2	Notification Definition .....	97
6.1.5.3.3	Notification Standard Methods .....	97
6.1.5.3.3.1	POST .....	97
6.1.5.4	N1 Message Notification .....	98
6.1.5.4.1	Description .....	98
6.1.5.4.2	Notification Definition .....	98
6.1.5.4.3	Notification Standard Methods .....	98
6.1.5.4.3.1	POST .....	98
6.1.5.5	UE Specific N2 Information Notification .....	99
6.1.5.5.1	Description .....	99
6.1.5.5.2	Notification Definition .....	99
6.1.5.5.3	Notification Standard Methods .....	99
6.1.5.5.3.1	POST .....	99
6.1.5.6	N1N2 Transfer Failure Notification .....	100
6.1.5.6.1	Description .....	100
6.1.5.6.2	Notification Definition .....	101
6.1.5.6.3	Notification Standard Methods .....	101
6.1.5.6.3.1	POST .....	101
6.1.5.7	Void .....	102
6.1.6	Data Model .....	102
6.1.6.1	General .....	102
6.1.6.2	Structured data types .....	109
6.1.6.2.1	Introduction .....	109
6.1.6.2.2	Type: SubscriptionData .....	109
6.1.6.2.3	Type: AmfStatusChangeNotification .....	109

6.1.6.2.4	Type: AmfStatusInfo .....	110
6.1.6.2.5	Type: AssignEbiData .....	110
6.1.6.2.6	Type: AssignedEbiData .....	110
6.1.6.2.7	Type: AssignEbiFailed .....	111
6.1.6.2.8	Type: UEContextRelease .....	111
6.1.6.2.9	Type: N2InformationTransferReqData .....	111
6.1.6.2.10	Type: NonUeN2InfoSubscriptionCreateData .....	112
6.1.6.2.11	Type: NonUeN2InfoSubscriptionCreatedData .....	112
6.1.6.2.12	Type: UeN1N2InfoSubscriptionCreateData .....	113
6.1.6.2.13	Type: UeN1N2InfoSubscriptionCreatedData .....	113
6.1.6.2.14	Type: N2InformationNotification .....	114
6.1.6.2.15	Type: N2InfoContainer .....	116
6.1.6.2.16	Type: N1MessageNotification .....	117
6.1.6.2.17	Type: N1MessageContainer .....	118
6.1.6.2.18	Type: N1N2MessageTransferReqData .....	119
6.1.6.2.19	Type: N1N2MessageTransferRspData .....	122
6.1.6.2.20	Type: RegistrationContextContainer .....	123
6.1.6.2.21	Type: AreaOfValidity .....	125
6.1.6.2.22	Void .....	125
6.1.6.2.23	Type: UeContextTransferReqData .....	125
6.1.6.2.24	Type: UeContextTransferRspData .....	126
6.1.6.2.25	Type: UeContext .....	127
6.1.6.2.26	Type: N2SmInformation .....	136
6.1.6.2.27	Type: N2InfoContent .....	136
6.1.6.2.28	Type: NrppaInformation .....	137
6.1.6.2.29	Type: PwsInformation .....	137
6.1.6.2.30	Type: N1N2MsgTxfrFailureNotification .....	138
6.1.6.2.31	Type: N1N2MessageTransferError .....	138
6.1.6.2.32	Type: N1N2MsgTxfrErrDetail .....	139
6.1.6.2.33	Type: N2InformationTransferRspData .....	139
6.1.6.2.34	Type: MmContext .....	140
6.1.6.2.35	Type: SeafData .....	143
6.1.6.2.36	Type: NasSecurityMode .....	143
6.1.6.2.37	Type: PduSessionContext .....	144
6.1.6.2.38	Type: NssaiMapping .....	147
6.1.6.2.39	Type: UeRegStatusUpdateReqData .....	148
6.1.6.2.40	Type: AssignEbiError .....	148
6.1.6.2.41	Type: UeContextCreateData .....	149
6.1.6.2.42	Type: UeContextCreatedData .....	150
6.1.6.2.43	Type: UeContextCreateError .....	150
6.1.6.2.44	Type: NgRanTargetId .....	150
6.1.6.2.45	Type: N2InformationTransferError .....	151
6.1.6.2.46	Type: PWSResponseData .....	151
6.1.6.2.47	Type: PWSErrorData .....	151
6.1.6.2.48	Void .....	151
6.1.6.2.49	Type: NgKsi .....	152
6.1.6.2.50	Type: KeyAmf .....	152
6.1.6.2.51	Type: ExpectedUeBehavior .....	152
6.1.6.2.52	Type: UeRegStatusUpdateRspData .....	152
6.1.6.2.53	Type: N2RanInformation .....	152
6.1.6.2.54	Type: N2InfoNotificationRspData .....	153
6.1.6.2.55	Type: SmallDataRateStatusInfo .....	153
6.1.6.2.56	Type: SmfChangeInfo .....	153
6.1.6.2.57	Type: V2xContext .....	154
6.1.6.2.58	Type: ImmediateMdtConf .....	155
6.1.6.2.59	Type: V2xInformation .....	157
6.1.6.2.60	Type: EpsNasSecurityMode .....	157
6.1.6.2.61	Type: UeContextRelocateData .....	158
6.1.6.2.62	Type: UeContextRelocatedData .....	158
6.1.6.2.63	Void .....	158
6.1.6.2.64	Type: EcRestrictionDataWb .....	159
6.1.6.2.65	Type: ExtAmfEventSubscription .....	159

6.1.6.2.66	Type: AmfEventSubscriptionAddInfo.....	160
6.1.6.2.67	Type: UeContextCancelRelocateData.....	161
6.1.6.2.68	Type: UeDifferentiationInfo.....	161
6.1.6.2.69	Type: CeModeBInd.....	161
6.1.6.2.70	Type: LteMInd.....	162
6.1.6.2.71	Type: NpnAccessInfo.....	162
6.1.6.2.72	Void.....	162
6.1.6.2.73	Void.....	162
6.1.6.2.74	Void.....	162
6.1.6.2.75	Type: UpdpSubscriptionData.....	162
6.1.6.2.76	Void.....	163
6.1.6.2.77	Void.....	163
6.1.6.2.78	Type: AreaOfInterestEventState.....	163
6.1.6.3	Simple data types and enumerations.....	163
6.1.6.3.1	Introduction.....	163
6.1.6.3.2	Simple data types.....	163
6.1.6.3.3	Enumeration: StatusChange.....	164
6.1.6.3.4	Enumeration: N2InformationClass.....	165
6.1.6.3.5	Enumeration: N1MessageClass.....	165
6.1.6.3.6	Enumeration: N1N2MessageTransferCause.....	166
6.1.6.3.7	Enumeration: UeContextTransferStatus.....	166
6.1.6.3.8	Enumeration: N2InformationTransferResult.....	166
6.1.6.3.9	Enumeration: CipheringAlgorithm.....	167
6.1.6.3.10	Enumeration: IntegrityAlgorithm.....	167
6.1.6.3.11	Enumeration: SmsSupport.....	167
6.1.6.3.12	Enumeration: ScType.....	167
6.1.6.3.13	Enumeration: KeyAmfType.....	167
6.1.6.3.14	Enumeration: TransferReason.....	168
6.1.6.3.15	Enumeration: PolicyReqTrigger.....	168
6.1.6.3.16	Enumeration: RatSelector.....	168
6.1.6.3.17	Enumeration: NgapIeType.....	169
6.1.6.3.18	Enumeration: N2InfoNotifyReason.....	169
6.1.6.3.19	Enumeration: SmfChangeIndication.....	169
6.1.6.3.20	Enumeration: SbiBindingLevel.....	169
6.1.6.3.21	Enumeration: EpsNasCipheringAlgorithm.....	169
6.1.6.3.22	Enumeration: EpsNasIntegrityAlgorithm.....	170
6.1.6.3.23	Enumeration: PeriodicCommunicationIndicator.....	170
6.1.6.4	Binary data.....	170
6.1.6.4.1	Introduction.....	170
6.1.6.4.2	N1 Message.....	170
6.1.6.4.3	N2 Information.....	171
6.1.6.4.3.1	Introduction.....	171
6.1.6.4.3.2	NGAP IEs.....	171
6.1.6.4.3.3	NGAP Messages.....	173
6.1.6.4.4	Mobile Terminated Data.....	174
6.1.6.4.5	GTP-C Message.....	174
6.1.7	Error Handling.....	174
6.1.7.1	General.....	174
6.1.7.2	Protocol Errors.....	174
6.1.7.3	Application Errors.....	175
6.1.8	Feature Negotiation.....	177
6.1.9	Security.....	178
6.1.10	HTTP redirection.....	179
6.2	Namf_EventExposure Service API.....	179
6.2.1	API URI.....	179
6.2.2	Usage of HTTP.....	179
6.2.2.1	General.....	179
6.2.2.2	HTTP standard headers.....	180
6.2.2.2.1	General.....	180
6.2.2.2.2	Content type.....	180
6.2.2.3	HTTP custom headers.....	180
6.2.2.3.1	General.....	180

6.2.3	Resources	180
6.2.3.1	Overview	180
6.2.3.2	Resource: Subscriptions collection	181
6.2.3.2.1	Description	181
6.2.3.2.2	Resource Definition	181
6.2.3.2.3	Resource Standard Methods	181
6.2.3.2.3.1	POST	181
6.2.3.2.4	Resource Custom Operations	182
6.2.3.3	Resource: Individual subscription	183
6.2.3.3.1	Description	183
6.2.3.3.2	Resource Definition	183
6.2.3.3.3	Resource Standard Methods	183
6.2.3.3.3.1	PATCH	183
6.2.3.3.3.2	DELETE	184
6.2.3.3.4	Resource Custom Operations	185
6.2.4	Custom Operations without associated resources	186
6.2.5	Notifications	186
6.2.5.1	General	186
6.2.5.2	AMF Event Notification	186
6.2.5.2.1	Notification Definition	186
6.2.5.2.3	Notification Standard Methods	186
6.2.5.2.3.1	POST	186
6.2.6	Data Model	187
6.2.6.1	General	187
6.2.6.2	Structured data types	189
6.2.6.2.1	Introduction	189
6.2.6.2.2	Type: AmfEventSubscription	190
6.2.6.2.3	Type: AmfEvent	192
6.2.6.2.4	Type: AmfEventNotification	195
6.2.6.2.5	Type: AmfEventReport	196
6.2.6.2.6	Type: AmfEventMode	200
6.2.6.2.7	Type: AmfEventState	201
6.2.6.2.8	Type: RmInfo	201
6.2.6.2.9	Type: CmInfo	201
6.2.6.2.10	Void	201
6.2.6.2.11	Type: CommunicationFailure	201
6.2.6.2.12	Type: AmfCreateEventSubscription	202
6.2.6.2.13	Type: AmfCreatedEventSubscription	202
6.2.6.2.14	Type: AmfUpdateEventSubscriptionItem	203
6.2.6.2.15	Type: AmfUpdatedEventSubscription	203
6.2.6.2.16	Type: AmfEventArea	204
6.2.6.2.17	Type: LadnInfo	204
6.2.6.2.18	Type: AmfUpdateEventOptionItem	205
6.2.6.2.19	Type: 5GsUserStateInfo	205
6.2.6.2.20	Type: TrafficDescriptor	205
6.2.6.2.21	Type: UEIdExt	205
6.2.6.2.22	Type: AmfEventSubsSyncInfo	206
6.2.6.2.23	Type: AmfEventSubscriptionInfo	206
6.2.6.2.24	Void	206
6.2.6.2.25	Void	206
6.2.6.2.26	Void	206
6.2.6.2.27	Void	206
6.2.6.2.28	Type: IdleStatusIndication	206
6.2.6.3	Simple data types and enumerations	207
6.2.6.3.1	Introduction	207
6.2.6.3.2	Simple data types	207
6.2.6.3.3	Enumeration: AmfEventType	208
6.2.6.3.4	Enumeration: AmfEventTrigger	210
6.2.6.3.5	Enumeration: LocationFilter	210
6.2.6.3.6	Void	210
6.2.6.3.7	Enumeration: UeReachability	211
6.2.6.3.8	Void	211

6.2.6.3.9	Enumeration: RmState.....	211
6.2.6.3.10	Enumeration: CmState.....	211
6.2.6.3.11	Enumeration: 5GsUserState .....	211
6.2.6.3.12	Enumeration: LossOfConnectivityReason .....	211
6.2.6.3.13	Enumeration: ReachabilityFilter.....	212
6.2.6.4	Binary data .....	212
6.2.7	Error Handling .....	212
6.2.7.1	General .....	212
6.2.7.2	Protocol Errors .....	212
6.2.7.3	Application Errors.....	212
6.2.8	Feature Negotiation.....	212
6.2.9	Security .....	213
6.2.10	HTTP redirection .....	213
6.3	Namf_MT Service API .....	214
6.3.1	API URI.....	214
6.3.2	Usage of HTTP.....	214
6.3.2.1	General .....	214
6.3.2.2	HTTP standard headers .....	214
6.3.2.2.1	General .....	214
6.3.2.2.2	Content type .....	214
6.3.2.3	HTTP custom headers .....	215
6.3.2.3.1	General .....	215
6.3.3	Resources.....	215
6.3.3.1	Overview.....	215
6.3.3.2	Resource: ueReachInd.....	215
6.3.3.2.1	Description .....	215
6.3.3.2.2	Resource Definition.....	215
6.3.3.2.3	Resource Standard Methods .....	216
6.3.3.2.3.1	PUT.....	216
6.3.3.2.4	Resource Custom Operations .....	218
6.3.3.3	Resource: ueContext .....	218
6.3.3.3.1	Description .....	218
6.3.3.3.2	Resource Definition.....	218
6.3.3.3.3	Resource Standard Methods .....	218
6.3.3.3.3.1	GET.....	218
6.3.3.3.4	Resource Custom Operations .....	221
6.3.4	Custom Operations without associated resources .....	221
6.3.5	Notifications .....	221
6.3.6	Data Model .....	221
6.3.6.1	General.....	221
6.3.6.2	Structured data types .....	221
6.3.6.2.1	Introduction .....	221
6.3.6.2.2	Type: EnableUeReachabilityReqData .....	222
6.3.6.2.3	Type: EnableUeReachabilityRspData .....	222
6.3.6.2.4	Type: UeContextInfo .....	223
6.3.6.2.5	Type: ProblemDetailsEnableUeReachability .....	223
6.3.6.2.6	Type: AdditionInfoEnableUeReachability .....	223
6.3.6.3.5	Enumeration: UeContextInfoClass .....	224
6.3.6.3	Simple data types and enumerations .....	224
6.3.6.3.1	Introduction .....	224
6.3.6.3.2	Simple data types.....	224
6.3.6.4	Binary data .....	224
6.3.7	Error Handling .....	224
6.3.7.1	General .....	224
6.3.7.2	Protocol Errors .....	224
6.3.7.3	Application Errors.....	224
6.3.8	Feature Negotiation.....	225
6.3.9	Security .....	225
6.3.10	HTTP redirection .....	225
6.4	Namf_Location Service API .....	226
6.4.1	API URI.....	226
6.4.2	Usage of HTTP.....	226

6.4.2.1	General .....	226
6.4.2.2	HTTP standard headers .....	226
6.4.2.2.1	General .....	226
6.4.2.2.2	Content type .....	226
6.4.2.3	HTTP custom headers .....	227
6.4.2.3.1	General .....	227
6.4.3	Resources .....	227
6.4.3.1	Overview .....	227
6.4.3.2	Resource: Individual UE Context .....	227
6.4.3.2.1	Description .....	227
6.4.3.2.2	Resource Definition .....	227
6.4.3.2.3	Resource Standard Methods .....	228
6.4.3.2.4	Resource Custom Operations .....	228
6.4.3.2.4.1	Overview .....	228
6.4.3.2.4.2	Operation: provide-pos-info (POST) .....	228
6.4.3.2.4.2.1	Description .....	228
6.4.3.2.4.2.2	Operation Definition .....	228
6.4.3.2.4.3	Operation: provide-loc-info (POST) .....	230
6.4.3.2.4.3.1	Description .....	230
6.4.3.2.4.3.2	Operation Definition .....	230
6.4.3.2.4.4	Operation: cancel-pos-info (POST) .....	231
6.4.3.2.4.4.1	Description .....	231
6.4.3.2.4.4.2	Operation Definition .....	231
6.4.4	Custom Operations without associated resources .....	232
6.4.5	Notifications .....	232
6.4.5.1	General .....	232
6.4.5.2	Event Notify .....	232
6.4.5.2.1	Description .....	232
6.4.5.2.2	Notification Definition .....	232
6.4.5.2.3	Notification Standard Methods .....	232
6.4.5.2.3.1	POST .....	232
6.4.6	Data Model .....	233
6.4.6.1	General .....	233
6.4.6.2	Structured data types .....	235
6.4.6.2.1	Introduction .....	235
6.4.6.2.2	Type: RequestPosInfo .....	236
6.4.6.2.3	Type: ProvidePosInfo .....	239
6.4.6.2.4	Type: NotifiedPosInfo .....	242
6.4.6.2.5	Type: RequestLocInfo .....	245
6.4.6.2.6	Type: ProvideLocInfo .....	246
6.4.6.2.7	Type: CancelPosInfo .....	246
6.4.6.3	Simple data types and enumerations .....	247
6.4.6.3.1	Introduction .....	247
6.4.6.3.2	Simple data types .....	247
6.4.6.3.3	Enumeration: LocationType .....	247
6.4.6.3.4	Enumeration: LocationEvent .....	247
6.4.6.3.5	Enumeration: LocationPrivacyVerResult .....	247
6.4.7	Error Handling .....	248
6.4.7.1	General .....	248
6.4.7.2	Protocol Errors .....	248
6.4.7.3	Application Errors .....	248
6.4.8	Feature Negotiation .....	248
6.4.9	Security .....	249
6.4.10	HTTP redirection .....	249
<b>Annex A (normative): OpenAPI specification .....</b>		<b>250</b>
A.1	General .....	250
A.2	Namf_Communication API .....	250
A.3	Namf_EventExposure API .....	296

A.4	Namf_MT .....	306
A.5	Namf_Location .....	308
<b>Annex B (Informative): HTTP Multipart Messages .....</b>		<b>315</b>
B.1	Example of HTTP multipart message .....	315
B.1.1	General .....	315
B.1.2	Example HTTP multipart message with N2 Information binary data .....	315
<b>Annex C (informative): Change history .....</b>		<b>316</b>
History .....		324

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

**shall** indicates a mandatory requirement to do something

**shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

**should** indicates a recommendation to do something

**should not** indicates a recommendation not to do something

**may** indicates permission to do something

**need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

**can** indicates that something is possible

**cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

**will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document

**will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document

**might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

**might not** indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

**is** (or any other verb in the indicative mood) indicates a statement of fact

**is not** (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)