



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
Internet Protocol (IP) multimedia call control protocol based on
Session Initiation Protocol (SIP)
and Session Description Protocol (SDP);
User Equipment (UE) conformance specification;
Part 1: Protocol conformance specification
(3GPP TS 34.229-1 version 19.5.0 Release 19)**



Reference

RTS/TSGR-0534229-1vJ50

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	35
Introduction	36
1 Scope	37
2 References	37
3 Definitions, symbols and abbreviations	43
3.1 Definitions	43
3.2 Symbols.....	44
3.3 Abbreviations	44
4 Overview	44
4.1 Test Methodology.....	44
4.1.1 Testing of optional functions and procedures	44
4.2 Implicit Testing	44
4.3 Conformance Requirements	45
5 Reference Conditions	45
5.1 Generic setup procedures	45
5.2 Transport protocols applied.....	45
6 PDP Context Activation	45
6.1 General Purpose PDP Context Establishment	45
6.2 General Purpose PDP Context Establishment (UE Requests for a Dedicated PDP Context).....	45
6.2.1 Definition.....	45
6.2.2 Conformance requirement	45
6.2.3 Test purpose.....	46
6.2.4 Method of test	46
6.2.5 Test requirements.....	48
6.3 Dedicated PDP Context Establishment	48
6.3.1 Definition.....	48
6.3.2 Conformance requirement	48
6.3.3 Test purpose.....	49
6.3.4 Method of test	49
6.3.5 Test requirements.....	51
7 P-CSCF Discovery	51
7.1 P-CSCF Discovery via PDP Context.....	51
7.1.1 Definition.....	51
7.1.2 Conformance requirement	51
7.1.3 Test purpose.....	53
7.1.4 Method of test	53
7.1.5 Test requirements.....	55
7.2 P-CSCF Discovery via DHCP – IPv4	55
7.2.1 Definition.....	55
7.2.2 Conformance requirement	55
7.2.3 Test purpose.....	56
7.2.4 Method of test	56
7.2.5 Test requirements.....	59
7.3 P-CSCF Discovery via DHCP – IPv4 (UE Requests P-CSCF discovery via PCO).....	59
7.3.1 Definition.....	59
7.3.2 Conformance requirement	59
7.3.3 Test purpose.....	61
7.3.4 Method of test	61

7.3.5	Test requirements.....	64
7.4	P-CSCF Discovery by DHCP - IPv6.....	65
7.4.1	Definition.....	65
7.4.2	Conformance requirement.....	65
7.4.3	Test purpose.....	66
7.4.4	Method of test.....	66
7.4.5	Test requirements.....	70
7.5	P-CSCF Discovery by DHCP-IPv6 (UE Requests P-CSCF discovery by PCO).....	70
7.5.1	Definition.....	70
7.5.2	Conformance requirement.....	71
7.5.3	Test purpose.....	72
7.5.4	Method of test.....	72
7.5.5	Test requirements.....	77
7.6	P-CSCF Discovery by DHCP – IPv6 (UE does not Request P-CSCF discovery by PCO, SS includes P-CSCF Address(es) in PCO).....	77
7.6.1	Definition.....	77
7.6.2	Conformance requirement.....	77
7.6.3	Test purpose.....	78
7.6.4	Method of test.....	78
7.6.5	Test requirements.....	83
7.7	Void.....	83
7.8	Void.....	83
7.9	Void.....	83
8	Registration.....	83
8.1	Initial registration.....	84
8.1.1	Definition.....	84
8.1.2	Conformance requirement.....	84
8.1.3	Test purpose.....	95
8.1.4	Method of test.....	96
8.1.5	Test requirements.....	96
8.2	User Initiated Re-Registration.....	97
8.2.1	Definition.....	97
8.2.2	Conformance requirement.....	97
8.2.3	Test purpose.....	99
8.2.4	Method of test.....	100
8.2.5	Test requirements.....	102
8.3	Mobile Initiated Deregistration.....	102
8.3.1	Definition.....	102
8.3.2	Conformance requirement.....	102
8.3.3	Test purpose.....	105
8.3.4	Method of test.....	105
8.3.5	Test Requirements.....	105
8.4	Invalid behaviour- 423 Interval too brief.....	105
8.4.1	Definition.....	105
8.4.2	Conformance requirement.....	105
8.4.3	Test purpose.....	106
8.4.4	Method of test.....	106
8.4.5	Test requirements.....	107
8.5 to 8.9	Void.....	108
8.10	Initial registration using GIBA.....	108
8.10.1	Definition.....	108
8.10.2	Conformance requirement.....	108
8.10.3	Test purpose.....	112
8.10.4	Method of test.....	113
8.10.5	Test requirements.....	114
8.11	Initial registration using IMS AKA and GIBA against a network with GIBA support only.....	114
8.11.1	Definition.....	114
8.11.2	Conformance requirement.....	114
8.11.3	Test purpose.....	120
8.11.4	Method of test.....	120
8.11.5	Test requirements.....	121

8.12	User initiated re-registration using GIBA	122
8.12.1	Definition	122
8.12.2	Conformance requirement	122
8.12.3	Test purpose.....	123
8.12.4	Method of test	124
8.12.5	Test requirements.....	125
8.13	User initiated de-registration using GIBA.....	126
8.13.1	Definition.....	126
8.13.2	Conformance requirement	126
8.13.3	Test purpose.....	127
8.13.4	Method of test	128
8.13.5	Test requirements.....	128
8.14	Void.....	128
8.15	Refresh for ISIM parameters	128
8.15.1	Definition.....	128
8.15.2	Conformance requirement	128
8.15.3	Test purpose.....	129
8.15.4	Method of test	129
8.15.5	Test requirements.....	130
8.16	User initiated re-registration - 423 Interval Too Brief.....	131
8.16.1	Definition.....	131
8.16.2	Conformance requirement	131
8.16.3	Test purpose.....	131
8.16.4	Method of test	131
8.16.5	Test requirements.....	133
8.17	Initial Registration / IMS data channel.....	133
8.17.1	Definition.....	133
8.17.2	Conformance requirement	133
8.17.3	Test purpose.....	134
8.17.4	Method of test	134
8.17.5	Test requirements.....	136
8.18	Re-Registration / IMS data channel.....	136
8.18.1	Definition.....	136
8.18.2	Conformance requirement	136
8.18.3	Test purpose.....	136
8.18.4	Method of test	137
8.18.5	Test requirements.....	138
9	Authentication	139
9.1	Invalid Behaviour – MAC Parameter Invalid.....	139
9.1.1	Definition.....	139
9.1.2	Conformance requirement	139
9.1.3	Test purpose.....	139
9.1.4	Method of test	140
9.1.5	Test requirements.....	142
9.2	Invalid Behaviour – SQN out of range.....	142
9.2.1	Definition.....	142
9.2.2	Conformance requirement	142
9.2.3	Test purpose.....	143
9.2.4	Method of test	143
9.2.5	Test requirements.....	145
10	Subscription.....	146
10.1	Invalid Behaviour – 503 Service Unavailable	146
10.1.1	Definition.....	146
10.1.2	Conformance requirement	146
10.1.3	Test purpose.....	146
10.1.4	Method of test	146
10.1.5	Test requirements.....	147
11	Notification.....	147
11.1	Network-initiated deregistration.....	147
11.1.1	Definition.....	147

11.1.2	Conformance requirement	148
11.1.3	Test purpose.....	148
11.1.4	Method of test	148
11.1.5	Test requirements.....	150
11.2	Network initiated re-authentication	150
11.2.1	Definition.....	150
11.2.2	Conformance requirement	150
11.2.3	Test purpose.....	150
11.2.4	Method of test	151
11.2.5	Test requirements.....	153
12	Call Control.....	153
12.1	Void.....	153
12.2	MO Call with preconditions at both originating UE and terminating UE – 503 Service Unavailable	153
12.2.1	Definition.....	153
12.2.2	Conformance requirement	153
12.2.3	Test purpose.....	153
12.2.4	Method of test	154
12.2.5	Test requirements.....	154
12.2a	MO Call with preconditions at both originating UE and terminating UE – 504 Server Time-out	155
12.2a.1	Definition.....	155
12.2a.2	Conformance requirement	155
12.2a.3	Test purpose.....	155
12.2a.4	Method of test	155
12.2a.5	Test requirements.....	156
12.2b	MO Call without preconditions at both originating UE and terminating UE – 503 Service Unavailable	156
12.2b.1	Definition.....	156
12.2b.2	Conformance requirement	157
12.2b.3	Test purpose.....	157
12.2b.4	Method of test	157
12.2b.5	Test requirements.....	158
12.2c	MO Call without preconditions at both originating UE and terminating UE – 504 Server Time-out	158
12.2c.1	Definition.....	158
12.2c.2	Conformance requirement	158
12.2c.3	Test purpose.....	159
12.2c.4	Method of test	159
12.2c.5	Test requirements.....	160
12.3 to 12.11	Void.....	160
12.12	MO MTSI Voice Call Successful with preconditions at both originating UE and terminating UE	160
12.12.1	Definition.....	160
12.12.2	Conformance requirement	160
12.12.3	Test purpose.....	166
12.12.4	Method of test	166
12.12.5	Test requirements.....	167
12.12a	MO MTSI Voice Call Successful without preconditions at both originating UE and terminating UE	167
12.12a.1	Definition.....	167
12.12a.2	Conformance requirement	167
12.12a.3	Test purpose.....	168
12.12a.4	Method of test	169
12.13	MT MTSI speech call with preconditions at both originating UE and terminating UE	169
12.13.1	Definition.....	169
12.13.2	Conformance requirement	169
12.13.3	Test purpose.....	171
12.13.4	Method of test	171
12.13.5	Test requirements.....	171
12.13a	MT MTSI speech call when remote end reserves resources before sending INVITE.....	171
12.13a.1	Definition.....	171
12.13a.2	Conformance requirement	172
12.13a.3	Test purpose.....	173
12.13a.4	Method of test	173
12.13a.5	Test requirements.....	175
12.13b	MT MTSI speech call Successful without preconditions at both originating UE and terminating UE	175

12.13b.1	Definition.....	175
12.13b.2	Conformance requirement	175
12.13b.3	Test purpose.....	176
12.13b.4	Method of test.....	176
12.13c	MT MTSI speech call Successful with preconditions at originating UE and without preconditions at terminating UE	178
12.13c.1	Definition.....	178
12.13c.2	Conformance requirement	178
12.13c.3	Test purpose.....	179
12.13c.4	Method of test.....	179
12.14	Void.....	182
12.15	Void.....	182
12.16	Void.....	182
12.17	Void.....	182
12.18	Void.....	182
12.18a	Void.....	182
12.18b	Void.....	182
12.19	Void.....	182
12.19a	Void.....	182
12.19b	Void.....	182
12.20	Void.....	182
12.20a	Void.....	182
12.21	MO MTSI Video call	182
12.21.1	Definition.....	182
12.21.2	Conformance requirement	182
12.21.3	Test purpose.....	185
12.21.4	Method of test.....	186
12.21.5	Test requirements.....	186
12.22	MT MTSI Video call.....	186
12.22.1	Definition.....	186
12.22.2	Conformance requirement	186
12.22.3	Test purpose.....	188
12.22.4	Method of test.....	189
12.22.5	Test requirements.....	189
12.23	MO MTSI speech call / EVS.....	189
12.23.1	Definition.....	189
12.23.2	Conformance requirement	189
12.23.3	Test purpose.....	191
12.23.4	Method of test.....	192
12.23.5	Test requirements.....	192
12.23a	MO MTSI speech call / EVS / Default configuration	192
12.23a.1	Definition.....	192
12.23a.2	Conformance requirement	192
12.23a.3	Test purpose.....	192
12.23a.4	Method of test.....	193
12.23a.5	Test requirements.....	198
12.24	MT MTSI speech call / EVS	199
12.24.1	Definition.....	199
12.24.2	Conformance requirement	199
12.24.3	Test purpose.....	206
12.24.4	Method of test.....	206
12.24.5	Test requirements.....	206
12.24a	MT MTSI speech call / EVS / Default configuration.....	206
12.24a.1	Definition.....	206
12.24a.2	Conformance requirement	206
12.24a.3	Test purpose.....	207
12.24a.4	Method of test.....	207
12.24a.5	Test requirements.....	209
12.25	MO MTSI speech call / EVS offered but not supported by remote UE / AMR-WB agreed	209
12.25.1	Definition.....	209
12.25.2	Conformance requirement	209
12.25.3	Test purpose.....	218

12.25.4	Method of test	219
12.25.5	Test requirements	221
12.25a	MT MTSI speech call / EVS offered but not supported by UE / AMR-WB agreed	221
12.25a.1	Definition	221
12.25a.2	Conformance requirement	221
12.25a.3	Test purpose	230
12.25a.4	Method of test	231
12.26	MT MTSI speech call / EVS / AMR-WB IO mode	231
12.26.1	Definition	231
12.26.2	Conformance requirement	231
12.26.3	Test purpose	233
12.26.4	Method of test	233
12.26.5	Test requirements	235
12.27	MO MTSI speech call / SRVCC on MT side / Codec Change from AMR-WB to AMR-NB	236
12.27.1	Definition	236
12.27.2	Conformance requirement	236
12.27.3	Test purpose	237
12.27.4	Method of test	237
12.27a	MO MTSI speech call / SRVCC on MT side / Codec Change from EVS to AMR-NB	239
12.27a.1	Definition	239
12.27a.2	Conformance requirement	239
12.27a.3	Test purpose	240
12.27a.4	Method of test	241
12.28	MO MTSI speech call / MO UE cancels call establishment	243
12.28.1	Definition	243
12.28.2	Conformance requirement	243
12.28.3	Test purpose	244
12.28.4	Method of test	244
12.29	MO MTSI Video call / MO UE cancels call establishment	244
12.29.1	Definition	244
12.29.2	Conformance requirement	245
12.29.3	Test purpose	245
12.29.4	Method of test	245
12.30	IMS Data Channel / DCMTSI MO Voice call / Bootstrap Data Channel failure / without preconditions at both originating UE and terminating UE	246
12.30.1	Definition	246
12.30.2	Conformance requirement	246
12.30.3	Test purpose	247
12.30.4	Method of test	247
12.31	IMS Data Channel / DCMTSI MO Voice call / Bootstrap Data Channel failure / with preconditions at both originating UE and terminating UE	251
12.31.1	Definition	251
12.31.2	Conformance requirement	251
12.31.3	Test purpose	251
12.31.4	Method of test	251
12.32	IMS Data Channel / DCMTSI MO Voice call / Bootstrap Data Channel success / without preconditions at both originating UE and terminating UE	256
12.32.1	Definition	256
12.32.2	Conformance requirement	256
12.32.3	Test purpose	260
12.32.4	Method of test	260
12.33	IMS Data Channel / DCMTSI MO Voice call / Bootstrap Data Channel success / with preconditions at both originating UE and terminating UE	264
12.33.1	Definition	264
12.33.2	Conformance requirement	264
12.33.3	Test purpose	264
12.33.4	Method of test	265
12.34	IMS Data Channel / DCMTSI MT Voice call / Bootstrap Data Channel success / without preconditions at both originating UE and terminating UE	270
12.34.1	Definition	270
12.34.2	Conformance requirement	270
12.34.3	Test purpose	271

12.34.4	Method of test	271
12.35	IMS Data Channel / DCMTSI MT Voice call / Bootstrap Data Channel success / with preconditions at both originating UE and terminating UE.....	275
12.35.1	Definition.....	275
12.35.2	Conformance requirement	275
12.35.3	Test purpose.....	275
12.35.4	Method of test	276
12.36	IMS Data Channel / DCMTSI MO Video call / Bootstrap Data Channel failure / with preconditions at both originating UE and terminating UE.....	279
12.36.1	Definition.....	279
12.36.2	Conformance requirement	279
12.36.3	Test purpose.....	279
12.36.4	Method of test	280
12.37	IMS Data Channel / DCMTSI MO Video call / Bootstrap Data Channel success / with preconditions at both originating UE and terminating UE.....	284
12.37.1	Definition.....	284
12.37.2	Conformance requirement	284
12.37.3	Test purpose.....	284
12.37.4	Method of test	284
12.38	IMS Data Channel / DCMTSI MT Video call / Bootstrap Data Channel success / with preconditions at both originating UE and terminating UE.....	289
12.38.1	Definition.....	289
12.38.2	Conformance requirement	289
12.38.3	Test purpose.....	289
12.38.4	Method of test	290
13	Signalling Compression (SIGComp).....	292
14	Emergency Service.....	293
15	Supplementary Services	293
15.1	Originating Identification Presentation	293
15.1.1	Definition.....	293
15.1.2	Conformance requirement	293
15.1.3	Test purpose.....	293
15.1.4	Method of test	293
15.1.5	Test requirements.....	294
15.2	Originating Identification Restriction.....	294
15.2.1	Definition.....	294
15.2.2	Conformance requirement	294
15.2.3	Test purpose.....	295
15.2.4	Method of test	295
15.2.5	Test requirements.....	295
15.2a	Originating Identification Restriction / Signalling	295
15.2a.1	Definition.....	295
15.2a.2	Conformance requirement	296
15.2a.3	Test purpose.....	296
15.2a.4	Method of test	296
15.2a.5	Test requirements.....	297
15.3	Terminating Identification Presentation	297
15.3.1	Definition.....	297
15.3.2	Conformance requirement	297
15.3.3	Test purpose.....	297
15.3.4	Method of test	298
15.3.5	Test requirements.....	298
15.4	Terminating Identification Restriction	298
15.4.1	Definition.....	298
15.4.2	Conformance requirement	298
15.4.3	Test purpose.....	299
15.4.4	Method of test	299
15.4.5	Test requirements.....	299
15.4a	Terminating Identification Restriction / Signalling	300
15.4a.1	Definition.....	300

15.4a.2	Conformance requirement	300
15.4a.3	Test purpose.....	300
15.4a.4	Method of test	300
15.4a.5	Test requirements.....	301
15.5	Communication Forwarding unconditional.....	301
15.5.1	Definition.....	301
15.5.2	Conformance requirement	301
15.5.3	Test purpose.....	302
15.5.4	Method of test	302
15.5.5	Test requirements.....	303
15.6	Void.....	303
15.7	Communication Forwarding on non Reply: activation.....	303
15.7.1	Definition.....	303
15.7.2	Conformance requirement	303
15.7.3	Test purpose.....	304
15.7.4	Method of test	304
15.7.5	Test requirements.....	305
15.8	Communication Forwarding on non reply: MO call initiation	305
15.8.1	Definition.....	305
15.8.2	Conformance requirement	305
15.8.3	Test purpose.....	306
15.8.4	Method of test	306
15.8.5	Test requirements.....	309
15.9	Communication Forwarding on Busy.....	309
15.9.1	Definition.....	309
15.9.2	Conformance requirement	309
15.9.3	Test purpose.....	310
15.9.4	Method of test	310
15.9.5	Test requirements.....	311
15.10	Communication Forwarding on Not logged-in.....	311
15.10.1	Definition.....	311
15.10.2	Conformance requirement	311
15.10.3	Test purpose.....	312
15.10.4	Method of test	312
15.10.5	Test requirements.....	313
15.10a	Communication Forwarding on Not reachable.....	313
15.10a.1	Definition.....	313
15.10a.2	Conformance requirement	313
15.10a.3	Test purpose.....	314
15.10a.4	Method of test	314
15.10a.5	Test requirements.....	315
15.11	MO Call Hold without announcement.....	315
15.11.1	Definition.....	315
15.11.2	Conformance requirement	315
15.11.3	Test purpose.....	316
15.11.4	Method of test	317
15.11.5	Test requirements.....	318
15.11a	MO Video Call Hold without announcement	318
15.11a.1	Definition.....	318
15.11a.2	Conformance requirement	318
15.11a.3	Test purpose.....	319
15.11a.4	Method of test	319
15.11a.5	Test requirements.....	320
15.12	MT Call Hold without announcement.....	320
15.12.1	Definition.....	320
15.12.2	Conformance requirement	320
15.12.3	Test purpose.....	321
15.12.4	Method of test	321
15.12.5	Test requirements.....	322
15.12a	MT Video Call Hold without announcement	322
15.12a.1	Definition.....	322
15.12a.2	Conformance requirement	322

15.12a.3	Test purpose.....	323
15.12a.4	Method of test.....	323
15.12a.5	Test requirements.....	324
15.13	Incoming Communication Barring except for a specific user	324
15.13.1	Definition.....	324
15.13.2	Conformance requirement	324
15.13.3	Test purpose.....	324
15.13.4	Method of test.....	325
15.13.5	Test requirements.....	325
15.14	Incoming Communication Barring for anonymous users.....	326
15.14.1	Definition.....	326
15.14.2	Conformance requirement	326
15.14.3	Test purpose.....	327
15.14.4	Method of test.....	327
15.14.5	Test requirements.....	328
15.14a	Incoming Communication Barring while roaming.....	329
15.14a.1	Definition.....	329
15.14a.2	Conformance requirement	329
15.14a.3	Test purpose.....	329
15.14a.4	Method of test.....	329
15.14a.5	Test requirements.....	330
15.14b	Outgoing communication Barring while roaming.....	330
15.14b.1	Definition.....	330
15.14b.2	Conformance requirement	331
15.14b.3	Test purpose.....	331
15.14b.4	Method of test.....	331
15.14b.5	Test requirements.....	332
15.15	Subscription to the MWI event package.....	332
15.15.1	Definition.....	332
15.15.2	Conformance requirement	332
15.15.3	Test purpose.....	333
15.15.4	Method of test.....	334
15.15.5	Test requirements.....	335
15.16	Void.....	336
15.17	Creating and leaving a conference	336
15.17.1	Definition.....	336
15.17.2	Conformance requirement	336
15.17.3	Test purpose.....	337
15.17.4	Method of test.....	337
15.17.5	Test requirements.....	338
15.18	Inviting user to conference by sending a REFER request to the user.....	338
15.18.1	Definition.....	338
15.18.2	Conformance requirement	338
15.18.3	Test purpose.....	339
15.18.4	Method of test.....	339
15.18.5	Test requirements.....	341
15.19	Inviting user to conference by sending a REFER request to the conference focus	341
15.19.1	Definition.....	341
15.19.2	Conformance requirement	341
15.19.3	Test purpose.....	342
15.19.4	Method of test.....	342
15.19.5	Test requirements.....	343
15.19a	Inviting user to conference by sending a REFER request to the conference focus / Video.....	343
15.19a.1	Definition.....	343
15.19a.2	Conformance requirement	343
15.19a.3	Test purpose.....	344
15.19a.4	Method of test.....	344
15.19a.5	Test requirements.....	345
15.20	Void.....	346
15.21	Void.....	346
15.21a	Three way session creation.....	346
15.21a.1	Definition.....	346

15.21a.2	Conformance requirement	346
15.21a.3	Test purpose.....	346
15.21a.4	Method of test	346
15.21a.5	Test requirements.....	349
15.21b	Void.....	349
15.21c	Three way session creation / Video.....	349
15.21c.1	Definition.....	349
15.21c.2	Conformance requirement	349
15.21c.3	Test purpose.....	350
15.21c.4	Method of test.....	350
15.21c.5	Test requirements.....	353
15.22	Void.....	353
15.23	Void.....	353
15.24	Void.....	353
15.25	MO Explicit Communication Transfer – Consultative Call Transfer.....	353
15.25.1	Definition.....	353
15.25.2	Conformance requirement	353
15.25.3	Test purpose.....	354
15.25.4	Method of test	354
15.25.5	Test requirements.....	357
15.26	Void.....	358
15.27	Communication Waiting and answering the call.....	358
15.27.1	Definition.....	358
15.27.2	Conformance requirement	358
15.27.3	Test purpose.....	359
15.27.4	Method of test	359
15.27.5	Test requirements.....	361
15.28	Communication Waiting and cancelling the call.....	361
15.28.1	Definition.....	361
15.28.2	Conformance requirement	361
15.28.3	Test purpose.....	362
15.28.4	Method of test.....	362
15.28.5	Test requirements.....	363
15.29	GBA authentication.....	363
15.29.1	Definition.....	363
15.29.2	Conformance requirement	364
15.29.3	Test purpose.....	365
15.29.4	Method of test.....	365
15.29.5	Test requirements.....	365
15.30	User initiated USSI.....	365
15.30.1	Definition.....	365
15.30.2	Conformance requirement	366
15.30.3	Test purpose.....	368
15.30.4	Method of test.....	368
15.30.5	Test requirements.....	370
16	Codec selecting	370
16.1	Void.....	370
16.2	Speech AMR, indicate selective codec modes	370
16.2.1	Definition.....	370
16.2.2	Conformance requirement	370
16.2.3	Test purpose.....	371
16.2.4	Method of test.....	371
16.2.5	Test requirements.....	376
16.3	Speech AMR-WB, indicate all codec modes	376
16.3.1	Definition.....	376
16.3.2	Conformance requirement	376
16.3.3	Test purpose.....	377
16.3.4	Method of test.....	377
16.3.5	Test requirements.....	382
16.4	Speech AMR-WB, indicate selective codec modes	382
16.4.1	Definition.....	382

16.4.2	Conformance requirement	382
16.4.3	Test purpose.....	382
16.4.4	Method of test	383
16.4.5	Test requirements.....	386
16.5 to 16.9	Void.....	386
16.10	Void.....	386
16.11	Void.....	386
16.12	Void.....	386
16.13	Void.....	386
17	Media use cases.....	386
17.1	MO Speech, add video remove video.....	386
17.1.1	Definition.....	386
17.1.2	Conformance requirement	386
17.1.3	Test purpose.....	391
17.1.4	Method of test	391
17.1.5	Test requirements.....	399
17.2	MT Speech, add video remove video	399
17.2.1	Definition.....	399
17.2.2	Conformance requirement	399
17.2.3	Test purpose.....	402
17.2.4	Method of test	402
17.2.5	Test requirements.....	412
17.3 to 17.18	Void.....	412
17.19	MO Speech / add RTT / EVS / Default configuration.....	412
17.19.1	Definition.....	412
17.19.2	Conformance requirement	412
17.19.3	Test purpose.....	413
17.19.4	Method of test	413
17.19.5	Test requirements.....	419
17.20	MT Speech / add RTT and remove RTT / EVS / Default configuration	419
17.20.1	Definition.....	419
17.20.2	Conformance requirement	419
17.20.3	Test purpose.....	419
17.20.4	Method of test	420
17.20.5	Test requirements.....	428
18	SMS over IMS.....	428
18.1	Mobile Originating SMS	428
18.1.1	Definition.....	428
18.1.2	Conformance requirement	428
18.1.3	Test purpose.....	430
18.1.4	Method of test	430
18.1.5	Test requirements.....	432
18.1a	Mobile Originating Concatenated SMS	433
18.1a.1	Definition.....	433
18.1a.2	Conformance requirement	433
18.1a.3	Test purpose.....	439
18.1a.4	Method of test	439
18.1b	Mobile Originating SMS / RP-ERROR.....	443
18.1b.1	Definition.....	443
18.1b.2	Conformance requirement	443
18.1b.3	Test purpose.....	446
18.1b.4	Method of test	446
18.2	Mobile Terminating SMS	447
18.2.1	Definition.....	447
18.2.2	Conformance requirement	448
18.2.3	Test purpose.....	448
18.2.4	Method of test	448
18.2.5	Test requirements.....	449
18.2a	Mobile Terminating Concatenated SMS	449
18.2a.1	Definition.....	449

18.2a.2	Conformance requirement	449
18.2a.3	Test purpose.....	456
18.2a.4	Method of test	456
19	Emergency Service over IMS.....	459
19.1	Emergency session set-up within an emergency registration	459
19.1.1	Emergency call with emergency registration / Success / Location information available	459
19.1.1.1	Definition	459
19.1.1.2	Conformance requirement.....	459
19.1.1.3	Test purpose	463
19.1.1.4	Method of test	463
19.1.1.5	Test requirements.....	464
19.1.2	Emergency call with emergency registration / Success / Location information not available	464
19.1.2.1	Definition	464
19.1.2.2	Conformance requirement.....	465
19.1.2.3	Test purpose	465
19.1.2.4	Method of test	465
19.1.2.5	Test requirements.....	466
19.1.3	Emergency call with emergency registration / Abnormal case / IM CN sends a 380 / UE performs emergency call via CS domain / UTRAN or GERAN.....	466
19.1.3.1	Definition	466
19.1.3.2	Conformance requirement.....	466
19.1.3.3	Test purpose	469
19.1.3.4	Method of test	469
19.1.3.5	Test requirements.....	474
19.1.3a	Emergency call with emergency registration / Abnormal case / IM CN sends a 380 / UE performs emergency call via CS domain / CDMA 2000 1xRTT	474
19.1.3a.1	Definition	474
19.1.3a.2	Conformance requirement.....	474
19.1.3a.3	Test purpose	474
19.1.3a.4	Method of test	474
19.1.3a.5	Test requirements.....	475
19.1.3b	Void	475
19.1.3c	Emergency call with emergency registration / Abnormal case / IM CN sends 503 Service Unavailable / UE performs emergency call via CS domain / UTRAN or GERAN.....	475
19.1.3c.1	Definition	475
19.1.3c.2	Conformance requirement.....	475
19.1.3c.3	Test purpose	479
19.1.3c.4	Method of test	479
19.1.4	Void	484
19.1.5	Emergency call with emergency registration / Emergency SIP signalling and media in parallel with another ongoing IM CN subsystem signalling and media	484
19.1.5.1	Definition	484
19.1.5.2	Conformance requirement.....	484
19.1.5.3	Test purpose	487
19.1.5.4	Method of test	487
19.1.5.5	Test requirements.....	488
19.1.6	Emergency call with emergency registration / Success / GIBA against a network with GIBA support only	488
19.1.6.1	Definition	488
19.1.6.2	Conformance requirement.....	488
19.1.6.3	Test purpose	491
19.1.6.4	Method of test	491
19.1.6.5	Test requirements.....	492
19.1.7	Emergency call / RTT activated	493
19.1.7.1	Definition	493
19.1.7.2	Conformance requirement.....	493
19.1.7.3	Test purpose	495
19.1.7.4	Method of test	495
19.1.7.5	Test requirements.....	496
19.1.8	Emergency call / add RTT and remove RTT	496
19.1.8.1	Definition	496