

ETSI TS 136 508 V18.11.0 (2026-03)



TECHNICAL SPECIFICATION

**LTE;
Evolved Universal Terrestrial Radio Access (E-UTRA) and
Evolved Packet Core (EPC);
Common test environments for User Equipment (UE)
conformance testing
(3GPP TS 36.508 version 18.11.0 Release 18)**



ReferenceRTS/TSGR-0536508vib0

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Legal Notice | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 30 |
| Introduction | 30 |
| 1 Scope | 31 |
| 2 References | 31 |
| 3 Definitions, symbols and abbreviations | 34 |
| 3.1 Definitions | 34 |
| 3.2 Symbols..... | 34 |
| 3.3 Abbreviations | 35 |
| 4 Common test environment | 35 |
| 4.1 Environmental conditions..... | 35 |
| 4.1.1 Temperature..... | 35 |
| 4.1.2 Voltage..... | 36 |
| 4.2 Common requirements of test equipment..... | 36 |
| 4.2.1 General functional requirements..... | 36 |
| 4.2.2 Minimum functional requirements | 37 |
| 4.2.2.1 Supported Cell Configuration | 37 |
| 4.2.2.1.1 Supported Channels..... | 37 |
| 4.2.2.2 Support of T _{cell} timing offset | 38 |
| 4.2.2.3 Supported Sidelink Configuration..... | 38 |
| 4.2.2.3.1 Supported Sidelink Channels..... | 39 |
| 4.3 Reference test conditions..... | 39 |
| 4.3.1 Test frequencies | 39 |
| 4.3.1.1 FDD Mode Test frequencies | 42 |
| 4.3.1.1.1 FDD reference test frequencies for operating band 1 | 42 |
| 4.3.1.1.1A FDD reference test frequencies for CA in operating band 1..... | 43 |
| 4.3.1.1.2 FDD reference test frequencies for operating band 2 | 43 |
| 4.3.1.1.2A FDD reference test frequencies for CA in operating band 2..... | 44 |
| 4.3.1.1.3 FDD reference test frequencies for operating band 3 | 45 |
| 4.3.1.1.3A FDD reference test frequencies for CA in operating band 3..... | 45 |
| 4.3.1.1.4 FDD reference test frequencies for operating band 4 | 47 |
| 4.3.1.1.4A FDD reference test frequencies for CA in operating band 4..... | 47 |
| 4.3.1.1.5 FDD reference test frequencies for operating band 5 | 48 |
| 4.3.1.1.5A FDD reference test frequencies for CA in operating band 5..... | 48 |
| 4.3.1.1.6 FDD reference test frequencies for operating band 6 | 49 |
| 4.3.1.1.7 FDD reference test frequencies for operating band 7 | 49 |
| 4.3.1.1.7A FDD reference test frequencies for CA in operating band 7..... | 50 |
| 4.3.1.1.8 FDD reference test frequencies for operating band 8 | 51 |
| 4.3.1.1.8A FDD reference test frequencies for CA in operating band 8..... | 51 |
| 4.3.1.1.9 FDD reference test frequencies for operating band 9 | 52 |
| 4.3.1.1.10 FDD reference test frequencies for operating band 10 | 52 |
| 4.3.1.1.11 FDD reference test frequencies for operating band 11 | 52 |
| 4.3.1.1.12 FDD reference test frequencies for operating band 12 | 52 |
| 4.3.1.1.12A FDD reference test frequencies for CA in operating band 12..... | 53 |
| 4.3.1.1.13 FDD reference test frequencies for operating band 13 | 53 |
| 4.3.1.1.14 FDD reference test frequencies for operating band 14 | 53 |
| 4.3.1.1.15 FDD reference test frequencies for operating band 15 | 54 |
| 4.3.1.1.16 FDD reference test frequencies for operating band 16 | 54 |
| 4.3.1.1.17 FDD reference test frequencies for operating band 17 | 54 |
| 4.3.1.1.18 FDD reference test frequencies for operating band 18 | 54 |
| 4.3.1.1.19 FDD reference test frequencies for operating band 19 | 54 |

| | | |
|----------------|--|------|
| 4.3.1.1.20 | FDD reference test frequencies for operating band 20 | 55 |
| 4.3.1.1.21 | FDD reference test frequencies for operating band 21 | 55 |
| 4.3.1.1.22 | FDD reference test frequencies for operating band 22 | 55 |
| 4.3.1.1.23 | FDD reference test frequencies for operating band 23 | 56 |
| 4.3.1.1.23A | FDD reference test frequencies for CA in operating band 23..... | 56 |
| 4.3.1.1.24 | FDD reference test frequencies for operating band 24 | 56 |
| 4.3.1.1.25 | FDD reference test frequencies for operating band 25 | 57 |
| 4.3.1.1.25A | FDD reference test frequencies for CA in operating band 25..... | 57 |
| 4.3.1.1.26 | FDD reference test frequencies for operating band 26 | 58 |
| 4.3.1.1.27 | FDD reference test frequencies for operating band 27 | 58 |
| 4.3.1.1.27A | FDD reference test frequencies for CA in operating band 27..... | 58 |
| 4.3.1.1.28 | FDD reference test frequencies for operating band 28 | 59 |
| 4.3.1.1.29 | FDD reference test frequencies for CA in operating band 29..... | 60 |
| 4.3.1.1.31 | FDD reference test frequencies for operating band 31 | 60 |
| 4.3.1.1.32 | FDD reference test frequencies for CA in operating band 32..... | 61 |
| 4.3.1.1.33 to | | |
| 4.3.1.1.64 | | Void |
| | | 61 |
| 4.3.1.1.65 | FDD reference test frequencies for operating band 65 | 61 |
| 4.3.1.1.66 | FDD reference test frequencies for operating band 66 | 61 |
| 4.3.1.1.66A | FDD reference test frequencies for CA in operating band 66..... | 63 |
| 4.3.1.1.67 | FDD reference test frequencies for CA in operating band 67..... | 75 |
| 4.3.1.1.68 | FDD reference test frequencies for operating band 68 | 76 |
| 4.3.1.1.69 | FDD reference test frequencies for operating band 69 | 76 |
| 4.3.1.1.70 | FDD reference test frequencies for operating band 70 | 76 |
| 4.3.1.1.70A | FDD reference test frequencies for CA in operating band 70..... | 76 |
| 4.3.1.1.71 | FDD reference test frequencies for operating band 71 | 77 |
| 4.3.1.1.72 | FDD reference test frequencies for operating band 72 | 77 |
| 4.3.1.1.73 | FDD reference test frequencies for operating band 73 | 77 |
| 4.3.1.1.74 | FDD reference test frequencies for operating band 74 | 78 |
| 4.3.1.1.75 to | | |
| 4.3.1.1.84 | | FFS |
| | | 78 |
| 4.3.1.1.85 | FDD reference test frequencies for operating band 85 | 78 |
| 4.3.1.1.86 | FFS | 78 |
| 4.3.1.1.87 | FDD reference test frequencies for operating band 87 | 78 |
| 4.3.1.1.88 | FDD reference test frequencies for operating band 88 | 79 |
| 4.3.1.1.89 to | | |
| 4.3.1.1.105 | | FFS |
| | | 79 |
| 4.3.1.1.106 | FDD reference test frequencies for operating band 106 | 79 |
| 4.3.1.1.107 | FDD reference test frequencies for operating band 107 | 79 |
| 4.3.1.1.108 | FDD reference test frequencies for operating band 108 | 80 |
| 4.3.1.1.109 to | | |
| 4.3.1.1.252 | | FFS |
| | | 80 |
| 4.3.1.1.253 | FDD reference test frequencies for operating band 253 | 80 |
| 4.3.1.1.254 | FDD reference test frequencies for operating band 254 | 80 |
| 4.3.1.1.255 | FDD reference test frequencies for operating band 255 | 80 |
| 4.3.1.1.256 | FDD reference test frequencies for operating band 256 | 80 |
| 4.3.1.2 | TDD Mode Test frequencies | 81 |
| 4.3.1.2.1 | TDD reference test frequencies for Operating Band 33 | 81 |
| 4.3.1.2.2 | TDD reference test frequencies for Operating Band 34 | 81 |
| 4.3.1.2.3 | TDD reference test frequencies for Operating Band 35 | 81 |
| 4.3.1.2.4 | TDD reference test frequencies for Operating Band 36 | 82 |
| 4.3.1.2.5 | TDD reference test frequencies for Operating Band 37 | 82 |
| 4.3.1.2.6 | TDD reference test frequencies for Operating Band 38 | 82 |
| 4.3.1.2.6A | TDD reference test frequencies for CA in operating band 38 | 82 |
| 4.3.1.2.7 | TDD reference test frequencies for Operating Band 39 | 83 |
| 4.3.1.2.7A | TDD reference test frequencies for CA in Operating Band 39..... | 83 |
| 4.3.1.2.8 | TDD reference test frequencies for Operating Band 40 | 84 |
| 4.3.1.2.8A | TDD reference test frequencies for CA in operating band 40 | 84 |

| | | |
|-------------|--|-----|
| 4.3.1.2.9 | TDD reference test frequencies for Operating Band 41 | 90 |
| 4.3.1.2.9A | TDD reference test frequencies for CA in operating band 41 | 90 |
| 4.3.1.2.10 | TDD reference test frequencies for Operating Band 42 | 103 |
| 4.3.1.2.10A | TDD reference test frequencies for CA in operating band 42 | 103 |
| 4.3.1.2.11 | TDD reference test frequencies for Operating Band 43 | 113 |
| 4.3.1.2.12 | TDD reference test frequencies for Operating Band 44 | 113 |
| 4.3.1.2.13 | TDD reference test frequencies for Operating Band 45 | 113 |
| 4.3.1.2.14 | TDD reference test frequencies for Operating Band 46 | 113 |
| 4.3.1.2.14A | TDD reference test frequencies for CA in operating Band 46..... | 114 |
| 4.3.1.2.15 | TDD reference test frequencies for Operating Band 47 | 116 |
| 4.3.1.2.16 | TDD reference test frequencies for Operating Band 48 | 116 |
| 4.3.1.2.16A | TDD reference test frequencies for CA in operating band 48 | 117 |
| 4.3.1.2.17 | TDD reference test frequencies for Operating Band 53 | 118 |
| 4.3.1.2.18 | TDD reference test frequencies for Operating Band 54 | 118 |
| 4.3.1.3 | HRPD Test frequencies..... | 119 |
| 4.3.1.3.1 | HRPD test frequencies for Band Class 0..... | 119 |
| 4.3.1.3.2 | HRPD test frequencies for Band Class 1..... | 119 |
| 4.3.1.3.3 | HRPD test frequencies for Band Class 3..... | 119 |
| 4.3.1.3.4 | HRPD test frequencies for Band Class 4..... | 119 |
| 4.3.1.3.5 | HRPD test frequencies for Band Class 6..... | 119 |
| 4.3.1.3.6 | HRPD test frequencies for Band Class 10..... | 120 |
| 4.3.1.3.7 | HRPD test frequencies for Band Class 15..... | 120 |
| 4.3.1.4 | 1xRTT Test frequencies..... | 120 |
| 4.3.1.4.1 | 1xRTT test frequencies for Band Class 0..... | 120 |
| 4.3.1.4.2 | 1xRTT test frequencies for Band Class 1..... | 120 |
| 4.3.1.4.3 | 1xRTT test frequencies for Band Class 3..... | 120 |
| 4.3.1.4.4 | 1xRTT test frequencies for Band Class 4..... | 121 |
| 4.3.1.4.5 | 1xRTT test frequencies for Band Class 6..... | 121 |
| 4.3.1.4.6 | 1xRTT test frequencies for Band Class 10..... | 121 |
| 4.3.1.4.7 | 1xRTT test frequencies for Band Class 15..... | 121 |
| 4.3.1.5 | MFBI Test frequencies..... | 121 |
| 4.3.1.5.1 | MFBI Test frequencies for operation band 2 overlapping with band 25 | 121 |
| 4.3.1.5.2 | MFBI Test frequencies for operation band 3 overlapping with band 9 | 121 |
| 4.3.1.5.3 | MFBI Test frequencies for operation band 4 overlapping with band 10 | 122 |
| 4.3.1.5.4 | MFBI Test frequencies for operation band 5 overlapping with band 18 | 122 |
| 4.3.1.5.5 | MFBI Test frequencies for operation band 5 overlapping with band 19 | 122 |
| 4.3.1.5.6 | MFBI Test frequencies for operation band 5 overlapping with band 26 | 122 |
| 4.3.1.5.7 | MFBI Test frequencies for operation band 9 overlapping with band 3 | 123 |
| 4.3.1.5.8 | MFBI Test frequencies for operation band 10 overlapping with band 4 | 123 |
| 4.3.1.5.9 | MFBI Test frequencies for operation band 12 overlapping with band 17 | 123 |
| 4.3.1.5.10 | MFBI Test frequencies for operation band 17 overlapping with band 12 | 123 |
| 4.3.1.5.11 | MFBI Test frequencies for operation band 18 overlapping with band 5 | 123 |
| 4.3.1.5.12 | MFBI Test frequencies for operation band 18 overlapping with band 26 | 124 |
| 4.3.1.5.13 | MFBI Test frequencies for operation band 18 overlapping with band 27 | 124 |
| 4.3.1.5.14 | MFBI Test frequencies for operation band 19 overlapping with band 5 | 124 |
| 4.3.1.5.15 | MFBI Test frequencies for operation band 19 overlapping with band 26 | 124 |
| 4.3.1.5.16 | MFBI Test frequencies for operation band 25 overlapping with band 2 | 124 |
| 4.3.1.5.17 | MFBI Test frequencies for operation band 26 overlapping with band 5 | 125 |
| 4.3.1.5.18 | MFBI Test frequencies for operation band 26 overlapping with band 18 | 125 |
| 4.3.1.5.19 | MFBI Test frequencies for operation band 26 overlapping with band 19 | 125 |
| 4.3.1.5.20 | MFBI Test frequencies for operation band 26 overlapping with band 27 | 126 |
| 4.3.1.5.21 | MFBI Test frequencies for operation band 27 overlapping with band 18 | 126 |
| 4.3.1.5.22 | MFBI Test frequencies for operation band 27 overlapping with band 26 | 126 |
| 4.3.1.5.23 | MFBI Test frequencies for operation band 33 overlapping with band 39 | 126 |
| 4.3.1.5.24 | MFBI Test frequencies for operation band 38 overlapping with band 41 | 127 |
| 4.3.1.5.25 | MFBI Test frequencies for operation band 39 overlapping with band 33 | 127 |
| 4.3.1.5.26 | MFBI Test frequencies for operation band 41 overlapping with band 38 | 127 |
| 4.3.1.5.27 | MFBI Test frequencies for operation band 66 overlapping with band 4 | 127 |
| 4.3.1.5.28 | MFBI Test frequencies for operation band 66 overlapping with band 10 | 128 |
| 4.3.1.6 | WLAN Test frequencies | 128 |
| 4.3.1.6.1 | WLAN Test frequencies for 2.4 GHz ISM Band | 128 |
| 4.3.1.6.2 | WLAN Test frequencies for 5 GHz ISM Band | 128 |

| | | |
|------------|--|-----|
| 4.3.1.7 | Bluetooth Test frequencies..... | 129 |
| 4.3.1.7.1 | Bluetooth Test frequencies for 2.4 GHz ISM Band..... | 129 |
| 4.3.2 | Radio conditions | 129 |
| 4.3.2.1 | Normal propagation condition | 129 |
| 4.3.3 | Physical channel allocations | 129 |
| 4.3.3.1 | Antennas | 129 |
| 4.3.3.2 | Downlink physical channels and physical signals..... | 129 |
| 4.3.3.3 | Mapping of downlink physical channels and signals to physical resources..... | 130 |
| 4.3.3.4 | Uplink physical channels and physical signals | 133 |
| 4.3.3.5 | Mapping of uplink physical channels and signals to physical resources..... | 133 |
| 4.3.4 | Signal levels..... | 133 |
| 4.3.4.1 | Downlink signal levels..... | 133 |
| 4.3.4.2 | Uplink signal levels..... | 134 |
| 4.3.5 | Standard test signals..... | 134 |
| 4.3.5.1 | Downlink test signals | 134 |
| 4.3.5.2 | Uplink test signals..... | 134 |
| 4.3.6 | Physical layer parameters | 134 |
| 4.3.6.1 | Downlink physical layer parameters | 134 |
| 4.3.6.1.1 | Physical layer parameters for DCI format 0 | 134 |
| 4.3.6.1.1A | Physical layer parameters for DCI format 0C | 134 |
| 4.3.6.1.1B | Physical layer parameters for DCI format 0A | 135 |
| 4.3.6.1.1C | Physical layer parameters for DCI format 0B | 136 |
| 4.3.6.1.2 | Physical layer parameters for DCI format 1 | 136 |
| 4.3.6.1.3 | Physical layer parameters for DCI format 1A | 137 |
| 4.3.6.1.3A | Physical layer parameters for DCI format 1B | 137 |
| 4.3.6.1.4 | Physical layer parameters for DCI format 1C | 138 |
| 4.3.6.1.5 | Physical layer parameters for DCI format 2 | 138 |
| 4.3.6.1.6 | Physical layer parameters for DCI format 2A | 139 |
| 4.3.6.1.6A | Physical layer parameters for DCI format 3B | 139 |
| 4.3.6.1.6B | Physical layer parameters for DCI format 4A | 139 |
| 4.3.6.1.6C | Physical layer parameters for DCI format 4B | 140 |
| 4.3.6.1.7 | Physical layer parameters for DCI format 5 | 140 |
| 4.3.6.1.7A | Physical layer parameters for DCI format 5A | 141 |
| 4.3.6.1.8 | Physical layer parameters for DCI format 6-0A | 141 |
| 4.3.6.1.9 | Physical layer parameters for DCI format 6-0B | 142 |
| 4.3.6.1.10 | Physical layer parameters for DCI format 6-1A | 142 |
| 4.3.6.1.11 | Physical layer parameters for DCI format 6-1B | 144 |
| 4.3.6.1.12 | Physical layer parameters for DCI format 6-2..... | 144 |
| 4.3.6.1.13 | Physical layer parameters for DCI format 7-0A..... | 145 |
| 4.3.6.1.14 | Physical layer parameters for DCI format 7-0B..... | 146 |
| 4.3.6.1.15 | Physical layer parameters for DCI format 7-1A..... | 146 |
| 4.3.6.1.16 | Physical layer parameters for DCI format 7-1B..... | 147 |
| 4.3.6.1.17 | Physical layer parameters for DCI format 7-1C..... | 148 |
| 4.3.6.1.18 | Physical layer parameters for DCI format 7-1D..... | 148 |
| 4.3.6.1.19 | Physical layer parameters for DCI format 7-1E..... | 149 |
| 4.3.6.1.20 | Physical layer parameters for DCI format 7-1F..... | 150 |
| 4.3.6.1.21 | Physical layer parameters for DCI format 7-1G..... | 150 |
| 4.4 | Reference system configurations..... | 151 |
| 4.4.1 | Simulated network scenarios | 151 |
| 4.4.1.1 | Single cell network scenarios | 151 |
| 4.4.1.2 | E-UTRA single mode multi cell network scenarios..... | 151 |
| 4.4.1.3 | E-UTRA dual mode multi cell network scenarios | 151 |
| 4.4.1.4 | 3GPP Inter-RAT network scenarios..... | 152 |
| 4.4.1.5 | 3GPP2 Inter-RAT network scenarios..... | 152 |
| 4.4.1.6 | WLAN Inter-RAT network scenarios | 152 |
| 4.4.1.7 | Bluetooth Inter-RAT network scenarios | 152 |
| 4.4.2 | Simulated cells..... | 152 |
| 4.4.3 | Common parameters for simulated E-UTRA cells | 156 |
| 4.4.3.1 | Common configurations of system information blocks | 156 |
| 4.4.3.1.1 | Combinations of system information blocks | 156 |
| 4.4.3.1.2 | Scheduling of system information blocks..... | 161 |
| 4.4.3.2 | Common contents of system information messages | 166 |

| | | |
|-----------|---|-----|
| - | <i>MasterInformationBlock</i> | 166 |
| - | <i>SystemInformation</i> | 167 |
| - | <i>SystemInformation-BR-r13</i> | 167 |
| - | <i>SystemInformationBlockType1</i> | 168 |
| - | <i>SystemInformationBlockType1-BR-r13</i> | 170 |
| 4.4.3.3 | Common contents of system information blocks | 174 |
| - | <i>SystemInformationBlockType2</i> | 174 |
| - | <i>SystemInformationBlockType3</i> | 176 |
| - | <i>SystemInformationBlockType4</i> | 177 |
| - | <i>SystemInformationBlockType5</i> | 177 |
| - | <i>SystemInformationBlockType6</i> | 179 |
| - | <i>SystemInformationBlockType7</i> | 180 |
| - | <i>SystemInformationBlockType8</i> | 181 |
| - | <i>SystemInformationBlockType9</i> | 184 |
| - | <i>SystemInformationBlockType10</i> | 184 |
| - | <i>SystemInformationBlockType11</i> | 185 |
| - | <i>SystemInformationBlockType12</i> | 186 |
| - | <i>SystemInformationBlockType13</i> | 187 |
| - | <i>SystemInformationBlockType14</i> | 188 |
| - | <i>SystemInformationBlockType15</i> | 188 |
| - | <i>SystemInformationBlockType17</i> | 189 |
| - | <i>SystemInformationBlockType18</i> | 190 |
| - | <i>SystemInformationBlockType19</i> | 195 |
| - | <i>SystemInformationBlockType20</i> | 199 |
| - | <i>SystemInformationBlockType21</i> | 199 |
| - | <i>SystemInformationBlockType24</i> | 200 |
| - | <i>SystemInformationBlockType31</i> | 202 |
| - | <i>SystemInformationBlockType32</i> | 202 |
| 4.4.3.4 | Channel-bandwidth-dependent parameters in system information blocks | 203 |
| 4.4.4 | Common parameters for simulated UTRA cells | 203 |
| 4.4.4.1 | Common contents of system information blocks for UTRA cells | 204 |
| - | System Information Block type 19 | 204 |
| 4.4.4.2 | UTRA SIB scheduling for inter EUTRA - UTRA test | 207 |
| 4.4.4.3 | UTRA SIB scheduling for inter EUTRA – UTRA - GERAN test | 207 |
| 4.4.5 | Common parameters for simulated GERAN cells | 208 |
| 4.4.6 | Common parameters for simulated CDMA2000 cells | 210 |
| 4.4.7 | Default parameters specific for simulated cells | 210 |
| 4.4.7.1 | Common contents of HRPD Overhead messages | 210 |
| 4.4.7.2 | Common contents of 1XRTT Overhead messages | 214 |
| 4.4.7.2.1 | Configuration sequence number | 214 |
| 4.4.7.2.2 | Over Head messages | 214 |
| 4.4.8 | Common parameters for simulated WLAN AP's | 220 |
| 4.4.9 | Common parameters for simulated Bluetooth beacon's | 220 |
| 4.5 | Generic procedures | 221 |
| 4.5.1 | UE test states | 221 |
| 4.5.2 | UE Registration (State 2) | 226 |
| 4.5.2A | UE Registration, UE Test Mode Activated (State 2A) | 232 |
| 4.5.2A.1 | Initial conditions | 232 |
| 4.5.2AA | UE Registration in cell supporting BL/CE UE (State 2-CE) | 235 |
| 4.5.2AA.1 | Initial conditions | 235 |
| 4.5.2AA.2 | Definition of system information messages | 235 |
| 4.5.2AA.3 | Procedure | 236 |
| 4.5.2AA.4 | Specific message contents | 236 |
| 4.5.2AB | UE Registration, UE Test Mode Activated in cell supporting BL/CE UE (State 2A-CE) | 236 |
| 4.5.2AB.1 | Initial conditions | 236 |
| 4.5.2AB.2 | Definition of system information messages | 236 |
| 4.5.2AB.3 | Procedure | 236 |
| 4.5.2AB.4 | Specific message contents | 237 |
| 4.5.2B | UE Registration, pre-registration on HRPD (State 2B) | 237 |
| 4.5.2B.1 | Initial conditions | 237 |
| 4.5.2B.2 | Definition of system information messages | 237 |
| 4.5.2B.3 | Procedure | 238 |

| | | |
|-----------|---|-----|
| 4.5.2B.4 | Specific message contents | 241 |
| 4.5.2C | UE Registration, pre-registration on 1xRTT (State 2C) | 242 |
| 4.5.2C.1 | Initial conditions | 242 |
| 4.5.2C.2 | Definition of system information messages | 242 |
| 4.5.2C.3 | Procedure | 243 |
| 4.5.2C.4 | Specific message contents | 244 |
| 4.5.2D | UE Registration, 2 PDN for RAN Assisted WLAN Interworking (State 2) | 248 |
| 4.5.2D.1 | Initial conditions | 248 |
| 4.5.2D.2 | Definition of system information messages | 249 |
| 4.5.2D.3 | Procedure | 249 |
| 4.5.2D.4 | Specific message contents | 249 |
| 4.5.2E | MUSIM UE Registration | 251 |
| 4.5.2E.1 | Initial conditions | 251 |
| 4.5.2E.2 | Definition of system information messages | 252 |
| 4.5.2E.3 | Procedure | 252 |
| 4.5.2E.4 | Specific message contents | 252 |
| 4.5.3 | Generic Radio Bearer Establishment (State 3) | 253 |
| 4.5.3.1 | Initial conditions | 253 |
| 4.5.3.2 | Definition of system information messages | 253 |
| 4.5.3.3 | Procedure | 253 |
| 4.5.3.4 | Specific message contents | 255 |
| 4.5.3A | Generic Radio Bearer Establishment, UE Test Mode Activated (State 3A) | 255 |
| 4.5.3A.1 | Initial conditions | 255 |
| 4.5.3A.2 | Definition of system information messages | 255 |
| 4.5.3A.3 | Procedure | 255 |
| 4.5.3A.4 | Specific message contents | 255 |
| 4.5.3AA | Generic Radio Bearer Establishment (State 3-CE) | 255 |
| 4.5.3AA.1 | Initial conditions | 255 |
| 4.5.3AA.2 | Definition of system information messages | 256 |
| 4.5.3AA.3 | Procedure | 256 |
| 4.5.3AA.4 | Specific message contents | 256 |
| 4.5.3AB | Generic Radio Bearer Establishment, UE Test Mode Activated (State 3A-CE) | 256 |
| 4.5.3AB.1 | Initial conditions | 256 |
| 4.5.3AB.2 | Definition of system information messages | 256 |
| 4.5.3AB.3 | Procedure | 256 |
| 4.5.3AB.4 | Specific message contents | 256 |
| 4.5.3B | Generic Radio Bearer Establishment, pre-registered on HRPD (State 3B) | 257 |
| 4.5.3B.1 | Initial conditions | 257 |
| 4.5.3B.2 | Definition of system information messages | 257 |
| 4.5.3B.3 | Procedure | 257 |
| 4.5.3B.4 | Specific message contents | 257 |
| 4.5.3C | Generic Radio Bearer Establishment, pre-registered on 1xRTT (State 3C) | 257 |
| 4.5.3C.1 | Initial conditions | 257 |
| 4.5.3C.2 | Definition of system information messages | 257 |
| 4.5.3C.3 | Procedure | 257 |
| 4.5.3C.4 | Specific message contents | 257 |
| 4.5.3D | Generic Radio Bearer Establishment for RAN Assisted WLAN Interworking (State 3) | 258 |
| 4.5.3D.1 | Initial conditions | 258 |
| 4.5.3D.2 | Definition of system information messages | 258 |
| 4.5.3D.3 | Procedure | 258 |
| 4.5.3D.4 | Specific message contents | 258 |
| 4.5.3E | Control plane CIoT connection request (State 3-CP) | 258 |
| 4.5.3E.1 | Initial conditions | 258 |
| 4.5.3E.2 | Definition of system information messages | 259 |
| 4.5.3E.3 | Procedure | 259 |
| 4.5.3E.4 | Specific message contents | 259 |
| 4.5.3EA | Control plane CIoT connection request, UE Test Mode Activated (State 3A-CP) | 259 |
| 4.5.3EA.1 | Initial conditions | 259 |
| 4.5.3EA.2 | Definition of system information messages | 260 |
| 4.5.3EA.3 | Procedure | 260 |
| 4.5.3EA.4 | Specific message contents | 260 |
| 4.5.3F | User plane CIoT connection request (State 3-UP) | 260 |

| | | |
|-----------|--|-----|
| 4.5.3F.1 | Initial conditions | 260 |
| 4.5.3F.2 | Definition of system information messages | 260 |
| 4.5.3F.3 | Procedure | 260 |
| 4.5.3F.4 | Specific message contents..... | 260 |
| 4.5.3FA | User plane CIoT connection request, UE Test Mode Activated (State 3A-UP) | 261 |
| 4.5.3FA.1 | Initial conditions | 261 |
| 4.5.3FA.2 | Definition of system information messages | 261 |
| 4.5.3FA.3 | Procedure | 261 |
| 4.5.3FA.4 | Specific message contents..... | 261 |
| 4.5.4 | Loopback Activation (State 4)..... | 261 |
| 4.5.4.1 | Initial conditions | 261 |
| 4.5.4.2 | Definition of system information messages | 261 |
| 4.5.4.3 | Procedure | 261 |
| 4.5.4.4 | Specific message contents..... | 262 |
| 4.5.4A | Loopback Activation in cell supporting BL/CE UE (State 4-CE) | 262 |
| 4.5.4A.1 | Initial conditions | 262 |
| 4.5.4A.2 | Definition of system information messages | 262 |
| 4.5.4A.3 | Procedure | 262 |
| 4.5.4A.4 | Specific message contents..... | 262 |
| 4.5.4B | Loopback Activation user plane (State 4A-UP)..... | 262 |
| 4.5.4B.1 | Initial conditions | 262 |
| 4.5.4B.2 | Definition of system information messages | 263 |
| 4.5.4B.3 | Procedure | 263 |
| 4.5.4B.4 | Specific message contents..... | 263 |
| 4.5.5 | HRPD registration (State H2) | 263 |
| 4.5.5.1 | Initial conditions | 263 |
| 4.5.5.2 | Definition of system information messages | 263 |
| 4.5.5.3 | Procedure | 263 |
| 4.5.5.4 | Specific message contents..... | 263 |
| 4.5.5A | HRPD registration, pre-registration on E-UTRAN (State H2A) | 263 |
| 4.5.5A.1 | Initial conditions | 263 |
| 4.5.5A.2 | Definition of system information messages | 264 |
| 4.5.5A.3 | Procedure | 264 |
| 4.5.5A.4 | Specific message contents..... | 264 |
| 4.5.6 | HRPD session establishment (State H3)..... | 264 |
| 4.5.6.1 | Initial conditions | 264 |
| 4.5.6.2 | Definition of system information messages | 264 |
| 4.5.6.3 | Procedure | 264 |
| 4.5.6.4 | Specific message contents..... | 264 |
| 4.5.6A | HRPD session establishment, pre-registered on E-UTRAN (State H3A)..... | 264 |
| 4.5.6A.1 | Initial conditions | 264 |
| 4.5.6A.2 | Definition of system information messages | 265 |
| 4.5.6A.3 | Procedure | 265 |
| 4.5.6A.4 | Specific message contents..... | 265 |
| 4.5.7 | Out of Coverage (State 5)..... | 265 |
| 4.5.7.1 | Initial conditions | 265 |
| 4.5.7.2 | Definition of system information messages | 265 |
| 4.5.7.3 | Procedure | 265 |
| 4.5.8 | Out of Coverage, V2X setup (State 5-V2X) | 265 |
| 4.5.8.1 | Initial conditions | 265 |
| 4.5.8.2 | Definition of system information messages | 265 |
| 4.5.8.3 | Procedure | 266 |
| 4.5.9 | Out of Coverage, Test Loopback Activation, V2X setup (State 5A-V2X)..... | 266 |
| 4.5.9.1 | Initial conditions | 266 |
| 4.5.9.2 | Definition of system information messages | 266 |
| 4.5.9.3 | Procedure | 266 |
| 4.5.9.4 | Specific message contents..... | 266 |
| 4.5A | Other generic procedures..... | 267 |
| 4.5A.1 | Procedure for IP address allocation in the U-plane..... | 267 |
| 4.5A.2 | Tracking area updating procedure..... | 268 |
| 4.5A.3 | Procedure for IMS signalling..... | 268 |
| 4.5A.3.1 | Specific message contents..... | 269 |

| | | |
|-----------|--|-----|
| 4.5A.3A | Procedure for IMS Signalling over UTRA | 269 |
| 4.5A.3A.1 | Initial conditions | 269 |
| 4.5A.3A.2 | Procedure | 269 |
| 4.5A.3A.3 | Specific message contents..... | 270 |
| 4.5A.3B | Procedure for preventing IMS Signalling over GERAN | 272 |
| 4.5A.3B.1 | Initial conditions | 272 |
| 4.5A.3B.2 | Procedure | 272 |
| 4.5A.3B.3 | Specific message contents..... | 273 |
| 4.5A.4 | Generic Test Procedure for IMS Emergency call establishment in EUTRA: Normal Service..... | 274 |
| 4.5A.4.1 | Initial conditions | 274 |
| 4.5A.4.2 | Definition of system information messages | 274 |
| 4.5A.4.3 | Procedure | 274 |
| 4.5A.4.4 | Specific message contents..... | 275 |
| 4.5A.5 | Generic Test Procedure for IMS Emergency call establishment in EUTRA: Limited Service..... | 276 |
| 4.5A.5.1 | Initial conditions | 276 |
| 4.5A.5.2 | Definition of system information messages | 276 |
| 4.5A.5.3 | Procedure | 277 |
| 4.5A.5.4 | Specific message contents..... | 279 |
| 4.5A.6 | Generic Test Procedure for IMS MO speech call establishment in E-UTRA..... | 280 |
| 4.5A.6.1 | Initial conditions | 280 |
| 4.5A.6.2 | Definition of system information messages | 280 |
| 4.5A.6.3 | Procedure | 280 |
| 4.5A.6.4 | Specific message contents..... | 282 |
| 4.5A.7 | Generic Test Procedure for IMS MT Speech call establishment in E-UTRA | 282 |
| 4.5A.7.1 | Initial conditions | 282 |
| 4.5A.7.2 | Definition of system information messages | 282 |
| 4.5A.7.3 | Procedure | 282 |
| 4.5A.7.4 | Specific message contents..... | 284 |
| 4.5A.8 | Generic Test Procedure for IMS MO video call establishment in E-UTRA..... | 284 |
| 4.5A.8.1 | Initial conditions | 284 |
| 4.5A.8.2 | Definition of system information messages | 284 |
| 4.5A.8.3 | Procedure | 284 |
| 4.5A.8.4 | Specific message contents..... | 285 |
| 4.5A.9 | Generic Test Procedure for IMS MT video call establishment in E-UTRA | 285 |
| 4.5A.9.1 | Initial conditions | 285 |
| 4.5A.9.2 | Definition of system information messages | 286 |
| 4.5A.9.3 | Procedure | 286 |
| 4.5A.9.4 | Specific message contents..... | 287 |
| 4.5A.10 | Generic Test Procedure for IMS MO speech and aSRVCC in E-UTRA..... | 287 |
| 4.5A.10.1 | Initial conditions | 287 |
| 4.5A.10.2 | Definition of system information messages | 287 |
| 4.5A.10.3 | Procedure | 287 |
| 4.5A.10.4 | Specific message contents..... | 288 |
| 4.5A.11 | Generic Test Procedure for IMS MO add video establishment in E-UTRA..... | 288 |
| 4.5A.11.1 | Initial conditions | 288 |
| 4.5A.11.2 | Definition of system information messages | 288 |
| 4.5A.11.3 | Procedure | 288 |
| 4.5A.11.4 | Specific message contents..... | 289 |
| 4.5A.12 | Generic Test Procedure for IMS MT add video establishment in E-UTRA | 289 |
| 4.5A.12.1 | Initial conditions | 289 |
| 4.5A.12.2 | Definition of system information messages | 289 |
| 4.5A.12.3 | Procedure | 289 |
| 4.5A.12.4 | Specific message contents..... | 290 |
| 4.5A.14 | Generic Test Procedure for IMS XCAP establishment in EUTRA | 290 |
| 4.5A.14.1 | Initial conditions | 290 |
| 4.5A.14.2 | Definition of system information messages | 290 |
| 4.5A.14.3 | Procedure | 290 |
| 4.5A.14.4 | Specific message contents..... | 291 |
| 4.5A.15 | Generic Test Procedure for EPS Bearer Deactivation | 291 |
| 4.5A.15.1 | Initial conditions | 291 |
| 4.5A.15.2 | Definition of system information messages | 291 |
| 4.5A.15.3 | Procedure | 291 |

| | | |
|------------|--|-----|
| 4.5A.15.4 | Specific message contents | 292 |
| 4.5A.15A | Generic Test Procedure for User or Network Initiated EPS Bearer Deactivation..... | 292 |
| 4.5A.15A.1 | Initial conditions | 292 |
| 4.5A.15A.2 | Definition of system information messages | 292 |
| 4.5A.15A.3 | Procedure | 293 |
| 4.5A.15A.4 | Specific message contents..... | 293 |
| 4.5A.16 | Generic Test Procedure to establish additional PDN connectivity | 294 |
| 4.5A.16.1 | Initial conditions | 294 |
| 4.5A.16.2 | Definition of system information messages | 294 |
| 4.5A.16.3 | Procedure | 294 |
| 4.5A.16.4 | Specific message contents..... | 295 |
| 4.5A.17 | Generic Test Procedure for user initiated release of additional PDN connectivity..... | 295 |
| 4.5A.17.1 | Initial conditions | 295 |
| 4.5A.17.2 | Definition of system information messages | 296 |
| 4.5A.17.3 | Procedure | 296 |
| 4.5A.17.4 | Specific message contents..... | 297 |
| 4.5A.18 | Generic Test Procedure for network initiated release of additional PDN connectivity | 298 |
| 4.5A.18.1 | Initial conditions | 298 |
| 4.5A.18.2 | Definition of system information messages | 298 |
| 4.5A.18.3 | Procedure | 298 |
| 4.5A.18.4 | Specific message contents..... | 298 |
| 4.5A.19 | Generic Test Procedure for IMS MO speech call establishment in E-UTRA / EVS | 299 |
| 4.5A.19.1 | Initial conditions | 299 |
| 4.5A.19.2 | Definition of system information messages | 299 |
| 4.5A.19.3 | Procedure | 299 |
| 4.5A.19.4 | Specific message contents..... | 300 |
| 4.5A.20 | Generic Test Procedure for IMS MT speech call establishment in E-UTRA / EVS..... | 300 |
| 4.5A.20.1 | Initial conditions | 300 |
| 4.5A.20.2 | Definition of system information messages | 300 |
| 4.5A.20.3 | Procedure | 300 |
| 4.5A.20.4 | Specific message contents..... | 301 |
| 4.5A.21 | Generic Test Procedure for IMS MO Customized Alerting Tones and speech establishment in E-UTRA | 301 |
| 4.5A.21.1 | Initial conditions | 301 |
| 4.5A.21.2 | Definition of system information messages | 301 |
| 4.5A.21.3 | Procedure | 301 |
| 4.5A.21.4 | Specific message contents..... | 301 |
| 4.5A.22 | Communication with the ProSe Function: Initial Access | 301 |
| 4.5A.22.1 | Initial conditions | 301 |
| 4.5A.22.2 | Definition of system information messages | 302 |
| 4.5A.22.3 | Procedure | 302 |
| 4.5A.22.4 | Specific message contents..... | 303 |
| 4.5A.22A | Communication with the ProSe Function: Subsequent Access | 304 |
| 4.5A.22A.1 | Initial conditions | 304 |
| 4.5A.22A.2 | Definition of system information messages | 304 |
| 4.5A.22A.3 | Procedure | 304 |
| 4.5A.22A.4 | Specific message contents..... | 305 |
| 4.5A.23 | Generic Test Procedure for IMS registration in EPC / WLAN..... | 305 |
| 4.5A.23.1 | Initial conditions | 305 |
| 4.5A.23.2 | Definition of system information messages | 305 |
| 4.5A.23.3 | Procedure | 305 |
| 4.5A.23.4 | Specific message contents..... | 305 |
| 4.5A.23A | Generic Test Procedure for IPsec Tunnel Disconnection in EPC / WLAN | 305 |
| 4.5A.23A.1 | Initial conditions | 305 |
| 4.5A.23A.2 | Definition of system information messages | 306 |
| 4.5A.23A.3 | Procedure | 306 |
| 4.5A.23A.4 | Specific message contents..... | 306 |
| 4.5A.24 | Generic Test Procedure for IMS emergency call establishment in EPC / WLAN..... | 306 |
| 4.5A.24.1 | Initial conditions | 306 |
| 4.5A.24.2 | Definition of system information messages | 306 |
| 4.5A.24.3 | Procedure | 306 |
| 4.5A.24.4 | Specific message contents..... | 306 |

| | | |
|-----------|--|-----|
| 4.5A.25 | Generic Test Procedure for XCAP establishment in EPC / WLAN | 307 |
| 4.5A.25.1 | Initial conditions | 307 |
| 4.5A.25.2 | Definition of system information messages | 307 |
| 4.5A.25.3 | Procedure | 307 |
| 4.5A.25.4 | Specific message contents | 307 |
| 4.5A.26 | Generic Test Procedure for eCall over IMS establishment in EUTRA: Normal Service | 307 |
| 4.5A.26.1 | Initial conditions | 307 |
| 4.5A.26.2 | Definition of system information messages | 307 |
| 4.5A.26.3 | Procedure | 307 |
| 4.5A.26.4 | Specific message contents | 309 |
| 4.5A.27 | Generic Test Procedure for eCall over IMS establishment in EUTRA: eCall Only Support | 309 |
| 4.5A.27.1 | Initial conditions | 309 |
| 4.5A.27.2 | Definition of system information messages | 310 |
| 4.5A.27.3 | Procedure | 310 |
| 4.5A.27.4 | Specific message contents | 311 |
| 4.5A.28 | Generic Test Procedure for Converged IP Communications establishment in EUTRA | 312 |
| 4.5A.28.1 | Initial conditions | 312 |
| 4.5A.28.2 | Definition of system information messages | 312 |
| 4.5A.28.3 | Procedure | 312 |
| 4.5A.28.4 | Specific message contents | 312 |
| 4.5A.29 | Generic Test Procedure for Converged IP Communications establishment in EPC / WLAN | 313 |
| 4.5A.29.1 | Initial conditions | 313 |
| 4.5A.29.2 | Definition of system information messages | 314 |
| 4.5A.29.3 | Procedure | 314 |
| 4.5A.29.4 | Specific message contents | 314 |
| 4.5A.30 | Generic Test Procedure for IMS Re-registration in E-UTRAN | 314 |
| 4.5A.30.1 | Initial conditions | 314 |
| 4.5A.30.2 | Definition of system information messages | 314 |
| 4.5A.30.3 | Procedure | 314 |
| 4.5A.30.4 | Specific message contents | 315 |
| 4.5A.31 | Generic Test Procedure for UUAA-SM in EPS | 315 |
| 4.5A.31.1 | Initial conditions | 315 |
| 4.5A.31.2 | Definition of system information messages | 315 |
| 4.5A.31.3 | Procedure | 315 |
| 4.5A.31.4 | Specific message contents | 316 |
| 4.5A.32 | Generic Test Procedure for IMS bootstrap data channel establishment in E-UTRA | 318 |
| 4.5A.32.1 | Initial conditions | 318 |
| 4.5A.32.2 | Definition of system information messages | 318 |
| 4.5A.32.3 | Procedure | 318 |
| 4.5A.32.4 | Specific message contents | 319 |
| 4.5A.33 | Generic Test Procedure for IMS MO add RTT establishment in E-UTRA | 319 |
| 4.5A.33.1 | Initial conditions | 319 |
| 4.5A.33.2 | Definition of system information messages | 319 |
| 4.5A.33.3 | Procedure | 319 |
| 4.5A.33.4 | Specific message contents | 320 |
| 4.5A.34 | Generic Test Procedure for IMS MT add RTT establishment in E-UTRA | 320 |
| 4.5A.34.1 | Initial conditions | 320 |
| 4.5A.34.2 | Definition of system information messages | 320 |
| 4.5A.34.3 | Procedure | 320 |
| 4.5A.34.4 | Specific message contents | 320 |
| 4.5A.35 | Generic Test Procedure for Emergency call add RTT establishment in E-UTRA | 321 |
| 4.5A.35.1 | Initial conditions | 321 |
| 4.5A.35.2 | Definition of system information messages | 321 |
| 4.5A.35.3 | Procedure | 321 |
| 4.5A.35.4 | Specific message contents | 321 |
| 4.5A.36 | Generic Test Procedure for IMS Emergency call and RTT establishment in EUTRA: Normal Service | 322 |
| 4.5A.36.1 | Initial conditions | 322 |
| 4.5A.36.2 | Definition of system information messages | 322 |
| 4.5A.36.3 | Procedure | 322 |
| 4.5A.36.4 | Specific message contents | 323 |
| 4.6 | Default RRC message and information elements contents | 323 |

| | | |
|-------|---|-----|
| 4.6.1 | Contents of RRC messages | 324 |
| - | <i>CounterCheck</i> | 324 |
| - | <i>CounterCheckResponse</i> | 324 |
| - | <i>CSFBParametersRequestCDMA2000</i> | 324 |
| - | <i>CSFBParametersResponseCDMA2000</i> | 325 |
| - | <i>DLInformationTransfer</i> | 325 |
| - | <i>HandoverFromEUTRAPreparationRequest</i> | 325 |
| - | <i>LoggedMeasurementConfiguration</i> | 326 |
| - | <i>MasterInformationBlock-SL</i> | 326 |
| - | <i>MasterInformationBlock-SL-V2X</i> | 327 |
| - | <i>MBMSCountingRequest</i> | 328 |
| - | <i>MBMSCountingResponse</i> | 328 |
| - | <i>MBMSInterestIndication</i> | 328 |
| - | <i>MBSFNAreaConfiguration</i> | 329 |
| - | <i>MeasurementReport</i> | 330 |
| - | <i>MobilityFromEUTRACommand</i> | 330 |
| - | <i>Paging</i> | 330 |
| - | <i>RRCCConnectionReconfiguration</i> | 331 |
| - | <i>RRCCConnectionReconfiguration (SideLink)</i> | 338 |
| - | <i>RRCCConnectionReconfiguration (V2X)</i> | 344 |
| - | <i>RRCCConnectionReconfiguration-CPA</i> | 344 |
| - | <i>RRCCConnectionReconfigurationComplete</i> | 345 |
| - | <i>RRCCConnectionReestablishment</i> | 346 |
| - | <i>RRCCConnectionReestablishmentComplete</i> | 346 |
| - | <i>RRCCConnectionReestablishmentReject</i> | 347 |
| - | <i>RRCCConnectionReestablishmentRequest</i> | 347 |
| - | <i>RRCCConnectionReject</i> | 347 |
| - | <i>RRCCConnectionRelease</i> | 348 |
| - | <i>RRCCConnectionRequest</i> | 348 |
| - | <i>RRCCConnectionResume</i> | 348 |
| - | <i>RRCCConnectionResumeComplete</i> | 349 |
| - | <i>RRCCConnectionResumeRequest</i> | 349 |
| - | <i>RRCCConnectionSetup</i> | 350 |
| - | <i>RRCCConnectionSetupComplete</i> | 350 |
| - | <i>SCGFailureInformationNR</i> | 351 |
| - | <i>SCPTMConfiguration</i> | 352 |
| - | <i>SCPTMConfiguration-BR</i> | 353 |
| - | <i>SecurityModeCommand</i> | 354 |
| - | <i>SecurityModeComplete</i> | 354 |
| - | <i>SecurityModeFailure</i> | 354 |
| - | <i>SidelinkUEInformation</i> | 354 |
| - | <i>SidelinkUEInformation (V2X)</i> | 355 |
| - | <i>UECapabilityEnquiry</i> | 356 |
| - | <i>ULDedicatedMessageSegment</i> | 357 |
| - | <i>UECapabilityInformation</i> | 357 |
| - | <i>UEInformationRequest</i> | 363 |
| - | <i>UEInformationResponse</i> | 364 |
| - | <i>ULHandoverPreparationTransfer</i> | 365 |
| - | <i>ULInformationTransfer</i> | 365 |
| - | <i>UEAssistanceInformation</i> | 365 |
| - | <i>ULInformationTransferMRDC</i> | 366 |
| 4.6.2 | System information blocks | 366 |
| 4.6.3 | Radio resource control information elements | 367 |
| - | BCCH-Config-DEFAULT | 367 |
| - | CellSelectionInfoCE-r13-DEFAULT | 367 |
| - | CQI-ReportAperiodic-r10-DEFAULT | 367 |
| - | CQI-ReportConfig-DEFAULT | 367 |
| - | CQI-ReportConfig-r10-DEFAULT | 368 |
| - | CQI-ReportConfig-v1130-eIMTA | 370 |
| - | CQI-ReportConfig-v1250-DEFAULT | 371 |
| - | CQI-ReportConfigSCell-r10-DEFAULT | 372 |
| - | CQI-ReportPeriodic-r10-DEFAULT | 372 |

- CSI-RS-ConfigNZP-r11-DEFAULT373
- CSI-RS-ConfigZP-r11-DEFAULT373
- DMRS-Config-r11-DEFAULT374
- DRB-ToAddModList-RECONFIG374
- EPDCCH-Config-r11-DEFAULT374
- EPDCCH-Config-r11-eIMTA.....376
- FreqHoppingParameters-r13-DEFAULT377
- PCCH-Config-DEFAULT378
- PCCH-Config-v1310-DEFAULT379
- PHICH-Config-DEFAULT379
- PDSCH-ConfigCommon-DEFAULT379
- PDSCH-ConfigCommon-v1310-DEFAULT379
- PDSCH-ConfigDedicated-DEFAULT380
- PDSCH-ConfigDedicated-v1130-DEFAULT380
- PhysicalConfigDedicatedSCell-r10-DEFAULT381
- PhysicalConfigDedicatedSCell-r10-eIMTA383
- PRACH-Config-DEFAULT383
- PRACH-Config-v1310-DEFAULT384
- PRACH-ConfigSIB-DEFAULT386
- PRACH-ConfigSIB-v1310-DEFAULT386
- PRACH-ConfigSIB-v1530-DEFAULT390
- PUCCH-ConfigCommon-DEFAULT392
- PUCCH-ConfigCommon-v1310-DEFAULT393
- PUCCH-ConfigDedicated-DEFAULT393
- PUCCH-ConfigDedicated-v1020-DEFAULT394
- PUCCH-ConfigDedicated-v1130-DEFAULT395
- PUCCH-ConfigDedicated-v1250-DEFAULT395
- PUCCH-ConfigDedicated-r13-DEFAULT395
- PUSCH-ConfigCommon-DEFAULT396
- PUSCH-ConfigCommon-v1310DEFAULT397
- PUSCH-ConfigDedicated-r13DEFAULT397
- PUSCH-ConfigDedicated-v1130-DEFAULT397
- PUSCH-ConfigDedicated-v1250-DEFAULT398
- PUSCH-ConfigDedicated--DEFAULT398
- PUSCH-EnhancementsConfig-r14-DEFAULT398
- RACH-ConfigCommon-DEFAULT399
- Rach-ConfigDedicated-DEFAULT401
- RadioResourceConfigCommon-DEFAULT401
- RadioResourceConfigCommonSCell-r10-DEFAULT403
- RadioResourceConfigCommonSIB-DEFAULT405
- RadioResourceConfigDedicated-SRB1406
- RadioResourceConfigDedicated-SRB2-DRB(n,m)407
- RadioResourceConfigDedicated-DRB(n,m)407
- RadioResourceConfigDedicated-SRB4408
- RadioResourceConfigDedicated-HO-TO-EUTRA(n,m)408
- RadioResourceConfigDedicated-AM-DRB-ADD(bid)409
- RadioResourceConfigDedicated-UM-DRB-ADD(bid)410
- RadioResourceConfigDedicated- DRB-REL(bid)410
- RadioResourceConfigDedicated-HO410
- RadioResourceConfigDedicatedSCell-r10-DEFAULT411
- RadioResourceConfigDedicated-SCell_AddMod.....411
- RadioResourceConfigDedicated-V2X411
- RadioResourceConfigDedicated-EN-DC-Split412
- RadioResourceConfigDedicated-EN-DC_Split_DRB_Rel(bid).....413
- RadioResourceConfigDedicated-EN-DC-SRB2-DRB413
- RLC-Config-DRB-AM-RECONFIG414
- RLC-Config-DRB-UM-RECONFIG414
- RLC-Config-SRB-AM-RECONFIG.....414
- SCellToAddMod-r10-DEFAULT415
- SCellToRelease-r10-DEFAULT415
- SCG-Configuration-r12-DEFAULT415
- SCG-Configuration-r12-NE-DC418

