



TECHNICAL SPECIFICATION

**LTE;
Evolved Universal Terrestrial Radio Access (E-UTRA) and
Evolved Packet Core (EPC);
User Equipment (UE) conformance specification;
Part 3: Test suites
(3GPP TS 36.523-3 version 18.11.0 Release 18)**



Reference

RTS/TSGR-0536523-3vib0

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	15
Introduction	15
1 Scope	16
2 References	16
3 Definitions and abbreviations.....	19
3.1 Definitions	19
3.2 Abbreviations	19
4 E-UTRAN/SAE system architecture and test models	20
4.1 Test system architecture	20
4.1.1 General system architecture	20
4.1.2 Component architecture	21
4.2 E-UTRAN test models	22
4.2.1 Layer 2 test models	22
4.2.1.1 MAC test model	22
4.2.1.2 RLC test model	24
4.2.1.3 PDCP test model	25
4.2.1.3.1 PDCP ROHC test model	25
4.2.1.3.2 PDCP test model (Non ROHC)	26
4.2.1.3.3 PDCP EHC test model.....	26
4.2.2 RRC test model	27
4.2.3 DRB test model.....	28
4.2.4 IP Test Model	29
4.2.4.1 IP user data.....	29
4.2.4.2 Configuration of Sockets.....	30
4.2.4.2.1 Socket Establishment.....	30
4.2.4.2.2 Socket Release.....	31
4.2.4.3 Handling of IP data	31
4.2.4.4 Routing of IP Data	32
4.2.4.5 Multiple PDNs	32
4.2.4.6 IP Addresses Guidelines	33
4.2.4.6.1 Common Structure of IP Addresses	33
4.2.4.6.2 Common Requirements regarding IP Addresses	34
4.2.4.6.3 Network Entities and their IP addresses	34
4.2.4.7 User Plane Signalling for Address Allocation.....	36
4.2.4.7.1 DHCP	36
4.2.4.7.2 DHCPv6	38
4.2.4.7.3 ICMPv6	38
4.2.4.7.4 DNS	39
4.2.4A LTE-Carrier Aggregation test Models	41
4.2.4A.1 CA-MAC test model	41
4.2.4A.2 CA-RRC test model	43
4.2.4A.3 LAA-MAC test model.....	44
4.2.4A.4 LAA-RRC test model.....	45
4.2.4A.5 eLAA-MAC test model.....	45
4.2.4B Dual Connectivity test models	46
4.2.4B.1 DC MAC test model.....	46
4.2.4B.2 DC PDCP test model.....	47
4.2.4B.3 DC RRC test model.....	48
4.2.5 IP model extension for IMS	49
4.2.5.1 IPsec	50

4.2.5.1.1	Security Association	50
4.2.5.1.2	SAD and SPD	51
4.2.5.2	Signalling Compression (SigComp)	52
4.2.5.3	SIP TTCN-3 Codec	52
4.2.6	Support of DSMIPv6	52
4.2.7	MBMS test model	53
4.2.8	OCNG test model	53
4.2.9	Device-to-Device Proximity Services test model	55
4.2.9.1	ProSe Function test model	56
4.2.9.2	Direct Discovery test model	56
4.2.9.3	Direct Communication test model	57
4.2.10	SC-PTM test model	58
4.2.11	V2X Services test model	59
4.2.12	Aerial UE test model	60
4.3	SAE Test Model	61
4.3.1	NAS Test Model	61
4.4	Inter RAT Test Model	62
4.4.1	E-UTRAN-UTRAN Inter RAT Test Model	62
4.4.1.1	User data over UTRAN	62
4.4.1.1.1	Raw user data over UTRAN	63
4.4.1.1.2	IP data over UTRAN	63
4.4.1.1.3	Routing IP data	64
4.4.2	E-UTRAN-GERAN Inter RAT Test Model	65
4.4.2.1	User data over GERAN	65
4.4.2.1.1	Raw user data over GERAN	66
4.4.2.1.2	IP data over GERAN	66
4.4.2.1.3	Routing IP data	67
4.4.3	E-UTRAN-CDMA2000 Inter RAT Test Model	68
4.4.3.1	E-UTRAN-CDMA2000 HRPD Inter RAT Test Model	68
4.4.3.2	E-UTRAN-CDMA2000 1xRTT Inter RAT test model	70
4.4.4	E-UTRAN FDD-TDD Inter RAT Test Model	73
4.4.5	E-UTRAN-UTRAN-GERAN Inter RAT Test Model	74
4.4.6	3GPP-WLAN Inter working Test Model	75
4.4.6.1	E-UTRAN-WLAN Inter working Test Model	75
4.4.6.2	UTRAN-WLAN Inter working Test Model	77
4.5	Generic WLAN Test Model	78
4.5.1	WLAN Access Point	78
4.5.2	ePDG/AAA-Server Emulation	78
4A	NB-IoT system architecture and test models	82
4A.1	Test system architecture	82
4A.2	NB-IoT test models	82
4A.2.1	Layer 2 test models	82
4A.2.1.1	Layer 2 loopback mode for CP mode	82
4A.2.1.2	MAC test model (CP mode)	84
4A.2.1.3	RLC test model (CP mode)	85
4A.2.1.3A	RLC test model (UP mode)	86
4A.2.1.4	PDCCP test model	87
4A.2.2	RRC / NAS test model	88
4A.3	NTN test models	89
5	Upper Tester Interface	89
5.1	Definitions	89
5.2	Upper Tester ASPs	90
6	ASP specifications	94
6.1	General Requirements and Assumptions	94
6.1.1	IP ASP requirements	94
6.1.2	Enhancement of IP ASP for handling IMS signalling	94
6.2	E-UTRAN ASP Definitions	95
6.2.1	Configuration Primitives	95
6.2.2	Signalling Primitives	95
6.2.3	Co-ordination Messages between NAS Emulation PTC and EUTRA PTC	95

6.3	UTRAN ASP Definitions	97
6.3.1	Void	97
6.3.2	ASPs for Data Transmission and Reception	97
6.4	GERAN ASP Definitions	98
6.4.1	ASPs for Control Primitive Transmission	98
6.4.2	ASPs for Data Transmission and Reception	100
6.5	NB-IoT ASP Definitions	103
6.5.1	Configuration Primitives.....	103
6.5.2	Signalling Primitives.....	103
6.5.3	Co-ordination Messages between NAS Emulation PTC and NBIOT PTC	103
7	E-UTRAN/SAE Test Methods and Design Considerations	105
7.1	Channel Mapping	105
7.1.1	PDCCH Candidate Selection	105
7.1.1.1	FDD candidates selection.....	106
7.1.1.2	TDD candidates selection	109
7.1.1.2.1	TDD candidates selection in special subframes	112
7.1.2	ePDCCH Candidate Selection	113
7.1.2.1	FDD candidates selection.....	113
7.1.2.2	TDD candidates selection	113
7.1.3	MPDCCH Candidate Selection.....	114
7.1.4	LAA Considerations	115
7.2	Uplink Grant.....	115
7.2.0	UL Sync and Grant Allocation Types.....	115
7.2.1	Exception test case list.....	117
7.3	Downlink Resource Allocation	118
7.3.1	PDCCH DCI default formats.....	118
7.3.1.1	Default DCI Format to be used in test cases configuring MIMO.....	119
7.3.2	Radio parameters configured	119
7.3.2.1	HARQ Retransmission when MIMO is configured.....	119
7.3.3	General DL scheduling scheme	120
7.3.3.1	Additional rules for BCCH scheduling scheme	120
7.3.3.1.1	BCCH with DCI combination 1	120
7.3.3.1.2	BCCH with DCI combination 2	121
7.3.3.2	Additional rules for PCCH specific scheduling scheme	121
7.3.3.2.1	PCCH with DCI combination 1	121
7.3.3.2.2	PCCH with DCI combination 2.....	121
7.3.3.3	Additional rules for RAR specific scheduling scheme.....	122
7.3.3.3.1	RAR with DCI combination 1	122
7.3.3.3.2	RAR with DCI combination 2	122
7.3.3.4	Additional rules for UE-dedicated scheduling scheme in normal mode	122
7.3.3.5	DL Resource allocation bitmaps	124
7.3.3.5.1	DCI combination 1	124
7.3.3.5.2	DCI combination 2	126
7.3.3.6	UE-dedicated scheduling scheme in explicit mode.....	129
7.3.3.6.1	DL Scheduling in Transport Block Size Selection Test Cases	131
7.3.3.7	Resource allocation sheets	131
7.3.3.8	MPDCCH DL DCI formats	132
7.3.3.8.1	BCCH	132
7.3.3.8.2	PCCH	132
7.3.3.8.3	RAR.....	133
7.3.3.8.4	UE-dedicated scheduling.....	133
7.3.3.9	DL Resource allocation bitmaps for BL/CE UE	133
7.3.3.9.1	DCI combination 1	133
7.4	Cell Configurations	136
7.4.1	Cell Configuration Types.....	136
7.4.2	Cell Power Change	136
7.4.3	E-UTRAN cell identity	137
7.4.3.1	Timing parameters of cells.....	137
7.4.4	Cell configurations for NAS test cases	138
7.4.5	Configuration of Multi-Cell Environment	139
7.5	TDD Considerations.....	139

7.5.1	FDD vs. TDD implementation.....	139
7.5.2	Guideline for FDD vs. TDD verification	139
7.6	Special RLC Modes.....	140
7.6.1	Suppression of RLC Acknowledgements	140
7.6.2	Modification of VT(S).....	140
7.7	System information	140
7.7.1	System information broadcasting	140
7.7.2	Scheduling information.....	141
7.7.2a	Scheduling information for BR System information	144
7.7.3	System information modification	155
7.7.3.1	Non-PWS System Information modification	155
7.7.3.1.1	UE in Idle_mode.....	155
7.7.3.1.2	UE in connected mode.....	156
7.7.3.2	PWS System Information modification	157
7.8	Timers and Timing Considerations	157
7.8.1	Auxiliary timers	157
7.8.2	RRC timers reconfiguration	158
7.8.3	MAC TA timer reconfiguration	158
7.8.4	Non-protocol timers	158
7.8.5	Timing information.....	158
7.9	Error Indication	158
7.10	Race Conditions	159
7.11	Radio Link Failure.....	159
7.12	Test method for RRC signalling latency	159
7.12.0	General.....	159
7.12.1	Procedure delays in PUCCH synchronized state	159
7.12.2	Procedure delays when RACH procedure required	161
7.13	RLC test method for scheduled data.....	162
7.14	IP packets for Loopback Mode.....	163
7.14.1	IP packets used for Loopback Mode A.....	163
7.14.2	IP packets used for Loopback Mode B.....	163
7.15	Connected Mode DRX	164
7.16	Handover Sequences	165
7.16.1	Sequence of inter-cell handover.....	165
7.16.1a	Sequence of inter-cell CA handover (more than one CC before and after handover).....	166
7.16.2	Sequence of intra-cell handover.....	167
7.16.3	UL Grants used in RA procedure during handover	168
7.17	Simulation of PDCP MAC-I Failure in UE.....	168
7.17.1	Integrity and ciphering not yet activated.....	168
7.17.2	Integrity and/or ciphering already activated	169
7.18	RRC Connection Release Sequence	169
7.18a	RRC Connection Release Sequence for BL/CE UE.....	169
7.19	DL CCCH Message and UE Contention Resolution Identity MAC CE transmission in one MAC PDU or in separate MAC PDUs.....	170
7.20	RRC Connection Reconfiguration Sequence (Measurement Control)	170
7.21	Inter-RAT - GERAN special issues.....	171
7.21.1	Timeslot assigned for GERAN CS traffic.....	171
7.21.2	Subchannel used in GERAN L2 access message.....	171
7.21.3	Paging in GERAN	171
7.22	E-UTRAN RSRQ Calculations	171
7.22.1	Assumptions	171
7.22.2	The Ideal Calculation.....	171
7.22.3	Additional RSRQ Calculations For Fixing Boundary Values	172
7.23	Test method for eICIC and feICIC.....	172
7.24	Carrier Aggregation Signalling Sequences.....	173
7.24.1	Initial configuration of Pcell	173
7.24.2	Initial configuration of SCell	173
7.24.3	Scell Addition and/or release	174
7.25	Test method for MBMS	174
7.25.1	Schedule transmission of MCCH messages.....	174
7.25.2	MCCH change notification	175
7.25.3	MTCH data scheduling	175

7.26	Type B FDD Half-Duplex Considerations	175
7.27	Test method for Device-to-Device Proximity Services	176
7.27.1	Direct Discovery test method.....	176
7.27.2	Direct Communication test method	177
7.27.2.1	Synchronisation and SBCCH transmission	177
7.27.2.2	Sidelink data transmission/reception.....	177
7.28	Test method for SC-PTM	178
7.28.1	Schedule transmission of SC-MCCH messages	178
7.28.2	SC-MCCH information change	178
7.28.3	SC-MTCH data scheduling.....	178
7.29	Test method for V2X Services	178
7.29.1	Synchronisation and SBCCH transmission.....	178
7.29.2	Sidelink data transmission/reception	179
7.29.3	Congestion	180
7.29.4	UE transmission/reception over Uu.....	180
7.30	Test method for UL Data Compression (UDC).....	180
7.30.1	General.....	180
7.30.2	Initialization.....	180
7.30.3	Compression and decompression.....	180
7.31	Test method for QoE Measurement Collection.....	181
7.32	MTC Wake-Up Signal.....	181
7A	NB-IoT test methods and design considerations	181
7A.0	General	181
7A.1	Physical signals and channels.....	182
7A.2	System information	182
7A.2.1	System information broadcasting in general.....	182
7A.2.2	System information scheduling and synchronisation signals.....	183
7A.2.2.1	MIB-NB, NPSS, NSSS	183
7A.2.2.2	SIB1-NB	183
7A.2.2.3	SI-messages.....	184
7A.2.2.3.1	Combinations scheduling 1 SI message	184
7A.2.2.3.2	Combinations scheduling 2, 3 or 4 SI messages.....	185
7A.2.3	System information modification	186
7A.3	Search space configurations	186
7A.3.1	Type1CSS - Paging.....	187
7A.3.2	Type2CSS – Random access	187
7A.3.3	UESS	187
7A.4	Timing considerations	188
7A.4.1	Random access procedure.....	188
7A.4.2	Uplink transmissions.....	189
7A.4.3	Downlink transmissions.....	190
7A.4.4	Half-duplex mode	190
7A.4.5	Conclusions.....	191
7A.5	Scheduling requests and scheduling of UL grants.....	191
7A.5.1	RACH procedure mode	191
7A.5.2	Polling mode	191
7A.6	Scheduling requirements	192
7A.6.1	Random access procedure.....	192
7A.6.2	Downlink transmissions.....	192
7A.6.3	Periodic uplink grants	193
7A.6.4	HARQ re-transmissions	194
7A.6.4.1	Uplink	194
7A.6.4.2	Downlink.....	195
7A.6.5	Timing info for UL messages	195
7A.6.6	Uplink time alignment	195
7A.7	RRC connection release sequence.....	195
7A.8	DL RRC message and UE Contention Resolution Identity MAC CE transmission in one MAC PDU or in separate MAC PDUs	196
7A.8.1	DL CCCH message.....	196
7A.8.2	DL DCCH message	196
7A.9	Cell configuration.....	196

7A.9.1	Cell power change	196
7A.9.2	Timing parameters of cells	196
7A.9.3	Configuration of multi-cell environment	197
7A.10	Timers and timing restrictions	197
7A.11	Error indication	197
7A.12	RSRQ calculations	198
7A.13	RRC connection suspend and resume	198
7A.14	Non-Terrestrial Network (NTN)	198
7A.14.1	NTN cell configuration	198
7A.14.2	NTN timing considerations	198
7A.14.2.1	General	198
7A.14.2.2	NTN timing advance	199
7A.14.2.3	NTN scheduling offsets	200
7A.14.2.4	RRC connection release sequence	201
7A.14.3	NTN frequency considerations	202
7A.14.4	Physical signals and channels	202
8	Other SS Requirements with TTCN-3 impact	202
8.1	Codec Requirements	202
8.2	External Function Definitions	202
9	IXIT Proforma	206
9.1	E-UTRAN PIXIT	206
9.2	MultiRAT PIXIT	210
9.3	NB-IoT PIXIT	212
10	Postambles	213
10.1	Postambles for E-UTRA to UTRA tests	213
10.1.1	UE postamble states and procedures for E-UTRA to UTRA	213
10.1.2	Switch/Power off procedure	214
10.1.2.1	Procedure	214
10.1.3	CC disconnect procedure	216
10.1.3.1	Procedure	216
10.1.4	PS Routing Area Update procedure	217
10.1.4.1	Procedure	217
10.1.5	CS fallback procedure	219
10.1.5.1	Procedure	219
10.2	Postambles for E-UTRAN to GERAN tests	220
10.2.1	UE postamble states and procedures for E-UTRA to GERAN test cases	221
10.2.2	Switch/Power off procedure	221
10.2.2.1	Procedure	221
10.2.3	PS Handover procedure	222
10.2.3.1	Procedure	222
10.2.4	CC disconnect procedure	223
10.2.4.1	Procedure	223
10.2.5	CS fallback procedure	223
10.2.5.1	Procedure	223
10.3	Postambles for E-UTRA test cases	224
10.3.1	UE postamble states and procedures for E-UTRA test cases	224
10.3.2	Switch/Power off procedure in State E1	225
10.3.2.1	Procedure	225
10.3.3	Switch/Power off procedure in State E2 and E3	226
10.3.3.1	Procedure for E2 and E3	226
10.3.3.2	Procedure for E2_T3440	227
10.3.4	Switch/Power off procedure in State E4	228
10.3.4.1	Procedure	228
10.3.5	Automatic selection mode procedure in State E5 (current cell, neighbour cell)	228
10.3.5.1	Procedure	228
10.4	Postambles for E-UTRA to HRPD test cases	228
10.4.1	UE postamble procedures for E-UTRA to HRPD (No Pre-Registration)	228
10.4.1.1	Registration on HRPD Cell	228
10.4.1.2	Detach on HRPD Cell	229
10.5	Postambles for NB-IoT test cases	230

10.5.1	UE postamble states and procedures for NB-IoT test cases.....	230
10.5.2	Switch/Power off procedure in State N1.....	230
10.5.2.1	Procedure	230
10.5.3	Switch/Power off procedure in State N2 and N3	231
10.5.3.1	Procedure for N2 and N3	231
10.5.4	Switch/Power off procedure in State N4.....	231
10.5.4.1	Procedure	231
10.5.5	Automatic selection mode procedure in State N5 (current cell, neighbour cell)	231
10.5.5.1	Procedure	231
10.6	Postambles for WLAN test cases	231
10.6.1	UE postamble states and procedures for WLAN test cases	231
10.6.2	IMS Deregistration	232
10.6.2.1	Procedure	232
10.6.3	IPsec tunnel(s) release	233
10.6.3.1	Procedure	233
10.6.4	WLAN AP disassociation.....	233
10.6.4.1	Procedure	233
11	Guidelines on test execution.....	233
11.1	E-UTRA single technology	233
11.1.1	Replacement of test case execution	235
11.2	E-UTRA - UTRA - GERAN	235
11.2.1	UTRA configured – GERAN not configured	235
11.2.1.1	E-UTRA band overlapping UTRA band.....	235
11.2.1.2	E-UTRA band not overlapping UTRA band.....	237
11.2.2	GERAN configured - UTRA not configured	238
11.2.3	Neither UTRA nor GERAN configured	238
11.2.4	Both UTRA and GERAN configured	239
11.2.4.1	E-UTRA band overlapping UTRA band.....	239
11.2.4.2	E-UTRA band not overlapping UTRA band.....	240
11.2.5	Replacement of test case execution	240
11.3	E-UTRA inter-band.....	240
11.3.1	Primary operating band.....	240
11.3.2	Secondary operating band for inter-band cells.....	241
11.3.3	Replacement of test case execution	241
11.3.4	Inter-band MBMS.....	241
11.4	E-UTRA CA.....	241
11.4.1	CA contiguous Intra-band operation.....	242
11.4.2	CA Inter-band operation	242
11.4.3	CA non-contiguous Intra-band operation	246
11.5	E-UTRA MFBI	246
11.6	E-UTRA DC.....	247
Annex A (normative):	Test Suites.....	249
A.1	Baseline of specifications.....	249
A.2	E-UTRA Test Suites.....	249
Annex B (informative):	Style Guides.....	272
B.1	Introduction	272
B.2	General Requirements for TTCN-3 Implementations	272
B.3	Naming Conventions.....	273
B.3.1	Prefixes and Restrictions for TTCN-3 Objects.....	273
B.3.2	Void.....	274
B.3.3	Void.....	274
B.3.4	Identifiers consisting of more than one Name	274
B.4	Implementation Issues.....	274
B.4.1	Control part	274
B.4.2	Top Level Test Case Definitions	274
B.4.3	Inter Component Communication	275

B.4.4	Encoding Information.....	275
B.4.5	Verdict Assignment.....	275
B.4.5.1	PASS verdict assignment.....	275
B.4.5.2	FAIL or INCONC verdict assignment.....	275
B.4.5.3	Verdict assignment in default behaviour	276
B.4.6	Default Behaviour	276
B.4.7	Templates for Sending and Receiving.....	277
B.4.8	Logging	277
B.4.8.1	Prose Step Numbers.....	277
B.4.9	Top level comments	278
B.4.10	Mapping of DRBs	278
B.5	Modularisation	278
Annex C (informative): Design Principles.....		280
C.1	ASP Design	280
C.2	SS State Model.....	281
Annex D (informative) TTCN-3 Definitions.....		284
D.1	EUTRA_ASP_TypeDefs.....	284
D.1.1	ASN1_Container	284
D.1.2	System_Configuration.....	292
D.1.3	Cell_Configuration.....	295
D.1.3.1	Cell_Configuration_Common.....	295
D.1.3.2	Downlink_Physical_Layer_Configuration	299
D.1.3.2.1	Antenna_Configuration.....	300
D.1.3.2.2	Physical_Channels	301
D.1.3.2.3	Physical_Signals	303
D.1.3.3	Uplink_Physical_Layer_Configuration	305
D.1.3.4	Common_MAC_Configuration	306
D.1.3.5	Random_Access_Procedure	311
D.1.3.6	System_Information_Control	315
D.1.3.7	Paging_Control	320
D.1.3.8	UE_Specific_Channel_Configuration	320
D.1.3.8.1	UE_Specific_Channel_Configuration_DL	322
D.1.3.8.2	UE_Specific_Channel_Configuration_UL	323
D.1.3.9	Carrier_Aggregation	324
D.1.3.10	OCNG_Config.....	326
D.1.3.11	EIMTA_Config.....	326
D.1.4	Cell_Power_Attenuation	327
D.1.5	Radio_Bearer_Configuration	327
D.1.5.1	PDCP_Configuration.....	329
D.1.5.2	RLC_Configuration	330
D.1.5.3	MAC_Configuration.....	332
D.1.6	AS_Security	334
D.1.7	Semi_Persistent_Scheduling	336
D.1.8	Paging_Trigger.....	337
D.1.9	L1_MAC_Indication_Control	338
D.1.10	Rlc_Indication_Control	338
D.1.11	PDCP_Count	339
D.1.12	PDCP_Handover	340
D.1.13	L1_MAC_Test_Mode	340
D.1.14	PDCCH_Order	341
D.1.15	System_Indications	341
D.1.16	System_Interface.....	343
D.1.17	MBMS_Configuration.....	345
D.1.18	SCPTM_Configuration	348
D.1.19	DirectIndicationInfo_Trigger	350
D.1.20	Multiple_Uplink_Sps	350
D.1.21	Licensed_Assisted_Access.....	351

D.2	EUTRA_ASP_DrbDefs.....	351
D.2.1	MBMS_MRB_Primitive_Definitions	351
D.2.2	System_Interface	352
D.3	EUTRA_NB_ASP_L2DataDefs	353
D.3.1	PDU_TypeDefs	353
D.3.1.1	MAC_PDU	353
D.3.1.2	RLC_PDU.....	356
D.3.1.2.1	Common.....	356
D.3.1.2.2	TM_Data.....	358
D.3.1.2.3	UM_Data.....	358
D.3.1.2.4	AM_Data.....	360
D.3.1.2.5	AM_Status	362
D.3.1.3	PDCP	364
D.3.2	DRB_Primitive_Definitions	371
D.3.2.1	DRB_Common	372
D.3.2.2	Downlink	372
D.3.2.3	Uplink	374
D.4	EUTRA_ASP_SrbDefs	374
D.4.1	SRB_DATA_ASFs	374
D.4.2	Port_Definitions	376
D.5	IP_ASP_TypeDefs	376
D.5.1	IP_Common	377
D.5.2	IP_Config	378
D.5.3	IPsec_Config	380
D.5.4	IP_SocketHandling.....	381
D.5.4.1	Socket_Common.....	381
D.5.4.2	Socket_Datagram.....	382
D.5.4.3	TCP_Socket	383
D.5.4.4	UDP_Socket	387
D.5.4.5	ICMP_Socket.....	389
D.5.4.6	Socket_Primitives	391
D.5.5	System_Interface	392
D.6	NasEmu_AspTypes_EUTRA.....	394
D.6.1	System_Interface	394
D.7	EUTRA_CommonDefs	395
D.7.1	Common_Types	395
D.7.2	Common_Constants	396
D.7.3	RRC_Nested_Types	396
D.7.4	ASP_CommonPart	397
D.7.4.1	ASP_CommonPart_Definitions.....	397
D.7.4.1.1	Routing_Info	397
D.7.4.2	REQ_ASP_CommonPart.....	398
D.7.4.3	CNF_ASP_CommonPart	398
D.7.4.4	IND_ASP_CommonPart.....	398
D.7.5	MBMS_CommonDefs.....	398
D.8	CDMA2000_ASP_TypeDefs	399
D.8.1	CDMA2000_Common	399
D.8.1.1	CDMA2000_SystemContants.....	399
D.8.1.2	CDMA2000_Routing.....	399
D.8.1.3	CDMA2000_TimingInfo	400
D.8.1.4	CDMA2000_ReqAspCommonPart	401
D.8.1.5	CDMA2000_IndAspCommonPart	402
D.8.1.6	CDMA2000_CnfAspCommonPart.....	402
D.8.2	CDMA2000_PowerLevel.....	403
D.8.3	CDMA2000_Data	404
D.8.4	CDMA2000_CellConfiguration	405
D.8.5	CDMA2000_HRPD	407
D.8.5.1	CDMA2000_PDN_Defs.....	407

D.8.5.2	CDMA2000_SubProtocols	408
D.8.5.3	HRPD_Indications	408
D.8.5.4	HRPD_Commands	411
D.8.6	CDMA2000_RTTIX.....	414
D.8.6.1	RTTIX_Indications	414
D.8.6.2	RTTIX_Commands.....	416
D.8.7	System_Interface.....	418
D.9	CDMA2000_CommonDefs.....	421
D.10	EUTRA_ASP_CDMA2000TunnellingDefs	424
D.11	EUTRA_ASP_VirtualNoiseDefs	425
D.12	UTRAN_ASP_VirtualNoiseDefs.....	426
D.13	WLAN_ASP_TypeDefs.....	427
D.13.1	Common.....	427
D.13.2	WLAN_AP.....	428
D.13.3	WLAN_ePDG	434
D.14	SideLinkUE_ASP_TypeDefs.....	439
D.14.1	SideLinkUE_Data	439
D.14.2	SideLinkUE_Configuration.....	442
D.14.2.1	SL_Routing_Timing	442
D.14.2.2	SL_SystemRequestAsp.....	443
D.14.2.2.1	SL_RequestAspCommon_Part.....	443
D.14.2.2.2	Discovery_Specific	446
D.14.2.2.3	Communication_Specific	448
D.14.2.2.4	SL_Security.....	453
D.14.2.2.5	V2X_Specific.....	454
D.14.2.3	SL_SystemConfirmAsp	458
D.14.2.4	SL_SystemIndicationAsp	459
D.14.2.5	SL_System_Interface.....	461
D.15	CommonDefs	462
D.16	CommonAspDefs	466
D.16.1	Cell_Configuration_Common	466
D.16.2	MAC_Layer	466
D.16.3	System_Indications	468
D.16.4	ASP_CommonPart	468
D.16.4.1	ASP_CommonPart_Definitions.....	468
D.16.4.1.1	Routing_Info	468
D.16.4.1.2	Timing_Info	468
D.16.4.2	REQ_ASP_CommonPart.....	470
D.16.4.3	CNF_ASP_CommonPart.....	470
D.16.4.4	IND_ASP_CommonPart.....	471
D.17	EUTRA_NB_ASP_TypeDefs.....	471
D.17.1	Cell_Configuration.....	471
D.17.1.1	Cell_Configuration_Common.....	472
D.17.1.2	Downlink_Physical_Layer_Configuration	472
D.17.1.3	Uplink_Physical_Layer_Configuration	473
D.17.1.4	Common_MAC_Configuration	473
D.17.1.5	Random_Access_Procedure	474
D.17.1.6	NTN_Configuration.....	476
D.18	EUTRA_NB_CommonDefs.....	476
D.18.1	Common_Types	476
D.18.2	RRC_Nested_Types	477
D.18.3	L2Data_CommonDefs.....	477
D.18.4	SC_PTM_Types	479
D.19	SidelinkUE_Common_TypeDefs.....	479

D.20	NR_PDCP_TypeDefs.....	480
D.20.1	NR_PDCP_Config_Parameters.....	480
D.20.2	NR_PDCP_Configuration.....	481
D.21	SDAP_TypeDefs.....	482
D.21.1	SDAP_Configuration.....	482
D.21.2	SDAP_DrbDefs.....	483
D.22	References to TTCN-3.....	484
Annex E (informative): Upper Tester Scenarios.....		486
E.1	No confirmation.....	486
E.2	Immediate confirmation.....	486
E.3	Late response.....	488
E.4	Multiple responses.....	489
Annex F (informative) TTCN-3 Definitions.....		492
F.1	NBIOT_ASP_TypeDefs.....	492
F.1.1	ASN1_Container.....	492
F.1.2	System_Configuration.....	494
F.1.3	Cell_Configuration.....	497
F.1.3.1	Cell_Configuration_Common.....	497
F.1.3.2	Downlink_Physical_Layer_Configuration.....	499
F.1.3.2.1	Physical_Channels.....	500
F.1.3.2.2	Physical_Signals.....	502
F.1.3.3	Uplink_Physical_Layer_Configuration.....	503
F.1.3.4	Common_MAC_Configuration.....	504
F.1.3.5	Random_Access_Procedure.....	508
F.1.3.6	System_Information_Control.....	512
F.1.3.7	Paging_Control.....	513
F.1.3.8	NonAnchorCarrier_Common.....	513
F.1.3.9	UE_Specific_Channel_Configuration.....	515
F.1.3.9.1	UE_Specific_Channel_Configuration_DL.....	515
F.1.3.9.2	UE_Specific_Channel_Configuration_UL.....	516
F.1.3.10	NB_NTN_Configuration.....	516
F.1.4	Cell_Power_Attenuation.....	517
F.1.5	Radio_Bearer_Configuration.....	517
F.1.5.1	RLC_Configuration.....	519
F.1.5.2	MAC_Configuration.....	520
F.1.6	AS_Security.....	520
F.1.7	Paging_Trigger.....	522
F.1.8	RLC_Counts.....	523
F.1.9	PDCP_Count.....	523
F.1.10	L1_MAC_Test_Mode.....	524
F.1.11	PTM_Configuration.....	525
F.1.12	System_Interface.....	526
F.2	NBIOT_ASP_SrbDefs.....	527
F.2.1	SRB_DATA_ASFs.....	527
F.2.2	Port_Definitions.....	529
F.3	NBIOT_ASP_L2DataDefs.....	529
F.3.1	System_Interface.....	529
F.4	EUTRA_NB_ASP_L2DataDefs.....	530
F.4.1	PDU_TypeDefs.....	530
F.4.1.1	MAC_PDU.....	530
F.4.1.2	RLC_PDU.....	533
F.4.1.2.1	Common.....	533
F.4.1.2.2	TM_Data.....	535
F.4.1.2.3	UM_Data.....	535

F.4.1.2.4	AM_Data.....	536
F.4.1.2.5	AM_Status	539
F.4.1.3	PDCP	541
F.4.2	DRB_Primitive_Definitions.....	548
F.4.2.1	DRB_Common	548
F.4.2.2	Downlink	549
F.4.2.3	Uplink	550
F.5	NasEmu_AspTypes_NBIOT.....	551
F.5.1	System_Interface.....	551
F.6	NBIOT_CommonDefs	552
F.6.1	NBIOT_Common_Types	552
F.6.2	NBIOT_RRC_Nested_Types.....	553
F.6.3	NBIOT_ASP_CommonPart	554
F.6.3.1	NBIOT_ASP_CommonPart_Definitions.....	554
F.6.3.1.1	NBIOT_Routing_Info.....	554
F.6.3.2	REQ_ASP_CommonPart.....	555
F.6.3.3	CNF_ASP_CommonPart.....	555
F.6.3.4	IND_ASP_CommonPart.....	555
F.7	NBIOT_Imported_EUTRA_ASN1_Types	555
F.8	NBIOT_ASP_VirtualNoiseDefs	556
F.9	CommonDefs	557
F.10	CommonAspDefs	557
F.10.1	Cell_Configuration_Common	557
F.10.2	MAC_Layer	558
F.10.3	System_Indications	558
F.10.4	ASP_CommonPart	558
F.10.4.1	ASP_CommonPart_Definitions.....	558
F.10.4.1.1	Routing_Info	558
F.10.4.1.2	Timing_Info	559
F.10.4.2	REQ_ASP_CommonPart.....	560
F.10.4.3	CNF_ASP_CommonPart.....	561
F.10.4.4	IND_ASP_CommonPart.....	561
F.11	EUTRA_NB_ASP_TypeDefs.....	561
F.11.1	Cell_Configuration.....	562
F.11.1.1	Cell_Configuration_Common.....	562
F.11.1.2	Downlink_Physical_Layer_Configuration	563
F.11.1.3	Uplink_Physical_Layer_Configuration	563
F.11.1.4	Common_MAC_Configuration	563
F.11.1.5	Random_Access_Procedure	564
F.11.1.6	NTN_Configuration.....	566
F.12	EUTRA_NB_CommonDefs.....	566
F.12.1	Common_Types	566
F.12.2	RRC_Nested_Types	567
F.12.3	L2Data_CommonDefs.....	567
F.12.4	SC_PTM_Types	569
F.13	References to TTCN-3	569
Annex G (informative):	Change history	570
History		698