



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
User Equipment (UE) conformance specification for
UE positioning;
Part 1: Conformance test specification
(3GPP TS 37.571-1 version 18.4.0 Release 18)**



Reference

RTS/TSGR-0537571-1vi40

Keywords

5G,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	51
Introduction	51
1 Scope	52
2 References	52
3 Definitions, symbols and abbreviations	55
3.1 Definitions	55
3.2 Symbols.....	55
3.3 Abbreviations	56
4 General test conditions	57
4.1 Introduction	57
4.2 GNSS test conditions.....	58
4.2.0 General.....	58
4.2.1 GNSS signals	58
4.2.2 GNSS frequency	58
4.2.3 GNSS static propagation conditions	58
4.2.4 GNSS multi-path conditions	58
4.2.5 UEs supporting multiple satellite signals.....	59
4.2.6 GNSS multi System Time Offsets	59
4.3 UTRA test conditions.....	60
4.3.1 UTRA frequency band and frequency range	60
4.3.2 UTRA frequency	60
4.3.3 Sensors	60
4.4 E-UTRA test conditions	60
4.4.1 E-UTRA frequency band and frequency range.....	60
4.4.2 Groups of bands	60
4.4.3 Sensors	60
4.5 A-GNSS test conditions	61
4.5.1 General.....	61
4.5.2 UTRAN measurement parameters	61
4.5.2.1 UE based A-GNSS measurement parameters	61
4.5.2.2 UE assisted A-GNSS measurement parameters	61
4.5.2.3 2D position error	61
4.5.2.4 Response time	61
4.5.3 E-UTRAN and NR measurement parameters	61
4.5.3.1 UE based A-GNSS measurement parameters	61
4.5.3.2 UE assisted A-GNSS measurement parameters	61
4.5.3.3 2D Error definition.....	62
4.5.3.4 Response time	62
4.5.4 Converting A-GNSS UE-assisted measurement reports into position estimates	62
4.6 ECID test conditions	62
4.6.1 Simulated cells.....	62
4.6.2 Propagation conditions	62
4.6.2.1 Static	62
4.6.2.2 Multi-path fading	62
4.6.3 UE Rx - Tx time difference reporting range	62
4.7 OTDOA test conditions	63
4.7.1 Simulated cells.....	63
4.7.2 Propagation conditions	64
4.7.2.1 Static	64
4.7.2.2 Multi-path fading	64

4.7.3	Response time	64
4.7.4	RSTD reporting range	64
4.7.5	RSTD Carrier Aggregation Test Cases with Different Channel Bandwidth Combinations	65
4.8	MBS test conditions	65
4.8.1	MBS signals	65
4.8.2	Propagation conditions	65
4.8.2.1	Static	65
4.8.2.2	Multi-path fading	66
4.8.3	Response time	66
4.9	WLAN test conditions	66
4.9.1	Simulated WLAN Access Points	66
4.9.2	Propagation conditions	66
4.9.2.1	Static	66
4.9.3	Response time	66
4.9.4	Void	66
4.10	BLE test conditions	66
4.10.1	Simulated BLE	66
4.10.2	Propagation conditions	67
4.10.2.1	Static	67
4.10.3	Response time	67
4.11	NB-IOT test conditions	67
4.11.1	Groups of bands	67
4.11.2	NB-IOT inband mode	67
4.12	NR test conditions	67
4.12.1	NR terminology	67
4.12.2	NR frequency band and frequency range	67
4.12.3	Groups of bands	68
4.12.4	Sensors	68
4.12.5	Default signal conditions for FR2	68
4.12.6	Frequency Bands for Testing	68
4.12.6.1	EN-DC band combination groups	68
4.12.6.2	Applicable EN-DC band combinations for performing A-GNSS Sensitivity Requirements	68
4.12.6.3	Test frequencies for EN-DC band combinations	69
4.14	Multi-RTT test conditions	69
4.14.1	Simulated cells	69
4.14.2	Propagation conditions	69
4.14.3	Measurement Reporting Requirements	69
4.14.3.1	Measurement Reporting Requirements in RRC_CONNECTED state	69
4.14.3.2	Measurement Reporting Requirements in RRC_INACTIVE state	69
4.14.4	Measurement Period Requirements	69
4.14.4.1	Measurement Period Requirements in RRC_CONNECTED state within Measurement Gaps	69
4.14.4.2	Measurement Period Requirements in RRC_CONNECTED state without Measurement Gaps	72
4.14.4.2A	Measurement Period Requirements in RRC_CONNECTED state with Bandwidth Aggregation	72
4.14.4.3	Measurement Period Requirements in RRC_INACTIVE state	72
4.14.4.4	Measurement Period Requirements in RRC_INACTIVE state with Bandwidth Aggregation	72
4.14.5	Measurement Accuracy Requirements	72
4.14.5B	Measurement Accuracy Requirements with Bandwidth Aggregation	81
4.14.6	Reporting mapping	81
4.14.6.1	Absolute UE Rx-Tx Measurement Report Mapping	81
4.14.6.2	Differential UE Rx-Tx Measurement Report Mapping	83
4.14.6.3	Additional Path Report Mapping for UE Rx-Tx Time Difference	84
4.14A	Multi-RTT test conditions for Redcap UE	86
4.14A.1	Simulated cells	86
4.14A.2	Propagation conditions	86
4.14A.3	Measurement Reporting Requirements	86
4.14A.3.1	Measurement Reporting Requirements in RRC_CONNECTED state without RX FH with Measurement Gaps	86
4.14A.3.2	Measurement Reporting Requirements in RRC_INACTIVE state	86
4.14A.4	Measurement Period Requirements	87
4.14A.4.1	Measurement Reporting Requirements in RRC_CONNECTED state without RX FH within Measurement Gaps	87

4.14A.4.2	Measurement Reporting Requirements in RRC_CONNECTED state without RX FH without Measurement Gaps.....	87
4.14A.4.3	Measurement Reporting Requirements in RRC_CONNECTED state without RX FH within both Measurement Gaps and PPW.....	87
4.14A.4.4	Measurement Reporting Requirements in RRC_CONNECTED state with RX FH.....	87
4.14A.4.5	Measurement Period Requirements in RRC_INACTIVE state without RX FH.....	87
4.14A.4.6	Measurement Period Requirements in RRC_INACTIVE state with RX FH.....	87
4.14A.5	Measurement Accuracy Requirements.....	87
4.14A.5.1	Measurement Accuracy Requirements for 2RX RedCap UE without RX FH.....	87
4.14A.5.2	Measurement Accuracy Requirements for 1RX RedCap UE without RX FH.....	87
4.14A.5.3	Measurement Accuracy Requirements for 2RX RedCap UE with RX FH.....	87
4.14A.5.4	Measurement Accuracy Requirements for 1RX RedCap UE with RX FH.....	87
4.14A.6	Reporting mapping.....	87
4.14A.6.1	Absolute UE Rx-Tx Measurement Report Mapping.....	87
4.14A.6.2	Differential UE Rx-Tx Measurement Report Mapping.....	88
4.14A.6.3	Additional Path Report Mapping for UE Rx-Tx Time Difference.....	88
4.15	DL-TDOA test conditions.....	88
4.15.1	Simulated cells.....	88
4.15.2	Propagation conditions.....	88
4.15.3	Measurement Reporting Requirements.....	88
4.15.3.1	Measurement Reporting Requirements in RRC_CONNECTED state.....	88
4.15.3.2	Measurement Reporting Requirements in RRC_INACTIVE state.....	88
4.15.4	Measurement Period Requirements.....	88
4.15.4.1	Measurement Period Requirements within Measurement Gaps.....	88
4.15.4.2	Measurement Period Requirements without Measurement Gaps.....	91
4.15.4.3	Measurement Period Requirements in RRC_INACTIVE state.....	91
4.15.4.4	Measurement Period Requirements in RRC_INACTIVE state with Bandwidth Aggregation.....	91
4.15.5	Measurement Accuracy Requirements.....	94
4.15.5A	Measurement Accuracy Requirements with Bandwidth Aggregation.....	101
4.15.6	Reporting mapping.....	106
4.15.6.1	Absolute DL RSTD Measurement Reporting.....	106
4.15.6.2	Differential Reporting for DL RSTD Measurement.....	108
4.15.6.3	Additional Path Report Mapping for DL RSTD.....	110
4.16	DL-AoD test conditions.....	112
4.16.1	Simulated cells.....	112
4.16.2	Propagation conditions.....	112
4.16.3	Measurement Reporting Requirements.....	112
4.16.3.1	Measurement Reporting Requirements in RRC_CONNECTED state.....	112
4.16.3.2	Measurement Reporting Requirements in RRC_INACTIVE state.....	112
4.16.4	PRS-RSRP Measurement Period Requirements.....	112
4.16.4.1	Measurement Period Requirements within Measurement Gaps.....	112
4.16.4.2	Measurement Period Requirements without Measurement Gaps.....	114
4.16.4.3	Measurement Period Requirements in RRC_INACTIVE state.....	114
4.16.5	PRS-RSRP Measurement Accuracy Requirements.....	114
4.16.6	PRS-RSRP Reporting mapping.....	120
4.16.6.1	Absolute PRS-RSRP Measurement Report Mapping.....	120
4.16.6.2	Differential Report Mapping for PRS-RSRP Measurement.....	121
4.16.7	PRS-RSRPP Measurement Period Requirements.....	123
4.16.8	PRS-RSRPP Measurement Accuracy Requirements.....	123
4.16.9	PRS-RSRPP Reporting mapping.....	123
4.16.9.1	Absolute PRS-RSRPP Measurement Report Mapping.....	123
4.16.9.2	Differential Report Mapping for PRS-RSRPP Measurement.....	124
4A	Support of 4 Rx capable UEs.....	125
4A.0	Introduction.....	125
4A.1	RAT Independent Tests.....	125
4A.2	RAT Dependent Tests.....	125
4A.2.1	Principle of testing.....	125
4A.2.1.1	Single carrier tests.....	125
4A.2.1.2	Carrier Aggregation tests.....	125
4A.2.1.3	Antenna connection for bands where 2RX is supported.....	126
4A.2.1.4	Antenna connection for bands where 4RX is supported.....	126

4B	Applicability of tests for types and Categories of UE	126
4B.1	Introduction	126
4B.2	Applicability of requirements and tests	126
5	UTRA A-GPS Minimum Performance requirements	128
5.1	General	128
5.2	Sensitivity	128
5.2.1	Sensitivity Coarse Time Assistance	128
5.2.1.1	Definition and applicability	128
5.2.1.2	Minimum requirements	128
5.2.1.3	Test purpose	128
5.2.1.4	Method of test	129
5.2.1.4.1	Initial conditions	129
5.2.1.4.2	Procedure	129
5.2.1.5	Test Requirements	129
5.2.2	Sensitivity Fine Time Assistance	130
5.2.2.1	Definition and applicability	130
5.2.2.2	Minimum requirements	130
5.2.2.3	Test purpose	131
5.2.2.4	Method of test	131
5.2.2.4.1	Initial conditions	131
5.2.2.4.2	Procedure	131
5.2.2.5	Test Requirements	131
5.3	Nominal Accuracy	132
5.3.1	Definition and applicability	132
5.3.2	Minimum requirements	132
5.3.3	Test purpose	132
5.3.4	Method of test	133
5.3.4.1	Initial conditions	133
5.3.4.2	Procedure	133
5.3.5	Test Requirements	134
5.4	Dynamic Range	134
5.4.1	Definition and applicability	134
5.4.2	Minimum requirements	134
5.4.3	Test purpose	135
5.4.4	Method of test	135
5.4.4.1	Initial conditions	135
5.4.4.2	Procedure	135
5.4.5	Test Requirements	136
5.5	Multi-path Performance	136
5.5.1	Definition and applicability	136
5.5.2	Minimum requirements	136
5.5.3	Test purpose	137
5.5.4	Method of test	137
5.5.4.1	Initial conditions	137
5.5.4.2	Procedure	137
5.5.5	Test Requirements	138
5.6	Moving Scenario and Periodic Update Performance	138
5.6.1	Definition and applicability	138
5.6.2	Minimum requirements	138
5.6.3	Test purpose	139
5.6.4	Method of test	139
5.6.4.1	Initial conditions	139
5.6.4.2	Procedure	140
5.6.5	Test Requirements	140
6	UTRA A-GNSS Minimum Performance requirements	142
6.1	General	142
6.2	Sensitivity	142
6.2.1	Sensitivity Coarse Time Assistance	142
6.2.1.1	Definition and applicability	142
6.2.1.2	Minimum requirements	142

6.2.1.3 Test purpose 143

6.2.1.4 Method of test 143

6.2.1.4.1 Initial conditions 143

6.2.1.4.2 Procedure 143

6.2.1.5 Test Requirements 144

6.2.2 Sensitivity Fine Time Assistance 145

6.2.2.1 Definition and applicability 145

6.2.2.2 Minimum requirements 145

6.2.2.3 Test purpose 146

6.2.2.4 Method of test 146

6.2.2.4.1 Initial conditions 146

6.2.2.4.2 Procedure 146

6.2.2.5 Test Requirements 147

6.3 Nominal Accuracy 148

6.3.1 Definition and applicability 148

6.3.2 Minimum requirements 148

6.3.3 Test purpose 149

6.3.4 Method of test 149

6.3.4.1 Initial conditions 149

6.3.4.2 Procedure 149

6.3.5 Test Requirements 150

6.4 Dynamic Range 151

6.4.1 Definition and applicability 151

6.4.2 Minimum requirements 151

6.4.3 Test purpose 152

6.4.4 Method of test 152

6.4.4.1 Initial conditions 152

6.4.4.2 Procedure 152

6.4.5 Test Requirements 153

6.5 Multi-path Performance 154

6.5.1 Definition and applicability 154

6.5.2 Minimum requirements 154

6.5.3 Test purpose 155

6.5.4 Method of test 155

6.5.4.1 Initial conditions 155

6.5.4.2 Procedure 155

6.5.5 Test Requirements 156

6.6 Moving Scenario and Periodic Update Performance 157

6.6.1 Definition and applicability 157

6.6.2 Minimum requirements 157

6.6.3 Test purpose 158

6.6.4 Method of test 158

6.6.4.1 Initial conditions 158

6.6.4.2 Procedure 159

6.6.5 Test Requirements 160

7 E-UTRA A-GNSS minimum performance requirements 162

7.0 General 162

7.1 Sensitivity 162

7.1.1 Sensitivity Coarse time assistance 162

7.1.1.1 Sub-tests 162

7.1.1.2 Test purpose 162

7.1.1.3 Test applicability 162

7.1.1.4 Minimum conformance requirements 162

7.1.1.5 Test description 163

7.1.1.5.1 Initial conditions 163

7.1.1.5.2 Test procedure 164

7.1.1.5.3 Message contents 165

7.1.1.6 Test requirement 166

7.1.2 Sensitivity Fine time assistance 167

7.1.2.1 Sub-tests 167

7.1.2.2 Test purpose 167



7.1.2.3	Test applicability	167
7.1.2.4	Minimum conformance requirements	167
7.1.2.5	Test description	168
7.1.2.5.1	Initial conditions	168
7.1.2.5.2	Test procedure	169
7.1.2.5.3	Message contents	169
7.1.2.6	Test requirement	170
7.2	Nominal Accuracy	171
7.2.1	Sub-tests	171
7.2.2	Test purpose	172
7.2.3	Test applicability	172
7.2.4	Minimum conformance requirements	172
7.2.5	Test description	173
7.2.5.1	Initial conditions	173
7.2.5.2	Test procedure	173
7.2.5.3	Message contents	174
7.2.6	Test requirement	175
7.3	Dynamic Range	176
7.3.1	Sub-tests	176
7.3.2	Test purpose	177
7.3.3	Test applicability	177
7.3.4	Minimum conformance requirements	177
7.3.5	Test description	178
7.3.5.1	Initial conditions	178
7.3.5.2	Test procedure	178
7.3.5.3	Message contents	179
7.3.6	Test requirement	180
7.4	Multi-Path scenario	181
7.4.1	Sub-tests	181
7.4.2	Test purpose	182
7.4.3	Test applicability	182
7.4.4	Minimum conformance requirements	182
7.4.5	Test description	183
7.4.5.1	Initial conditions	183
7.4.5.2	Test procedure	183
7.4.5.3	Message contents	184
7.4.6	Test requirement	185
7.5	Moving scenario and periodic update (Rel-9 to Rel-13)	186
7.5.1	Sub-tests	186
7.5.2	Test purpose	187
7.5.3	Test applicability	187
7.5.4	Minimum conformance requirements	187
7.5.5	Test description	188
7.5.5.1	Initial conditions	188
7.5.5.2	Test procedure	189
7.5.5.3	Message contents	190
7.5.6	Test requirement	191
7.5A	Moving scenario and periodic update (Rel-14 onwards)	192
7.5A.1	Sub-tests	192
7.5A.2	Test purpose	192
7.5A.3	Test applicability	192
7.5A.4	Minimum conformance requirements	192
7.5A.5	Test description	192
7.5A.6	Test requirement	192
8	E-UTRA ECID measurement requirements	192
8.0	General	192
8.1	UE Rx – Tx Time Difference	192
8.1.1	E-UTRAN FDD UE Rx – Tx time difference case (Rel-9 to Rel-11)	192
8.1.1.1	Test purpose	192
8.1.1.2	Test applicability	192
8.1.1.3	Minimum conformance requirements	193

8.1.1.4	Test description	193
8.1.1.4.1	Initial conditions	193
8.1.1.4.2	Test procedure	194
8.1.1.4.3	Message contents	195
8.1.1.5	Test requirement	197
8.1.1A	E-UTRAN FDD UE Rx – Tx time difference case (Rel-12 onwards)	199
8.1.1A.1	Test purpose	199
8.1.1A.2	Test applicability	199
8.1.1A.3	Minimum conformance requirements	199
8.1.1A.4	Test description	199
8.1.1A.4.1	Initial conditions	200
8.1.1A.4.2	Test procedure	200
8.1.1A.4.3	Message contents	200
8.1.1A.5	Test requirement	200
8.1.1B	E-UTRAN FDD UE Rx – Tx time difference case for UE Category 1bis	200
8.1.1B.1	Test purpose	200
8.1.1B.2	Test applicability	200
8.1.1B.3	Minimum conformance requirements	200
8.1.1B.4	Test description	200
8.1.1B.4.1	Initial conditions	200
8.1.1B.4.2	Test procedure	200
8.1.1B.4.3	Message contents	200
8.1.1B.5	Test requirement	201
8.1.2	E-UTRAN TDD UE Rx – Tx time difference case (Rel-9 to Rel-11)	201
8.1.2.1	Test purpose	201
8.1.2.2	Test applicability	201
8.1.2.3	Minimum conformance requirements	201
8.1.2.4	Test description	201
8.1.2.4.1	Initial conditions	201
8.1.2.4.2	Test procedure	202
8.1.2.4.3	Message contents	202
8.1.2.5	Test requirement	205
8.1.2A	E-UTRAN TDD UE Rx – Tx time difference case (Rel-12 onwards)	207
8.1.2A.1	Test purpose	207
8.1.2A.2	Test applicability	207
8.1.2A.3	Minimum conformance requirements	207
8.1.2A.4	Test description	207
8.1.2A.4.1	Initial conditions	207
8.1.2A.4.2	Test procedure	207
8.1.2A.4.3	Message contents	207
8.1.2A.5	Test requirement	207
8.1.2B	E-UTRAN TDD UE Rx – Tx time difference case for UE Category 1bis	208
8.1.2B.1	Test purpose	208
8.1.2B.2	Test applicability	208
8.1.2B.3	Minimum conformance requirements	208
8.1.2B.4	Test description	208
8.1.2B.4.1	Initial conditions	208
8.1.2B.4.2	Test procedure	208
8.1.2B.4.3	Message contents	208
8.1.2B.5	Test requirement	208
8.1.3	E-UTRAN FDD UE Rx–Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC)	208
8.1.3.1	Test purpose	208
8.1.3.2	Test applicability	208
8.1.3.3	Minimum conformance requirements	208
8.1.3.4	Test description	209
8.1.3.4.1	Initial conditions	210
8.1.3.4.2	Test procedure	210
8.1.3.4.3	Message contents	211
8.1.3.5	Test requirement	214
8.1.4	E-UTRAN TDD UE Rx–Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC)	216

8.1.4.1	Test purpose	216
8.1.4.2	Test applicability	216
8.1.4.3	Minimum conformance requirements	216
8.1.4.4	Test description	217
8.1.4.4.1	Initial conditions	217
8.1.4.4.2	Test procedure	218
8.1.4.4.3	Message contents	219
8.1.4.5	Test requirement	221
8.1.5	E-UTRAN FDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (feICIC)	223
8.1.5.1	Test purpose	223
8.1.5.2	Test applicability	223
8.1.5.3	Minimum conformance requirements	223
8.1.5.4	Test description	224
8.1.5.4.1	Initial conditions	225
8.1.5.4.2	Test procedure	226
8.1.5.4.3	Message contents	226
8.1.5.5	Test requirement	230
8.1.6	E-UTRAN TDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (feICIC)	232
8.1.6.1	Test purpose	232
8.1.6.2	Test applicability	232
8.1.6.3	Minimum conformance requirements	232
8.1.6.4	Test description	233
8.1.6.4.1	Initial conditions	234
8.1.6.4.2	Test procedure	235
8.1.6.4.3	Message contents	235
8.1.6.5	Test requirement	239
8.1.7	E-UTRAN FDD UE Rx-Tx time difference case for Category M1/M2 UE in CEModeA	241
8.1.7.1	Test purpose	241
8.1.7.2	Test applicability	241
8.1.7.3	Minimum conformance requirements	241
8.1.7.4	Test description	242
8.1.7.4.1	Initial conditions	242
8.1.7.4.2	Test procedure	242
8.1.7.4.3	Message contents	243
8.1.7.5	Test requirement	245
8.1.8	E-UTRAN HD-FDD UE Rx-Tx time difference case for Category M1/M2 UE in CEModeA	246
8.1.8.1	Test purpose	246
8.1.8.2	Test applicability	246
8.1.8.3	Minimum conformance requirements	246
8.1.8.4	Test description	246
8.1.8.4.1	Initial conditions	246
8.1.8.4.2	Test procedure	246
8.1.8.4.3	Message contents	247
8.1.8.5	Test requirement	247
8.1.9	E-UTRAN TDD UE Rx-Tx time difference case for Category M1/M2 UE in CEModeA	248
8.1.9.1	Test purpose	248
8.1.9.2	Test applicability	248
8.1.9.3	Minimum conformance requirements	248
8.1.9.4	Test description	248
8.1.9.4.1	Initial conditions	248
8.1.9.4.2	Test procedure	248
8.1.9.4.3	Message contents	249
8.1.9.5	Test requirement	249
9	E-UTRA OTDOA measurement requirements	251
9.0	General	251
9.1	RSTD Intra-Frequency Measurements	251
9.1.1	FDD RSTD Measurement Reporting Delay	251
9.1.1.1	Test purpose	251
9.1.1.2	Test applicability	251

9.1.1.3	Minimum conformance requirements.....	251
9.1.1.4	Test description	252
9.1.1.4.1	Initial conditions	252
9.1.1.4.2	Test procedure.....	254
9.1.1.4.3	Message contents	255
9.1.1.5	Test requirement	258
9.1.1A	FDD RSTD Measurement Reporting Delay for UE Category 1bis	260
9.1.1A.1	Test purpose	260
9.1.1A.2	Test applicability	260
9.1.1A.3	Minimum conformance requirements.....	260
9.1.1A.4	Test description	261
9.1.1A.4.1	Initial conditions	261
9.1.1A.4.2	Test procedure.....	262
9.1.1A.4.3	Message contents	262
9.1.1A.5	Test requirement	263
9.1.2	TDD RSTD Measurement Reporting Delay	263
9.1.2.1	Test purpose	263
9.1.2.2	Test applicability	263
9.1.2.3	Minimum conformance requirements.....	263
9.1.2.4	Test description	264
9.1.2.4.1	Initial conditions	264
9.1.2.4.2	Test procedure.....	266
9.1.2.4.3	Message contents	267
9.1.2.5	Test requirement	270
9.1.2A	TDD RSTD Measurement Reporting Delay for UE Category 1bis.....	272
9.1.2A.1	Test purpose	272
9.1.2A.2	Test applicability	272
9.1.2A.3	Minimum conformance requirements.....	272
9.1.2A.4	Test description	273
9.1.2A.4.1	Initial conditions	273
9.1.2A.4.2	Test procedure.....	274
9.1.2A.4.3	Message contents	274
9.1.2A.5	Test requirement	275
9.1.3	FDD RSTD Measurement Accuracy	275
9.1.3.1	Test purpose	275
9.1.3.2	Test applicability	275
9.1.3.3	Minimum conformance requirements.....	275
9.1.3.4	Test description	276
9.1.3.4.1	Initial conditions	276
9.1.3.4.2	Test procedure.....	278
9.1.3.4.3	Message contents	279
9.1.3.5	Test requirement	282
9.1.3A	FDD RSTD Measurement Accuracy for UE Category 1bis	283
9.1.3A.1	Test purpose	283
9.1.3A.2	Test applicability	283
9.1.3A.3	Minimum conformance requirements.....	283
9.1.3A.4	Test description	283
9.1.3A.4.1	Initial conditions	283
9.1.3A.4.2	Test procedure.....	284
9.1.3A.4.3	Message contents	284
9.1.3A.5	Test requirement	285
9.1.4	TDD RSTD Measurement Accuracy	285
9.1.4.1	Test purpose	285
9.1.4.2	Test applicability	285
9.1.4.3	Minimum conformance requirements.....	285
9.1.4.4	Test description	285
9.1.4.4.1	Initial conditions	285
9.1.4.4.2	Test procedure.....	287
9.1.4.4.3	Message contents	288
9.1.4.5	Test requirement	291
9.1.4A	TDD RSTD Measurement Accuracy for UE Category 1bis.....	292
9.1.4A.1	Test purpose	292

9.1.4A.2	Test applicability	292
9.1.4A.3	Minimum conformance requirements.....	292
9.1.4A.4	Test description	292
9.1.4A.4.1	Initial conditions	292
9.1.4A.4.2	Test procedure.....	294
9.1.4A.4.3	Message contents	294
9.1.4A.5	Test requirement	294
9.2	RSTD Inter-Frequency Measurements.....	295
9.2.1	FDD-FDD inter-frequency RSTD measurement reporting delay.....	295
9.2.1.1	Test purpose	295
9.2.1.2	Test applicability	295
9.2.1.3	Minimum conformance requirements.....	295
9.2.1.4	Test description	296
9.2.1.4.1	Initial conditions	296
9.2.1.4.2	Test procedure.....	298
9.2.1.4.3	Message contents	299
9.2.1.5	Test requirement	302
9.2.1A	FDD-FDD inter-frequency RSTD Measurement Reporting Delay for UE Category 1bis	304
9.2.1A.1	Test purpose	304
9.2.1A.2	Test applicability	304
9.2.1A.3	Minimum conformance requirements.....	305
9.2.1A.4	Test description	305
9.2.1A.4.1	Initial conditions	305
9.2.1A.4.2	Test procedure.....	307
9.2.1A.4.3	Message contents	307
9.2.1A.5	Test requirement	307
9.2.2	TDD-TDD inter-frequency RSTD measurement reporting delay.....	308
9.2.2.1	Test purpose	308
9.2.2.2	Test applicability	308
9.2.2.3	Minimum conformance requirements.....	308
9.2.2.4	Test description	309
9.2.2.4.1	Initial conditions	309
9.2.2.4.2	Test procedure.....	311
9.2.2.4.3	Message contents	312
9.2.2.5	Test requirement	315
9.2.2A	TDD-TDD inter-frequency RSTD Measurement Reporting Delay for UE Category 1bis	317
9.2.2A.1	Test purpose	317
9.2.2A.2	Test applicability	318
9.2.2A.3	Minimum conformance requirements.....	318
9.2.2A.4	Test description	318
9.2.2A.4.1	Initial conditions	318
9.2.2A.4.2	Test procedure.....	320
9.2.2A.4.3	Message contents	320
9.2.2A.5	Test requirement	320
9.2.3	Void	321
9.2.4	FDD-FDD inter-frequency RSTD Accuracy	321
9.2.4.1	Test purpose	321
9.2.4.2	Test applicability.....	321
9.2.4.3	Minimum conformance requirements	321
9.2.4.4	Test description	322
9.2.4.4.1	Initial conditions	322
9.2.4.4.2	Test procedure.....	324
9.2.4.4.3	Message contents	325
9.2.4.5	Test requirement	328
9.2.4A	FDD-FDD inter-frequency RSTD Accuracy for UE Category 1bis	329
9.2.4A.1	Test purpose	329
9.2.4A.2	Test applicability.....	329
9.2.4A.3	Minimum conformance requirements	329
9.2.4A.4	Test description	329
9.2.4A.4.1	Initial conditions	329
9.2.4A.4.2	Test procedure.....	330
9.2.4A.4.3	Message contents	330

9.2.4A.5	Test requirement	331
9.2.5	TDD-TDD inter-frequency RSTD Accuracy	331
9.2.5.1	Test purpose	331
9.2.5.2	Test applicability	331
9.2.5.3	Minimum conformance requirements	331
9.2.5.4	Test description	331
9.2.5.4.1	Initial conditions	331
9.2.5.4.2	Test procedure	333
9.2.5.4.3	Message contents	334
9.2.5.5	Test requirement	337
9.2.5A	TDD-TDD inter-frequency RSTD Accuracy for UE Category 1bis	338
9.2.5A.1	Test purpose	338
9.2.5A.2	Test applicability	338
9.2.5A.3	Minimum conformance requirements	338
9.2.5A.4	Test description	338
9.2.5A.4.1	Initial conditions	338
9.2.5A.4.2	Test procedure	339
9.2.5A.4.3	Message contents	339
9.2.5A.5	Test requirement	340
9.3	RSTD Intra-Frequency Measurements for UE Category M1/M2	341
9.3.1	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A	341
9.3.1.1	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M1	341
9.3.1.1.1	Test purpose	341
9.3.1.1.2	Test applicability	341
9.3.1.1.3	Minimum conformance requirements	341
9.3.1.1.4	Test description	343
9.3.1.1.4.1	Initial conditions	343
9.3.1.1.4.2	Test procedure	345
9.3.1.1.4.3	Message contents	346
9.3.1.1.5	Test requirement	348
9.3.1.2	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M2	350
9.3.1.2.1	Test purpose	350
9.3.1.2.2	Test applicability	350
9.3.1.2.3	Minimum conformance requirements	350
9.3.1.2.4	Test description	350
9.3.1.2.4.1	Initial conditions	350
9.3.1.2.4.2	Test procedure	351
9.3.1.2.4.3	Message contents	351
9.3.1.2.5	Test requirement	351
9.3.2	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A	352
9.3.2.1	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M1	352
9.3.2.1.1	Test purpose	352
9.3.2.1.2	Test applicability	352
9.3.2.1.3	Minimum conformance requirements	352
9.3.2.1.4	Test description	352
9.3.2.1.4.1	Initial conditions	352
9.3.2.1.4.2	Test procedure	353
9.3.2.1.4.3	Message contents	353
9.3.2.1.5	Test requirement	353
9.3.2.2	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M2	354
9.3.2.2.1	Test purpose	354
9.3.2.2.2	Test applicability	354
9.3.2.2.3	Minimum conformance requirements	354
9.3.2.2.4	Test description	354
9.3.2.2.4.1	Initial conditions	354
9.3.2.2.4.2	Test procedure	355
9.3.2.2.4.3	Message contents	355
9.3.2.2.5	Test requirement	355
9.3.3	TDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A	356
9.3.3.1	TDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M1	356
9.3.3.1.1	Test purpose	356
9.3.3.1.2	Test applicability	356

9.3.3.1.3	Minimum conformance requirements	356
9.3.3.1.4	Test description	356
9.3.3.1.4.1	Initial conditions	356
9.3.3.1.4.2	Test procedure	358
9.3.3.1.4.3	Message contents	358
9.3.3.1.5	Test requirement	358
9.3.3.2	TDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M2	360
9.3.3.2.1	Test purpose	360
9.3.3.2.2	Test applicability	360
9.3.3.2.3	Minimum conformance requirements	360
9.3.3.2.4	Test description	361
9.3.3.2.4.1	Initial conditions	361
9.3.3.2.4.2	Test procedure	362
9.3.3.2.4.3	Message contents	362
9.3.3.2.5	Test requirement	362
9.3.4	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B	363
9.3.4.1	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B for Category M1	363
9.3.4.1.1	Test purpose	363
9.3.4.1.2	Test applicability	363
9.3.4.1.3	Minimum conformance requirements	363
9.3.4.1.4	Test description	363
9.3.4.1.4.1	Initial conditions	363
9.3.4.1.4.2	Test procedure	365
9.3.4.1.4.3	Message contents	365
9.3.4.1.5	Test requirement	365
9.3.4.2	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B for Category M2	367
9.3.4.2.1	Test purpose	367
9.3.4.2.2	Test applicability	367
9.3.4.2.3	Minimum conformance requirements	367
9.3.4.2.4	Test description	367
9.3.4.2.4.1	Initial conditions	367
9.3.4.2.4.2	Test procedure	369
9.3.4.2.4.3	Message contents	369
9.3.4.2.5	Test requirement	369
9.3.5	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B	370
9.3.5.1	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B for Category M1	370
9.3.5.1.1	Test purpose	370
9.3.5.1.2	Test applicability	370
9.3.5.1.3	Minimum conformance requirements	370
9.3.5.1.4	Test description	370
9.3.5.1.4.1	Initial conditions	370
9.3.5.1.4.2	Test procedure	372
9.3.5.1.4.3	Message contents	372
9.3.5.1.5	Test requirement	372
9.3.5.2	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B for Category M2	372
9.3.5.2.1	Test purpose	372
9.3.5.2.2	Test applicability	372
9.3.5.2.3	Minimum conformance requirements	372
9.3.5.2.4	Test description	372
9.3.5.2.4.1	Initial conditions	372
9.3.5.2.4.2	Test procedure	373
9.3.5.2.4.3	Message contents	374
9.3.5.2.5	Test requirement	374
9.3.6	TDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B	374
9.3.6.1	TDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B for Category M1	374
9.3.6.1.1	Test purpose	374
9.3.6.1.2	Test applicability	374
9.3.6.1.3	Minimum conformance requirements	374
9.3.6.1.4	Test description	374
9.3.6.1.4.1	Initial conditions	374
9.3.6.1.4.2	Test procedure	376
9.3.6.1.4.3	Message contents	376