

# ETSI TS 138 141-2 V15.22.0 (2025-07)



TECHNICAL SPECIFICATION

**5G;  
NR;  
Base Station (BS) conformance testing  
Part 2: Radiated conformance testing  
(3GPP TS 38.141-2 version 15.22.0 Release 15)**

[ETSI TS 138 141-2 V15.22.0 \(2025-07\)](https://standards.iteh.ai/catalog/standards/etsi/3dccc56c-811c-486d-91d5-47807a990bdd/etsi-ts-138-141-2-v15-22-0-2025-07)

<https://standards.iteh.ai/catalog/standards/etsi/3dccc56c-811c-486d-91d5-47807a990bdd/etsi-ts-138-141-2-v15-22-0-2025-07>



---

Reference

RTS/TSGR-0438141-2vm0

---

Keywords

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	13
1 Scope .....	15
2 References .....	15
3 Definitions, symbols and abbreviations .....	16
3.1 Definitions .....	16
3.2 Symbols.....	20
3.3 Abbreviations .....	22
4 General radiated test conditions and declarations .....	23
4.1 Measurement uncertainties and test requirements .....	23
4.1.1 General.....	23
4.1.2 Acceptable uncertainty of OTA Test System .....	25
4.1.2.1 General .....	25
4.1.2.2 Measurement of transmitter .....	26
4.1.2.3 Measurement of receiver .....	28
4.1.2.4 Measurement of performance requirement .....	30
4.1.3 Interpretation of measurement results.....	31
4.2 Radiated requirement reference points .....	32
4.3 Base station classes .....	33
4.4 Regional requirements.....	33
4.5 BS configurations .....	34
4.5.1 Transmit configurations .....	34
4.5.2 Receive configurations .....	35
4.5.3 Power supply options.....	36
4.5.4 BS with integrated Iuant BS modem .....	36
4.6 Manufacturer's declarations.....	36
4.7 Test configurations .....	44
4.7.1 General.....	44
4.7.2 Test signal configurations.....	45
4.7.2.1 Test signal used to build Test Configurations .....	45
4.7.2.2 NRTC1: Contiguous spectrum operation .....	45
4.7.2.2.1 NRTC1 generation.....	45
4.7.2.2.2 NRTC1 power allocation.....	45
4.7.2.3 NRTC2: Contiguous CA occupied bandwidth .....	46
4.7.2.3.1 NRTC2 generation.....	46
4.7.2.3.2 NRTC2 power allocation.....	46
4.7.2.4 NRTC3: Non-contiguous spectrum operation.....	46
4.7.2.4.1 NRTC3 generation.....	47
4.7.2.4.2 NRTC3 power allocation.....	47
4.7.2.5 NRTC4: Multi-band test configuration for full carrier allocation .....	47
4.7.2.5.1 NRTC4 generation.....	47
4.7.2.5.2 NRTC4 power allocation.....	48
4.7.2.6 NRTC5: Multi-band test configuration with high PSD per carrier .....	48
4.7.2.6.1 NRTC5 generation.....	48
4.7.2.6.2 NRTC5 power allocation.....	48
4.8 Applicability of requirements.....	49
4.8.1 Requirement set applicability .....	49
4.8.2 Applicability of test configurations for <i>single-band RIB</i> .....	49
4.8.3 Applicability of test configurations for <i>multi-band RIB</i> .....	50
4.8.4 Additional conformance .....	51
4.9 RF channels and test models .....	52
4.9.1 RF channels .....	52

4.9.2	Test models .....	53
4.9.2.1	General .....	53
4.9.2.2	NR FR2 test models .....	53
4.9.2.2.1	NR FR2 test model 1.1 (NR-FR2-TM1.1).....	54
4.9.2.2.2	NR FR2 test model 2 (NR-FR2-TM2).....	55
4.9.2.2.3	NR FR2 test model 3.1 (NR-FR2-TM3.1).....	55
4.9.2.3	Data content of physical channels and signals for NR-FR2-TM.....	56
4.9.2.3.1	PDCCH.....	56
4.9.2.3.2	PDSCH .....	56
4.10	Requirements for contiguous and non-contiguous spectrum.....	57
4.11	Requirements for BS capable of multi-band operation .....	58
4.12	Co-location requirements .....	58
4.12.1	General.....	58
4.12.2	Co-location test antenna.....	59
4.12.2.1	General.....	59
4.12.2.2	Co-location test antenna characteristics .....	59
4.12.2.3	Co-location test antenna alignment .....	59
4.13	Format and interpretation of tests .....	60
4.14	Reference coordinate system .....	61
5	Operating bands and channel arrangement.....	63
6	Radiated transmitter characteristics.....	64
6.1	General .....	64
6.2	Radiated transmit power.....	64
6.2.1	Definition and applicability .....	64
6.2.2	Minimum requirement .....	64
6.2.3	Test purpose.....	65
6.2.4	Method of test .....	65
6.2.4.1	Initial conditions .....	65
6.2.4.2	Procedure .....	65
6.2.5	Test requirement .....	66
6.3	OTA base station output power.....	66
6.3.1	Definition and applicability .....	66
6.3.2	Minimum requirement .....	67
6.3.3	Test purpose.....	67
6.3.4	Method of test .....	67
6.3.4.1	Initial conditions .....	67
6.3.4.2	Procedure .....	67
6.3.5	Test requirement .....	68
6.3.5.1	<i>BS type 1-O</i> .....	68
6.3.5.2	<i>BS type 2-O</i> .....	68
6.4	OTA output power dynamics .....	68
6.4.1	General.....	68
6.4.2	OTA RE power control dynamic range .....	68
6.4.2.1	Definition and applicability.....	68
6.4.2.2	Minimum requirement .....	68
6.4.2.3	Method of test .....	68
6.4.3	OTA total power dynamic range.....	69
6.4.3.1	Definition and applicability.....	69
6.4.3.2	Minimum requirement .....	69
6.4.3.3	Test purpose .....	69
6.4.3.4	Method of test .....	69
6.4.3.4.1	Initial conditions .....	69
6.4.3.4.2	Procedure.....	69
6.4.3.5	Test requirement .....	70
6.4.3.5.1	<i>BS type 1-O</i> .....	70
6.4.3.5.2	<i>BS type 2-O</i> .....	71
6.5	OTA transmit ON/OFF power.....	71
6.5.1	OTA transmitter OFF power.....	71
6.5.1.1	Definition and applicability.....	71
6.5.1.2	Minimum requirement .....	71

6.5.1.3	Test purpose .....	71
6.5.1.4	Method of test .....	71
6.5.1.5	Test requirements .....	71
6.5.2	OTA transmitter transient period .....	72
6.5.2.1	Definition and applicability .....	72
6.5.2.2	Minimum requirement .....	72
6.5.2.3	Test purpose .....	72
6.5.2.4	Method of test .....	72
6.5.2.4.1	Initial conditions .....	72
6.5.2.4.2	Procedure .....	73
6.5.2.5	Test requirements .....	74
6.5.2.5.1	BS type 1-O .....	74
6.5.2.5.2	BS type 2-O .....	74
6.6	OTA transmitted signal quality .....	74
6.6.1	General .....	74
6.6.2	OTA frequency error .....	74
6.6.2.1	Definition and applicability .....	74
6.6.2.2	Minimum Requirement .....	74
6.6.2.3	Test purpose .....	75
6.6.2.4	Method of test .....	75
6.6.2.4.1	Initial conditions .....	75
6.6.2.5	Test Requirements .....	75
6.6.3	OTA modulation quality .....	75
6.6.3.1	Definition and applicability .....	75
6.6.3.2	Minimum Requirement .....	75
6.6.3.3	Test purpose .....	75
6.6.3.4	Method of test .....	75
6.6.3.4.1	Initial conditions .....	75
6.6.3.4.2	Procedure .....	76
6.6.3.5	Test requirements .....	77
6.6.3.5.1	BS type 1-O .....	77
6.6.3.5.2	BS type 2-O .....	78
6.6.4	OTA time alignment error .....	79
6.6.4.1	Definition and applicability .....	79
6.6.4.2	Minimum requirement .....	79
6.6.4.3	Test purpose .....	80
6.6.4.4	Method of test .....	80
6.6.4.4.1	Initial conditions .....	80
6.6.4.4.2	Procedure .....	80
6.6.4.5	Test Requirement .....	81
6.6.4.5.1	BS type 1-O .....	81
6.6.4.5.2	BS type 2-O .....	81
6.7	OTA unwanted emissions .....	81
6.7.1	General .....	81
6.7.2	OTA occupied bandwidth .....	82
6.7.2.1	Definition and applicability .....	82
6.7.2.2	Minimum requirement .....	82
6.7.2.3	Test purpose .....	82
6.7.2.4	Method of test .....	82
6.7.2.4.1	Initial conditions .....	82
6.7.2.4.2	Procedure .....	82
6.7.2.5	Test requirement .....	84
6.7.2.5.1	BS type 1-O .....	84
6.7.2.5.2	BS type 2-O .....	84
6.7.3	OTA Adjacent Channel Leakage Power Ratio (ACLR) .....	84
6.7.3.1	Definition and applicability .....	84
6.7.3.2	Minimum requirement .....	84
6.7.3.3	Test purpose .....	84
6.7.3.4	Method of test .....	84
6.7.3.4.1	Initial conditions .....	84
6.7.3.4.2	Procedure .....	85
6.7.3.5	Test requirements .....	86

6.7.3.5.1	<i>BS type 1-O</i> .....	86
6.7.3.5.2	<i>BS type 2-O</i> .....	88
6.7.4	OTA operating band unwanted emissions .....	91
6.7.4.1	Definition and applicability.....	91
6.7.4.2	Minimum requirement .....	91
6.7.4.3	Test purpose .....	91
6.7.4.4	Method of test .....	91
6.7.4.4.1	Initial conditions .....	91
6.7.4.4.2	Procedure.....	91
6.7.4.5	Test requirements.....	92
6.7.4.5.1	<i>BS type 1-O</i> .....	92
6.7.4.5.2	<i>BS type 2-O</i> .....	103
6.7.5	OTA transmitter spurious emissions.....	105
6.7.5.1	General .....	105
6.7.5.2	General OTA transmitter spurious emissions requirements.....	105
6.7.5.2.1	Definition and applicability .....	105
6.7.5.2.2	Minimum requirement.....	105
6.7.5.2.3	Test purpose .....	105
6.7.5.2.4	Method of test.....	106
6.7.5.2.5	Test requirement .....	107
6.7.5.3	Protection of the BS receiver of own or different BS .....	109
6.7.5.3.1	Definition and applicability .....	109
6.7.5.3.2	Minimum requirements .....	109
6.7.5.3.3	Test purpose .....	109
6.7.5.3.4	Method of test.....	109
6.7.5.3.5	Test requirements .....	110
6.7.5.4	Additional spurious emissions requirements.....	111
6.7.5.4.1	Definition and applicability .....	111
6.7.5.4.2	Minimum Requirement .....	111
6.7.5.4.3	Test purpose .....	111
6.7.5.4.4	Method of test.....	111
6.7.5.4.5	Test requirement .....	113
6.7.5.5	Co-location requirements .....	119
6.7.5.5.1	Definition and applicability .....	119
6.7.5.5.2	Minimum requirements .....	119
6.7.5.5.3	Test purpose .....	119
6.7.5.5.4	Method of test.....	119
6.7.5.5.5	Test requirements .....	120
6.8	OTA transmitter intermodulation .....	124
6.8.1	Definition and applicability .....	124
6.8.2	Minimum requirement .....	125
6.8.3	Test purpose.....	125
6.8.4	Method of test .....	125
6.8.4.1	Initial conditions .....	125
6.8.4.2	Procedure .....	125
6.8.5	Test requirements.....	127
6.8.5.1	Requirement for BS type 1-O.....	127
7	Radiated receiver characteristics .....	128
7.1	General .....	128
7.2	OTA sensitivity .....	128
7.2.1	Definition and applicability .....	128
7.2.2	Minimum requirement .....	129
7.2.3	Test Purpose.....	129
7.2.4	Method of test .....	129
7.2.4.1	Initial conditions .....	129
7.2.4.2	Procedure .....	130
7.2.5	Test requirements.....	130
7.2.5.1	General .....	130
7.2.5.2	Test requirements for <i>BS type 1-H</i> and <i>BS type 1-O</i> .....	130
7.2.5.3	Test requirements for <i>BS type 2-O</i> .....	131
7.3	OTA reference sensitivity level.....	131