

ETSI TS 138 213 V17.13.0 (2025-07)



TECHNICAL SPECIFICATION

**5G;
NR;**

**Physical layer procedures for control
(3GPP TS 38.213 version 17.13.0 Release 17)**

[ETSI TS 138 213 V17.13.0 \(2025-07\)](https://standards.iteh.ai/catalog/standards/etsi/b913d4d6-1100-43b9-b5e1-3392d9ca4257/etsi-ts-138-213-v17-13-0-2025-07)

<https://standards.iteh.ai/catalog/standards/etsi/b913d4d6-1100-43b9-b5e1-3392d9ca4257/etsi-ts-138-213-v17-13-0-2025-07>



Reference

RTS/TSGR-0138213vhd0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-07)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	6
1 Scope	7
2 References	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions	8
3.2 Symbols.....	8
3.3 Abbreviations	8
4 Synchronization procedures	10
4.1 Cell search	10
4.2 Transmission timing adjustments	13
4.3 Timing for secondary cell activation / deactivation.....	14
5 Radio link monitoring	15
6 Link recovery procedures	16
7 Uplink Power control	20
7.1 Physical uplink shared channel	21
7.1.1 UE behaviour	22
7.2 Physical uplink control channel.....	34
7.2.1 UE behaviour	35
7.3 Sounding reference signals.....	40
7.3.1 UE behaviour	40
7.4 Physical random access channel.....	43
7.5 Prioritizations for transmission power reductions	44
7.6 Dual connectivity	45
7.6.1 EN-DC	45
7.6.1A NE-DC	46
7.6.2 NR-DC.....	47
7.7 Power headroom report	48
7.7.1 Type 1 PH report	49
7.7.2 Type 2 PH report	51
7.7.3 Type 3 PH report	51
8 Random access procedure	52
8.1 Random access preamble	52
8.1A PUSCH for Type-2 random access procedure.....	56
8.2 Random access response - Type-1 random access procedure	58
8.2A Random access response - Type-2 random access procedure	59
8.3 PUSCH scheduled by RAR UL grant.....	61
8.4 PDSCH with UE contention resolution identity	63
9 UE procedure for reporting control information	63
9.A PUCCH cell switching	72
9.1 HARQ-ACK codebook determination	73
9.1.1 CBG-based HARQ-ACK codebook determination	74
9.1.2 Type-1 HARQ-ACK codebook determination	74
9.1.2.1 Type-1 HARQ-ACK codebook in physical uplink control channel.....	77
9.1.2.2 Type-1 HARQ-ACK codebook in physical uplink shared channel.....	88
9.1.3 Type-2 HARQ-ACK codebook determination	90
9.1.3.1 Type-2 HARQ-ACK codebook in physical uplink control channel.....	91
9.1.3.2 Type-2 HARQ-ACK codebook in physical uplink shared channel.....	101
9.1.3.3 Type-2 HARQ-ACK codebook grouping and HARQ-ACK retransmission.....	102

9.1.4	Type-3 HARQ-ACK codebook determination	104
9.1.5	HARQ-ACK codebook retransmission.....	108
9.2	UCI reporting in physical uplink control channel	110
9.2.1	PUCCH Resource Sets.....	110
9.2.2	PUCCH Formats for UCI transmission	114
9.2.3	UE procedure for reporting HARQ-ACK.....	115
9.2.4	UE procedure for reporting SR.....	119
9.2.5	UE procedure for reporting multiple UCI types	120
9.2.5.0	UE procedure for prioritization between SL HARQ-ACK information in a PUCCH and DL HARQ-ACK or SR or CSI in a PUCCH.....	125
9.2.5.1	UE procedure for multiplexing HARQ-ACK or CSI and SR in a PUCCH	126
9.2.5.2	UE procedure for multiplexing HARQ-ACK/SR/CSI in a PUCCH	127
9.2.5.3	UE procedure for reporting UCI of different priorities	131
9.2.5.4	UE procedure for deferring HARQ-ACK for SPS PDSCH	132
9.2.6	PUCCH repetition procedure.....	133
9.3	UCI reporting in physical uplink shared channel	136
10	UE procedure for receiving control information	140
10.1	UE procedure for determining physical downlink control channel assignment	153
10.1.1	Self-carrier and cross-carrier scheduling on the primary cell	173
10.2	PDCCH validation for DL SPS and UL grant Type 2.....	174
10.2A	PDCCH validation for SL configured grant Type 2.....	176
10.3	PDCCH monitoring indication and dormancy/non-dormancy behaviour for SCells	176
10.4	Search space set group switching and skipping of PDCCH monitoring	179
10.4A	PDCCH monitoring for early indication of paging	184
10.4B	Indication of TRS resources	184
10.5	HARQ-ACK information for PUSCH transmissions	185
11	UE-group common signalling	185
11.1	Slot configuration.....	186
11.1.1	UE procedure for determining slot format.....	191
11.2	Interrupted transmission indication	198
11.2A	Cancellation indication.....	199
11.3	Group TPC commands for PUCCH/PUSCH	200
11.4	SRS switching	201
12	Bandwidth part operation	202
13	UE procedure for monitoring Type0-PDCCH CSS sets	204
14	Integrated access-backhaul operation.....	217
15	Dual active protocol stack based handover	224
16	UE procedures for sidelink.....	225
16.1	Synchronization procedures	226
16.2	Power control	228
16.2.0	S-SS/PSBCH blocks	228
16.2.1	PSSCH	228
16.2.2	PSCCH.....	230
16.2.3	PSFCH	230
16.2.4	Prioritization of transmissions/receptions	232
16.2.4.1	Simultaneous NR and E-UTRA transmission/reception	232
16.2.4.2	Simultaneous PSFCH transmission/reception	232
16.2.4.3	Simultaneous SL and UL transmissions/receptions	233
16.2.4.3.1	Prioritizations for sidelink and uplink transmissions/receptions	233
16.3	UE procedure for reporting and obtaining control information in PSFCH.....	235
16.3.0	UE procedure for transmitting PSFCH with control information	235
16.3.1	UE procedure for receiving PSFCH with control information	238
16.4	UE procedure for transmitting PSCCH	239
16.5	UE procedure for reporting HARQ-ACK on uplink	239
16.5.1	Type-1 HARQ-ACK codebook determination	242
16.5.1.1	Type-1 HARQ-ACK codebook in physical uplink control channel.....	242
16.5.1.2	Type-1 HARQ-ACK codebook in physical uplink shared channel.....	244

16.5.2	Type-2 HARQ-ACK codebook determination	244
16.5.2.1	Type-2 HARQ-ACK codebook in physical uplink control channel.....	245
16.5.2.2	Type-2 HARQ-ACK codebook in physical uplink shared channel.....	247
16.6	UE procedure for LTE sidelink transmission	248
16.7	Operation for in-device coexistence	248
17	UE with reduced capabilities.....	248
17.1	RedCap UE procedures	248
17.2	Half-Duplex UE in paired spectrum.....	250
18	Multicast Broadcast Services	251
19	PUSCH transmission in RRC_INACTIVE state.....	256
19.1	Configured-grant based PUSCH transmission	256
19.2	Random-access based PUSCH transmission	257
Annex A:	Change history	258
History		269

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 138 213 V17.13.0 \(2025-07\)](https://standards.iteh.ai/catalog/standards/etsi/b913d4d6-1100-43b9-b5e1-3392d9ca4257/etsi-ts-138-213-v17-13-0-2025-07)

<https://standards.iteh.ai/catalog/standards/etsi/b913d4d6-1100-43b9-b5e1-3392d9ca4257/etsi-ts-138-213-v17-13-0-2025-07>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 138 213 V17.13.0 \(2025-07\)](https://standards.iteh.ai/catalog/standards/etsi/b913d4d6-1100-43b9-b5e1-3392d9ca4257/etsi-ts-138-213-v17-13-0-2025-07)

<https://standards.iteh.ai/catalog/standards/etsi/b913d4d6-1100-43b9-b5e1-3392d9ca4257/etsi-ts-138-213-v17-13-0-2025-07>