

ETSI TS 138 413 V17.15.0 (2026-04)



TECHNICAL SPECIFICATION

**5G;
NG-RAN;
NG Application Protocol (NGAP)
(3GPP TS 38.413 version 17.15.0 Release 17)**

Sample Document
get full document from standards.iteh.ai



Reference

RTS/TSGR-0338413vhf0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|--|----|
| Intellectual Property Rights | 2 |
| Legal Notice | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 18 |
| 1 Scope | 19 |
| 2 References | 19 |
| 3 Definitions and abbreviations..... | 21 |
| 3.1 Definitions | 21 |
| 3.2 Abbreviations | 22 |
| 4 General | 23 |
| 4.1 Procedure Specification Principles..... | 23 |
| 4.2 Forwards and Backwards Compatibility | 23 |
| 4.3 Specification Notations | 24 |
| 5 NGAP Services | 24 |
| 6 Services Expected from Signalling Transport..... | 24 |
| 7 Functions of NGAP..... | 24 |
| 8 NGAP Procedures | 24 |
| 8.1 List of NGAP Elementary Procedures..... | 24 |
| 8.2 PDU Session Management Procedures | 27 |
| 8.2.1 PDU Session Resource Setup | 27 |
| 8.2.1.1 General | 27 |
| 8.2.1.2 Successful Operation..... | 27 |
| 8.2.1.3 Unsuccessful Operation | 31 |
| 8.2.1.4 Abnormal Conditions | 31 |
| 8.2.2 PDU Session Resource Release | 31 |
| 8.2.2.1 General | 31 |
| 8.2.2.2 Successful Operation..... | 32 |
| 8.2.2.3 Unsuccessful Operation | 32 |
| 8.2.2.4 Abnormal Conditions | 32 |
| 8.2.3 PDU Session Resource Modify | 33 |
| 8.2.3.1 General | 33 |
| 8.2.3.2 Successful Operation..... | 33 |
| 8.2.3.3 Unsuccessful Operation | 36 |
| 8.2.3.4 Abnormal Conditions | 36 |
| 8.2.4 PDU Session Resource Notify | 37 |
| 8.2.4.1 General | 37 |
| 8.2.4.2 Successful Operation..... | 37 |
| 8.2.4.3 Abnormal Conditions | 38 |
| 8.2.5 PDU Session Resource Modify Indication | 38 |
| 8.2.5.1 General | 38 |
| 8.2.5.2 Successful Operation..... | 38 |
| 8.2.5.3 Unsuccessful Operation | 40 |
| 8.2.5.4 Abnormal Conditions | 40 |
| 8.3 UE Context Management Procedures..... | 40 |
| 8.3.1 Initial Context Setup | 40 |
| 8.3.1.1 General | 40 |
| 8.3.1.2 Successful Operation..... | 40 |
| 8.3.1.3 Unsuccessful Operation | 44 |
| 8.3.1.4 Abnormal Conditions | 44 |
| 8.3.2 UE Context Release Request (NG-RAN node initiated) | 45 |
| 8.3.2.1 General | 45 |

| | | |
|----------|---|----|
| 8.3.2.2 | Successful Operation..... | 45 |
| 8.3.2.3 | Abnormal Conditions | 45 |
| 8.3.3 | UE Context Release (AMF initiated)..... | 45 |
| 8.3.3.1 | General | 45 |
| 8.3.3.2 | Successful Operation..... | 46 |
| 8.3.3.3 | Unsuccessful Operation | 46 |
| 8.3.3.4 | Abnormal Conditions | 46 |
| 8.3.4 | UE Context Modification..... | 46 |
| 8.3.4.1 | General | 46 |
| 8.3.4.2 | Successful Operation..... | 47 |
| 8.3.4.3 | Unsuccessful Operation | 49 |
| 8.3.4.4 | Abnormal Conditions | 50 |
| 8.3.5 | RRC Inactive Transition Report | 50 |
| 8.3.5.1 | General | 50 |
| 8.3.5.2 | Successful Operation..... | 50 |
| 8.3.5.3 | Abnormal Conditions | 50 |
| 8.3.6 | Connection Establishment Indication | 50 |
| 8.3.6.1 | General | 50 |
| 8.3.6.2 | Successful Operation..... | 51 |
| 8.3.6.3 | Abnormal Conditions | 52 |
| 8.3.7 | AMF CP Relocation Indication | 52 |
| 8.3.7.1 | General | 52 |
| 8.3.7.2 | Successful Operation..... | 52 |
| 8.3.7.3 | Abnormal Conditions | 52 |
| 8.3.8 | RAN CP Relocation Indication..... | 52 |
| 8.3.8.1 | General | 52 |
| 8.3.8.2 | Successful Operation..... | 53 |
| 8.3.8.3 | Abnormal Conditions | 53 |
| 8.3.9 | Retrieve UE Information | 53 |
| 8.3.9.1 | General | 53 |
| 8.3.9.2 | Successful Operation..... | 54 |
| 8.3.9.3 | Abnormal Conditions | 54 |
| 8.3.10 | UE Information Transfer | 54 |
| 8.3.10.1 | General | 54 |
| 8.3.10.2 | Successful Operation..... | 54 |
| 8.3.10.3 | Abnormal Conditions | 55 |
| 8.3.11 | UE Context Suspend | 55 |
| 8.3.11.1 | General | 55 |
| 8.3.11.2 | Successful Operation..... | 55 |
| 8.3.11.3 | Unsuccessful Operation | 56 |
| 8.3.11.4 | Abnormal Conditions | 56 |
| 8.3.12 | UE Context Resume..... | 56 |
| 8.3.12.1 | General | 56 |
| 8.3.12.2 | Successful Operation..... | 56 |
| 8.3.12.3 | Unsuccessful Operation | 57 |
| 8.4 | UE Mobility Management Procedures | 57 |
| 8.4.1 | Handover Preparation | 57 |
| 8.4.1.1 | General | 57 |
| 8.4.1.2 | Successful Operation..... | 58 |
| 8.4.1.3 | Unsuccessful Operation | 60 |
| 8.4.1.4 | Abnormal Conditions | 60 |
| 8.4.2 | Handover Resource Allocation | 60 |
| 8.4.2.1 | General | 60 |
| 8.4.2.2 | Successful Operation..... | 61 |
| 8.4.2.3 | Unsuccessful Operation | 67 |
| 8.4.2.4 | Abnormal Conditions | 68 |
| 8.4.3 | Handover Notification | 68 |
| 8.4.3.1 | General | 68 |
| 8.4.3.2 | Successful Operation..... | 68 |
| 8.4.3.3 | Abnormal Conditions | 69 |
| 8.4.4 | Path Switch Request | 69 |
| 8.4.4.1 | General | 69 |

| | | |
|----------|--|----|
| 8.4.4.2 | Successful Operation..... | 69 |
| 8.4.4.3 | Unsuccessful Operation | 73 |
| 8.4.4.4 | Abnormal Conditions | 73 |
| 8.4.5 | Handover Cancellation | 74 |
| 8.4.5.1 | General | 74 |
| 8.4.5.2 | Successful Operation..... | 74 |
| 8.4.5.3 | Unsuccessful Operation | 74 |
| 8.4.5.4 | Abnormal Conditions | 74 |
| 8.4.6 | Uplink RAN Status Transfer..... | 74 |
| 8.4.6.1 | General | 74 |
| 8.4.6.2 | Successful Operation..... | 74 |
| 8.4.6.3 | Abnormal Conditions | 75 |
| 8.4.7 | Downlink RAN Status Transfer..... | 75 |
| 8.4.7.1 | General | 75 |
| 8.4.7.2 | Successful Operation..... | 75 |
| 8.4.7.3 | Abnormal Conditions | 75 |
| 8.4.8 | Handover Success..... | 76 |
| 8.4.8.1 | General | 76 |
| 8.4.8.2 | Successful Operation..... | 76 |
| 8.4.8.3 | Abnormal Conditions | 76 |
| 8.4.9 | Uplink RAN Early Status Transfer | 76 |
| 8.4.9.1 | General | 76 |
| 8.4.9.2 | Successful Operation..... | 76 |
| 8.4.9.3 | Abnormal Conditions | 77 |
| 8.4.10 | Downlink RAN Early Status Transfer | 77 |
| 8.4.10.1 | General | 77 |
| 8.4.10.2 | Successful Operation..... | 77 |
| 8.4.10.3 | Abnormal Conditions | 77 |
| 8.5 | Paging Procedures | 77 |
| 8.5.1 | Paging | 77 |
| 8.5.1.1 | General | 77 |
| 8.5.1.2 | Successful Operation..... | 78 |
| 8.5.1.3 | Abnormal Conditions | 79 |
| 8.5.2 | Multicast Group Paging | 79 |
| 8.5.2.1 | General | 79 |
| 8.5.2.2 | Successful Operation..... | 79 |
| 8.5.2.3 | Abnormal Conditions | 80 |
| 8.6 | Transport of NAS Messages Procedures | 80 |
| 8.6.1 | Initial UE Message..... | 80 |
| 8.6.1.1 | General | 80 |
| 8.6.1.2 | Successful Operation..... | 80 |
| 8.6.1.3 | Abnormal Conditions | 81 |
| 8.6.2 | Downlink NAS Transport..... | 81 |
| 8.6.2.1 | General | 81 |
| 8.6.2.2 | Successful Operation..... | 81 |
| 8.6.2.3 | Abnormal Conditions | 83 |
| 8.6.3 | Uplink NAS Transport..... | 83 |
| 8.6.3.1 | General | 83 |
| 8.6.3.2 | Successful Operation..... | 83 |
| 8.6.3.3 | Abnormal Conditions | 83 |
| 8.6.4 | NAS Non Delivery Indication | 83 |
| 8.6.4.1 | General | 83 |
| 8.6.4.2 | Successful Operation..... | 84 |
| 8.6.4.3 | Abnormal Conditions | 84 |
| 8.6.5 | Reroute NAS Request..... | 84 |
| 8.6.5.1 | General | 84 |
| 8.6.5.2 | Successful Operation..... | 84 |
| 8.6.5.3 | Abnormal Conditions | 84 |
| 8.7 | Interface Management Procedures | 85 |
| 8.7.1 | NG Setup | 85 |
| 8.7.1.1 | General | 85 |
| 8.7.1.2 | Successful Operation..... | 85 |

| | | |
|-----------|---|-----|
| 8.7.1.3 | Unsuccessful Operation | 86 |
| 8.7.1.4 | Abnormal Conditions | 86 |
| 8.7.2 | RAN Configuration Update | 86 |
| 8.7.2.1 | General | 86 |
| 8.7.2.2 | Successful Operation..... | 87 |
| 8.7.2.3 | Unsuccessful Operation | 88 |
| 8.7.2.4 | Abnormal Conditions | 88 |
| 8.7.3 | AMF Configuration Update..... | 88 |
| 8.7.3.1 | General | 88 |
| 8.7.3.2 | Successful Operation..... | 88 |
| 8.7.3.3 | Unsuccessful Operation | 90 |
| 8.7.3.4 | Abnormal Conditions | 90 |
| 8.7.4 | NG Reset..... | 90 |
| 8.7.4.1 | General | 90 |
| 8.7.4.2 | Successful Operation..... | 91 |
| 8.7.4.2.1 | NG Reset initiated by the AMF | 91 |
| 8.7.4.2.2 | NG Reset initiated by the NG-RAN node | 92 |
| 8.7.4.3 | Unsuccessful Operation | 92 |
| 8.7.4.4 | Abnormal Conditions | 92 |
| 8.7.4.4.1 | Abnormal Condition at the 5GC..... | 92 |
| 8.7.4.4.2 | Abnormal Condition at the NG-RAN..... | 93 |
| 8.7.4.4.3 | Crossing of NG RESET Messages | 93 |
| 8.7.5 | Error Indication..... | 93 |
| 8.7.5.1 | General | 93 |
| 8.7.5.2 | Successful Operation..... | 93 |
| 8.7.5.3 | Abnormal Conditions | 94 |
| 8.7.6 | AMF Status Indication..... | 94 |
| 8.7.6.1 | General | 94 |
| 8.7.6.2 | Successful Operation..... | 94 |
| 8.7.6.3 | Abnormal Conditions | 95 |
| 8.7.7 | Overload Start..... | 95 |
| 8.7.7.1 | General | 95 |
| 8.7.7.2 | Successful Operation..... | 95 |
| 8.7.7.3 | Abnormal Conditions | 96 |
| 8.7.8 | Overload Stop..... | 96 |
| 8.7.8.1 | General | 96 |
| 8.7.8.2 | Successful Operation..... | 96 |
| 8.7.8.3 | Abnormal Conditions | 96 |
| 8.8 | Configuration Transfer Procedures | 96 |
| 8.8.1 | Uplink RAN Configuration Transfer | 96 |
| 8.8.1.1 | General | 96 |
| 8.8.1.2 | Successful Operation..... | 97 |
| 8.8.1.3 | Abnormal Conditions | 97 |
| 8.8.2 | Downlink RAN Configuration Transfer | 97 |
| 8.8.2.1 | General | 97 |
| 8.8.2.2 | Successful Operation..... | 97 |
| 8.8.2.3 | Abnormal Conditions | 98 |
| 8.9 | Warning Message Transmission Procedures | 98 |
| 8.9.1 | Write-Replace Warning | 98 |
| 8.9.1.1 | General | 98 |
| 8.9.1.2 | Successful Operation..... | 99 |
| 8.9.1.3 | Unsuccessful Operation | 100 |
| 8.9.1.4 | Abnormal Conditions | 100 |
| 8.9.2 | PWS Cancel..... | 100 |
| 8.9.2.1 | General | 100 |
| 8.9.2.2 | Successful Operation..... | 100 |
| 8.9.2.3 | Unsuccessful Operation | 101 |
| 8.9.2.4 | Abnormal Conditions | 101 |
| 8.9.3 | PWS Restart Indication..... | 101 |
| 8.9.3.1 | General | 101 |
| 8.9.3.2 | Successful Operation..... | 101 |
| 8.9.3.3 | Abnormal Conditions | 101 |

| | | |
|----------|---|-----|
| 8.9.4 | PWS Failure Indication..... | 102 |
| 8.9.4.1 | General..... | 102 |
| 8.9.4.2 | Successful Operation..... | 102 |
| 8.9.4.3 | Abnormal Conditions..... | 102 |
| 8.10 | NRPPa Transport Procedures..... | 102 |
| 8.10.1 | General..... | 102 |
| 8.10.2 | Successful Operations..... | 103 |
| 8.10.2.1 | DOWNLINK UE ASSOCIATED NRPPA TRANSPORT..... | 103 |
| 8.10.2.2 | UPLINK UE ASSOCIATED NRPPA TRANSPORT..... | 103 |
| 8.10.2.3 | DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT..... | 103 |
| 8.10.2.4 | UPLINK NON UE ASSOCIATED NRPPA TRANSPORT..... | 104 |
| 8.10.3 | Unsuccessful Operations..... | 104 |
| 8.10.4 | Abnormal Conditions..... | 104 |
| 8.11 | Trace Procedures..... | 104 |
| 8.11.1 | Trace Start..... | 104 |
| 8.11.1.1 | General..... | 104 |
| 8.11.1.2 | Successful Operation..... | 104 |
| 8.11.1.3 | Abnormal Conditions..... | 105 |
| 8.11.2 | Trace Failure Indication..... | 105 |
| 8.11.2.1 | General..... | 105 |
| 8.11.2.2 | Successful Operation..... | 105 |
| 8.11.2.3 | Abnormal Conditions..... | 106 |
| 8.11.3 | Deactivate Trace..... | 106 |
| 8.11.3.1 | General..... | 106 |
| 8.11.3.2 | Successful Operation..... | 106 |
| 8.11.3.3 | Abnormal Conditions..... | 106 |
| 8.11.4 | Cell Traffic Trace..... | 106 |
| 8.11.4.1 | General..... | 106 |
| 8.11.4.2 | Successful Operation..... | 107 |
| 8.11.4.3 | Abnormal Conditions..... | 107 |
| 8.12 | Location Reporting Procedures..... | 107 |
| 8.12.1 | Location Reporting Control..... | 107 |
| 8.12.1.1 | General..... | 107 |
| 8.12.1.2 | Successful Operation..... | 107 |
| 8.12.1.3 | Abnormal Conditions..... | 108 |
| 8.12.2 | Location Reporting Failure Indication..... | 108 |
| 8.12.2.1 | General..... | 108 |
| 8.12.2.2 | Successful Operation..... | 108 |
| 8.12.2.3 | Abnormal Conditions..... | 109 |
| 8.12.3 | Location Report..... | 109 |
| 8.12.3.1 | General..... | 109 |
| 8.12.3.2 | Successful Operation..... | 109 |
| 8.12.3.3 | Abnormal Conditions..... | 109 |
| 8.13 | UE TNLA Binding Procedures..... | 109 |
| 8.13.1 | UE TNLA Binding Release..... | 109 |
| 8.13.1.1 | General..... | 109 |
| 8.13.1.2 | Successful Operation..... | 110 |
| 8.13.1.3 | Abnormal Conditions..... | 110 |
| 8.14 | UE Radio Capability Management Procedures..... | 110 |
| 8.14.1 | UE Radio Capability Info Indication..... | 110 |
| 8.14.1.1 | General..... | 110 |
| 8.14.1.2 | Successful Operation..... | 110 |
| 8.14.1.3 | Abnormal Conditions..... | 111 |
| 8.14.2 | UE Radio Capability Check..... | 111 |
| 8.14.2.1 | General..... | 111 |
| 8.14.2.2 | Successful Operation..... | 111 |
| 8.14.2.3 | Unsuccessful Operation..... | 111 |
| 8.14.2.4 | Abnormal Conditions..... | 111 |
| 8.14.3 | UE Radio Capability ID Mapping..... | 112 |
| 8.14.3.1 | General..... | 112 |
| 8.14.3.2 | Successful Operation..... | 112 |
| 8.14.3.3 | Unsuccessful Operation..... | 112 |

| | | |
|----------|---|-----|
| 8.14.3.4 | Abnormal Conditions | 112 |
| 8.15 | Data Usage Reporting Procedures | 112 |
| 8.15.1 | Secondary RAT Data Usage Report | 112 |
| 8.15.1.1 | General | 112 |
| 8.15.1.2 | Successful Operation..... | 113 |
| 8.15.1.3 | Abnormal Conditions | 113 |
| 8.16 | RIM Information Transfer Procedures | 113 |
| 8.16.1 | Uplink RIM Information Transfer | 113 |
| 8.16.1.1 | General | 113 |
| 8.16.1.2 | Successful Operation..... | 113 |
| 8.16.1.3 | Abnormal Conditions | 114 |
| 8.16.2 | Downlink RIM Information Transfer | 114 |
| 8.16.2.1 | General | 114 |
| 8.16.2.2 | Successful Operation..... | 114 |
| 8.16.2.3 | Abnormal Conditions | 114 |
| 8.17 | Broadcast Session Management Procedures | 114 |
| 8.17.1 | Broadcast Session Setup | 114 |
| 8.17.1.1 | General | 114 |
| 8.17.1.2 | Successful Operation..... | 115 |
| 8.17.1.3 | Unsuccessful Operation | 115 |
| 8.17.1.4 | Abnormal Conditions | 115 |
| 8.17.2 | Broadcast Session Modification | 115 |
| 8.17.2.1 | General | 115 |
| 8.17.2.2 | Successful Operation..... | 116 |
| 8.17.2.3 | Unsuccessful Operation | 116 |
| 8.17.2.4 | Abnormal Conditions | 116 |
| 8.17.3 | Broadcast Session Release | 116 |
| 8.17.3.1 | General | 116 |
| 8.17.3.2 | Successful Operation..... | 117 |
| 8.17.3.3 | Unsuccessful Operation | 117 |
| 8.17.3.4 | Abnormal Conditions | 117 |
| 8.17.4 | Broadcast Session Release Required | 117 |
| 8.17.4.1 | General | 117 |
| 8.17.4.2 | Successful Operation..... | 117 |
| 8.17.4.3 | Abnormal Conditions | 118 |
| 8.18 | Multicast Session Management Procedures | 118 |
| 8.18.1 | Distribution Setup | 118 |
| 8.18.1.1 | General | 118 |
| 8.18.1.2 | Successful Operation..... | 118 |
| 8.18.1.3 | Unsuccessful Operation | 119 |
| 8.18.1.4 | Abnormal Conditions | 119 |
| 8.18.2 | Distribution Release..... | 119 |
| 8.18.2.1 | General | 119 |
| 8.18.2.2 | Successful Operation..... | 119 |
| 8.18.2.3 | Unsuccessful Operation | 119 |
| 8.18.2.4 | Abnormal Conditions | 120 |
| 8.18.3 | Multicast Session Activation | 120 |
| 8.18.3.1 | General | 120 |
| 8.18.3.2 | Successful Operation..... | 120 |
| 8.18.3.3 | Unsuccessful Operation | 120 |
| 8.18.3.4 | Abnormal Conditions | 121 |
| 8.18.4 | Multicast Session Deactivation..... | 121 |
| 8.18.4.1 | General | 121 |
| 8.18.4.2 | Successful Operation..... | 121 |
| 8.18.4.3 | Unsuccessful Operation | 121 |
| 8.18.4.4 | Abnormal Conditions | 121 |
| 8.18.5 | Multicast Session Update..... | 121 |
| 8.18.5.1 | General | 121 |
| 8.18.5.2 | Successful Operation..... | 122 |
| 8.18.5.3 | Unsuccessful Operation | 123 |
| 8.18.5.4 | Abnormal Conditions | 123 |

| | | |
|----------|---|-----|
| 9 | Elements for NGAP Communication..... | 123 |
| 9.0 | General | 123 |
| 9.1 | Tabular Format Contents..... | 123 |
| 9.1.1 | Presence | 123 |
| 9.1.2 | Criticality | 124 |
| 9.1.3 | Range | 124 |
| 9.1.4 | Assigned Criticality | 124 |
| 9.2 | Message Functional Definition and Content | 124 |
| 9.2.1 | PDU Session Management Messages | 124 |
| 9.2.1.1 | PDU SESSION RESOURCE SETUP REQUEST..... | 124 |
| 9.2.1.2 | PDU SESSION RESOURCE SETUP RESPONSE..... | 125 |
| 9.2.1.3 | PDU SESSION RESOURCE RELEASE COMMAND | 126 |
| 9.2.1.4 | PDU SESSION RESOURCE RELEASE RESPONSE | 127 |
| 9.2.1.5 | PDU SESSION RESOURCE MODIFY REQUEST | 127 |
| 9.2.1.6 | PDU SESSION RESOURCE MODIFY RESPONSE | 129 |
| 9.2.1.7 | PDU SESSION RESOURCE NOTIFY | 129 |
| 9.2.1.8 | PDU SESSION RESOURCE MODIFY INDICATION..... | 130 |
| 9.2.1.9 | PDU SESSION RESOURCE MODIFY CONFIRM | 131 |
| 9.2.2 | UE Context Management Messages | 131 |
| 9.2.2.1 | INITIAL CONTEXT SETUP REQUEST | 131 |
| 9.2.2.2 | INITIAL CONTEXT SETUP RESPONSE | 133 |
| 9.2.2.3 | INITIAL CONTEXT SETUP FAILURE..... | 134 |
| 9.2.2.4 | UE CONTEXT RELEASE REQUEST | 135 |
| 9.2.2.5 | UE CONTEXT RELEASE COMMAND | 135 |
| 9.2.2.6 | UE CONTEXT RELEASE COMPLETE | 136 |
| 9.2.2.7 | UE CONTEXT MODIFICATION REQUEST | 136 |
| 9.2.2.8 | UE CONTEXT MODIFICATION RESPONSE..... | 138 |
| 9.2.2.9 | UE CONTEXT MODIFICATION FAILURE..... | 138 |
| 9.2.2.10 | RRC INACTIVE TRANSITION REPORT..... | 138 |
| 9.2.2.11 | CONNECTION ESTABLISHMENT INDICATION..... | 138 |
| 9.2.2.12 | AMF CP RELOCATION INDICATION | 139 |
| 9.2.2.13 | RAN CP RELOCATION INDICATION..... | 140 |
| 9.2.2.14 | RETRIEVE UE INFORMATION | 140 |
| 9.2.2.15 | UE INFORMATION TRANSFER | 140 |
| 9.2.2.16 | UE CONTEXT SUSPEND REQUEST | 140 |
| 9.2.2.17 | UE CONTEXT SUSPEND RESPONSE | 141 |
| 9.2.2.18 | UE CONTEXT SUSPEND FAILURE | 141 |
| 9.2.2.19 | UE CONTEXT RESUME REQUEST | 142 |
| 9.2.2.20 | UE CONTEXT RESUME RESPONSE..... | 142 |
| 9.2.2.21 | UE CONTEXT RESUME FAILURE..... | 143 |
| 9.2.3 | UE Mobility Management Messages | 143 |
| 9.2.3.1 | HANDOVER REQUIRED | 143 |
| 9.2.3.2 | HANDOVER COMMAND | 144 |
| 9.2.3.3 | HANDOVER PREPARATION FAILURE | 145 |
| 9.2.3.4 | HANDOVER REQUEST | 146 |
| 9.2.3.5 | HANDOVER REQUEST ACKNOWLEDGE..... | 148 |
| 9.2.3.6 | HANDOVER FAILURE | 149 |
| 9.2.3.7 | HANDOVER NOTIFY | 150 |
| 9.2.3.8 | PATH SWITCH REQUEST | 151 |
| 9.2.3.9 | PATH SWITCH REQUEST ACKNOWLEDGE | 152 |
| 9.2.3.10 | PATH SWITCH REQUEST FAILURE | 155 |
| 9.2.3.11 | HANDOVER CANCEL | 155 |
| 9.2.3.12 | HANDOVER CANCEL ACKNOWLEDGE | 155 |
| 9.2.3.13 | UPLINK RAN STATUS TRANSFER | 156 |
| 9.2.3.14 | DOWNLINK RAN STATUS TRANSFER | 156 |
| 9.2.3.15 | HANDOVER SUCCESS | 156 |
| 9.2.3.16 | UPLINK RAN EARLY STATUS TRANSFER | 156 |
| 9.2.3.17 | DOWNLINK RAN EARLY STATUS TRANSFER..... | 157 |
| 9.2.4 | Paging Messages..... | 157 |
| 9.2.4.1 | PAGING | 157 |
| 9.2.4.2 | MULTICAST GROUP PAGING | 158 |
| 9.2.5 | NAS Transport Messages | 159 |

| | | |
|----------|--|-----|
| 9.2.5.1 | INITIAL UE MESSAGE | 159 |
| 9.2.5.2 | DOWNLINK NAS TRANSPORT | 160 |
| 9.2.5.3 | UPLINK NAS TRANSPORT | 160 |
| 9.2.5.4 | NAS NON DELIVERY INDICATION | 161 |
| 9.2.5.5 | REROUTE NAS REQUEST | 161 |
| 9.2.6 | Interface Management Messages | 161 |
| 9.2.6.1 | NG SETUP REQUEST | 161 |
| 9.2.6.2 | NG SETUP RESPONSE | 162 |
| 9.2.6.3 | NG SETUP FAILURE | 163 |
| 9.2.6.4 | RAN CONFIGURATION UPDATE | 163 |
| 9.2.6.5 | RAN CONFIGURATION UPDATE ACKNOWLEDGE | 165 |
| 9.2.6.6 | RAN CONFIGURATION UPDATE FAILURE | 165 |
| 9.2.6.7 | AMF CONFIGURATION UPDATE | 165 |
| 9.2.6.8 | AMF CONFIGURATION UPDATE ACKNOWLEDGE | 167 |
| 9.2.6.9 | AMF CONFIGURATION UPDATE FAILURE | 167 |
| 9.2.6.10 | AMF STATUS INDICATION | 168 |
| 9.2.6.11 | NG RESET | 168 |
| 9.2.6.12 | NG RESET ACKNOWLEDGE | 168 |
| 9.2.6.13 | ERROR INDICATION | 169 |
| 9.2.6.14 | OVERLOAD START | 169 |
| 9.2.6.15 | OVERLOAD STOP | 169 |
| 9.2.7 | Configuration Transfer Messages | 170 |
| 9.2.7.1 | UPLINK RAN CONFIGURATION TRANSFER | 170 |
| 9.2.7.2 | DOWNLINK RAN CONFIGURATION TRANSFER | 170 |
| 9.2.8 | Warning Message Transmission Messages | 170 |
| 9.2.8.1 | WRITE-REPLACE WARNING REQUEST | 170 |
| 9.2.8.2 | WRITE-REPLACE WARNING RESPONSE | 171 |
| 9.2.8.3 | PWS CANCEL REQUEST | 171 |
| 9.2.8.4 | PWS CANCEL RESPONSE | 171 |
| 9.2.8.5 | PWS RESTART INDICATION | 172 |
| 9.2.8.6 | PWS FAILURE INDICATION | 172 |
| 9.2.9 | NRPPa Transport Messages | 173 |
| 9.2.9.1 | DOWNLINK UE ASSOCIATED NRPPA TRANSPORT | 173 |
| 9.2.9.2 | UPLINK UE ASSOCIATED NRPPA TRANSPORT | 173 |
| 9.2.9.3 | DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT | 174 |
| 9.2.9.4 | UPLINK NON UE ASSOCIATED NRPPA TRANSPORT | 174 |
| 9.2.10 | Trace Messages | 174 |
| 9.2.10.1 | TRACE START | 174 |
| 9.2.10.2 | TRACE FAILURE INDICATION | 174 |
| 9.2.10.3 | DEACTIVATE TRACE | 174 |
| 9.2.10.4 | CELL TRAFFIC TRACE | 175 |
| 9.2.11 | Location Reporting Messages | 175 |
| 9.2.11.1 | LOCATION REPORTING CONTROL | 175 |
| 9.2.11.2 | LOCATION REPORTING FAILURE INDICATION | 176 |
| 9.2.11.3 | LOCATION REPORT | 176 |
| 9.2.12 | UE TNLA Binding Messages | 176 |
| 9.2.12.1 | UE TNLA BINDING RELEASE REQUEST | 176 |
| 9.2.13 | UE Radio Capability Management Messages | 177 |
| 9.2.13.1 | UE RADIO CAPABILITY INFO INDICATION | 177 |
| 9.2.13.2 | UE RADIO CAPABILITY CHECK REQUEST | 177 |
| 9.2.13.3 | UE RADIO CAPABILITY CHECK RESPONSE | 177 |
| 9.2.13.4 | UE RADIO CAPABILITY ID MAPPING REQUEST | 177 |
| 9.2.13.5 | UE RADIO CAPABILITY ID MAPPING RESPONSE | 178 |
| 9.2.14 | Data Usage Reporting Messages | 178 |
| 9.2.14.1 | SECONDARY RAT DATA USAGE REPORT | 178 |
| 9.2.15 | RIM Information Transfer Messages | 178 |
| 9.2.15.1 | UPLINK RIM INFORMATION TRANSFER | 178 |
| 9.2.15.2 | DOWNLINK RIM INFORMATION TRANSFER | 179 |
| 9.2.16 | Broadcast Session Management Messages | 179 |
| 9.2.16.1 | BROADCAST SESSION SETUP REQUEST | 179 |
| 9.2.16.2 | BROADCAST SESSION SETUP RESPONSE | 179 |
| 9.2.16.3 | BROADCAST SESSION SETUP FAILURE | 180 |

| | | |
|-----------|--|-----|
| 9.2.16.4 | BROADCAST SESSION MODIFICATION REQUEST | 180 |
| 9.2.16.5 | BROADCAST SESSION MODIFICATION RESPONSE | 180 |
| 9.2.16.6 | BROADCAST SESSION MODIFICATION FAILURE | 181 |
| 9.2.16.7 | BROADCAST SESSION RELEASE REQUEST | 181 |
| 9.2.16.8 | BROADCAST SESSION RELEASE RESPONSE | 181 |
| 9.2.16.9 | BROADCAST SESSION RELEASE REQUIRED | 181 |
| 9.2.17 | Multicast Session Management Messages | 182 |
| 9.2.17.1 | DISTRIBUTION SETUP REQUEST | 182 |
| 9.2.17.2 | DISTRIBUTION SETUP RESPONSE | 182 |
| 9.2.17.3 | DISTRIBUTION SETUP FAILURE | 182 |
| 9.2.17.4 | DISTRIBUTION RELEASE REQUEST | 183 |
| 9.2.17.5 | DISTRIBUTION RELEASE RESPONSE | 183 |
| 9.2.17.6 | MULTICAST SESSION ACTIVATION REQUEST | 183 |
| 9.2.17.7 | MULTICAST SESSION ACTIVATION RESPONSE | 184 |
| 9.2.17.8 | MULTICAST SESSION ACTIVATION FAILURE | 184 |
| 9.2.17.9 | MULTICAST SESSION DEACTIVATION REQUEST | 184 |
| 9.2.17.10 | MULTICAST SESSION DEACTIVATION RESPONSE | 185 |
| 9.2.17.11 | MULTICAST SESSION UPDATE REQUEST | 185 |
| 9.2.17.12 | MULTICAST SESSION UPDATE RESPONSE | 185 |
| 9.2.17.13 | MULTICAST SESSION UPDATE FAILURE | 185 |
| 9.3 | Information Element Definitions | 186 |
| 9.3.1 | Radio Network Layer Related IEs | 186 |
| 9.3.1.1 | Message Type | 186 |
| 9.3.1.2 | Cause | 186 |
| 9.3.1.3 | Criticality Diagnostics | 192 |
| 9.3.1.4 | Bit Rate | 192 |
| 9.3.1.5 | Global RAN Node ID | 193 |
| 9.3.1.6 | Global gNB ID | 193 |
| 9.3.1.7 | NR CGI | 193 |
| 9.3.1.8 | Global ng-eNB ID | 194 |
| 9.3.1.9 | E-UTRA CGI | 194 |
| 9.3.1.10 | GBR QoS Flow Information | 194 |
| 9.3.1.11 | Void | 195 |
| 9.3.1.12 | QoS Flow Level QoS Parameters | 195 |
| 9.3.1.13 | QoS Flow List with Cause | 196 |
| 9.3.1.14 | Trace Activation | 197 |
| 9.3.1.15 | Core Network Assistance Information for RRC INACTIVE | 198 |
| 9.3.1.16 | User Location Information | 198 |
| 9.3.1.17 | Slice Support List | 200 |
| 9.3.1.18 | Dynamic 5QI Descriptor | 200 |
| 9.3.1.19 | Allocation and Retention Priority | 202 |
| 9.3.1.20 | Source to Target Transparent Container | 202 |
| 9.3.1.21 | Target to Source Transparent Container | 203 |
| 9.3.1.22 | Handover Type | 203 |
| 9.3.1.23 | MICO Mode Indication | 204 |
| 9.3.1.24 | S-NSSAI | 204 |
| 9.3.1.25 | Target ID | 204 |
| 9.3.1.26 | Emergency Fallback Indicator | 205 |
| 9.3.1.27 | Security Indication | 205 |
| 9.3.1.28 | Non Dynamic 5QI Descriptor | 205 |
| 9.3.1.29 | Source NG-RAN Node to Target NG-RAN Node Transparent Container | 206 |
| 9.3.1.30 | Target NG-RAN Node to Source NG-RAN Node Transparent Container | 209 |
| 9.3.1.31 | Allowed NSSAI | 211 |
| 9.3.1.32 | Relative AMF Capacity | 211 |
| 9.3.1.33 | DL Forwarding | 211 |
| 9.3.1.34 | DRBs to QoS Flows Mapping List | 211 |
| 9.3.1.35 | Message Identifier | 212 |
| 9.3.1.36 | Serial Number | 212 |
| 9.3.1.37 | Warning Area List | 212 |
| 9.3.1.38 | Number of Broadcasts Requested | 212 |
| 9.3.1.39 | Warning Type | 213 |
| 9.3.1.40 | Void | 213 |

| | | |
|-----------|---|-----|
| 9.3.1.41 | Data Coding Scheme | 213 |
| 9.3.1.42 | Warning Message Contents | 213 |
| 9.3.1.43 | Broadcast Completed Area List | 213 |
| 9.3.1.44 | Broadcast Cancelled Area List | 214 |
| 9.3.1.45 | Number of Broadcasts | 216 |
| 9.3.1.46 | Concurrent Warning Message Indicator | 216 |
| 9.3.1.47 | Cancel-All Warning Messages Indicator | 216 |
| 9.3.1.48 | Emergency Area ID | 216 |
| 9.3.1.49 | Repetition Period | 216 |
| 9.3.1.50 | PDU Session ID | 217 |
| 9.3.1.51 | QoS Flow Identifier | 217 |
| 9.3.1.52 | PDU Session Type | 217 |
| 9.3.1.53 | DRB ID | 217 |
| 9.3.1.54 | Masked IMEISV | 217 |
| 9.3.1.55 | New Security Context Indicator | 218 |
| 9.3.1.56 | Time to Wait | 218 |
| 9.3.1.57 | Global N3IWF ID | 218 |
| 9.3.1.58 | UE Aggregate Maximum Bit Rate | 218 |
| 9.3.1.59 | Security Result | 219 |
| 9.3.1.60 | User Plane Security Information | 219 |
| 9.3.1.61 | Index to RAT/Frequency Selection Priority | 219 |
| 9.3.1.62 | Data Forwarding Accepted | 219 |
| 9.3.1.63 | Data Forwarding Not Possible | 219 |
| 9.3.1.64 | Direct Forwarding Path Availability | 220 |
| 9.3.1.65 | Location Reporting Request Type | 220 |
| 9.3.1.66 | Area of Interest | 221 |
| 9.3.1.67 | UE Presence in Area of Interest List | 221 |
| 9.3.1.68 | UE Radio Capability for Paging | 221 |
| 9.3.1.69 | Assistance Data for Paging | 222 |
| 9.3.1.70 | Assistance Data for Recommended Cells | 222 |
| 9.3.1.71 | Recommended Cells for Paging | 222 |
| 9.3.1.72 | Paging Attempt Information | 222 |
| 9.3.1.73 | NG-RAN CGI | 223 |
| 9.3.1.74 | UE Radio Capability | 223 |
| 9.3.1.74a | UE Radio Capability – E-UTRA Format | 223 |
| 9.3.1.75 | Time Stamp | 223 |
| 9.3.1.76 | Location Reporting Reference ID | 224 |
| 9.3.1.77 | Data Forwarding Response DRB List | 224 |
| 9.3.1.78 | Paging Priority | 224 |
| 9.3.1.79 | Packet Loss Rate | 224 |
| 9.3.1.80 | Packet Delay Budget | 224 |
| 9.3.1.81 | Packet Error Rate | 225 |
| 9.3.1.82 | Averaging Window | 225 |
| 9.3.1.83 | Maximum Data Burst Volume | 225 |
| 9.3.1.84 | Priority Level | 225 |
| 9.3.1.85 | Mobility Restriction List | 225 |
| 9.3.1.86 | UE Security Capabilities | 227 |
| 9.3.1.87 | Security Key | 229 |
| 9.3.1.88 | Security Context | 229 |
| 9.3.1.89 | IMS Voice Support Indicator | 229 |
| 9.3.1.90 | Paging DRX | 229 |
| 9.3.1.91 | RRC Inactive Transition Report Request | 230 |
| 9.3.1.92 | RRC State | 230 |
| 9.3.1.93 | Expected UE Behaviour | 230 |
| 9.3.1.94 | Expected UE Activity Behaviour | 231 |
| 9.3.1.95 | UE History Information | 232 |
| 9.3.1.96 | Last Visited Cell Information | 232 |
| 9.3.1.97 | Last Visited NG-RAN Cell Information | 233 |
| 9.3.1.98 | Cell Type | 233 |
| 9.3.1.99 | Associated QoS Flow List | 234 |
| 9.3.1.100 | Information on Recommended Cells and RAN Nodes for Paging | 234 |
| 9.3.1.101 | Recommended RAN Nodes for Paging | 234 |

| | | |
|-----------|--|-----|
| 9.3.1.102 | PDU Session Aggregate Maximum Bit Rate | 235 |
| 9.3.1.103 | Maximum Integrity Protected Data Rate..... | 235 |
| 9.3.1.104 | Overload Response..... | 235 |
| 9.3.1.105 | Overload Action..... | 235 |
| 9.3.1.106 | Traffic Load Reduction Indication..... | 236 |
| 9.3.1.107 | Slice Overload List..... | 236 |
| 9.3.1.108 | RAN Status Transfer Transparent Container | 236 |
| 9.3.1.109 | COUNT Value for PDCP SN Length 12..... | 238 |
| 9.3.1.110 | COUNT Value for PDCP SN Length 18..... | 238 |
| 9.3.1.111 | RRC Establishment Cause | 238 |
| 9.3.1.112 | Warning Area Coordinates..... | 239 |
| 9.3.1.113 | Network Instance | 239 |
| 9.3.1.114 | Secondary RAT Usage Information..... | 239 |
| 9.3.1.115 | Volume Timed Report List | 240 |
| 9.3.1.116 | Redirection for Voice EPS Fallback | 240 |
| 9.3.1.117 | UE Retention Information..... | 241 |
| 9.3.1.118 | UL Forwarding..... | 241 |
| 9.3.1.119 | CN Assisted RAN Parameters Tuning | 241 |
| 9.3.1.120 | Common Network Instance..... | 241 |
| 9.3.1.121 | Data Forwarding Response E-RAB List | 241 |
| 9.3.1.122 | gNB Set ID..... | 242 |
| 9.3.1.123 | RNC-ID | 242 |
| 9.3.1.124 | Extended RNC-ID..... | 242 |
| 9.3.1.125 | RAT Information..... | 242 |
| 9.3.1.126 | Extended RAT Restriction Information | 242 |
| 9.3.1.127 | SgNB UE X2AP ID | 243 |
| 9.3.1.128 | SRVCC Operation Possible | 243 |
| 9.3.1.129 | IAB Authorized..... | 243 |
| 9.3.1.130 | TSC Traffic Characteristics..... | 243 |
| 9.3.1.131 | TSC Assistance Information | 244 |
| 9.3.1.132 | Periodicity | 244 |
| 9.3.1.133 | Burst Arrival Time | 244 |
| 9.3.1.134 | Redundant QoS Flow Indicator..... | 244 |
| 9.3.1.135 | Extended Packet Delay Budget..... | 244 |
| 9.3.1.136 | Redundant PDU Session Information | 245 |
| 9.3.1.137 | NB-IoT Default Paging DRX..... | 245 |
| 9.3.1.138 | NB-IoT Paging eDRX Information..... | 245 |
| 9.3.1.139 | NB-IoT Paging DRX..... | 245 |
| 9.3.1.140 | Enhanced Coverage Restriction | 246 |
| 9.3.1.141 | Paging Assistance Data for CE Capable UE..... | 246 |
| 9.3.1.142 | UE Radio Capability ID | 246 |
| 9.3.1.143 | WUS Assistance Information..... | 246 |
| 9.3.1.144 | UE Differentiation Information..... | 246 |
| 9.3.1.145 | NB-IoT UE Priority..... | 248 |
| 9.3.1.146 | NR V2X Services Authorized | 248 |
| 9.3.1.147 | LTE V2X Services Authorized | 248 |
| 9.3.1.148 | NR UE Sidelink Aggregate Maximum Bit Rate | 248 |
| 9.3.1.149 | LTE UE Sidelink Aggregate Maximum Bit Rate..... | 248 |
| 9.3.1.150 | PC5 QoS Parameters | 249 |
| 9.3.1.151 | Alternative QoS Parameters Set List..... | 249 |
| 9.3.1.152 | Alternative QoS Parameters Set Index | 250 |
| 9.3.1.153 | Alternative QoS Parameters Set Notify Index..... | 250 |
| 9.3.1.154 | E-UTRA Paging eDRX Information..... | 250 |
| 9.3.1.155 | CE-mode-B Restricted | 250 |
| 9.3.1.156 | CE-mode-B Support Indicator | 251 |
| 9.3.1.157 | LTE-M Indication | 251 |
| 9.3.1.158 | Suspend Request Indication | 251 |
| 9.3.1.159 | Suspend Response Indication..... | 251 |
| 9.3.1.160 | UE User Plane CIoT Support Indicator..... | 251 |
| 9.3.1.161 | Global TNGF ID | 252 |
| 9.3.1.162 | Global W-AGF ID | 252 |
| 9.3.1.163 | Global TWIF ID..... | 252 |

| | | |
|-----------|--|-----|
| 9.3.1.164 | W-AGF User Location Information | 253 |
| 9.3.1.165 | Global eNB ID | 254 |
| 9.3.1.166 | UE History Information from UE | 254 |
| 9.3.1.167 | MDT Configuration | 254 |
| 9.3.1.168 | MDT PLMN List | 254 |
| 9.3.1.169 | MDT Configuration-NR..... | 255 |
| 9.3.1.170 | MDT Configuration-EUTRA | 258 |
| 9.3.1.171 | M1 Configuration..... | 258 |
| 9.3.1.172 | M4 Configuration..... | 260 |
| 9.3.1.173 | M5 Configuration..... | 260 |
| 9.3.1.174 | M6 Configuration..... | 261 |
| 9.3.1.175 | M7 Configuration..... | 261 |
| 9.3.1.176 | MDT Location Information..... | 262 |
| 9.3.1.177 | Bluetooth Measurement Configuration | 262 |
| 9.3.1.178 | WLAN Measurement Configuration..... | 262 |
| 9.3.1.179 | Sensor Measurement Configuration..... | 263 |
| 9.3.1.180 | Event Trigger Logged MDT Configuration | 263 |
| 9.3.1.181 | NR Frequency Info..... | 264 |
| 9.3.1.182 | Area Scope of Neighbour Cells..... | 265 |
| 9.3.1.183 | NPN Paging Assistance Information..... | 265 |
| 9.3.1.184 | NPN Mobility Information..... | 265 |
| 9.3.1.185 | Cell CAG Information..... | 265 |
| 9.3.1.186 | Target to Source Failure Transparent Container | 266 |
| 9.3.1.187 | Target NG-RAN Node to Source NG-RAN Node Failure Transparent Container | 266 |
| 9.3.1.188 | DAPS Request Information..... | 266 |
| 9.3.1.189 | DAPS Response Information | 266 |
| 9.3.1.190 | Early Status Transfer Transparent Container | 267 |
| 9.3.1.191 | Extended Slice Support List..... | 267 |
| 9.3.1.192 | UE Capability Info Request | 267 |
| 9.3.1.193 | Extended RAN Node Name | 268 |
| 9.3.1.194 | MICO All PLMN | 268 |
| 9.3.1.195 | Source Node ID..... | 268 |
| 9.3.1.196 | E-UTRAN Composite Available Capacity Group | 268 |
| 9.3.1.197 | E-UTRAN Composite Available Capacity | 268 |
| 9.3.1.198 | E-UTRAN Cell Capacity Class Value | 269 |
| 9.3.1.199 | E-UTRAN Capacity Value | 269 |
| 9.3.1.200 | E-UTRAN Radio Resource Status | 269 |
| 9.3.1.201 | Void..... | 270 |
| 9.3.1.202 | Void..... | 270 |
| 9.3.1.203 | Void..... | 270 |
| 9.3.1.204 | Void..... | 270 |
| 9.3.1.205 | NR Radio Resource Status | 270 |
| 9.3.1.206 | MBS Session ID..... | 270 |
| 9.3.1.207 | MBS Area Session ID | 270 |
| 9.3.1.208 | MBS Service Area | 271 |
| 9.3.1.209 | MBS Service Area information..... | 271 |
| 9.3.1.210 | MBS Support Indicator | 271 |
| 9.3.1.211 | MBS Session Setup Request List | 271 |
| 9.3.1.212 | MBS Session Setup or Modify Request List..... | 272 |
| 9.3.1.213 | MBS Session Setup Response List..... | 272 |
| 9.3.1.214 | MBS Session Failed to Setup List..... | 273 |
| 9.3.1.215 | MBS Session To Release List | 273 |
| 9.3.1.216 | Multicast Group Paging Area..... | 273 |
| 9.3.1.217 | MBS Session Status | 274 |
| 9.3.1.218 | MRB ID | 274 |
| 9.3.1.219 | MRB Progress Information | 274 |
| 9.3.1.220 | Time Synchronisation Assistance Information | 274 |
| 9.3.1.221 | Survival Time..... | 274 |
| 9.3.1.222 | QMC Deactivation | 275 |
| 9.3.1.223 | QMC Configuration Information | 275 |
| 9.3.1.224 | UE Application Layer Measurement Configuration Information | 275 |
| 9.3.1.225 | Available RAN Visible QoE Metrics | 277 |