

ETSI TS 138 413 V18.9.0 (2026-04)



TECHNICAL SPECIFICATION

**5G;
NG-RAN;
NG Application Protocol (NGAP)
(3GPP TS 38.413 version 18.9.0 Release 18)**

get full document from standards.iteh.ai



Reference

RTS/TSGR-0338413vi90

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	19
1 Scope	20
2 References	20
3 Definitions and abbreviations.....	22
3.1 Definitions	22
3.2 Abbreviations	23
4 General	24
4.1 Procedure Specification Principles.....	24
4.2 Forwards and Backwards Compatibility	25
4.3 Specification Notations	25
5 NGAP Services	25
6 Services Expected from Signalling Transport.....	25
7 Functions of NGAP.....	26
8 NGAP Procedures	26
8.1 List of NGAP Elementary Procedures.....	26
8.2 PDU Session Management Procedures	29
8.2.1 PDU Session Resource Setup	29
8.2.1.1 General	29
8.2.1.2 Successful Operation.....	29
8.2.1.3 Unsuccessful Operation	33
8.2.1.4 Abnormal Conditions	34
8.2.2 PDU Session Resource Release	34
8.2.2.1 General	34
8.2.2.2 Successful Operation.....	34
8.2.2.3 Unsuccessful Operation	35
8.2.2.4 Abnormal Conditions	35
8.2.3 PDU Session Resource Modify	35
8.2.3.1 General	35
8.2.3.2 Successful Operation.....	35
8.2.3.3 Unsuccessful Operation	40
8.2.3.4 Abnormal Conditions	40
8.2.4 PDU Session Resource Notify	40
8.2.4.1 General	40
8.2.4.2 Successful Operation.....	41
8.2.4.3 Abnormal Conditions	42
8.2.5 PDU Session Resource Modify Indication	42
8.2.5.1 General	42
8.2.5.2 Successful Operation.....	42
8.2.5.3 Unsuccessful Operation	44
8.2.5.4 Abnormal Conditions	44
8.3 UE Context Management Procedures.....	44
8.3.1 Initial Context Setup	44
8.3.1.1 General	44
8.3.1.2 Successful Operation.....	44
8.3.1.3 Unsuccessful Operation	49
8.3.1.4 Abnormal Conditions	49
8.3.2 UE Context Release Request (NG-RAN node initiated)	50
8.3.2.1 General	50

8.3.2.2	Successful Operation.....	50
8.3.2.3	Abnormal Conditions	50
8.3.3	UE Context Release (AMF initiated).....	50
8.3.3.1	General	50
8.3.3.2	Successful Operation.....	51
8.3.3.3	Unsuccessful Operation	51
8.3.3.4	Abnormal Conditions	51
8.3.4	UE Context Modification.....	51
8.3.4.1	General	51
8.3.4.2	Successful Operation.....	52
8.3.4.3	Unsuccessful Operation	55
8.3.4.4	Abnormal Conditions	55
8.3.5	RRC Inactive Transition Report	56
8.3.5.1	General	56
8.3.5.2	Successful Operation.....	56
8.3.5.3	Abnormal Conditions	56
8.3.6	Connection Establishment Indication	56
8.3.6.1	General	56
8.3.6.2	Successful Operation.....	56
8.3.6.3	Abnormal Conditions	57
8.3.7	AMF CP Relocation Indication	58
8.3.7.1	General	58
8.3.7.2	Successful Operation.....	58
8.3.7.3	Abnormal Conditions	58
8.3.8	RAN CP Relocation Indication.....	58
8.3.8.1	General	58
8.3.8.2	Successful Operation.....	59
8.3.8.3	Abnormal Conditions	59
8.3.9	Retrieve UE Information	59
8.3.9.1	General	59
8.3.9.2	Successful Operation.....	60
8.3.9.3	Abnormal Conditions	60
8.3.10	UE Information Transfer	60
8.3.10.1	General	60
8.3.10.2	Successful Operation.....	60
8.3.10.3	Abnormal Conditions	61
8.3.11	UE Context Suspend	61
8.3.11.1	General	61
8.3.11.2	Successful Operation.....	61
8.3.11.3	Unsuccessful Operation	62
8.3.11.4	Abnormal Conditions	62
8.3.12	UE Context Resume.....	62
8.3.12.1	General	62
8.3.12.2	Successful Operation.....	62
8.3.12.3	Unsuccessful Operation	63
8.3.12.4	Abnormal Conditions	63
8.3.13	MT Communication Handling.....	64
8.3.13.1	General	64
8.3.13.2	Successful Operation.....	64
8.3.13.3	Unsuccessful Operation	64
8.3.13.4	Abnormal Conditions	64
8.3.14	RAN Paging Request.....	65
8.3.14.1	General	65
8.3.14.2	Successful Operation.....	65
8.3.14.3	Abnormal Conditions	65
8.4	UE Mobility Management Procedures	65
8.4.1	Handover Preparation	65
8.4.1.1	General	65
8.4.1.2	Successful Operation.....	66
8.4.1.3	Unsuccessful Operation	68
8.4.1.4	Abnormal Conditions	68
8.4.2	Handover Resource Allocation.....	68

8.4.2.1	General	68
8.4.2.2	Successful Operation.....	69
8.4.2.3	Unsuccessful Operation	76
8.4.2.4	Abnormal Conditions	77
8.4.3	Handover Notification	77
8.4.3.1	General	77
8.4.3.2	Successful Operation.....	78
8.4.3.3	Abnormal Conditions	78
8.4.4	Path Switch Request	78
8.4.4.1	General	78
8.4.4.2	Successful Operation.....	78
8.4.4.3	Unsuccessful Operation	84
8.4.4.4	Abnormal Conditions	84
8.4.5	Handover Cancellation	84
8.4.5.1	General	84
8.4.5.2	Successful Operation.....	85
8.4.5.3	Unsuccessful Operation	85
8.4.5.4	Abnormal Conditions	85
8.4.6	Uplink RAN Status Transfer.....	85
8.4.6.1	General	85
8.4.6.2	Successful Operation.....	85
8.4.6.3	Abnormal Conditions	86
8.4.7	Downlink RAN Status Transfer	86
8.4.7.1	General	86
8.4.7.2	Successful Operation.....	86
8.4.7.3	Abnormal Conditions	86
8.4.8	Handover Success	86
8.4.8.1	General	86
8.4.8.2	Successful Operation.....	87
8.4.8.3	Abnormal Conditions	87
8.4.9	Uplink RAN Early Status Transfer	87
8.4.9.1	General	87
8.4.9.2	Successful Operation.....	87
8.4.9.3	Abnormal Conditions	87
8.4.10	Downlink RAN Early Status Transfer	88
8.4.10.1	General	88
8.4.10.2	Successful Operation.....	88
8.4.10.3	Abnormal Conditions	88
8.5	Paging Procedures	88
8.5.1	Paging	88
8.5.1.1	General	88
8.5.1.2	Successful Operation.....	89
8.5.1.3	Abnormal Conditions	90
8.5.2	Multicast Group Paging	90
8.5.2.1	General	90
8.5.2.2	Successful Operation.....	90
8.5.2.3	Abnormal Conditions	91
8.6	Transport of NAS Messages Procedures	91
8.6.1	Initial UE Message.....	91
8.6.1.1	General	91
8.6.1.2	Successful Operation.....	91
8.6.1.3	Abnormal Conditions	92
8.6.2	Downlink NAS Transport.....	92
8.6.2.1	General	92
8.6.2.2	Successful Operation.....	92
8.6.2.3	Abnormal Conditions	94
8.6.3	Uplink NAS Transport.....	94
8.6.3.1	General	94
8.6.3.2	Successful Operation.....	94
8.6.3.3	Abnormal Conditions	95
8.6.4	NAS Non Delivery Indication	95
8.6.4.1	General	95

8.6.4.2	Successful Operation.....	95
8.6.4.3	Abnormal Conditions	95
8.6.5	Reroute NAS Request.....	95
8.6.5.1	General	95
8.6.5.2	Successful Operation.....	96
8.6.5.3	Abnormal Conditions	96
8.7	Interface Management Procedures	96
8.7.1	NG Setup	96
8.7.1.1	General	96
8.7.1.2	Successful Operation.....	97
8.7.1.3	Unsuccessful Operation	98
8.7.1.4	Abnormal Conditions	98
8.7.2	RAN Configuration Update	98
8.7.2.1	General	98
8.7.2.2	Successful Operation.....	98
8.7.2.3	Unsuccessful Operation	100
8.7.2.4	Abnormal Conditions	100
8.7.3	AMF Configuration Update.....	100
8.7.3.1	General	100
8.7.3.2	Successful Operation.....	100
8.7.3.3	Unsuccessful Operation	102
8.7.3.4	Abnormal Conditions	102
8.7.4	NG Reset.....	102
8.7.4.1	General	102
8.7.4.2	Successful Operation.....	102
8.7.4.2.1	NG Reset initiated by the AMF	102
8.7.4.2.2	NG Reset initiated by the NG-RAN node	103
8.7.4.3	Unsuccessful Operation	104
8.7.4.4	Abnormal Conditions	104
8.7.4.4.1	Abnormal Condition at the 5GC.....	104
8.7.4.4.2	Abnormal Condition at the NG-RAN.....	104
8.7.4.4.3	Crossing of NG RESET Messages	104
8.7.5	Error Indication.....	105
8.7.5.1	General	105
8.7.5.2	Successful Operation.....	105
8.7.5.3	Abnormal Conditions	105
8.7.6	AMF Status Indication.....	105
8.7.6.1	General	105
8.7.6.2	Successful Operation.....	106
8.7.6.3	Abnormal Conditions	106
8.7.7	Overload Start.....	106
8.7.7.1	General	106
8.7.7.2	Successful Operation.....	106
8.7.7.3	Abnormal Conditions	107
8.7.8	Overload Stop	107
8.7.8.1	General	107
8.7.8.2	Successful Operation.....	108
8.7.8.3	Abnormal Conditions	108
8.8	Configuration Transfer Procedures	108
8.8.1	Uplink RAN Configuration Transfer	108
8.8.1.1	General	108
8.8.1.2	Successful Operation.....	108
8.8.1.3	Abnormal Conditions	109
8.8.2	Downlink RAN Configuration Transfer	109
8.8.2.1	General	109
8.8.2.2	Successful Operation.....	109
8.8.2.3	Abnormal Conditions	110
8.9	Warning Message Transmission Procedures.....	110
8.9.1	Write-Replace Warning	110
8.9.1.1	General	110
8.9.1.2	Successful Operation.....	110
8.9.1.3	Unsuccessful Operation	111

8.9.1.4	Abnormal Conditions	111
8.9.2	PWS Cancel	112
8.9.2.1	General	112
8.9.2.2	Successful Operation.....	112
8.9.2.3	Unsuccessful Operation	112
8.9.2.4	Abnormal Conditions	112
8.9.3	PWS Restart Indication.....	113
8.9.3.1	General	113
8.9.3.2	Successful Operation.....	113
8.9.3.3	Abnormal Conditions	113
8.9.4	PWS Failure Indication.....	113
8.9.4.1	General	113
8.9.4.2	Successful Operation.....	113
8.9.4.3	Abnormal Conditions	114
8.10	NRPPa Transport Procedures.....	114
8.10.1	General.....	114
8.10.2	Successful Operations.....	114
8.10.2.1	DOWNLINK UE ASSOCIATED NRPPA TRANSPORT	114
8.10.2.2	UPLINK UE ASSOCIATED NRPPA TRANSPORT	114
8.10.2.3	DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT	115
8.10.2.4	UPLINK NON UE ASSOCIATED NRPPA TRANSPORT	115
8.10.3	Unsuccessful Operations.....	115
8.10.4	Abnormal Conditions.....	115
8.11	Trace Procedures	116
8.11.1	Trace Start.....	116
8.11.1.1	General	116
8.11.1.2	Successful Operation.....	116
8.11.1.3	Abnormal Conditions	117
8.11.2	Trace Failure Indication.....	117
8.11.2.1	General	117
8.11.2.2	Successful Operation.....	117
8.11.2.3	Abnormal Conditions	117
8.11.3	Deactivate Trace	117
8.11.3.1	General	117
8.11.3.2	Successful Operation.....	118
8.11.3.3	Abnormal Conditions	118
8.11.4	Cell Traffic Trace.....	118
8.11.4.1	General	118
8.11.4.2	Successful Operation.....	118
8.11.4.3	Abnormal Conditions	118
8.12	Location Reporting Procedures	119
8.12.1	Location Reporting Control	119
8.12.1.1	General	119
8.12.1.2	Successful Operation.....	119
8.12.1.3	Abnormal Conditions	120
8.12.2	Location Reporting Failure Indication.....	120
8.12.2.1	General	120
8.12.2.2	Successful Operation.....	120
8.12.2.3	Abnormal Conditions	120
8.12.3	Location Report	120
8.12.3.1	General	120
8.12.3.2	Successful Operation.....	121
8.12.3.3	Abnormal Conditions	121
8.13	UE TNLA Binding Procedures	121
8.13.1	UE TNLA Binding Release	121
8.13.1.1	General	121
8.13.1.2	Successful Operation.....	121
8.13.1.3	Abnormal Conditions	121
8.14	UE Radio Capability Management Procedures	122
8.14.1	UE Radio Capability Info Indication	122
8.14.1.1	General	122
8.14.1.2	Successful Operation.....	122

8.14.1.3	Abnormal Conditions	122
8.14.2	UE Radio Capability Check	122
8.14.2.1	General	122
8.14.2.2	Successful Operation	123
8.14.2.3	Unsuccessful Operation	123
8.14.2.4	Abnormal Conditions	123
8.14.3	UE Radio Capability ID Mapping	123
8.14.3.1	General	123
8.14.3.2	Successful Operation	124
8.14.3.3	Unsuccessful Operation	124
8.14.3.4	Abnormal Conditions	124
8.15	Data Usage Reporting Procedures	124
8.15.1	Secondary RAT Data Usage Report	124
8.15.1.1	General	124
8.15.1.2	Successful Operation	124
8.15.1.3	Abnormal Conditions	125
8.16	RIM Information Transfer Procedures	125
8.16.1	Uplink RIM Information Transfer	125
8.16.1.1	General	125
8.16.1.2	Successful Operation	125
8.16.1.3	Abnormal Conditions	125
8.16.2	Downlink RIM Information Transfer	125
8.16.2.1	General	125
8.16.2.2	Successful Operation	126
8.16.2.3	Abnormal Conditions	126
8.17	Broadcast Session Management Procedures	126
8.17.1	Broadcast Session Setup	126
8.17.1.1	General	126
8.17.1.2	Successful Operation	126
8.17.1.3	Unsuccessful Operation	127
8.17.1.4	Abnormal Conditions	127
8.17.2	Broadcast Session Modification	127
8.17.2.1	General	127
8.17.2.2	Successful Operation	127
8.17.2.3	Unsuccessful Operation	128
8.17.2.4	Abnormal Conditions	128
8.17.3	Broadcast Session Release	128
8.17.3.1	General	128
8.17.3.2	Successful Operation	128
8.17.3.3	Unsuccessful Operation	129
8.17.3.4	Abnormal Conditions	129
8.17.4	Broadcast Session Release Required	129
8.17.4.1	General	129
8.17.4.2	Successful Operation	129
8.17.4.3	Abnormal Conditions	129
8.17.5	Broadcast Session Transport	129
8.17.5.1	General	129
8.17.5.2	Successful Operation	130
8.17.5.3	Unsuccessful Operation	130
8.17.5.4	Abnormal Conditions	130
8.18	Multicast Session Management Procedures	130
8.18.1	Distribution Setup	130
8.18.1.1	General	130
8.18.1.2	Successful Operation	131
8.18.1.3	Unsuccessful Operation	131
8.18.1.4	Abnormal Conditions	131
8.18.2	Distribution Release	132
8.18.2.1	General	132
8.18.2.2	Successful Operation	132
8.18.2.3	Unsuccessful Operation	132
8.18.2.4	Abnormal Conditions	132
8.18.3	Multicast Session Activation	132

8.18.3.1	General	132
8.18.3.2	Successful Operation.....	133
8.18.3.3	Unsuccessful Operation	133
8.18.3.4	Abnormal Conditions	133
8.18.4	Multicast Session Deactivation.....	134
8.18.4.1	General	134
8.18.4.2	Successful Operation.....	134
8.18.4.3	Unsuccessful Operation	134
8.18.4.4	Abnormal Conditions	134
8.18.5	Multicast Session Update.....	134
8.18.5.1	General	134
8.18.5.2	Successful Operation.....	135
8.18.5.3	Unsuccessful Operation	136
8.18.5.4	Abnormal Conditions	136
8.19	Timing Synchronisation Status Reporting Procedures	136
8.19.1	Timing Synchronisation Status.....	136
8.19.1.1	General	136
8.19.1.2	Successful Operation.....	136
8.19.1.3	Unsuccessful Operation	137
8.19.1.4	Abnormal Conditions	137
8.19.2	Timing Synchronisation Status Report	137
8.19.2.1	General	137
8.19.2.2	Successful Operation.....	137
8.19.2.3	Abnormal Conditions	137
9	Elements for NGAP Communication.....	138
9.0	General	138
9.1	Tabular Format Contents.....	138
9.1.1	Presence	138
9.1.2	Criticality	138
9.1.3	Range	138
9.1.4	Assigned Criticality	139
9.2	Message Functional Definition and Content	139
9.2.1	PDU Session Management Messages	139
9.2.1.1	PDU SESSION RESOURCE SETUP REQUEST	139
9.2.1.2	PDU SESSION RESOURCE SETUP RESPONSE.....	139
9.2.1.3	PDU SESSION RESOURCE RELEASE COMMAND	140
9.2.1.4	PDU SESSION RESOURCE RELEASE RESPONSE	141
9.2.1.5	PDU SESSION RESOURCE MODIFY REQUEST	141
9.2.1.6	PDU SESSION RESOURCE MODIFY RESPONSE	143
9.2.1.7	PDU SESSION RESOURCE NOTIFY	143
9.2.1.8	PDU SESSION RESOURCE MODIFY INDICATION.....	144
9.2.1.9	PDU SESSION RESOURCE MODIFY CONFIRM	145
9.2.2	UE Context Management Messages	145
9.2.2.1	INITIAL CONTEXT SETUP REQUEST	145
9.2.2.2	INITIAL CONTEXT SETUP RESPONSE	148
9.2.2.3	INITIAL CONTEXT SETUP FAILURE.....	149
9.2.2.4	UE CONTEXT RELEASE REQUEST	150
9.2.2.5	UE CONTEXT RELEASE COMMAND	150
9.2.2.6	UE CONTEXT RELEASE COMPLETE	150
9.2.2.7	UE CONTEXT MODIFICATION REQUEST.....	151
9.2.2.8	UE CONTEXT MODIFICATION RESPONSE.....	153
9.2.2.9	UE CONTEXT MODIFICATION FAILURE.....	153
9.2.2.10	RRC INACTIVE TRANSITION REPORT.....	154
9.2.2.11	CONNECTION ESTABLISHMENT INDICATION.....	154
9.2.2.12	AMF CP RELOCATION INDICATION	155
9.2.2.13	RAN CP RELOCATION INDICATION.....	155
9.2.2.14	RETRIEVE UE INFORMATION	155
9.2.2.15	UE INFORMATION TRANSFER	156
9.2.2.16	UE CONTEXT SUSPEND REQUEST	156
9.2.2.17	UE CONTEXT SUSPEND RESPONSE	157
9.2.2.18	UE CONTEXT SUSPEND FAILURE	157

9.2.2.19	UE CONTEXT RESUME REQUEST	158
9.2.2.20	UE CONTEXT RESUME RESPONSE	158
9.2.2.21	UE CONTEXT RESUME FAILURE	159
9.2.2.22	MT COMMUNICATION HANDLING REQUEST	159
9.2.2.23	MT COMMUNICATION HANDLING RESPONSE	160
9.2.2.24	MT COMMUNICATION HANDLING FAILURE	160
9.2.2.25	RAN PAGING REQUEST	160
9.2.3	UE Mobility Management Messages	161
9.2.3.1	HANDOVER REQUIRED	161
9.2.3.2	HANDOVER COMMAND	161
9.2.3.3	HANDOVER PREPARATION FAILURE	162
9.2.3.4	HANDOVER REQUEST	163
9.2.3.5	HANDOVER REQUEST ACKNOWLEDGE	166
9.2.3.6	HANDOVER FAILURE	167
9.2.3.7	HANDOVER NOTIFY	167
9.2.3.8	PATH SWITCH REQUEST	168
9.2.3.9	PATH SWITCH REQUEST ACKNOWLEDGE	169
9.2.3.10	PATH SWITCH REQUEST FAILURE	172
9.2.3.11	HANDOVER CANCEL	172
9.2.3.12	HANDOVER CANCEL ACKNOWLEDGE	172
9.2.3.13	UPLINK RAN STATUS TRANSFER	173
9.2.3.14	DOWNLINK RAN STATUS TRANSFER	173
9.2.3.15	HANDOVER SUCCESS	173
9.2.3.16	UPLINK RAN EARLY STATUS TRANSFER	173
9.2.3.17	DOWNLINK RAN EARLY STATUS TRANSFER	174
9.2.4	Paging Messages	174
9.2.4.1	PAGING	174
9.2.4.2	MULTICAST GROUP PAGING	175
9.2.5	NAS Transport Messages	177
9.2.5.1	INITIAL UE MESSAGE	177
9.2.5.2	DOWNLINK NAS TRANSPORT	178
9.2.5.3	UPLINK NAS TRANSPORT	178
9.2.5.4	NAS NON DELIVERY INDICATION	179
9.2.5.5	REROUTE NAS REQUEST	179
9.2.6	Interface Management Messages	180
9.2.6.1	NG SETUP REQUEST	180
9.2.6.2	NG SETUP RESPONSE	181
9.2.6.3	NG SETUP FAILURE	182
9.2.6.4	RAN CONFIGURATION UPDATE	182
9.2.6.5	RAN CONFIGURATION UPDATE ACKNOWLEDGE	184
9.2.6.6	RAN CONFIGURATION UPDATE FAILURE	184
9.2.6.7	AMF CONFIGURATION UPDATE	184
9.2.6.8	AMF CONFIGURATION UPDATE ACKNOWLEDGE	186
9.2.6.9	AMF CONFIGURATION UPDATE FAILURE	187
9.2.6.10	AMF STATUS INDICATION	187
9.2.6.11	NG RESET	187
9.2.6.12	NG RESET ACKNOWLEDGE	188
9.2.6.13	ERROR INDICATION	188
9.2.6.14	OVERLOAD START	188
9.2.6.15	OVERLOAD STOP	189
9.2.7	Configuration Transfer Messages	189
9.2.7.1	UPLINK RAN CONFIGURATION TRANSFER	189
9.2.7.2	DOWNLINK RAN CONFIGURATION TRANSFER	190
9.2.8	Warning Message Transmission Messages	190
9.2.8.1	WRITE-REPLACE WARNING REQUEST	190
9.2.8.2	WRITE-REPLACE WARNING RESPONSE	190
9.2.8.3	PWS CANCEL REQUEST	191
9.2.8.4	PWS CANCEL RESPONSE	191
9.2.8.5	PWS RESTART INDICATION	191
9.2.8.6	PWS FAILURE INDICATION	192
9.2.9	NRPPa Transport Messages	193
9.2.9.1	DOWNLINK UE ASSOCIATED NRPPA TRANSPORT	193

9.2.9.2	UPLINK UE ASSOCIATED NRPPA TRANSPORT	193
9.2.9.3	DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT	193
9.2.9.4	UPLINK NON UE ASSOCIATED NRPPA TRANSPORT	193
9.2.10	Trace Messages.....	194
9.2.10.1	TRACE START	194
9.2.10.2	TRACE FAILURE INDICATION	194
9.2.10.3	DEACTIVATE TRACE	194
9.2.10.4	CELL TRAFFIC TRACE	194
9.2.11	Location Reporting Messages.....	195
9.2.11.1	LOCATION REPORTING CONTROL	195
9.2.11.2	LOCATION REPORTING FAILURE INDICATION	195
9.2.11.3	LOCATION REPORT	196
9.2.12	UE TNLA Binding Messages	196
9.2.12.1	UE TNLA BINDING RELEASE REQUEST	196
9.2.13	UE Radio Capability Management Messages.....	196
9.2.13.1	UE RADIO CAPABILITY INFO INDICATION	196
9.2.13.2	UE RADIO CAPABILITY CHECK REQUEST	197
9.2.13.3	UE RADIO CAPABILITY CHECK RESPONSE.....	197
9.2.13.4	UE RADIO CAPABILITY ID MAPPING REQUEST	197
9.2.13.5	UE RADIO CAPABILITY ID MAPPING RESPONSE	198
9.2.14	Data Usage Reporting Messages	198
9.2.14.1	SECONDARY RAT DATA USAGE REPORT	198
9.2.15	RIM Information Transfer Messages.....	198
9.2.15.1	UPLINK RIM INFORMATION TRANSFER	198
9.2.15.2	DOWNLINK RIM INFORMATION TRANSFER	199
9.2.16	Broadcast Session Management Messages.....	199
9.2.16.1	BROADCAST SESSION SETUP REQUEST	199
9.2.16.2	BROADCAST SESSION SETUP RESPONSE	199
9.2.16.3	BROADCAST SESSION SETUP FAILURE	200
9.2.16.4	BROADCAST SESSION MODIFICATION REQUEST	200
9.2.16.5	BROADCAST SESSION MODIFICATION RESPONSE	200
9.2.16.6	BROADCAST SESSION MODIFICATION FAILURE	201
9.2.16.7	BROADCAST SESSION RELEASE REQUEST	201
9.2.16.8	BROADCAST SESSION RELEASE RESPONSE	201
9.2.16.9	BROADCAST SESSION RELEASE REQUIRED	201
9.2.16.10	BROADCAST SESSION TRANSPORT REQUEST	202
9.2.16.11	BROADCAST SESSION TRANSPORT RESPONSE	202
9.2.16.12	BROADCAST SESSION TRANSPORT FAILURE	202
9.2.17	Multicast Session Management Messages.....	203
9.2.17.1	DISTRIBUTION SETUP REQUEST	203
9.2.17.2	DISTRIBUTION SETUP RESPONSE.....	203
9.2.17.3	DISTRIBUTION SETUP FAILURE	203
9.2.17.4	DISTRIBUTION RELEASE REQUEST	204
9.2.17.5	DISTRIBUTION RELEASE RESPONSE	204
9.2.17.6	MULTICAST SESSION ACTIVATION REQUEST	204
9.2.17.7	MULTICAST SESSION ACTIVATION RESPONSE	204
9.2.17.8	MULTICAST SESSION ACTIVATION FAILURE	205
9.2.17.9	MULTICAST SESSION DEACTIVATION REQUEST	205
9.2.17.10	MULTICAST SESSION DEACTIVATION RESPONSE	205
9.2.17.11	MULTICAST SESSION UPDATE REQUEST	205
9.2.17.12	MULTICAST SESSION UPDATE RESPONSE	206
9.2.17.13	MULTICAST SESSION UPDATE FAILURE	206
9.2.18	Timing Synchronisation Status Reporting Messages.....	206
9.2.18.1	TIMING SYNCHRONISATION STATUS REQUEST.....	206
9.2.18.2	TIMING SYNCHRONISATION STATUS RESPONSE.....	207
9.2.18.3	TIMING SYNCHRONISATION STATUS FAILURE.....	207
9.2.18.4	TIMING SYNCHRONISATION STATUS REPORT	207
9.3	Information Element Definitions.....	207
9.3.1	Radio Network Layer Related IEs	207
9.3.1.1	Message Type	207
9.3.1.2	Cause.....	208
9.3.1.3	Criticality Diagnostics.....	214

9.3.1.4	Bit Rate	215
9.3.1.5	Global RAN Node ID.....	215
9.3.1.6	Global gNB ID	215
9.3.1.7	NR CGI	215
9.3.1.8	Global ng-eNB ID	216
9.3.1.9	E-UTRA CGI	216
9.3.1.10	GBR QoS Flow Information	216
9.3.1.11	Void.....	217
9.3.1.12	QoS Flow Level QoS Parameters.....	217
9.3.1.13	QoS Flow List with Cause	218
9.3.1.14	Trace Activation.....	219
9.3.1.15	Core Network Assistance Information for RRC INACTIVE.....	220
9.3.1.16	User Location Information	221
9.3.1.17	Slice Support List.....	223
9.3.1.18	Dynamic 5QI Descriptor	223
9.3.1.19	Allocation and Retention Priority	225
9.3.1.20	Source to Target Transparent Container	225
9.3.1.21	Target to Source Transparent Container	226
9.3.1.22	Handover Type.....	226
9.3.1.23	MICO Mode Indication.....	227
9.3.1.24	S-NSSAI	227
9.3.1.25	Target ID.....	227
9.3.1.26	Emergency Fallback Indicator	228
9.3.1.27	Security Indication	228
9.3.1.28	Non Dynamic 5QI Descriptor	229
9.3.1.29	Source NG-RAN Node to Target NG-RAN Node Transparent Container	230
9.3.1.30	Target NG-RAN Node to Source NG-RAN Node Transparent Container	234
9.3.1.31	Allowed NSSAI	236
9.3.1.32	Relative AMF Capacity.....	236
9.3.1.33	DL Forwarding.....	236
9.3.1.34	DRBs to QoS Flows Mapping List	236
9.3.1.35	Message Identifier.....	237
9.3.1.36	Serial Number	237
9.3.1.37	Warning Area List.....	237
9.3.1.38	Number of Broadcasts Requested	237
9.3.1.39	Warning Type	238
9.3.1.40	Void.....	238
9.3.1.41	Data Coding Scheme.....	238
9.3.1.42	Warning Message Contents.....	238
9.3.1.43	Broadcast Completed Area List	238
9.3.1.44	Broadcast Cancelled Area List.....	239
9.3.1.45	Number of Broadcasts.....	241
9.3.1.46	Concurrent Warning Message Indicator.....	241
9.3.1.47	Cancel-All Warning Messages Indicator	241
9.3.1.48	Emergency Area ID.....	241
9.3.1.49	Repetition Period.....	241
9.3.1.50	PDU Session ID	242
9.3.1.51	QoS Flow Identifier.....	242
9.3.1.52	PDU Session Type	242
9.3.1.53	DRB ID	242
9.3.1.54	Masked IMEISV	242
9.3.1.55	New Security Context Indicator.....	243
9.3.1.56	Time to Wait	243
9.3.1.57	Global N3IWF ID	243
9.3.1.58	UE Aggregate Maximum Bit Rate	243
9.3.1.59	Security Result	244
9.3.1.60	User Plane Security Information	244
9.3.1.61	Index to RAT/Frequency Selection Priority.....	244
9.3.1.62	Data Forwarding Accepted.....	244
9.3.1.63	Data Forwarding Not Possible	244
9.3.1.64	Direct Forwarding Path Availability	245
9.3.1.65	Location Reporting Request Type.....	245

9.3.1.66	Area of Interest.....	247
9.3.1.67	UE Presence in Area of Interest List.....	247
9.3.1.68	UE Radio Capability for Paging.....	247
9.3.1.69	Assistance Data for Paging.....	248
9.3.1.70	Assistance Data for Recommended Cells.....	248
9.3.1.71	Recommended Cells for Paging.....	248
9.3.1.72	Paging Attempt Information.....	248
9.3.1.73	NG-RAN CGI.....	249
9.3.1.74	UE Radio Capability.....	249
9.3.1.74a	UE Radio Capability – E-UTRA Format.....	249
9.3.1.75	Time Stamp.....	249
9.3.1.76	Location Reporting Reference ID.....	250
9.3.1.77	Data Forwarding Response DRB List.....	250
9.3.1.78	Paging Priority.....	250
9.3.1.79	Packet Loss Rate.....	250
9.3.1.80	Packet Delay Budget.....	250
9.3.1.81	Packet Error Rate.....	251
9.3.1.82	Averaging Window.....	251
9.3.1.83	Maximum Data Burst Volume.....	251
9.3.1.84	Priority Level.....	251
9.3.1.85	Mobility Restriction List.....	251
9.3.1.86	UE Security Capabilities.....	253
9.3.1.87	Security Key.....	255
9.3.1.88	Security Context.....	255
9.3.1.89	IMS Voice Support Indicator.....	255
9.3.1.90	Paging DRX.....	255
9.3.1.91	RRC Inactive Transition Report Request.....	256
9.3.1.92	RRC State.....	256
9.3.1.93	Expected UE Behaviour.....	256
9.3.1.94	Expected UE Activity Behaviour.....	257
9.3.1.95	UE History Information.....	258
9.3.1.96	Last Visited Cell Information.....	258
9.3.1.97	Last Visited NG-RAN Cell Information.....	259
9.3.1.98	Cell Type.....	260
9.3.1.99	Associated QoS Flow List.....	260
9.3.1.100	Information on Recommended Cells and RAN Nodes for Paging.....	260
9.3.1.101	Recommended RAN Nodes for Paging.....	260
9.3.1.102	PDU Session Aggregate Maximum Bit Rate.....	261
9.3.1.103	Maximum Integrity Protected Data Rate.....	261
9.3.1.104	Overload Response.....	261
9.3.1.105	Overload Action.....	262
9.3.1.106	Traffic Load Reduction Indication.....	262
9.3.1.107	Slice Overload List.....	262
9.3.1.108	RAN Status Transfer Transparent Container.....	262
9.3.1.109	COUNT Value for PDCP SN Length 12.....	264
9.3.1.110	COUNT Value for PDCP SN Length 18.....	264
9.3.1.111	RRC Establishment Cause.....	264
9.3.1.112	Warning Area Coordinates.....	265
9.3.1.113	Network Instance.....	265
9.3.1.114	Secondary RAT Usage Information.....	265
9.3.1.115	Volume Timed Report List.....	266
9.3.1.116	Redirection for Voice EPS Fallback.....	266
9.3.1.117	UE Retention Information.....	267
9.3.1.118	UL Forwarding.....	267
9.3.1.119	CN Assisted RAN Parameters Tuning.....	267
9.3.1.120	Common Network Instance.....	267
9.3.1.121	Data Forwarding Response E-RAB List.....	267
9.3.1.122	gNB Set ID.....	268
9.3.1.123	RNC-ID.....	268
9.3.1.124	Extended RNC-ID.....	268
9.3.1.125	RAT Information.....	268
9.3.1.126	Extended RAT Restriction Information.....	268

9.3.1.127	SgNB UE X2AP ID	269
9.3.1.128	SRVCC Operation Possible	269
9.3.1.129	IAB Authorized	269
9.3.1.130	TSC Traffic Characteristics.....	269
9.3.1.131	TSC Assistance Information	270
9.3.1.132	Periodicity	270
9.3.1.133	Burst Arrival Time	270
9.3.1.134	Redundant QoS Flow Indicator.....	270
9.3.1.135	Extended Packet Delay Budget.....	271
9.3.1.136	Redundant PDU Session Information	271
9.3.1.137	NB-IoT Default Paging DRX.....	271
9.3.1.138	NB-IoT Paging eDRX Information.....	271
9.3.1.139	NB-IoT Paging DRX.....	272
9.3.1.140	Enhanced Coverage Restriction	272
9.3.1.141	Paging Assistance Data for CE Capable UE	272
9.3.1.142	UE Radio Capability ID	272
9.3.1.143	WUS Assistance Information.....	273
9.3.1.144	UE Differentiation Information.....	273
9.3.1.145	NB-IoT UE Priority.....	275
9.3.1.146	NR V2X Services Authorized	275
9.3.1.147	LTE V2X Services Authorized	275
9.3.1.148	NR UE Sidelink Aggregate Maximum Bit Rate	275
9.3.1.149	LTE UE Sidelink Aggregate Maximum Bit Rate.....	275
9.3.1.150	PC5 QoS Parameters	276
9.3.1.151	Alternative QoS Parameters Set List.....	276
9.3.1.152	Alternative QoS Parameters Set Index	277
9.3.1.153	Alternative QoS Parameters Set Notify Index.....	277
9.3.1.154	E-UTRA Paging eDRX Information	277
9.3.1.155	CE-mode-B Restricted	277
9.3.1.156	CE-mode-B Support Indicator	278
9.3.1.157	LTE-M Indication	278
9.3.1.158	Suspend Request Indication	278
9.3.1.159	Suspend Response Indication.....	278
9.3.1.160	UE User Plane CIoT Support Indicator.....	278
9.3.1.161	Global TNGF ID	279
9.3.1.162	Global W-AGF ID	279
9.3.1.163	Global TWIF ID.....	279
9.3.1.164	W-AGF User Location Information.....	280
9.3.1.165	Global eNB ID	281
9.3.1.166	UE History Information from UE	281
9.3.1.167	MDT Configuration	281
9.3.1.168	MDT PLMN List	282
9.3.1.169	MDT Configuration-NR.....	282
9.3.1.170	MDT Configuration-EUTRA	286
9.3.1.171	M1 Configuration.....	286
9.3.1.172	M4 Configuration.....	288
9.3.1.173	M5 Configuration.....	288
9.3.1.174	M6 Configuration.....	289
9.3.1.175	M7 Configuration.....	289
9.3.1.176	MDT Location Information.....	289
9.3.1.177	Bluetooth Measurement Configuration.....	290
9.3.1.178	WLAN Measurement Configuration.....	290
9.3.1.179	Sensor Measurement Configuration.....	290
9.3.1.180	Event Trigger Logged MDT Configuration	291
9.3.1.181	NR Frequency Info.....	292
9.3.1.182	Area Scope of Neighbour Cells.....	292
9.3.1.183	NPN Paging Assistance Information.....	292
9.3.1.184	NPN Mobility Information.....	293
9.3.1.185	Cell CAG Information.....	293
9.3.1.186	Target to Source Failure Transparent Container	294
9.3.1.187	Target NG-RAN Node to Source NG-RAN Node Failure Transparent Container	294
9.3.1.188	DAPS Request Information.....	294