

ETSI TS 138 423 V17.14.0 (2026-04)



TECHNICAL SPECIFICATION

**5G;
NG-RAN;
Xn Application Protocol (XnAP)
(3GPP TS 38.423 version 17.14.0 Release 17)**

Sample Document
get full document from standards.iteh.ai



Reference

RTS/TSGR-0338423vhe0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	15
1 Scope	16
2 References	16
3 Definitions, symbols and abbreviations	18
3.1 Definitions	18
3.2 Abbreviations	19
4 General	19
4.1 Procedure specification principles.....	19
4.2 Forwards and backwards compatibility.....	20
4.3 Specification notations	20
5 XnAP services	20
5.1 XnAP procedure modules	20
5.2 Parallel transactions.....	21
6 Services expected from signalling transport.....	21
7 Functions of XnAP.....	21
8 XnAP procedures	21
8.1 Elementary procedures	21
8.2 Basic mobility procedures	24
8.2.1 Handover Preparation	24
8.2.1.1 General	24
8.2.1.2 Successful Operation.....	24
8.2.1.3 Unsuccessful Operation	30
8.2.1.4 Abnormal Conditions	30
8.2.2 SN Status Transfer	31
8.2.2.1 General	31
8.2.2.2 Successful Operation.....	31
8.2.2.3 Unsuccessful Operation	32
8.2.2.4 Abnormal Conditions	32
8.2.3 Handover Cancel	32
8.2.3.1 General	32
8.2.3.2 Successful Operation.....	32
8.2.3.3 Unsuccessful Operation	33
8.2.3.4 Abnormal Conditions	33
8.2.4 Retrieve UE Context.....	33
8.2.4.1 General	33
8.2.4.2 Successful Operation.....	33
8.2.4.3 Unsuccessful Operation	36
8.2.4.4 Abnormal Conditions	36
8.2.5 RAN Paging.....	37
8.2.5.1 General	37
8.2.5.2 Successful operation.....	37
8.2.5.3 Unsuccessful Operation	38
8.2.5.4 Abnormal Condition.....	38
8.2.6 XN-U Address Indication	38
8.2.6.1 General	38
8.2.6.2 Successful Operation.....	38
8.2.6.3 Unsuccessful Operation	39
8.2.6.4 Abnormal Conditions	39

8.2.7	UE Context Release	40
8.2.7.1	General	40
8.2.7.2	Successful Operation.....	40
8.2.7.3	Unsuccessful Operation	41
8.2.7.4	Abnormal Conditions	41
8.2.8	Handover Success	41
8.2.8.1	General	41
8.2.8.2	Successful Operation.....	42
8.2.8.3	Unsuccessful Operation	42
8.2.8.4	Abnormal Conditions	42
8.2.9	Conditional Handover Cancel.....	42
8.2.9.1	General	42
8.2.9.2	Successful Operation.....	43
8.2.9.3	Unsuccessful Operation	43
8.2.9.4	Abnormal Conditions	43
8.2.10	Early Status Transfer	43
8.2.10.1	General	43
8.2.10.2	Successful Operation.....	44
8.2.10.3	Unsuccessful Operation	45
8.2.10.4	Abnormal Conditions	45
8.2.11	RAN Multicast Group Paging.....	45
8.2.11.1	General	45
8.2.11.2	Successful operation.....	45
8.2.12	Retrieve UE Context Confirm	46
8.2.12.1	General	46
8.2.12.2	Successful Operation.....	46
8.2.12.3	Unsuccessful Operation	46
8.2.12.4	Abnormal Conditions	46
8.2.13	Partial UE Context Transfer.....	46
8.2.13.1	General	46
8.2.13.2	Successful Operation.....	47
8.2.13.3	Unsuccessful Operation	47
8.2.13.4	Abnormal Condition.....	47
8.3	Procedures for Dual Connectivity	47
8.3.1	S-NG-RAN node Addition Preparation	47
8.3.1.1	General	47
8.3.1.2	Successful Operation.....	48
8.3.1.3	Unsuccessful Operation	54
8.3.1.4	Abnormal Conditions	54
8.3.2	S-NG-RAN node Reconfiguration Completion	55
8.3.2.1	General	55
8.3.2.2	Successful Operation.....	55
8.3.2.3	Abnormal Conditions	55
8.3.3	M-NG-RAN node initiated S-NG-RAN node Modification Preparation	55
8.3.3.1	General	55
8.3.3.2	Successful Operation.....	56
8.3.3.3	Unsuccessful Operation	64
8.3.3.4	Abnormal Conditions	64
8.3.4	S-NG-RAN node initiated S-NG-RAN node Modification	65
8.3.4.1	General	65
8.3.4.2	Successful Operation.....	66
8.3.4.3	Unsuccessful Operation	68
8.3.4.4	Abnormal Conditions	69
8.3.5	S-NG-RAN node initiated S-NG-RAN node Change.....	70
8.3.5.1	General	70
8.3.5.2	Successful Operation.....	70
8.3.5.3	Unsuccessful Operation	71
8.3.5.4	Abnormal Conditions	71
8.3.6	M-NG-RAN node initiated S-NG-RAN node Release	72
8.3.6.1	General	72
8.3.6.2	Successful Operation.....	72
8.3.6.3	Unsuccessful Operation	73

8.3.6.4	Abnormal Conditions	73
8.3.7	S-NG-RAN node initiated S-NG-RAN node Release	73
8.3.7.1	General	73
8.3.7.2	Successful Operation.....	73
8.3.7.3	Unsuccessful Operation	74
8.3.7.4	Abnormal Conditions	74
8.3.8	S-NG-RAN node Counter Check.....	74
8.3.8.1	General	74
8.3.8.2	Successful Operation.....	74
8.3.8.3	Unsuccessful Operation	75
8.3.8.4	Abnormal Conditions	75
8.3.9	RRC Transfer.....	75
8.3.9.1	General	75
8.3.9.2	Successful Operation.....	75
8.3.9.3	Unsuccessful Operation	76
8.3.9.4	Abnormal Conditions	76
8.3.10	Notification Control Indication.....	76
8.3.10.1	General	76
8.3.10.2	Successful Operation – M-NG-RAN node initiated.....	77
8.3.10.3	Successful Operation – S-NG-RAN node initiated	77
8.3.10.4	Abnormal Conditions	77
8.3.11	Activity Notification	78
8.3.11.1	General	78
8.3.11.2	Successful Operation.....	78
8.3.11.3	Abnormal Conditions	78
8.3.12	E-UTRA – NR Cell Resource Coordination.....	79
8.3.12.1	General	79
8.3.12.2	Successful Operation.....	79
8.3.13	Secondary RAT Data Usage Report	80
8.3.13.1	General	80
8.3.13.2	Successful Operation.....	80
8.3.13.3	Unsuccessful Operation	80
8.3.13.4	Abnormal Conditions	80
8.3.14	Trace Start.....	80
8.3.14.1	General	80
8.3.14.2	Successful Operation.....	81
8.3.14.3	Abnormal Conditions	81
8.3.15	Deactivate Trace	81
8.3.15.1	General	81
8.3.15.2	Successful Operation.....	82
8.3.15.3	Abnormal Conditions	82
8.3.16	Cell Traffic Trace.....	82
8.3.16.1	General	82
8.3.16.2	Successful Operation.....	82
8.3.17	SCG Failure Information Report	82
8.3.17.1	General	82
8.3.17.2	Successful Operation.....	83
8.3.17.3	Unsuccessful Operation	83
8.3.17.4	Abnormal Conditions	83
8.3.18	SCG Failure Transfer.....	83
8.3.18.1	General	83
8.3.18.2	Successful Operation.....	84
8.3.18.3	Unsuccessful Operation	84
8.3.18.4	Abnormal Conditions	84
8.3.19	Conditional PSCell Change Cancel	84
8.3.19.1	General	84
8.3.19.2	Successful Operation.....	84
8.3.19.3	Unsuccessful Operation	84
8.3.19.4	Abnormal Conditions	85
8.4	Global procedures.....	85
8.4.1	Xn Setup	85
8.4.1.1	General	85

8.4.1.2	Successful Operation.....	85
8.4.1.3	Unsuccessful Operation	88
8.4.1.4	Abnormal Conditions	88
8.4.2	NG-RAN node Configuration Update	88
8.4.2.1	General	88
8.4.2.2	Successful Operation.....	89
8.4.2.3	Unsuccessful Operation	93
8.4.2.4	Abnormal Conditions	94
8.4.3	Cell Activation.....	94
8.4.3.1	General	94
8.4.3.2	Successful Operation.....	94
8.4.3.3	Unsuccessful Operation	95
8.4.3.4	Abnormal Conditions	95
8.4.4	Reset	95
8.4.4.1	General	95
8.4.4.2	Successful Operation.....	95
8.4.4.3	Unsuccessful Operation	96
8.4.4.4	Abnormal Conditions	96
8.4.5	Error Indication.....	96
8.4.5.1	General	96
8.4.5.2	Successful Operation.....	97
8.4.5.3	Unsuccessful Operation	97
8.4.5.4	Abnormal Conditions	97
8.4.6	Xn Removal	97
8.4.6.1	General	97
8.4.6.2	Successful Operation.....	98
8.4.6.3	Unsuccessful Operation	98
8.4.6.4	Abnormal Conditions	98
8.4.7	Failure Indication.....	99
8.4.7.1	General	99
8.4.7.2	Successful Operation.....	99
8.4.7.3	Unsuccessful Operation	99
8.4.7.4	Abnormal Conditions	99
8.4.8	Handover Report.....	99
8.4.8.1	General	99
8.4.8.2	Successful Operation.....	100
8.4.8.3	Unsuccessful Operation	100
8.4.8.4	Abnormal Conditions	100
8.4.9	Mobility Settings Change	100
8.4.9.1	General	100
8.4.9.2	Successful Operation.....	101
8.4.9.3	Unsuccessful Operation	101
8.4.9.4	Abnormal Conditions	101
8.4.10	Resource Status Reporting Initiation	102
8.4.10.1	General	102
8.4.10.2	Successful Operation.....	102
8.4.10.3	Unsuccessful Operation	103
8.4.10.4	Abnormal Conditions	103
8.4.11	Resource Status Reporting	104
8.4.11.1	General	104
8.4.11.2	Successful Operation.....	104
8.4.11.3	Unsuccessful Operation	104
8.4.11.4	Abnormal Conditions	104
8.4.12	Access And Mobility Indication	104
8.4.12.1	General	104
8.4.12.2	Successful Operation.....	105
8.4.12.3	Abnormal Conditions	105
8.5	IAB Procedures	105
8.5.1	F1-C Traffic Transfer.....	105
8.5.1.1	General	105
8.5.1.2	Successful Operation.....	105
8.5.1.3	Unsuccessful Operation	106

8.5.1.4	Abnormal Conditions	106
8.5.2	IAB Transport Migration Management	106
8.5.2.1	General	106
8.5.2.2	Successful Operation.....	106
8.5.2.3	Unsuccessful Operation	107
8.5.2.4	Abnormal Conditions	107
8.5.3	IAB Transport Migration Modification	107
8.5.3.1	General	107
8.5.3.2	Successful Operation.....	108
8.5.3.3	Unsuccessful Operation	108
8.5.3.4	Abnormal Conditions	109
8.5.4	IAB Resource Coordination.....	109
8.5.4.1	General	109
8.5.4.2	Successful Operation.....	109
8.5.4.3	Unsuccessful Operation	109
8.5.4.4	Abnormal Conditions	109
9	Elements for XnAP Communication.....	110
9.0	General	110
9.1	Message Functional Definition and Content	110
9.1.1	Messages for Basic Mobility Procedures	110
9.1.1.1	HANDOVER REQUEST	110
9.1.1.2	HANDOVER REQUEST ACKNOWLEDGE.....	113
9.1.1.3	HANDOVER PREPARATION FAILURE	114
9.1.1.4	SN STATUS TRANSFER	114
9.1.1.5	UE CONTEXT RELEASE	115
9.1.1.6	HANDOVER CANCEL	115
9.1.1.7	RAN PAGING	116
9.1.1.8	RETRIEVE UE CONTEXT REQUEST.....	116
9.1.1.9	RETRIEVE UE CONTEXT RESPONSE.....	119
9.1.1.10	RETRIEVE UE CONTEXT FAILURE.....	119
9.1.1.11	XN-U ADDRESS INDICATION	120
9.1.1.12	HANDOVER SUCCESS	121
9.1.1.13	CONDITIONAL HANDOVER CANCEL	122
9.1.1.14	EARLY STATUS TRANSFER.....	122
9.1.1.15	RAN MULTICAST GROUP PAGING	124
9.1.1.16	RETRIEVE UE CONTEXT CONFIRM	124
9.1.1.17	PARTIAL UE CONTEXT TRANSFER.....	125
9.1.1.18	PARTIAL UE CONTEXT TRANSFER ACKNOWLEDGE.....	125
9.1.1.19	PARTIAL UE CONTEXT TRANSFER FAILURE	126
9.1.2	Messages for Dual Connectivity Procedures	126
9.1.2.1	S-NODE ADDITION REQUEST	126
9.1.2.2	S-NODE ADDITION REQUEST ACKNOWLEDGE.....	129
9.1.2.3	S-NODE ADDITION REQUEST REJECT.....	131
9.1.2.4	S-NODE RECONFIGURATION COMPLETE	132
9.1.2.5	S-NODE MODIFICATION REQUEST	132
9.1.2.6	S-NODE MODIFICATION REQUEST ACKNOWLEDGE	137
9.1.2.7	S-NODE MODIFICATION REQUEST REJECT	139
9.1.2.8	S-NODE MODIFICATION REQUIRED	140
9.1.2.9	S-NODE MODIFICATION CONFIRM.....	142
9.1.2.10	S-NODE MODIFICATION REFUSE	143
9.1.2.11	S-NODE CHANGE REQUIRED	144
9.1.2.12	S-NODE CHANGE CONFIRM	145
9.1.2.13	S-NODE CHANGE REFUSE.....	147
9.1.2.14	S-NODE RELEASE REQUEST.....	147
9.1.2.15	S-NODE RELEASE REQUEST ACKNOWLEDGE.....	148
9.1.2.16	S-NODE RELEASE REJECT	148
9.1.2.17	S-NODE RELEASE REQUIRED	148
9.1.2.18	S-NODE RELEASE CONFIRM	149
9.1.2.19	S-NODE COUNTER CHECK REQUEST	149
9.1.2.20	RRC TRANSFER	150
9.1.2.21	NOTIFICATION CONTROL INDICATION	152

9.1.2.22	ACTIVITY NOTIFICATION.....	153
9.1.2.23	E-UTRA – NR CELL RESOURCE COORDINATION REQUEST.....	153
9.1.2.24	E-UTRA – NR CELL RESOURCE COORDINATION RESPONSE.....	155
9.1.2.25	SECONDARY RAT DATA USAGE REPORT.....	156
9.1.2.26	TRACE START.....	156
9.1.2.27	DEACTIVATE TRACE.....	157
9.1.2.28	CELL TRAFFIC TRACE.....	157
9.1.2.29	SCG FAILURE INFORMATION REPORT.....	158
9.1.2.30	SCG FAILURE TRANSFER.....	158
9.1.2.31	CONDITIONAL PSCell CHANGE CANCEL.....	159
9.1.3	Messages for Global Procedures.....	159
9.1.3.1	XN SETUP REQUEST.....	159
9.1.3.2	XN SETUP RESPONSE.....	160
9.1.3.3	XN SETUP FAILURE.....	162
9.1.3.4	NG-RAN NODE CONFIGURATION UPDATE.....	162
9.1.3.5	NG-RAN NODE CONFIGURATION UPDATE ACKNOWLEDGE.....	165
9.1.3.6	NG-RAN NODE CONFIGURATION UPDATE FAILURE.....	167
9.1.3.7	CELL ACTIVATION REQUEST.....	167
9.1.3.8	CELL ACTIVATION RESPONSE.....	168
9.1.3.9	CELL ACTIVATION FAILURE.....	168
9.1.3.10	RESET REQUEST.....	169
9.1.3.11	RESET RESPONSE.....	169
9.1.3.12	ERROR INDICATION.....	170
9.1.3.13	XN REMOVAL REQUEST.....	170
9.1.3.14	XN REMOVAL RESPONSE.....	171
9.1.3.15	XN REMOVAL FAILURE.....	171
9.1.3.16	FAILURE INDICATION.....	171
9.1.3.17	HANDOVER REPORT.....	173
9.1.3.18	RESOURCE STATUS REQUEST.....	174
9.1.3.19	RESOURCE STATUS RESPONSE.....	176
9.1.3.20	RESOURCE STATUS FAILURE.....	176
9.1.3.21	RESOURCE STATUS UPDATE.....	176
9.1.3.22	MOBILITY CHANGE REQUEST.....	177
9.1.3.23	MOBILITY CHANGE ACKNOWLEDGE.....	178
9.1.3.24	MOBILITY CHANGE FAILURE.....	178
9.1.3.25	ACCESS AND MOBILITY INDICATION.....	179
9.1.4	Messages for IAB Procedures.....	180
9.1.4.1	F1-C TRAFFIC TRANSFER.....	180
9.1.4.2	IAB TRANSPORT MIGRATION MANAGEMENT REQUEST.....	180
9.1.4.3	IAB TRANSPORT MIGRATION MANAGEMENT RESPONSE.....	181
9.1.4.3a	IAB TRANSPORT MIGRATION MANAGEMENT REJECT.....	182
9.1.4.4	IAB TRANSPORT MIGRATION MODIFICATION REQUEST.....	182
9.1.4.5	IAB TRANSPORT MIGRATION MODIFICATION RESPONSE.....	183
9.1.4.6	IAB RESOURCE COORDINATION REQUEST.....	184
9.1.4.7	IAB RESOURCE COORDINATION RESPONSE.....	184
9.2	Information Element definitions.....	185
9.2.0	General.....	185
9.2.1	Container and List IE definitions.....	185
9.2.1.1	PDU Session Resources To Be Setup List.....	185
9.2.1.2	PDU Session Resources Admitted List.....	187
9.2.1.3	PDU Session Resources Not Admitted List.....	188
9.2.1.4	QoS Flow List with Cause.....	188
9.2.1.4a	QoS Flow List.....	188
9.2.1.5	PDU Session Resource Setup Info – SN terminated.....	189
9.2.1.6	PDU Session Resource Setup Response Info – SN terminated.....	190
9.2.1.7	PDU Session Resource Setup Info – MN terminated.....	192
9.2.1.8	PDU Session Resource Setup Response Info – MN terminated.....	194
9.2.1.9	PDU Session Resource Modification Info – SN terminated.....	195
9.2.1.10	PDU Session Resource Modification Response Info – SN terminated.....	197
9.2.1.11	PDU Session Resource Modification Info – MN terminated.....	201
9.2.1.12	PDU Session Resource Modification Response Info – MN terminated.....	204
9.2.1.13	UE Context Information – Retrieve UE Context Response.....	205

9.2.1.14	DRBs Subject To Status Transfer List	206
9.2.1.15	DRB to QoS Flow Mapping List.....	208
9.2.1.16	Data Forwarding Info from target NG-RAN node	209
9.2.1.17	Data Forwarding and Offloading Info from source NG-RAN node.....	209
9.2.1.18	PDU Session Resource Change Required Info – SN terminated	210
9.2.1.19	PDU Session Resource Change Confirm Info – SN terminated	210
9.2.1.20	PDU Session Resource Modification Required Info – SN terminated.....	211
9.2.1.21	PDU Session Resource Modification Confirm Info – SN terminated	214
9.2.1.22	PDU Session Resource Modification Required Info – MN terminated.....	215
9.2.1.23	PDU Session Resource Modification Confirm Info – MN terminated.....	216
9.2.1.24	PDU Session List with data forwarding request info	216
9.2.1.25	PDU Session List with data forwarding info from the target node	217
9.2.1.26	PDU Session List with Cause.....	217
9.2.1.27	PDU Session List	217
9.2.1.28	DRB List with Cause	217
9.2.1.29	DRB List	218
9.2.1.30	PDU Session Resource Setup Complete Info – SN terminated.....	218
9.2.1.31	Secondary Data Forwarding Info from target NG-RAN node List	218
9.2.1.32	Additional UL NG-U UP TNL Information at UPF List	219
9.2.1.33	DAPS Request Information.....	219
9.2.1.34	DAPS Response Information	219
9.2.1.35	Data Forwarding Info from target E-UTRAN node	220
9.2.1.36	MBS Session Information List.....	220
9.2.1.37	MBS Session Associated Information.....	220
9.2.1.38	MBS Session Information Response List.....	221
9.2.1.39	MBS Mapping and Data Forwarding Request Info from source NG-RAN node	221
9.2.1.40	MBS Data Forwarding Response Info from target NG-RAN node	222
9.2.2	NG-RAN Node and Cell Configuration related IE definitions	222
9.2.2.1	Global gNB ID	222
9.2.2.2	Global ng-eNB ID	222
9.2.2.3	Global NG-RAN Node ID	223
9.2.2.4	PLMN Identity	223
9.2.2.5	TAC.....	223
9.2.2.6	RAN Area Code	224
9.2.2.7	NR CGI	224
9.2.2.8	E-UTRA CGI	224
9.2.2.9	NG-RAN Cell Identity	224
9.2.2.10	NG-RAN Cell PCI	224
9.2.2.11	Served Cell Information NR	225
9.2.2.12	Served Cell Information E-UTRA	231
9.2.2.13	Neighbour Information NR	234
9.2.2.14	Neighbour Information E-UTRA	235
9.2.2.15	Served Cells To Update NR	235
9.2.2.16	Served Cells to Update E-UTRA	236
9.2.2.17	Cell Assistance Information NR	237
9.2.2.18	SUL Information	237
9.2.2.19	NR Frequency Info.....	238
9.2.2.20	NR Transmission Bandwidth	239
9.2.2.21	E-UTRA ARFCN.....	239
9.2.2.22	E-UTRA Transmission Bandwidth	240
9.2.2.23	Number of Antenna Ports E-UTRA	240
9.2.2.24	E-UTRA Multiband Info List.....	240
9.2.2.25	E-UTRA PRACH Configuration	240
9.2.2.26	MBSFN Subframe Allocation E-UTRA	241
9.2.2.27	Global NG-RAN Cell Identity	241
9.2.2.28	Connectivity Support	241
9.2.2.29	Protected E-UTRA Resource Indication	241
9.2.2.30	Data Traffic Resource Indication	243
9.2.2.31	Data Traffic Resources.....	243
9.2.2.32	Reserved Subframe Pattern	244
9.2.2.33	MR-DC Resource Coordination Information	244
9.2.2.34	E-UTRA Resource Coordination Information	245

9.2.2.35	NR Resource Coordination Information	246
9.2.2.36	E-UTRA Coordination Assistance Information	247
9.2.2.37	NR Coordination Assistance Information	247
9.2.2.38	NE-DC TDM Pattern	248
9.2.2.39	Interface Instance Indication	248
9.2.2.39a	Configured TAC Indication	248
9.2.2.40	Intended TDD DL-UL Configuration NR	248
9.2.2.41	Cell and Capacity Assistance Information NR	250
9.2.2.42	Cell and Capacity Assistance Information E-UTRA	250
9.2.2.43	Cell Assistance Information E-UTRA	250
9.2.2.44	Maximum Cell List Size	250
9.2.2.45	Message Oversize Notification	251
9.2.2.46	Partial List Indicator	251
9.2.2.47	Offset of NB-IoT Channel Number to EARFCN	251
9.2.2.48	NB-IoT UL DL Alignment Offset	251
9.2.2.49	TNL Capacity Indicator	251
9.2.2.50	Radio Resource Status	252
9.2.2.51	Composite Available Capacity Group	254
9.2.2.52	Composite Available Capacity	255
9.2.2.53	Cell Capacity Class Value	255
9.2.2.54	Capacity Value	255
9.2.2.55	Slice Available Capacity	256
9.2.2.56	RRC Connections	256
9.2.2.57	Number of RRC Connections	256
9.2.2.58	Available RRC Connection Capacity Value	257
9.2.2.59	UE RLF Report	257
9.2.2.60	Mobility Parameters Information	257
9.2.2.61	Mobility Parameters Modification Range	258
9.2.2.62	Number of Active UEs	258
9.2.2.63	NR Carrier List	258
9.2.2.64	SSB Positions In Burst	259
9.2.2.65	NID	259
9.2.2.66	CAG-Identifier	259
9.2.2.67	Broadcast NID List	259
9.2.2.68	Broadcast SNPN ID List	260
9.2.2.69	Broadcast CAG-Identifier List	260
9.2.2.70	Broadcast PNI-NPN ID Information	260
9.2.2.71	NPN Broadcast Information	260
9.2.2.72	NPN Support	261
9.2.2.73	Global Cell Identity	261
9.2.2.74	NPRACH Configuration	261
9.2.2.75	SFN Offset	262
9.2.2.76	CHO Configuration	263
9.2.2.77	SSB Offset Information	263
9.2.2.78	SSB Offset Modification Range	263
9.2.2.79	Multiplexing Info	264
9.2.2.80	Traffic Index	264
9.2.2.81	Traffic Profile	264
9.2.2.82	F1-Terminating Topology BH Information	265
9.2.2.83	Non-F1-terminating Topology BH Information	265
9.2.2.84	Traffic To Be Released Information	266
9.2.2.85	IAB TNL Address Request	266
9.2.2.86	IAB TNL Address Response	267
9.2.2.87	BAP Routing ID	267
9.2.2.88	BH RLC Channel ID	267
9.2.2.89	BAP Address	268
9.2.2.90	BAP Path ID	268
9.2.2.91	IAB QoS mapping information	268
9.2.2.92	IAB TNL Address	268
9.2.2.93	IAB TNL Addresses Requested	269
9.2.2.94	IAB Cell Information	269
9.2.2.95	gNB-DU Cell Resource Configuration	270

9.2.2.96	IAB STC Info.....	272
9.2.2.97	RB Set Configuration.....	273
9.2.2.98	IAB TNL Address Exception.....	273
9.2.2.99	BH Info List.....	274
9.2.2.100	Non-UP traffic.....	274
9.2.2.101	Local NG-RAN Node Identifier.....	274
9.2.2.102	Served Cell Specific Info Request.....	276
9.2.3	General IE definitions.....	276
9.2.3.1	Message Type.....	276
9.2.3.2	Cause.....	276
9.2.3.3	Criticality Diagnostics.....	282
9.2.3.4	Bit Rate.....	283
9.2.3.5	QoS Flow Level QoS Parameters.....	283
9.2.3.6	GBR QoS Flow Information.....	284
9.2.3.7	Allocation and Retention Priority.....	285
9.2.3.8	Non dynamic 5QI Descriptor.....	286
9.2.3.9	Dynamic 5QI Descriptor.....	287
9.2.3.10	QoS Flow Identifier.....	288
9.2.3.11	Packet Loss Rate.....	288
9.2.3.12	Packet Delay Budget.....	288
9.2.3.13	Packet Error Rate.....	288
9.2.3.14	Averaging Window.....	289
9.2.3.15	Maximum Data Burst Volume.....	289
9.2.3.16	NG-RAN node UE XnAP ID.....	289
9.2.3.17	UE Aggregate Maximum Bit Rate.....	289
9.2.3.18	PDU Session ID.....	289
9.2.3.19	PDU Session Type.....	290
9.2.3.20	TAI Support List.....	290
9.2.3.21	S-NSSAI.....	290
9.2.3.22	Slice Support List.....	291
9.2.3.23	Index to RAT/Frequency Selection Priority.....	291
9.2.3.24	GUAMI.....	291
9.2.3.25	Target Cell Global ID.....	291
9.2.3.26	AMF UE NGAP ID.....	291
9.2.3.27	SCG Configuration Query.....	292
9.2.3.28	RLC Mode.....	292
9.2.3.29	Transport Layer Address.....	292
9.2.3.30	UP Transport Layer Information.....	292
9.2.3.31	CP Transport Layer Information.....	293
9.2.3.32	Masked IMEISV.....	293
9.2.3.33	DRB ID.....	293
9.2.3.34	DL Forwarding.....	293
9.2.3.35	Data Forwarding Accepted.....	294
9.2.3.36	COUNT Value for PDCP SN Length 12.....	294
9.2.3.37	COUNT Value for PDCP SN Length 18.....	294
9.2.3.38	RAN Paging Area.....	294
9.2.3.39	RAN Area ID.....	295
9.2.3.40	UE Context ID.....	295
9.2.3.41	Assistance Data for RAN Paging.....	295
9.2.3.42	RAN Paging Attempt Information.....	295
9.2.3.43	UE RAN Paging Identity.....	296
9.2.3.44	Paging Priority.....	296
9.2.3.45	Delivery Status.....	296
9.2.3.46	I-RNTI.....	296
9.2.3.47	Location Reporting Information.....	297
9.2.3.48	Area of Interest Information.....	297
9.2.3.49	UE Security Capabilities.....	298
9.2.3.50	AS Security Information.....	299
9.2.3.51	S-NG-RAN node Security Key.....	299
9.2.3.52	Security Indication.....	300
9.2.3.53	Mobility Restriction List.....	300
9.2.3.54	Xn Benefit Value.....	302

9.2.3.55	Trace Activation.....	302
9.2.3.56	Time To Wait.....	303
9.2.3.57	QoS Flow Notification Control Indication Info	303
9.2.3.58	Request Reporting Reference ID.....	304
9.2.3.59	User plane traffic activity report	304
9.2.3.60	Lower Layer presence status change.....	304
9.2.3.61	RRC Resume Cause	304
9.2.3.62	Priority Level	305
9.2.3.63	PDCP SN Length	305
9.2.3.64	UE History Information	305
9.2.3.65	Last Visited Cell Information.....	305
9.2.3.66	Paging DRX	306
9.2.3.67	Security Result	306
9.2.3.68	UE Context Kept Indicator.....	306
9.2.3.69	PDU Session Aggregate Maximum Bit Rate	306
9.2.3.70	LCID	307
9.2.3.71	Duplication Activation	307
9.2.3.72	RRC Config Indication	307
9.2.3.73	Maximum Integrity Protected Data Rate.....	307
9.2.3.74	PDCP Change Indication	308
9.2.3.75	UL Configuration.....	308
9.2.3.76	UP Transport Parameters	308
9.2.3.77	Desired Activity Notification Level.....	309
9.2.3.78	Number of DRB IDs	309
9.2.3.79	QoS Flow Mapping Indication.....	309
9.2.3.80	RLC Status	309
9.2.3.81	Expected UE Behaviour	309
9.2.3.82	Expected UE Activity Behaviour.....	310
9.2.3.83	AMF Region Information	311
9.2.3.84	TNL Association Usage	311
9.2.3.85	Network Instance	311
9.2.3.86	PDCP Duplication Configuration.....	311
9.2.3.87	Secondary RAT Usage Information.....	311
9.2.3.88	Volume Timed Report List	312
9.2.3.89	Maximum IP Rate	312
9.2.3.90	UL Forwarding.....	313
9.2.3.91	UE Radio Capability for Paging.....	313
9.2.3.92	Common Network Instance.....	313
9.2.3.93	Default DRB Allowed.....	313
9.2.3.94	Split Session Indicator.....	313
9.2.3.95	UL Forwarding Proposal.....	314
9.2.3.96	TNL Configuration Info	314
9.2.3.97	NG-RAN Trace ID.....	315
9.2.3.98	Non-GBR Resources Offered.....	315
9.2.3.99	Extended RAT Restriction Information	315
9.2.3.100	5GC Mobility Restriction List Container	315
9.2.3.101	Maximum Number of CHO Preparations	316
9.2.3.102	Alternative QoS Parameters Set List.....	316
9.2.3.103	Alternative QoS Parameters Set Index	316
9.2.3.104	Alternative QoS Parameters Set Notify Index.....	316
9.2.3.105	NR V2X Services Authorized	317
9.2.3.106	LTE V2X Services Authorized	317
9.2.3.107	NR UE Sidelink Aggregate Maximum Bit Rate	317
9.2.3.108	LTE UE Sidelink Aggregate Maximum Bit Rate.....	317
9.2.3.109	PC5 QoS Parameters	317
9.2.3.110	UE History Information from the UE	318
9.2.3.111	RLC Duplication Information	318
9.2.3.112	Redundant PDU Session Information	319
9.2.3.113	Extended Packet Delay Budget.....	319
9.2.3.114	TSC Traffic Characteristics.....	319
9.2.3.115	TSC Assistance Information	319
9.2.3.116	Periodicity.....	320

9.2.3.117	Burst Arrival Time	320
9.2.3.118	Redundant QoS Flow Indicator	320
9.2.3.119	NPN Mobility Information	320
9.2.3.120	Allowed PNI-NPN ID List	321
9.2.3.121	NPN Paging Assistance Information	321
9.2.3.122	Void	321
9.2.3.123	PNI-NPN Restricted Information	321
9.2.3.124	URI	321
9.2.3.125	MDT Configuration	321
9.2.3.126	MDT Configuration-NR	322
9.2.3.127	MDT Configuration-EUTRA	324
9.2.3.128	M1 Configuration	324
9.2.3.129	M4 Configuration	326
9.2.3.130	M5 Configuration	327
9.2.3.131	M6 Configuration	327
9.2.3.132	M7 Configuration	327
9.2.3.133	MDT PLMN List	328
9.2.3.134	Bluetooth Measurement Configuration	328
9.2.3.135	WLAN Measurement Configuration	328
9.2.3.136	Sensor Measurement Configuration	329
9.2.3.137	Logged Event Trigger Config	329
9.2.3.138	UE Radio Capability ID	330
9.2.3.139	Extended Slice Support List	330
9.2.3.140	Area Scope of Neighbour Cells	330
9.2.3.141	Extended UE Identity Index Value	331
9.2.3.142	E-UTRA Paging eDRX Information	331
9.2.3.143	UE Specific DRX	331
9.2.3.144	QoS Mapping Information	331
9.2.3.144a	Hashed UE Identity Index Value	331
9.2.3.145	MRB ID	332
9.2.3.146	MBS Session ID	332
9.2.3.147	MRB Progress Information	332
9.2.3.148	MBS Area Session ID	332
9.2.3.149	MBS Service Area information	332
9.2.3.150	MBS Service Area	333
9.2.3.151	SCG UE History Information	333
9.2.3.152	Survival Time	333
9.2.3.153	Time Synchronisation Assistance Information	334
9.2.3.154	SCG Activation Request	334
9.2.3.155	SCG Activation Status	334
9.2.3.156	QMC Configuration Information	334
9.2.3.157	UE Application Layer Measurement Configuration Information	335
9.2.3.158	Available RAN Visible QoE Metrics	336
9.2.3.159	5G ProSe Authorized	336
9.2.3.160	5G ProSe PC5 QoS Parameters	336
9.2.3.161	NR Paging eDRX Information	337
9.2.3.162	NR Paging eDRX Information for RRC INACTIVE	337
9.2.3.163	SDT Support Request	338
9.2.3.164	Partial UE Context Information for SDT	338
9.2.3.165	SRB ID	339
9.2.3.166	PEIPS Assistance Information	339
9.2.3.167	UE Slice Maximum Bit Rate List	339
9.2.3.168	Positioning Information	340
9.2.3.169	MDT PLMN Modification List	340
9.2.3.170	TAI NSAG Support List	340
9.2.3.171	Excess Packet Delay Threshold Configuration	340
9.3	Message and Information Element Abstract Syntax (with ASN.1)	342
9.3.1	General	342
9.3.2	Usage of Private Message Mechanism for Non-standard Use	342
9.3.3	Elementary Procedure Definitions	342
9.3.4	PDU Definitions	355
9.3.5	Information Element definitions	414

9.3.6	Common definitions	559
9.3.7	Constant definitions	560
9.3.8	Container definitions.....	570
9.4	Message transfer syntax	575
9.5	Timers	575
10	Handling of unknown, unforeseen and erroneous protocol data	575
Annex A (informative): Change history		576
History		583

Sample Document

get full document from standards.iteh.ai