

ETSI TS 138 508-1 V18.7.0 (2025-08)



TECHNICAL SPECIFICATION

**LTE;
5G;
5GS;**
**User Equipment (UE) conformance specification;
Part 1: Common test environment
(3GPP TS 38.508-1 version 18.7.0 Release 18)**

<https://standards.iteh.ai/catalog/standards/etsi/eb4cde75-22a3-42ae-b535-8d2f87c9eeeb/etsi-ts-138-508-1-v18-7-0-2025-08>



Reference

RTS/TSGR-0538508-1v170

Keywords

5G,LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-08)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	35
1 Scope	36
2 References	36
3 Definitions, symbols and abbreviations	39
3.1 Definitions	39
3.2 Symbols.....	39
3.3 Abbreviations	39
4 Common test environments.....	39
4.1 Environmental conditions.....	39
4.1.1 Temperature.....	39
4.1.2 Voltage.....	40
4.2 Common requirements of test equipment.....	41
4.2.1 General functional requirements.....	41
4.2.2 Minimum functional requirements	42
4.2.2.1 Supported Cell Configuration	42
4.2.2.1.1 Supported Channels for an E-UTRA cell (NSA mode only).....	42
4.2.2.1.2 Supported Channels for a NR cell	42
4.2.2.1.2.1 Logical channels	42
4.2.2.1.2.2 Transport channels.....	42
4.2.2.1.2.3 Physical channels.....	42
4.2.2.1.2.4 Physical signals.....	43
4.3 Reference test conditions.....	43
4.3.1 Test frequencies	43
4.3.1.0 General.....	43
4.3.1.0A Mid test channel bandwidth	43
4.3.1.0B Low test channel bandwidth.....	46
4.3.1.0C High test channel bandwidth.....	49
4.3.1.0D Bandwidth part.....	51
4.3.1.0E Void.....	53
4.3.1.1 Test frequencies for NR operating bands in FR1	54
4.3.1.1.1 NR operating bands in FR1	54
4.3.1.1.1.1 Reference test frequencies for NR operating band n1.....	54
4.3.1.1.1.2 Reference test frequencies for NR operating band n2.....	61
4.3.1.1.1.3 Reference test frequencies for NR operating band n3.....	65
4.3.1.1.1.4 FFS.....	73
4.3.1.1.1.5 Reference test frequencies for NR operating band n5.....	73
4.3.1.1.1.6 FFS.....	77
4.3.1.1.1.7 Reference test frequencies for NR operating band n7.....	77
4.3.1.1.1.8 Reference test frequencies for NR operating band n8.....	83
4.3.1.1.1.9 to	
4.3.1.1.1.11	FFS
.....	92
4.3.1.1.1.12 Reference test frequencies for NR operating band n12.....	92
4.3.1.1.1.13 Reference test frequencies for NR operating band n13.....	94
4.3.1.1.1.14 Reference test frequencies for NR operating band n14.....	96
4.3.1.1.1.15 to	
4.3.1.1.1.17	FFS
.....	98
4.3.1.1.1.18 Reference test frequencies for NR operating band n18.....	98
4.3.1.1.1.19 FFS.....	100
4.3.1.1.1.20 Reference test frequencies for NR operating band n20.....	100

4.3.1.1.1.21 to	4.3.1.1.1.23	FFS
	103
4.3.1.1.1.24	Reference test frequencies for NR operating band n24.....	103
4.3.1.1.1.25	Reference test frequencies for NR operating band n25.....	105
4.3.1.1.1.26	Reference test frequencies for NR operating band n26.....	110
4.3.1.1.1.27	FFS.....	113
4.3.1.1.1.28	Reference test frequencies for NR operating band n28.....	113
4.3.1.1.1.29	Reference test frequencies for NR operating band n29 (SDL)	119
4.3.1.1.1.30	Reference test frequencies for NR operating band n30.....	120
4.3.1.1.1.31	Reference test frequencies for NR operating band n31.....	122
4.3.1.1.1.32 to	4.3.1.1.1.33	FFS
	123
4.3.1.1.1.34	Reference test frequencies for NR operating band n34.....	123
4.3.1.1.1.35 to	4.3.1.1.1.37	FFS
	125
4.3.1.1.1.38	Reference test frequencies for NR operating band n38.....	125
4.3.1.1.1.39	Reference test frequencies for NR operating band n39.....	129
4.3.1.1.1.40	Reference test frequencies for NR operating band n40.....	132
4.3.1.1.1.41	Reference test frequencies for NR operating band n41.....	137
4.3.1.1.1.42 to	4.3.1.1.1.45	FFS
	142
4.3.1.1.1.46	Reference test frequencies for NR operating band n46.....	142
4.3.1.1.1.47	FFS.....	145
4.3.1.1.1.48	Reference test frequencies for NR operating band n48.....	145
4.3.1.1.1.49	FFS.....	150
4.3.1.1.1.50	Reference test frequencies for NR operating band n50.....	150
4.3.1.1.1.51	Reference test frequencies for NR operating band n51.....	154
4.3.1.1.1.52	FFS.....	154
4.3.1.1.1.53	Reference test frequencies for NR operating band n53.....	154
4.3.1.1.1.54	Reference test frequencies for NR operating band n54.....	156
4.3.1.1.1.55 to	4.3.1.1.1.64	FFS
	156
4.3.1.1.1.65	Reference test frequencies for NR operating band n65.....	156
4.3.1.1.1.66	Reference test frequencies for NR operating band n66.....	160
4.3.1.1.1.67 –	4.3.1.1.1.69	FFS
	173
4.3.1.1.1.70	Reference test frequencies for NR operating band n70.....	173
4.3.1.1.1.71	Reference test frequencies for NR operating band n71.....	181
4.3.1.1.1.72	Reference test frequencies for NR operating band n72.....	187
4.3.1.1.1.73	FFS.....	188
4.3.1.1.1.74	Reference test frequencies for NR operating band n74.....	188
4.3.1.1.1.75	Reference test frequencies for NR operating band n75 (SDL)	192
4.3.1.1.1.76	Reference test frequencies for NR operating band n76 (SDL)	193
4.3.1.1.1.77	Reference test frequencies for NR operating band n77.....	194
4.3.1.1.1.78	Reference test frequencies for NR operating band n78.....	199
4.3.1.1.1.79	Reference test frequencies for NR operating band n79.....	203
4.3.1.1.1.80	Reference test frequencies for NR operating band n80 (SUL)	208
4.3.1.1.1.81	Reference test frequencies for NR operating band n81 (SUL)	209
4.3.1.1.1.82	Reference test frequencies for NR operating band n82 (SUL)	210
4.3.1.1.1.83	Reference test frequencies for NR operating band n83 (SUL)	210
4.3.1.1.1.84	Reference test frequencies for NR operating band n84 (SUL)	211
4.3.1.1.1.85	Reference test frequencies for NR operating band n85.....	213
4.3.1.1.1.86	Reference test frequencies for NR operating band n86 (SUL)	216
4.3.1.1.1.87 to	4.3.1.1.1.90	FFS
	217

4.3.1.1.1.91	Reference test frequencies for NR operating band n91.....	217
4.3.1.1.1.92	Reference test frequencies for NR operating band n92.....	218
4.3.1.1.1.93	Reference test frequencies for NR operating band n93.....	225
4.3.1.1.1.94	Reference test frequencies for NR operating band n94.....	226
4.3.1.1.1.95	Reference test frequencies for NR operating band n95 (SUL)	232
4.3.1.1.1.96	Reference test frequencies for NR operating band n96.....	233
4.3.1.1.1.97	Reference test frequencies for NR operating band n97 (SUL)	236
4.3.1.1.1.98	Reference test frequencies for NR operating band n98 (SUL)	238
4.3.1.1.1.99	Reference test frequencies for NR operating band n99 (SUL)	239
4.3.1.1.1.100	Reference test frequencies for NR operating band n100.....	240
4.3.1.1.1.101	Reference test frequencies for NR operating band n101.....	241
4.3.1.1.1.106	Reference test frequencies for NR operating band n106.....	253
4.3.1.1.2	NR inter-band CA configurations in FR1.....	264
4.3.1.1.2.1	NR inter-band CA configurations in FR1 (two bands)	264
4.3.1.1.2.2	NR inter-band CA configurations in FR1 (three bands)	269
4.3.1.1.2.3	NR inter-band CA configurations in FR1 (four bands).....	282
4.3.1.1.3	NR intra-band contiguous CA in FR1	285
4.3.1.1.3.1 – 4.3.1.1.3.4	FFS.....	285
4.3.1.1.3.5	NR Intra-band contiguous configurations CA_n5B.....	285
4.3.1.1.3.40	NR Intra-band contiguous configurations CA_n40	289
4.3.1.1.3.40.1	CA_n40B	289
4.3.1.1.3.41	NR Intra-band contiguous configurations CA_n41	290
4.3.1.1.3.41.1	CA_n41C	291
4.3.1.1.3.42 –		
	4.3.1.1.3.47	FFS
	299
4.3.1.1.3.48	NR Intra-band contiguous configurations CA_n48	299
4.3.1.1.3.48.1	CA_n48B	299
4.3.1.1.3.48.2	CA_n48C	329
4.3.1.1.3.49 –		
	4.3.1.1.3.65	FFS
	336
4.3.1.1.3.66	NR Intra-band contiguous configurations CA_n66	336
4.3.1.1.3.66.1	CA_n66B	336
4.3.1.1.3.67 –		
	4.3.1.1.3.76	FFS
	348
4.3.1.1.3.77	NR Intra-band contiguous configurations CA_n77	348
4.3.1.1.3.77.1	CA_n77C	348
4.3.1.1.3.78	NR Intra-band contiguous configurations CA_n78	366
4.3.1.1.3.78.1	CA_n78C	366
4.3.1.1.3.78.2	CA_n78B	372
4.3.1.1.3.79	NR Intra-band contiguous configurations CA_n79	375
4.3.1.1.3.79.1	CA_n79C	375
4.3.1.1.4	Void.....	384
4.3.1.1.5	NR intra-band non-contiguous CA configurations in FR1	384
4.3.1.1.5.1	FFS.....	384
4.3.1.1.5.2	CA_n2(xA)	384
4.3.1.1.5.3 –		
	4.3.1.1.5.47	FFS
	384
4.3.1.1.5.66	CA_n66(xA)	385
4.3.1.1.5.66.1	CA_n66(2A).....	385
4.3.1.1.5.66.2	CA_n66(3A).....	387
4.3.1.1.5.67 –		
	4.3.1.1.5.70	FFS
	388
4.3.1.1.5.71	CA_n71(xA)	388
4.3.1.1.5.72 –		
	4.3.1.1.5.76	FFS
	389
4.3.1.1.5.77	CA_n77(xA)	389

4.3.1.1.5.78	CA_n78(xA)	405
4.3.1.1.6	NR Operating SUL band combinations in FR1	420
4.3.1.1.7	NR inter-band NR-DC configurations in FR1	420
4.3.1.1.7.1	NR inter-band NR-DC configurations in FR1 (two bands)	420
4.3.1.2	Test frequencies for NR operating bands in FR2	421
4.3.1.2.1	NR operating bands in FR2	421
4.3.1.2.1.1	Reference test frequencies for NR operating band n257	421
4.3.1.2.1.2	Reference test frequencies for NR operating band n258	422
4.3.1.2.1.3	Reference test frequencies for NR operating band n259	423
4.3.1.2.1.4	Reference test frequencies for NR operating band n260	424
4.3.1.2.1.5	Reference test frequencies for NR operating band n261	426
4.3.1.2.2	NR inter-band CA configurations in FR2	427
4.3.1.2.3	NR intra-band contiguous CA configurations in FR2	427
4.3.1.2.3.1	NR Intra-band contiguous CA configurations for CA_n257	427
4.3.1.2.3.1.1	CA_n257B	427
4.3.1.2.3.1.2	CA_n257C	428
4.3.1.2.3.1.3	CA_n257D	428
4.3.1.2.3.1.4	CA_n257E	430
4.3.1.2.3.1.5	CA_n257F	430
4.3.1.2.3.1.6	CA_n257G	430
4.3.1.2.3.1.7	CA_n257H	432
4.3.1.2.3.1.8	CA_n257I	435
4.3.1.2.3.1.9	CA_n257J	438
4.3.1.2.3.1.10	CA_n257K	439
4.3.1.2.3.1.11	CA_n257L	440
4.3.1.2.3.1.12	CA_n257M	441
4.3.1.2.3.2	NR Intra-band contiguous CA configurations for CA_n258	443
4.3.1.2.3.2.1	CA_n258B	443
4.3.1.2.3.2.2	CA_n258C	444
4.3.1.2.3.2.3	CA_n258D	444
4.3.1.2.3.2.4	CA_n258E	446
4.3.1.2.3.2.5	CA_n258F	449
4.3.1.2.3.2.6	CA_n258G	454
4.3.1.2.3.2.7	CA_n258H	455
4.3.1.2.3.2.8	CA_n258I	457
4.3.1.2.3.2.9	CA_n258J	460
4.3.1.2.3.2.10	CA_n258K	464
4.3.1.2.3.2.11	CA_n258L	468
4.3.1.2.3.2.12	CA_n258M	473
4.3.1.2.3.3	FFS	479
4.3.1.2.3.4	NR Intra-band contiguous CA configurations for CA_n260	479
4.3.1.2.3.4.1	CA_n260B	479
4.3.1.2.3.4.2	CA_n260C	479
4.3.1.2.3.4.3	CA_n260D	480
4.3.1.2.3.4.4	CA_n260E	480
4.3.1.2.3.4.5	CA_n260F	481
4.3.1.2.3.4.6	CA_n260G	481
4.3.1.2.3.4.7	CA_n260H	482
4.3.1.2.3.4.8	CA_n260I	484
4.3.1.2.3.4.9	CA_n260J	487
4.3.1.2.3.4.10	CA_n260K	489
4.3.1.2.3.4.11	CA_n260L	494
4.3.1.2.3.4.12	CA_n260M	498
4.3.1.2.3.4.13	CA_n260O	504
4.3.1.2.3.4.14	CA_n260P	505
4.3.1.2.3.4.15	CA_n260Q	506
4.3.1.2.3.5	NR Intra-band contiguous CA configurations for CA_n261	506
4.3.1.2.3.5.1	CA_n261B	506
4.3.1.2.3.5.2	CA_n261C	506
4.3.1.2.3.5.3	CA_n261D	507
4.3.1.2.3.5.4	CA_n261E	508
4.3.1.2.3.5.5	CA_n261F	508