

ETSI TS 144 060 V9.10.0 (2012-01)



Technical Specification

**Digital cellular telecommunications system (Phase 2+);
General Packet Radio Service (GPRS);
Mobile Station (MS) - Base Station System (BSS) interface;
Radio Link Control / Medium Access Control (RLC/MAC)
protocol
(3GPP TS 44.060 version 9.10.0 Release 9)**

<https://standards.iteh.ai/catalog/standards/etsi/739a5cb6-9700-4779-bd55-b7d5c30b37e7/etsi-ts-144-060-v9-10-0-2012-01>

<https://standards.iteh.ai/catalog/standards/etsi/739a5cb6-9700-4779-bd55-b7d5c30b37e7/etsi-ts-144-060-v9-10-0-2012-01>



Reference

RTS/TSGG-0244060v9a0

Keywords

GSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and LTE™ are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ETSI TS 144 060 V9.10.0 \(2012-01\)](https://standards.iteh.ai/catalog/standards/etsi/739a5cb6-9700-4779-bd55-b7d5c30b37e7/etsi-ts-144-060-v9-10-0-2012-01)

<https://standards.iteh.ai/catalog/standards/etsi/739a5cb6-9700-4779-bd55-b7d5c30b37e7/etsi-ts-144-060-v9-10-0-2012-01>

Contents

| | |
|--|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Foreword..... | 17 |
| 1 Scope | 18 |
| 1.1 General | 18 |
| 1.2 Related documents | 18 |
| 1.3 Use of logical control channels | 18 |
| 1.4 Use of logical traffic channels | 19 |
| 1.5 Conventions..... | 19 |
| 1.6 Restrictions..... | 20 |
| 2 References | 20 |
| 3 Definitions, abbreviations and symbols | 22 |
| 3.1 Definitions | 22 |
| 3.2 Abbreviations | 27 |
| 3.3 Symbols..... | 28 |
| 4 Layered overview of radio interface..... | 28 |
| 4.1 Layer services..... | 29 |
| 4.2 Layer functions..... | 30 |
| 4.3 Service primitives..... | 30 |
| 4.4 Services required from lower layers..... | 30 |
| 5 Introduction to the Medium Access Control (MAC) procedures | 30 |
| 5.1 General | 30 |
| 5.2 Multiplexing principles | 31 |
| 5.2.1 Temporary Block Flow | 31 |
| 5.2.2 Temporary Flow Identity | 32 |
| 5.2.3 Uplink State Flag | 32 |
| 5.2.4 Medium Access modes | 32 |
| 5.2.4a Multiplexing of GPRS, EGPRS and EGPRS2 capable mobile stations..... | 33 |
| 5.3 Packet idle mode | 33 |
| 5.3.1 Broadcast/multicast receive mode | 34 |
| 5.4 Packet transfer mode | 34 |
| 5.4a Dual transfer mode | 34 |
| 5.5 General procedures in packet idle and packet transfer modes | 35 |
| 5.5.1 Mobile station side..... | 35 |
| 5.5.1.1 Cell reselection..... | 35 |
| 5.5.1.1a Network Assisted Cell Change | 36 |
| 5.5.1.1a.1 Neighbour Cell System Information Distribution | 37 |
| 5.5.1.1a.2 CCN Mode | 37 |
| 5.5.1.1b Release of RR connection | 37 |
| 5.5.1.1b.1 General | 37 |
| 5.5.1.1b.2 Continuation of PBCCH information | 37 |
| 5.5.1.1b.3 Continuation of BCCH information | 38 |
| 5.5.1.1b.4 Receipt of PSI14 message in dual transfer mode | 38 |
| 5.5.1.1b.5 Acquisition of system information for enhanced DTM CS release procedure in dual transfer mode | 38 |
| 5.5.1.1c Inter-RAT cell re-selection based on priority information | 39 |
| 5.5.1.1c.1 General | 39 |
| 5.5.1.1c.2 Common priorities information | 40 |
| 5.5.1.1c.3 Provision of individual priorities information | 40 |
| 5.5.1.1d (void) | 41 |
| 5.5.1.2 System information on PBCCH | 41 |
| 5.5.1.2.1 Supervision of PBCCH_CHANGE_MARK and update of PBCCH information | 41 |
| 5.5.1.2.2 Replacement of PBCCH..... | 42 |

| | | |
|------------|---|----|
| 5.5.1.2.3 | PSI1 reception failure | 42 |
| 5.5.1.3 | System information on BCCH | 42 |
| 5.5.1.3.1 | Supervision of BCCH_CHANGE_MARK and update of BCCH information | 43 |
| 5.5.1.3.2 | Establishment of PBCCH | 43 |
| 5.5.1.3.3 | SI13 reception failure | 43 |
| 5.5.1.4 | Acquisition of system information on the broadcast channel..... | 43 |
| 5.5.1.4.1 | Consistent sets of system information messages | 44 |
| 5.5.1.4.2 | Suspension of operation to receive system information | 45 |
| 5.5.1.4.3 | Request for acquisition of system information | 45 |
| 5.5.1.5 | Discontinuous reception (DRX)..... | 46 |
| 5.5.1.6 | Page mode procedures on PCCCH..... | 47 |
| 5.5.1.7 | Frequency Parameters | 48 |
| 5.5.1.8 | TLLI management..... | 50 |
| 5.5.1.9 | Packet Flow Context (PFC) | 50 |
| 5.5.1.10 | Acquisition of E-UTRAN Information on the PACCH | 51 |
| 5.5.2 | Network side | 52 |
| 5.5.2.1 | System Information broadcasting..... | 52 |
| 5.5.2.1.1 | System information on PBCCH | 52 |
| 5.5.2.1.2 | System information on BCCH..... | 52 |
| 5.5.2.1.3 | System information on PACCH (and other logical channels) | 53 |
| 5.5.2.1.3a | Rules for (P)SI distribution within Packet Serving Cell Data messages | 54 |
| 5.5.2.1.3b | Rules for (P)SI distribution on PACCH of an MBMS radio bearer | 54 |
| 5.5.2.1.4 | Consistent sets of system information messages | 54 |
| 5.5.2.2 | Paging | 55 |
| 5.5.2.3 | Network Assisted Cell Change | 55 |
| 5.5.2.4 | Packet Switched Handover | 56 |
| 5.6 | Measurement reports | 56 |
| 5.6.0 | General..... | 56 |
| 5.6.1 | Network Control (NC) measurement reporting | 56 |
| 5.6.2 | (void) | 58 |
| 5.6.3 | Additional measurement and reporting parameters | 58 |
| 5.6.3.1 | Deriving the 3G Neighbour Cell list from the 3G Neighbour Cell description..... | 58 |
| 5.6.3.1a | Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information | 59 |
| 5.6.3.2 | Deriving BA(GPRS) and the GSM Neighbour Cell list..... | 59 |
| 5.6.3.3 | Deriving the Neighbour Cell list from the GSM Neighbour Cell list and the 3G Neighbour Cell list..... | 60 |
| 5.6.3.4 | GPRS Real Time Differences | 60 |
| 5.6.3.5 | GPRS Report Priority Descriptions..... | 61 |
| 5.6.3.6 | GPRS Measurement Parameters and GPRS 3G Measurement Parameters..... | 61 |
| 5.6.3.6a | GPRS E-UTRAN Measurement Parameters | 62 |
| 5.6.3.7 | The GPRS 3G Cell Reselection list..... | 62 |
| 5.6.3.7a | (void)..... | 62 |
| 5.6.3.7b | The 3G Frequency list..... | 62 |
| 5.6.3.8 | Closed Subscriber Group Information | 62 |
| 5.6.3.9 | Reporting of CSG Cells and Hybrid Cells | 63 |
| 5.6.4 | Measurement reporting in broadcast/multicast receive mode..... | 63 |
| 5.7 | Dual transfer mode enhancements..... | 64 |
| 5.8 | DTM Handover | 64 |
| 5.9 | Downlink Dual Carrier | 65 |
| 5.10 | ETWS Primary Notification | 65 |
| 5.11 | Enhanced Multiplexing for Single TBF | 65 |
| 6 | Paging procedures | 65 |
| 6.1 | Paging procedure for RR connection establishment..... | 66 |
| 6.1.1 | Paging initiation using paging subchannel on CCCH..... | 66 |
| 6.1.2 | Paging initiation using paging subchannel on PCCCH..... | 66 |
| 6.1.3 | Paging initiation using PACCH | 66 |
| 6.1.4 | Paging response | 67 |
| 6.2 | Paging procedure for downlink packet transfer..... | 67 |
| 6.2.1 | Paging procedure using paging subchannel on CCCH | 67 |
| 6.2.2 | Paging using paging subchannel on PCCCH | 68 |

| | | |
|------------|--|----|
| 6.2.3 | Paging response | 68 |
| 6.3 | Paging Procedures for MBMS Notification..... | 68 |
| 6.3.1 | Notification to mobile station in packet idle mode | 68 |
| 6.3.1.1 | General..... | 68 |
| 6.3.1.2 | Paging procedure for MBMS notification using paging subchannel on CCCH | 68 |
| 6.3.1.3 | Paging procedure for MBMS notification using paging subchannel on PCCCH | 68 |
| 6.3.1.3.1 | General | 68 |
| 6.3.1.3.2 | MBMS pre-notification | 69 |
| 6.3.1.3.3 | MBMS notification | 69 |
| 6.3.1.3a | Paging procedure for MBMS notification using PACCH..... | 70 |
| 6.3.1.4 | Response to MBMS Notification..... | 70 |
| 6.3.2 | Notification to mobile station in packet transfer mode or in dual transfer mode..... | 71 |
| 6.3.2.1 | General | 71 |
| 6.3.2.2 | MBMS Notification using the PACCH..... | 71 |
| 6.3.2.3 | Response to MBMS Notification received on PACCH..... | 71 |
| 6.4 | Paging Procedure for ETWS Primary Notification delivery | 72 |
| 6.4.1 | General..... | 72 |
| 6.4.2 | ETWS Primary Notification delivery using paging subchannel on CCCH | 72 |
| 6.4.3 | ETWS Primary Notification delivery using paging subchannel on PCCCH | 72 |
| 6.4.4 | Reception of ETWS Primary Notification message..... | 72 |
| 7 | Medium Access Control (MAC) procedures on PCCCH..... | 72 |
| 7.0 | General | 72 |
| 7.0a | Support of multiple TBF procedures | 73 |
| 7.1 | TBF establishment initiated by the mobile station on PCCCH | 73 |
| 7.1.1 | Permission to access the network | 74 |
| 7.1.2 | Initiation of a TBF establishment | 74 |
| 7.1.2.1 | Initiation of the packet access procedure | 74 |
| 7.1.2.1.1 | Access persistence control on PRACH..... | 76 |
| 7.1.2.2 | Packet assignment procedure | 77 |
| 7.1.2.2.1 | On receipt of a PACKET CHANNEL REQUEST or EGPRS PACKET CHANNEL REQUEST message..... | 77 |
| 7.1.2.2.1a | Acquisition of MS Radio Access Capability information within EGPRS TBF establishment procedure..... | 79 |
| 7.1.2.2.2 | Packet access queuing notification procedure | 79 |
| 7.1.2.2.3 | Packet polling procedure | 80 |
| 7.1.2.2.4 | Packet access reject procedure | 80 |
| 7.1.2.3 | Contention resolution at one phase access | 81 |
| 7.1.2.3a | RLC/MAC procedures during contention resolution | 81 |
| 7.1.2.4 | One phase packet access completion..... | 82 |
| 7.1.2.5 | Timing Advance..... | 82 |
| 7.1.2.6 | PFC procedure at one phase access..... | 82 |
| 7.1.3 | TBF establishment using two phase access | 82 |
| 7.1.3.1 | Initiation of the Packet resource request procedure | 83 |
| 7.1.3.2 | Packet resource assignment for uplink procedure | 83 |
| 7.1.3.2.1 | On receipt of a PACKET RESOURCE REQUEST message..... | 84 |
| 7.1.3.3 | Contention resolution at two phase access | 85 |
| 7.1.3.4 | Two phase packet access completion..... | 86 |
| 7.1.3.5 | Timing Advance..... | 86 |
| 7.1.3.6 | RTTI Assignments | 86 |
| 7.1.3.7 | MTTI Configurations | 87 |
| 7.1.4 | Abnormal cases..... | 88 |
| 7.2 | TBF establishment initiated by the network on PCCCH..... | 89 |
| 7.2.1 | Entering the packet transfer mode | 89 |
| 7.2.1.1 | Packet downlink assignment procedure | 89 |
| 7.2.1.2 | Packet downlink assignment procedure completion | 90 |
| 7.2.1.3 | Packet polling procedure..... | 90 |
| 7.2.2 | Abnormal cases..... | 90 |
| 7.3 | Procedure for measurement report sending in packet idle mode..... | 91 |
| 7.3.1 | Measurement report sending procedure initiated on PCCCH..... | 91 |
| 7.3.1.1 | On receipt of a PACKET CHANNEL REQUEST message | 91 |
| 7.3.1.2 | On receipt of a PACKET UPLINK ASSIGNMENT message..... | 92 |

| | | |
|-------------|---|-----|
| 7.3.1.3 | On receipt of a PACKET ACCESS REJECT message..... | 92 |
| 7.3.1.4 | Abnormal cases..... | 92 |
| 7.3.2 | Measurement report sending procedure initiated on CCCH..... | 92 |
| 7.4 | Cell Change Order procedures in Packet Idle mode..... | 93 |
| 7.4.1 | Cell Change Order procedure initiated on PCCCH..... | 93 |
| 7.4.2 | Cell Change Order procedure initiated on CCCH..... | 93 |
| 7.5 | Measurement Order procedures in Packet Idle mode..... | 94 |
| 7.5.1 | Measurement Order procedures initiated on PCCCH..... | 94 |
| 7.5.2 | Measurement Order procedures initiated on CCCH..... | 94 |
| 7.6 | Packet Pause procedure..... | 95 |
| 7.6.1 | Packet pause procedure initiated on PCCCH..... | 95 |
| 7.6.1.1 | On receipt of a PACKET CHANNEL REQUEST message..... | 95 |
| 7.6.1.2 | On receipt of a PACKET UPLINK ASSIGNMENT message..... | 95 |
| 7.6.1.3 | On receipt of a PACKET ACCESS REJECT message..... | 95 |
| 7.6.1.4 | Abnormal cases..... | 95 |
| 7.6.2 | Packet pause procedure initiated on CCCH..... | 96 |
| 7.7 | MBMS packet access and establishment procedures..... | 96 |
| 7.7.1 | MBMS packet access procedure..... | 96 |
| 7.7.1.1 | General..... | 96 |
| 7.7.1.2 | MBMS packet access procedure on PCCCH..... | 96 |
| 7.7.1.2.0 | Initiation of the MBMS packet access procedure..... | 96 |
| 7.7.1.2.1 | On receipt of a PACKET CHANNEL REQUEST message..... | 96 |
| 7.7.1.2.2 | On receipt of a PACKET UPLINK ASSIGNMENT message..... | 97 |
| 7.7.1.2.3 | On receipt of a PACKET ACCESS REJECT message..... | 97 |
| 7.7.1.2.4 | On receipt of an MBMS ASSIGNMENT message..... | 97 |
| 7.7.1.2.5 | Abnormal cases..... | 97 |
| 7.7.1.3 | MBMS packet access procedure on CCCH..... | 97 |
| 7.7.1.4 | MBMS packet access procedure on MPRACH..... | 97 |
| 7.7.1.4.1 | Initiation of the MBMS packet access procedure on MPRACH..... | 97 |
| 7.7.1.4.1.1 | Access persistence control on MPRACH..... | 98 |
| 7.7.1.4.2 | On receipt of an MPRACH PACKET CHANNEL REQUEST..... | 99 |
| 7.7.1.4.3 | On receipt of a PACKET ACCESS REJECT message..... | 99 |
| 7.7.1.4.4 | On receipt of a PACKET UPLINK ASSIGNMENT message..... | 100 |
| 7.7.1.4.5 | On receipt of an MBMS ASSIGNMENT message..... | 100 |
| 7.7.2 | Establishment of MBMS bearer..... | 100 |
| 7.7.2.1 | General..... | 100 |
| 7.7.2.2 | On receipt of an MBMS ASSIGNMENT message..... | 101 |
| 7.7.2.3 | Abnormal cases..... | 102 |
| 7.7.2.4 | MBMS address assignment procedure..... | 102 |
| 7.7.3 | MBMS Neighbour Cell Information Distribution..... | 103 |
| 8 | Medium Access Control (MAC) Procedures in Packet Transfer Mode..... | 103 |
| 8.0 | General..... | 103 |
| 8.1 | Transfer of RLC data blocks..... | 103 |
| 8.1.0 | Medium access mode..... | 103 |
| 8.1.1 | Uplink RLC data block transfer..... | 103 |
| 8.1.1.1 | Dynamic allocation uplink RLC data block transfer..... | 110 |
| 8.1.1.1.1 | PACCH operation..... | 111 |
| 8.1.1.1.2 | Resource Reallocation for Uplink..... | 111 |
| 8.1.1.1.2.1 | Abnormal cases..... | 114 |
| 8.1.1.1.3 | Establishment of Downlink TBF..... | 115 |
| 8.1.1.1.3.1 | Abnormal cases..... | 116 |
| 8.1.1.2 | Extended Dynamic Allocation uplink RLC data block transfer..... | 117 |
| 8.1.1.2.1 | Uplink PDCH Allocation..... | 117 |
| 8.1.1.2.2 | PACCH operation..... | 119 |
| 8.1.1.2.3 | Neighbour cell power measurements..... | 120 |
| 8.1.1.2.4 | Shifted USF operation..... | 120 |
| 8.1.1.3 | (void)..... | 121 |
| 8.1.1.3a | Exclusive allocation RLC data block transfer..... | 121 |
| 8.1.1.3a.1 | General..... | 121 |
| 8.1.1.3a.2 | Radio link failure..... | 121 |
| 8.1.1.3a.3 | (void)..... | 122 |