

ETSI TS 148 071 V9.3.0 (2012-10)



Technical Specification

**Digital cellular telecommunications system (Phase 2+);
Location Services (LCS);
Serving Mobile Location Centre -
Base Station System (SMLC-BSS) interface;
Layer 3 specification
(3GPP TS 48.071 version 9.3.0 Release 9)**

<https://standards.iteh.ai/catalog/standards/etsi/97f84b4c-fa64-4324-8ad4-a87c0bf0e5c3/etsi-ts-148-071-v9-3-0-2012-10>



A GLOBAL INITIATIVE GLOBAL SYSTEM FOR MOBILE COMMUNICATIONS

Reference

RTS/TSGG-0248071v930

Keywords

GSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

<https://standards.iteh.ai>
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ETSI TS 148 071 V9.3.0 \(2012-10\)](https://standards.iteh.ai/catalog/standards/etsi/97f84b4c-fa64-4324-8ad4-a87c0bf0e5c3/etsi-ts-148-071-v9-3-0-2012-10)

<https://standards.iteh.ai/catalog/standards/etsi/97f84b4c-fa64-4324-8ad4-a87c0bf0e5c3/etsi-ts-148-071-v9-3-0-2012-10>

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	5
1 Scope	6
2 References	6
3 Definitions and abbreviations.....	6
4 Messages functional definitions and contents	7
4.1 General	7
4.2 Messages	7
4.2.1 TA Request	8
4.2.2 TA Response.....	8
4.2.3 (void)	8
4.2.4 (void)	8
4.2.5 Reject.....	8
4.2.6 Reset	9
4.2.7 Abort.....	9
4.2.8 TA Layer3.....	10
4.2.9 MS Position Command.....	10
4.2.10 MS Position Response	10
4.2.11 U-TDOA Request	11
4.2.12 U-TDOA Response.....	11
5 Information element encodings	12
5.1 Message Type IE.....	14
5.2 Timing Advance IE	14
5.3 (void).....	14
5.4 Cell Identity IE	14
5.5 (void).....	15
5.6 (void).....	15
5.7 (void).....	15
5.8 Channel Description IE	15
5.9 (void).....	15
5.10 (void).....	15
5.11 (void).....	15
5.12 Measurement Report IE.....	15
5.13 (void).....	16
5.14 Cause IE	16
5.15 RRLP Flag IE	16
5.16 RRLP IE	17
5.17 Cell Identity List IE.....	17
5.18 Enhanced Measurement Report IE.....	18
5.19 Location Area Code IE.....	18
5.20 Frequency List IE	19
5.21 MS Power IE	19
5.22 Delta Timer IE.....	19
5.23 Serving Cell Identifier IE	19
5.24 Encryption Key IE.....	20
5.25 Cipher Mode Setting IE.....	20
5.26 Channel Mode IE.....	20
5.27 MultiRate Configuration IE.....	20
5.28 Polling Repetition IE	20
5.29 Packet Channel Description IE.....	21
5.30 TLLI IE	21
5.31 TFI IE.....	21