

ETSI TS 182 027 V3.5.1 (2011-03)

Technical Specification

**Telecommunications and Internet converged Services and
Protocols for Advanced Networking (TISPAN);
IPTV Architecture;
IPTV functions supported by the IMS subsystem**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 182 027 V3.5.1 \(2011-03\)](https://standards.iteh.ai/catalog/standards/etsi/3dad0dcb-8f21-4818-afc5-4910f889523e/etsi-ts-182-027-v3-5-1-2011-03)

<https://standards.iteh.ai/catalog/standards/etsi/3dad0dcb-8f21-4818-afc5-4910f889523e/etsi-ts-182-027-v3-5-1-2011-03>



Reference

RTS/TISPAN-02083-NGN-R3

Keywords

architecture, IMS, IP, TV

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM, TIPPHONTM, the TIPPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	10
Foreword.....	10
1 Scope	11
2 References	11
2.1 Normative references	11
2.2 Informative references.....	12
3 Definitions and abbreviations.....	13
3.1 Definitions.....	13
3.2 Abbreviations	15
4 High-level overview	16
5 Overview of functional entities	17
5.1 Functional architecture for IPTV services.....	17
5.1.1 Functional architecture overview.....	17
5.1.2 IPTV services.....	18
5.1.2.0 Compliance	18
5.1.2.1 General	19
5.1.3 Functional entities.....	20
5.1.3A Generic Capabilities.....	20
5.1.4 Elementary Functions (EF).....	21
5.1.4.1 Content Security Functions (CSF)	22
5.1.5 Functional Entities	22
5.1.5.1 Service Discovery and Selection Functions (SDF and SSF)	22
5.1.5.2 IPTV Service Control Functions (SCF)	23
5.1.5.3 IPTV Media Control and Delivery Functions (MCF and MDF).....	24
5.1.5.4 UPSF	26
5.1.5.5 Transport processing functions	26
5.2 Interactions between Service Control function and Media Functions.....	26
5.3 Void.....	27
5.4 Inter-destination media synchronization	27
5.4.1 Functional entities MSAS and SC	28
5.4.2 Mapping onto the IPTV architecture	28
5.4.3 Modification and re-origination of media streams.....	29
5.5 IPTV Service State	30
5.5.1 General.....	30
5.5.2 Relationship between IPTV Service State and IPTV presence.....	30
6 Reference points	30
6.1 UE - SSF (Xa)	30
6.2 UE - IPTV Service Control Functions (Ut)	30
6.3 UE - Core IMS (Gm).....	30
6.4 UE - Media Control Functions (Xc)	30
6.5 UE - Media Delivery Functions (Xd).....	31
6.6 IPTV Service Control Functions (SCF) - UPSF (Sh)	31
6.7 Core IMS - UPSF (Cx).....	31
6.8 Core IMS - IPTV Service Control Functions (ISC)	31
6.9 Core IMS - IPTV Media Functions (y2)	31
6.10 Core IMS - SDF (ISC).....	32
6.11 SDF - UPSF (Sh).....	32
6.12 Void.....	32
6.13 Application Functions - NASS (e2).....	32
6.14 Core IMS - RACS (Gq')	32
6.15 NASS - RACS (e4).....	32
6.16 IPTV Service Control Functions - SLF (Dh).....	32
6.17 Core IMS - SLF (Dx)	32

6.18	IPTV Media Control Function - IPTV Media Delivery Function (Xp).....	32
6.19	MSAS-SC reference point (Sync)	32
6.20	MSAS-SC' reference point (Sync')	33
6.21	SSF-SCF reference point (Ss').....	33
7	User data.....	33
7.1	Classification of information.....	33
7.2	Location and access to user data	34
7.2.1	Data management functions.....	35
7.2.2	Access from other application servers	35
7.2.3	Access from User Equipment (UE)	35
7.2.4	Access from the SSF.....	35
7.3	IPTV user profile structure	36
7.3.1	IPTV user profile structure	36
7.3.1.1	BC service package	37
7.3.1.2	BC service	37
7.3.1.3	UE	37
7.3.1.4	Global settings: language preference	37
7.3.1.5	Global settings: user action recordable	38
7.3.1.5A	Global settings: PC-CostLimit	38
7.3.1.5B	Global settings: PC-TotalCostLimit.....	38
7.3.1.5C	Global settings: PC-ClassificationRestriction	38
7.3.1.5D	Global settings: PC-TimePeriodRestriction	38
7.3.1.5E	Global settings: PC-TotalPlayTimeLimit.....	38
7.3.1.5F	Global settings: PC-AdminUser.....	38
7.3.1.5G	Global settings: dynamic PC-activation.....	38
7.3.1.5H	Global settings: PC-Contact.....	38
7.3.1.6	N-PVR storage-limit	39
7.3.1.6A	PVR: IPTVContentMarkerAuthorizedViewUser.....	39
7.3.1.6B	PVR: IPTVContentMarkerSourceUser	39
7.3.1.6C	PVR: AuthorizedControlUser	39
7.3.1.7	BC: ParentalControlLevel.....	39
7.3.1.7A	BC: IPTVContentMarkerAuthorizedViewUser	39
7.3.1.7B	BC: IPTVContentMarkerSourceUser.....	39
7.3.1.8	CoD: IPTVContentMarkerAuthorizedViewUser	39
7.3.1.9	CoD: IPTVContentMarkerSourceUser	39
7.3.1.10	PCh: PChId	39
7.3.1.11	PCh: PChExpiryTime.....	40
7.3.1.12	PCh: PChItemServiceType	40
7.3.1.13	PCh: PChItemContentId.....	40
7.3.1.14	PCh: PChItemStartTime.....	40
7.3.1.15	PCh: PChItemEndTime.....	40
7.3.1.16	PCh: PChItemOffset.....	40
7.3.1.17	CR Settings: CR notifications	40
7.3.1.18	UGC storage-limit.....	40
7.3.1.19	UGC: AuthorizedControlUser.....	40
7.3.1.20	ICM Settings: ICM rules	40
7.3.2	Usage of IPTV user profile	41
7.3.3	Life cycle	41
7.4	IPTV service action data	41
7.4.0	General.....	41
7.4.1	Data model.....	42
7.4.2	Life cycle	43
7.5	IPTV information storing/sharing services.....	44
7.5.1	General.....	44
7.5.2	IPTV Content Marker	44
7.5.2.1	General	44
7.5.2.2	IPTVContentMarkerID	44
7.5.2.3	OwnerUserID	44
7.5.2.4	IPTV service type identifier	45
7.5.2.5	IPTV Content Identifier	45
7.5.2.6	StartTimeOfIPTVContentMarker	45

7.5.2.7	EndTimeOfIPTVContentMarker	45
7.5.2.8	UserComment	45
7.5.2.9	GenerationTime	45
7.5.2.10	ExpiryTime	45
7.5.3	IPTV Service Access History	45
7.5.3.1	Data model	45
7.5.3.2	UserID	46
7.5.3.3	AccessHistoryID	46
7.5.3.4	ServiceType	46
7.5.3.5	ReferencedContentID	46
7.5.3.6	Rating	46
7.5.3.7	AccessStartTime	46
7.5.3.8	AccessEndTime	47
7.5.3.9	HistoryExpiryTime	47
7.6	IPTV Content Recommendation profile	47
7.6.1	Genre	47
7.6.2	Keyword	47
7.6.3	Creator	47
7.6.4	CreationLocation	47
7.6.5	CreationDate	48
7.7	IPTV Service State Data	48
7.7.1	Data model	48
7.7.2	Life cycle	49
8	Procedures	49
8.1	IPTV addressing mechanisms	49
8.1.1	IPTV end-users identification and addressing mechanisms	49
8.1.2	Addressing of nodes	49
8.2	UE start-up procedure	49
8.3	Broadcast session	52
8.3.1	Signalling flows for broadcast session initiation	53
8.3.1.1	Overview of the signalling flows for session initiation	53
8.3.1.1.1	UE-initiated BC session initiation	53
8.3.1.1.2	SCF-initiated BC session initiation	54
8.3.1.2	Signalling flows for the establishment of the delivery channel	54
8.3.1.2.1	SCF-initiated establishment of the delivery channel	54
8.3.1.2.2	UE-initiated establishment of the delivery channel	55
8.3.2	Signalling flows for BC session modification	56
8.3.2.1	UE-initiated BC session modification	56
8.3.2.2	SCF-initiated BC session modification	57
8.3.3	Signalling flows for broadcast session release	58
8.3.3.1	UE-initiated session release	58
8.3.3.2	SCF-initiated session release	59
8.3.4	Signalling flow for Broadcast TV channel switching	60
8.3.5	Signalling flows for transition from Broadcast TV to Broadcast TV with trick play	61
8.3.6	Signalling flows for transition from Broadcast TV with trick play to Broadcast TV	63
8.3.7	Signalling flows for Broadcast TV with trick play session release	63
8.3.8	Signalling flows for Pay Per View service	63
8.4	CoD session	64
8.4.1	Signalling Flows for CoD session initiation	65
8.4.1.1	Overall signalling flows for CoD session initiation	65
8.4.1.1.1	UE-initiated CoD session initiation	65
8.4.1.1.2	SCF-initiated CoD session initiation	66
8.4.1.2	Media Channel Negotiation (MCN)	68
8.4.1.2.1	Signalling flows for the establishment of the content control and content delivery channels from MF	68
8.4.1.2.2	Signalling flows for the establishment of the content control and content delivery channels from UE	69
8.4.1.2.3	Signalling flows for the establishment of the content control channel from UE	70
8.4.2	Signalling Flows for CoD session modification	70
8.4.2.0A	UE-initiated CoD session modification	70
8.4.2.0B	MF-initiated CoD session modification	72

8.4.2.1	Signalling flows for the establishment/modification of the content delivery channel from UE.....	73
8.4.2.2	Signalling flows for the modification of the content delivery channels from MF	73
8.4.3	Signalling Flows for CoD session release.....	74
8.4.3.1	UE-initiated session release	74
8.4.3.2	SCF-initiated session release.....	75
8.4.3.3	MF-initiated session release.....	76
8.4.4	Signalling Flows for CoD session transfer	77
8.4.4.1	Terminal centric session transfer pushed from transferor UE to transferee UE	77
8.4.4.2	Network centric session Transfer pushed from transferor UE to transferee UE	79
8.4.4.3	Session Replication pushed from transferor UE to transferee UE	81
8.4.4.4	Session Transfer pulled by the transferee UE	81
8.4.4.5	Session Replication Between transferor to transferee in a pull mode transfer	83
8.4.5	Signalling flows for CoD service action data update/Requests	83
8.4.5.1	CoD service action data updated by UE.....	83
8.4.5.2	CoD service action data updated by MF	84
8.4.5.3	CoD Service Action Data requested by the SCF.....	85
8.4.6	Signalling flows for generating playlist by SCF and sending playlist information from SCF to MF during CoD session initiation.....	85
8.4.6.1	IPTV Data Model for playlist.....	86
8.4.6.1.1	General	86
8.4.6.1.2	ContentD	87
8.4.6.1.3	Duration.....	87
8.4.6.1.4	Begin Time	87
8.4.6.1.5	Restricted trick play.....	87
8.4.7	Signalling flows for generating playlist by SCF and sending playlist information from SCF to MF during an existing CoD session.....	87
8.4.8	Content switch procedure within a CoD playlist	88
8.5	PVR service procedures	89
8.5.0	PVR use for non-BC services	89
8.5.0A	Signalling Flows for PVR Using Impulsive Request.....	89
8.5.0B	Signalling flows for the PVR off-line capture request.....	91
8.5.1	Network PVR service procedures.....	92
8.5.1.1	Signalling Flows for Network-PVR Service Capture Request.....	92
8.5.1.1.1	Signalling Flows for Network-PVR Using Impulsive Request	92
8.5.1.1.2	Signalling flows for the Network-PVR off-line capture request	92
8.5.1.2	Signalling flows for Network-PVR content session.....	93
8.5.2	Client PVR service procedures	94
8.5.2.1	Signalling Flows for Client-PVR Service Capture Request.....	94
8.5.2.1.1	Signalling Flows for Client-PVR Using Impulsive Request	94
8.5.2.1.2	Signalling flows for the Client-PVR off-line capture request.....	94
8.5.2.2	Signalling flows for Client-PVR recording session	94
8.5.3	PVR content update procedures.....	95
8.6	Time Shift service procedures	96
8.7	Preview procedures	96
8.7.1	Preview procedures for BC service.....	96
8.7.1.1	Session initiation procedures for multi-screen BC preview	97
8.7.1.2	Procedures for transition between multi-screen BC preview and regular BC service.....	97
8.7.2	Preview procedures for COD service.....	97
8.7.3	Preview procedures for other IPTV service	98
8.8	Parental control procedures	98
8.9	UGC procedures	100
8.9.1	Overview	100
8.9.2	UGC creation procedure	100
8.9.3	UGC watching procedure	102
8.9.4	UGC removal procedure.....	103
8.10	Personalized channel (PCh) service procedures.....	103
8.10.1	Generic Procedure for PCh service.....	103
8.10.2	MF Option for PCh Service Provision.....	105
8.10.3	UE Option for PCh Service Provision	106
8.11	Interaction procedures with other IPTV Services.....	107
8.11.1	Notification procedures.....	107
8.11.1.1	Notification procedures using signalling path.....	107

8.11.1.2	Notification procedures using multicast media path	108
8.12	Procedures for IPTV User Profile Configuration	109
8.13	Content Recommendation service procedures.....	110
8.14	Advertising (Ad) service procedures	111
8.14.1	Generic Procedures for targeted ad insertion (TAI).....	111
8.14.2	Generic Signalling for Targeted Ad insertion.....	112
8.14.2.1	Signalling flows for TAI at UE side.....	112
8.14.2.2	Signalling flows for TAI at MF side	114
8.15	Procedures for inter-destination media synchronization	115
8.15.1	MSAS - SC	115
8.15.1.1	SCF-based media synchronization.....	115
8.15.1.1.1	Mapping 1: SC in UE	115
8.15.1.1.2	Mapping 2: SC in Transport	116
8.15.2	MSAS - SC'	116
8.16	Signalling flows for network-controlled trick play	117
8.17	Push Procedures	118
8.17.1	Push CoD session	118
8.18	Unicast Content Upload/Download Procedures	119
8.18.1	Signalling Flows for UE-initiated Unicast Content Upload/Download	119
8.18.2	Signalling Flows for SCF-initiated Unicast Content Download	120
8.19	Multicast Content Download Procedures	121
8.20	Signalling flows for restricted trick play	121
8.21	Shared Service Control (SSC) procedures.....	122
8.21.1	Overview	122
8.21.2	Room creation procedure for SSC	122
8.21.3	Room selection procedure for SSC.....	123
8.21.4	Shared service control procedures	125
8.21.4.1	Shared BC channel changes	125
8.21.4.2	Shared CoD trick play commands.....	126
8.21.5	Room deletion procedure for SSC	128
8.22	Personalized Service Composition (PSC) procedures	128
8.22.1	General.....	128
8.22.2	PSC session initiation	129
8.22.3	Session modification during PSC session initiation.....	130
8.22.4	PSC session release.....	132
8.22.4.1	UE-initiated PSC session release	132
8.22.4.2	SCF-initiated PSC session release.....	132
8.23	Signalling flows for IPTV Content Marker service procedures	133
8.23.1	IPTV Content Marker storing procedures.....	133
8.23.2	IPTV Content Marker retrieval procedures	133
8.23.3	IPTV Content Marker update/removal procedures	134
8.24	Role of BGF in IPTV	135
8.25	Procedures for service initiation by remote UE.....	135
8.26	Signalling flows for IPTV service state data updates/requests.....	137
8.26.1	IPTV service state data updated by MF	137
8.26.2	IPTV service state data update requested by the SCF.....	137
9	Interactions between IPTV services and other TISPAN services	138
9.1	Presence and IPTV	138
9.1.1	Presence architecture and functional description.....	138
9.1.2	Presence attributes for IPTV	139
9.1.3	SIP related procedure.....	140
9.2	Incoming call management.....	140
9.2.1	Procedure for incoming call management	141
9.2.2	Incoming call accepted on a phone device.....	142
9.3	Message and IPTV	143
9.3.1	Messaging procedures.....	143
9.3.2	Procedures for deliver messages of BC service using media path.....	144
9.4	Event Handling involving the SCF.....	145
10	Security.....	146
10.1	Authentication	146