

ETSI TS 183 043 V2.5.1 (2011-02)

Technical Specification

Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IMS-based PSTN/ISDN Emulation; Stage 3 specification

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 183 043 V2.5.1 \(2011-02\)](https://standards.iteh.ai/catalog/standards/etsi/ab867850-f00f-4a81-b706-d866b20b5e96/etsi-ts-183-043-v2-5-1-2011-02)

<https://standards.iteh.ai/catalog/standards/etsi/ab867850-f00f-4a81-b706-d866b20b5e96/etsi-ts-183-043-v2-5-1-2011-02>



Reference

RTS/TISPAN-03203-NGN-R2

Keywords

IMS, ISDN, PSTN, stage 3**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	10
Foreword.....	10
1 Scope	11
2 References	11
2.1 Normative references	11
2.2 Informative references.....	14
3 Definitions and abbreviations.....	14
3.1 Definitions.....	14
3.2 Abbreviations	15
4 IMS-based PSTN Emulation Subsystem (PES) overview	16
4.1 General	16
4.2 URI and address assignments.....	17
4.3 AGCF and VGW session and registration processing model.....	17
4.3.1 General.....	17
4.3.2 Conventions	18
5 Protocol using SIP and SIP events for PES.....	19
5.1 Introduction	19
5.2 Functional Entities.....	19
5.2.1 User Equipment (UE)	19
5.2.2 Access Gateway Control Function (AGCF)	20
5.2.3 Application Server (AS)	20
5.2.4 Media Resource Function Controller (MRFC)	20
5.2.5 Media Gateway Controller Function (MGCF).....	20
5.2.6 Interconnection Border Control Function (IBCF).....	20
5.2.7 Voice over IP gateway (VGW) acting as Access Gateway	20
5.3 Role	21
5.3.1 PES Endpoint.....	21
5.3.1.1 General	21
5.3.1.2 Subscription for profile delivery	21
5.3.1.3 Registration procedures.....	21
5.3.1.4 Charging procedures	22
5.3.1.5 Outgoing Call.....	22
5.3.1.5.1 General	22
5.3.1.5.2 Procedures for analogue lines.....	22
5.3.1.5.3 Procedures for ISDN access	22
5.3.1.5.4 Use of Overlap Signalling (Optional).....	23
5.3.1.6 Terminating Call	23
5.3.1.6.1 General	23
5.3.1.6.2 Use of Overlap Signalling (Optional).....	23
5.3.1.7 Supplementary services configuration	23
5.3.1.7.1 Analogue lines	23
5.3.1.7.2 ISDN lines	23
5.3.2 PES Access Point.....	24
5.3.2.1 General	24
5.3.2.2 Subscription for profile delivery	24
5.3.2.3 Registration Procedures	24
5.3.2.4 Originating Call Control procedures	25
5.3.2.4.1 General	25
5.3.2.4.2 Procedures for analogue lines.....	26
5.3.2.4.3 Procedures for ISDN access	26
5.3.2.4.4 Use of Overlap Signalling (Optional).....	26
5.3.2.5 Terminating Call Control procedures.....	26
5.3.2.5.1 General	26

5.3.2.5.2	Use of Overlap Signalling (Optional).....	27
5.3.2.6	Charging procedures	27
5.3.2.7	Supplementary services configuration	27
5.3.2.7.1	Analogue lines	27
5.3.2.7.2	ISDN lines	27
5.3.3	PES Application Server	27
5.3.3.1	General	27
5.3.3.2	Basic call procedures.....	28
5.3.3.3	Announcement procedures.....	28
5.3.3.4	Profile Delivery.....	28
5.3.3.5	Transport of ISUP information	29
5.3.3.5.1	General	29
5.3.3.5.2	Sending NSS message bodies to a peer SIP signalling entity.....	29
5.3.3.5.3	Receiving an NSS message body from a peer SIP signalling entity.....	31
5.3.3.6	Handling of charging information.....	32
5.3.3.7	Supplementary services configuration	32
5.3.4	PES Announcement Server.....	32
5.3.4.1	General	32
5.3.4.2	Announcement procedures.....	32
5.3.5	PES Interworking Application.....	32
5.3.5.1	General	32
5.3.5.2	Routing procedures	33
5.3.5.3	Handling of charging information.....	33
5.3.5.4	Transport of ISUP information	33
5.3.5.4.1	General	33
5.3.5.4.2	Sending ISUP information to a peer SIP signalling entity	33
5.3.5.4.3	Receiving an NSS message body from a peer SIP signalling entity.....	35
5.3.5.4.4	ISUP messages for special consideration	36
5.3.5.5	Optional SIP/ISUP interworking procedures for PSTN Bridging.....	37
5.3.6	PES interconnection application.....	38
5.3.6.1	General	38
5.3.6.2	Procedures related to NSS message bodies.....	38
6	Protocol using SIP/SDP for PES	38
6.1	Introduction	38
6.2	Functional Entities.....	38
6.2.1	User Equipment (UE)	38
6.2.2	Access Gateway Control Function (AGCF)	38
6.2.3	Application Server (AS)	38
6.2.4	Media Resource Function Controller (MRFC)	38
6.2.5	Voice over IP gateway (VGW).....	39
6.3	Roles.....	39
6.3.1	PES Endpoint.....	39
6.3.1.1	General	39
6.3.1.2	Originating Calls	39
6.3.1.3	Terminating Calls.....	39
6.3.1.3.1	General	39
6.3.1.3.2	Analogue Access	39
6.3.1.3.3	ISDN Access	40
6.3.2	PES Access Point.....	40
6.3.2.1	General	40
6.3.2.2	Originating calls.....	40
6.3.2.3	Terminating calls.....	40
6.3.2.3.1	General	40
6.3.2.3.2	Analogue Access	40
6.3.2.3.3	ISDN Access	40
6.3.2.4	Void.....	41
6.3.3	PES Application Server	41
6.3.3.1	General	41
6.3.4	PES Announcement Server.....	41
6.3.4.1	General	41

7	Protocol using H.248 for PES	41
7.1	Introduction	41
7.2	Functional Entities.....	41
7.2.1	Access Gateway Control Function (AGCF)	41
7.2.2	Media Gateway Function (MGF).....	41
7.3	Roles.....	41
7.3.1	PES Access Point.....	41
7.3.1.1	General	41
7.3.1.2	Registration	42
7.3.1.3	Basic Session control procedures for analogue lines	42
7.3.1.3.1	Originating side procedures.....	42
7.3.1.3.2	Terminating side procedures	46
7.3.1.4	Procedures for fax/modems calls over analogue access.....	48
7.3.1.5	Message Waiting Indication for analogue access.....	48
7.3.1.6	Procedures for ISDN access.....	48
7.3.2	PES Media Gateway	48
8	Protocol using DSS1 for PES	49
8.1	Introduction	49
8.2	Functional Entities.....	49
8.2.1	User Equipment (UE)	49
8.2.2	Access Gateway Control Function (AGCF)	49
8.2.3	Signalling Gateway Function (SGF).....	49
8.2.4	Voice over IP gateway (VGW).....	49
8.3	Roles.....	49
8.3.1	PES Endpoint.....	49
8.3.2	PES Access Point.....	49
8.3.3	PES Signalling Gateway	49
Annex A (normative):	XML document structure for Profile Delivery.....	50
Annex B (normative):	AGCF/VGW Feature Manager	52
B.1	Void.....	52
B.2	Void.....	52
B.3	Void.....	52
B.4	Feature manager behaviour	52
B.4.1	Registration procedures	52
B.4.1.1	Group state change procedures	52
B.4.1.2	Per line/access state change procedures.....	52
B.4.1.2.1	User-initiated state change transition to "In service" stat.....	52
B.4.1.2.2	User-initiated state change to "Out of service" state	53
B.4.1.2.3	Exception procedures	53
B.4.2	Flash Hook Management.....	53
B.4.2.1	Void	53
B.4.2.2	Flash-Hook Management for analogue access.....	53
B.4.2.2.1	General rules	53
B.4.2.2.2	Loose coupling procedures	54
B.4.2.2.3	Tight coupling procedures.....	57
B.4.2.2.3.1	Introduction	57
B.4.2.2.3.2	Flash-Hook Reporting	57
B.4.2.2.3.3	Behaviour and Functional Distribution	58
B.4.3	Behaviour of Re-ringing.....	60
Annex C (informative):	Implementation of Supplementary Services.....	61
C.1	General principles	61
C.1.1	Introduction	61
C.1.2	Supplementary Service control.....	61
C.1.2.1	Service code commands.....	61
C.1.2.1.1	Command syntax.....	61

C.1.2.1.2	Generic procedure at the AGCF/VGW side.....	62
C.1.2.1.3	Generic procedure at the AS side.....	62
C.1.2.2	Switching order commands	63
C.1.3	Setting of initial filter criteria.....	63
C.1.4	Supplementary services using ISUP information.....	64
C.2	Advice of Charge	65
C.2.1	Actions at the Originating AGCF.....	65
C.2.1.1	General.....	65
C.2.1.2	AGCF Metering Pulse generation.....	65
C.2.1.2.1	Usage of an AOC-D for Metering Pulse generation	65
C.2.1.2.2	Usage of AOC-S for Metering Pulse generation.....	65
C.2.2	Actions at the Originating AS	66
C.2.2.1	General.....	66
C.2.2.2	Usage of AOC-D for Metering Pulse generation	66
C.2.2.3	Usage of AOC-S for Metering Pulse generation.....	66
C.2.2.3.1	Overview of AOC-S usage with extended AOC.....	66
C.2.2.3.2	AOC Information Elements - Extensions to TS 183 047 - annex C.....	67
C.2.2.3.3	AOC-S Parameter settings for Pulse Metering generation.....	67
C.2.3	Actions at the Terminating AGCF	70
C.2.4	Actions at the Terminating AS	70
C.2.5	Actions at the originating VGW.....	70
C.2.5.1	General.....	70
C.2.5.2	VGW Metering Pulse generation.....	70
C.2.5.2.1	Usage of an AOC-D for Metering Pulse generation	70
C.2.5.2.2	Usage of AOC-S for Metering Pulse generation.....	70
C.2.6	Actions at the terminating VGW.....	71
C.3	Anonymous Call Rejection	71
C.3.1	Actions at the Originating AGCF.....	71
C.3.2	Actions at the Originating AS	71
C.3.3	Actions at the Terminating AS	71
C.3.4	Actions at the Terminating AGCF	71
C.3.5	Actions at the Originating VGW.....	71
C.3.6	Actions at the Terminating VGW.....	72
C.4	Automatic Call Return.....	72
C.4.1	Actions at the AGCF at the invoker side	72
C.4.2	Actions at the AS at the invoker side	72
C.4.3	Actions at the VGW at the invoker side	72
C.5	Calling Line Identity Presentation/Restriction	72
C.5.1	Actions at the Originating AGCF.....	72
C.5.2	Actions at the Originating AS	72
C.5.3	Actions at the Terminating AS	73
C.5.4	Actions at the Terminating AGCF	73
C.5.5	Actions at the Originating VGW.....	73
C.5.6	Actions at the Terminating VGW.....	73
C.6	Calling Name Delivery.....	74
C.6.1	Actions at the Originating AGCF.....	74
C.6.2	Actions at the Originating Application Server	74
C.6.3	Actions at the Terminating Application Server	74
C.6.4	Actions at the Terminating AGCF	74
C.6.5	Actions at the Originating VGW.....	74
C.6.6	Actions at the Terminating VGW.....	74
C.7	Call Forwarding.....	74
C.7.1	Activation/Deactivation/Interrogation.....	74
C.7.1.1	Actions at the AGCF.....	74
C.7.1.2	Actions at the AS	75
C.7.1.3	Actions at the VGW.....	75
C.7.2	Invocation.....	75
C.7.2.1	Actions at the Originating AGCF	75

C.7.2.2	Actions at the Originating AS	75
C.7.2.3	Actions at the Forwarding AS	75
C.7.2.4	Actions at the Forwarding AGCF	75
C.7.2.5	Actions at the Terminating AS	75
C.7.2.6	Actions at the Terminating AGCF	75
C.7.2.7	Actions at the Originating VGW	75
C.7.2.8	Actions at the Forwarding VGW	75
C.7.2.9	Actions at the Terminating VGW	75
C.8	Distinctive Ringing	76
C.8.1	Actions at the Originating AGCF	76
C.8.2	Actions at the Originating Application Server	76
C.8.3	Actions at the Terminating Application Server	76
C.8.4	Actions at the Terminating AGCF	76
C.8.5	Actions at the Originating VGW	76
C.8.6	Actions at the Terminating VGW	76
C.9	Call Waiting	76
C.9.1	General for Loose Coupling	76
C.9.1.1	Actions at the AGCF at the terminating side	76
C.9.1.2	Actions at the AS at the terminating side	78
C.9.1.3	Actions at the VGW at the terminating side	80
C.9.2	Void	83
C.9.2.1	Void	83
C.9.2.2	Void	83
C.9.3	General for Tight coupling	83
C.9.3.1	Actions at the AGCF at the terminating side	83
C.9.3.2	Actions at the AS at the terminating side	83
C.9.3.3	Actions at the VGW at the terminating side	85
C.10	Incoming Call Barring	87
C.10.1	Activation/Deactivation/Interrogation	87
C.10.1.1	Actions at the AGCF	87
C.10.1.2	Actions at the AS	87
C.10.1.3	Actions at the VGW	87
C.10.2	Invocation	87
C.10.2.1	Actions at the Originating AGCF	87
C.10.2.2	Actions at the Originating AS	87
C.10.2.3	Actions at the Terminating AS	87
C.10.2.4	Actions at the Terminating AGCF	87
C.10.2.5	Actions at the Originating VGW	87
C.10.2.6	Actions at the Terminating VGW	87
C.11	Malicious Call Identification (Loose coupling)	88
C.11.1	Actions at the Originating AGCF	88
C.11.2	Actions at the Originating AS	88
C.11.3	Actions at the Terminating AS	88
C.11.4	Actions at the Terminating AGCF	88
C.11.5	Actions at the Originating VGW	88
C.11.6	Actions at the Terminating VGW	88
C.11A	Malicious Call Identification (Tight coupling)	88
C.11A.1	Actions at the Originating AGCF	88
C.11A.2	Actions at the Originating AS	89
C.11A.3	Actions at the Terminating AS	89
C.11A.4	Actions at the Terminating AGCF	89
C.11A.5	Actions at the Originating VGW	89
C.11A.6	Actions at the Terminating VGW	89
C.12	Message Waiting Indicator	89
C.12.1	Actions at the AGCF	89
C.12.2	Actions at the AS	89
C.12.3	Actions at the VGW	90