

ETSI TS 183 043 V3.4.1 (2011-04)

Technical Specification

**Telecommunications and Internet converged Services and
Protocols for Advanced Networking (TISPAN);
IMS-based PSTN/ISDN Emulation;
Stage 3 specification**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ETSI TS 183 043 V3.4.1 (2011-04)

<https://standards.iteh.ai/catalog/standards/etsi/338cb4a0-0587-4510-bb4e-2de1d6c6225a/etsi-ts-183-043-v3-4-1-2011-04>



Reference

RTS/TISPAN-03209-NGN-R3

Keywords

IMS, ISDN, PSTN, stage 3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	12
Foreword.....	12
1 Scope	13
1.1 Not supported services and capabilities.....	13
2 References	13
2.1 Normative references	14
2.2 Informative references.....	16
3 Definitions and abbreviations.....	17
3.1 Definitions	17
3.2 Abbreviations	18
4 IMS-based PSTN Emulation Subsystem (PES) overview	19
4.1 General	19
4.2 URI and address assignments.....	20
4.3 AGCF and VGW session and registration processing model.....	20
4.3.1 General.....	20
4.3.2 Conventions	21
5 Protocol using SIP and SIP events for PES.....	23
5.1 Introduction	23
5.2 Functional Entities.....	23
5.2.1 User Equipment (UE)	23
5.2.2 Access Gateway Control Function (AGCF)	23
5.2.3 Application Server (AS)	23
5.2.4 Media Resource Function Controller (MRFC)	23
5.2.5 Media Gateway Controller Function (MGCF).....	23
5.2.6 Interconnection Border Control Function (IBCF).....	23
5.2.7 Voice over IP gateway (VGW) acting as Access Gateway	24
5.3 Role	24
5.3.1 PES Endpoint.....	24
5.3.1.1 General	24
5.3.1.2 Subscription for profile delivery	24
5.3.1.3 Registration procedures.....	25
5.3.1.4 Charging procedures	25
5.3.1.5 Outgoing Call.....	25
5.3.1.5.1 General	25
5.3.1.5.2 Procedures for analogue lines.....	26
5.3.1.5.3 Procedures for ISDN access	26
5.3.1.5.4 Use of Overlap Signalling (Optional).....	26
5.3.1.6 Terminating Call	26
5.3.1.6.1 General	26
5.3.1.6.2 Use of Overlap Signalling (Optional).....	27
5.3.1.6.3 Receipt of a REFER request outside a session	27
5.3.1.7 Supplementary services configuration	27
5.3.1.7.1 Analogue lines	27
5.3.1.7.2 ISDN lines	27
5.3.2 PES Access Point.....	28
5.3.2.1 General	28
5.3.2.2 Subscription for profile delivery	28
5.3.2.3 Registration Procedures	28
5.3.2.4 Originating Call Control procedures	29
5.3.2.4.1 General	29
5.3.2.4.2 Procedures for analogue lines.....	29
5.3.2.4.3 Procedures for ISDN access	30
5.3.2.4.4 Use of Overlap Signalling (Optional).....	30

5.3.2.5	Terminating Call Control procedures.....	30
5.3.2.5.1	General	30
5.3.2.5.2	Use of Overlap Signalling (Optional).....	31
5.3.2.5.3	Receipt of a REFER request outside a session	31
5.3.2.6	Charging procedures	31
5.3.2.7	Supplementary services configuration	31
5.3.2.7.1	Analogue lines	31
5.3.2.7.2	ISDN lines	31
5.3.3	PES Application Server	32
5.3.3.1	General	32
5.3.3.2	Basic call procedures.....	32
5.3.3.3	Announcement procedures.....	32
5.3.3.4	Profile Delivery	33
5.3.3.5	Transport of ISUP information	33
5.3.3.5.1	General	33
5.3.3.5.2	Sending NSS message bodies to a peer SIP signalling entity.....	34
5.3.3.5.3	Receiving an NSS message body from a peer SIP signalling entity.....	36
5.3.3.6	Handling of charging information.....	36
5.3.3.7	Supplementary services configuration	37
5.3.4	PES Announcement Server.....	37
5.3.4.1	General	37
5.3.4.2	Announcement procedures.....	37
5.3.5	PES Interworking Application.....	37
5.3.5.1	General	37
5.3.5.2	Routing procedures	37
5.3.5.3	Handling of charging information.....	37
5.3.5.4	Transport of ISUP information	38
5.3.5.4.1	General	38
5.3.5.4.2	Sending ISUP information to a peer SIP signalling entity	38
5.3.5.4.3	Receiving an NSS message body from a peer SIP signalling entity.....	40
5.3.5.4.4	ISUP messages for special consideration	41
5.3.5.5	Optional SIP/ISUP interworking procedures for PSTN Bridging.....	42
5.3.6	PES interconnection application	42
5.3.6.1	General	42
5.3.6.2	Procedures related to NSS message bodies	42

6	Protocol using SIP/SDP for PES	43
6.1	Introduction	43
6.2	Functional Entities.....	43
6.2.1	User Equipment (UE)	43
6.2.2	Access Gateway Control Function (AGCF)	43
6.2.3	Application Server (AS)	43
6.2.4	Media Resource Function Controller (MRFC)	43
6.2.5	Voice over IP gateway (VGW).....	43
6.3	Roles.....	44
6.3.1	PES Endpoint.....	44
6.3.1.1	General	44
6.3.1.2	Originating Calls	44
6.3.1.2.1	Analogue Access	44
6.3.1.2.2	ISDN Access	47
6.3.1.3	Terminating Calls.....	47
6.3.1.3.1	General	47
6.3.1.3.2	Analogue Access	47
6.3.1.3.3	ISDN Access	47
6.3.1.4	Specific procedures for PSTN modem calls.....	47
6.3.1.4.1	Generation of Preferred Configuration/Codec Lists (for PSTN modem calls).....	47
6.3.1.4.2	Switching between "audio" and "non-audio" modes	48
6.3.1.4.3	Fall Back due to lacking support of V.152 and/or T.38.....	48
6.3.1.4.4	Non-V.152 VBD Gateway	48
6.3.2	PES Access Point.....	49
6.3.2.1	General	49
6.3.2.2	Originating calls	49

6.3.2.3	Terminating calls.....	49
6.3.2.3.1	General	49
6.3.2.3.2	Analogue Access	49
6.3.2.3.3	ISDN Access	49
6.3.2.4	Void.....	49
6.3.2.5	Specific Procedures for Fax/Modem Calls.....	49
6.3.3	PES Application Server	49
6.3.3.1	General	49
6.3.4	PES Announcement Server.....	49
6.3.4.1	General	49
6.3.5	SDP support for PSTN modem calls.....	50
7	Protocol using H.248 for PES	50
7.1	Introduction	50
7.2	Functional Entities.....	50
7.2.1	Access Gateway Control Function (AGCF)	50
7.2.2	Media Gateway Function (MGF).....	50
7.3	Roles.....	50
7.3.1	PES Access Point.....	50
7.3.1.1	General	50
7.3.1.2	Registration	50
7.3.1.3	Basic Session control procedures for analogue lines	51
7.3.1.3.1	Originating side procedures.....	51
7.3.1.3.2	Terminating side procedures	55
7.3.1.4	Procedures for fax/modems calls over analogue access.....	58
7.3.1.5	Message Waiting Indication for analogue access.....	58
7.3.1.6	Procedures for ISDN access.....	58
7.3.2	PES Media Gateway	58
8	Protocol using DSS1 for PES	58
8.1	Introduction	58
8.2	Functional Entities.....	58
8.2.1	User Equipment (UE)	58
8.2.2	Access Gateway Control Function (AGCF)	58
8.2.3	Signalling Gateway Function (SGF).....	59
8.2.4	Voice over IP gateway (VGW).....	59
8.3	Roles.....	59
8.3.1	PES Endpoint.....	59
8.3.2	PES Access Point.....	59
8.3.3	PES Signalling Gateway	59
9	Protocol using analog signalling for PES.....	59
9.1	Introduction	59
9.2	Functional Entities.....	59
9.2.1	User Equipment (UE)	59
9.2.2	Access Gateway Control Function (AGCF)	59
9.2.3	Voice over IP gateway (VGW).....	60
9.2.4	Media Gateway Function (MGF).....	60
9.3	Roles.....	60
9.3.1	PES Endpoint.....	60
9.3.1.1	General	60
9.3.1.2	Registration	60
9.3.1.3	Basic Session control procedures for analogue lines	60
9.3.1.3.1	Originating side procedures.....	60
9.3.1.3.2	Terminating side procedures	63
9.3.1.4	Procedures for fax/modems calls over analogue access.....	66
9.3.1.5	Message Waiting Indication for analogue access.....	66
9.3.2	PES Access Point.....	66
9.3.3	PES Media Gateway	66
Annex A (normative):	XML document structure for Profile Delivery.....	67
Annex B (normative):	AGCF/VGW Feature Manager	69

B.1	Void.....	69
B.2	Void.....	69
B.3	Void.....	69
B.4	Feature manager behaviour	69
B.4.1	Registration procedures	69
B.4.1.1	Group state change procedures	69
B.4.1.2	Per line/access state change procedures.....	70
B.4.1.2.1	User-initiated state change transition to "In service" stat.....	70
B.4.1.2.2	User-initiated state change to "Out of service" state	70
B.4.1.2.3	Exception procedures	70
B.4.2	Flash Hook Management.....	70
B.4.2.1	Void	70
B.4.2.2	Flash-Hook Management for analogue access.....	70
B.4.2.2.1	General rules	70
B.4.2.2.2	Loose coupling procedures	71
B.4.2.2.3	Tight coupling procedures.....	74
B.4.2.2.3.1	Introduction	74
B.4.2.2.3.2	Flash-Hook Reporting	74
B.4.2.2.3.2A	Digit Collection and Reporting.....	75
B.4.2.2.3.3	Behaviour and Functional Distribution	75
B.4.3	Behaviour of Re-ringing.....	76
B.4.3.1	Loose coupling.....	77
B.4.3.2	Tight coupling.....	77
B.4.4	On-Hook Management	77
B.4.4.1	General.....	77
B.4.4.1.1	General rules	77
B.4.4.1.2	Interaction with other services	77
B.4.4.2	Originating side procedures	77
B.4.4.2.1	Loose coupling procedures	77
B.4.4.2.2	Tight coupling procedures.....	78
B.4.4.3	Terminating side procedures.....	79
B.4.4.3.1	Loose coupling procedures	79
B.4.4.3.2	Tight coupling procedures.....	79

Annex C (informative): Implementation of Supplementary Services.....81

C.1	General principles	81
C.1.1	Introduction	81
C.1.2	Supplementary Service control.....	81
C.1.2.1	Service code commands.....	81
C.1.2.1.1	Command syntax.....	81
C.1.2.1.2	Generic procedure at the AGCF/VGW side.....	82
C.1.2.1.3	Generic procedure at the AS side	82
C.1.2.2	Switching order commands	83
C.1.3	Setting of initial filter criteria	83
C.1.4	Supplementary services using ISUP information	84
C.2	Advice of Charge	84
C.2.1	Actions at the Originating AGCF	84
C.2.1.1	General.....	84
C.2.1.2	AGCF Metering Pulse generation.....	85
C.2.1.2.1	Usage of an AOC-D for Metering Pulse generation	85
C.2.1.2.2	Usage of AOC-S for Metering Pulse generation.....	85
C.2.2	Actions at the Originating AS	85
C.2.2.1	General.....	85
C.2.2.2	Usage of AOC-D for Metering Pulse generation.....	86
C.2.2.3	Usage of AOC-S for Metering Pulse generation.....	86
C.2.2.3.1	Overview of AOC-S usage with extended AOC.....	86
C.2.2.3.2	AOC Information Elements - Extensions to TS 124 647 - Annex C.....	86
C.2.2.3.3	AOC-S Parameter settings for Pulse Metering generation.....	87
C.2.3	Actions at the Terminating AGCF	89

C.2.4	Actions at the Terminating AS	89
C.2.5	Actions at the originating VGW	90
C.2.5.1	General	90
C.2.5.2	VGW Metering Pulse generation	90
C.2.5.2.1	Usage of an AOC-D for Metering Pulse generation	90
C.2.5.2.2	Usage of AOC-S for Metering Pulse generation	90
C.2.6	Actions at the terminating VGW	90
C.3	Anonymous Call Rejection	91
C.3.1	Actions at the Originating AGCF	91
C.3.2	Actions at the Originating AS	91
C.3.3	Actions at the Terminating AS	91
C.3.4	Actions at the Terminating AGCF	91
C.3.5	Actions at the Originating VGW	91
C.3.6	Actions at the Terminating VGW	91
C.4	Automatic Call Return	91
C.4.1	Actions at the AGCF at the invoker side	91
C.4.2	Actions at the AS at the invoker side	91
C.4.3	Actions at the VGW at the invoker side	92
C.5	Calling Line Identity Presentation/Restriction	92
C.5.1	Actions at the Originating AGCF	92
C.5.2	Actions at the Originating AS	92
C.5.3	Actions at the Terminating AS	92
C.5.4	Actions at the Terminating AGCF	93
C.5.5	Actions at the Originating VGW	93
C.5.6	Actions at the Terminating VGW	93
C.6	Calling Name Delivery	93
C.6.1	Actions at the Originating AGCF	93
C.6.2	Actions at the Originating Application Server	93
C.6.3	Actions at the Terminating Application Server	93
C.6.4	Actions at the Terminating AGCF	94
C.6.5	Actions at the Originating VGW	94
C.6.6	Actions at the Terminating VGW	94
C.7	Call Forwarding	94
C.7.1	Activation/Deactivation/Interrogation	94
C.7.1.1	Actions at the AGCF	94
C.7.1.2	Actions at the AS	94
C.7.1.3	Actions at the VGW	94
C.7.2	Invocation	94
C.7.2.1	Actions at the Originating AGCF	94
C.7.2.2	Actions at the Originating AS	95
C.7.2.3	Actions at the Forwarding AS	95
C.7.2.4	Actions at the Forwarding AGCF	95
C.7.2.5	Actions at the Terminating AS	95
C.7.2.6	Actions at the Terminating AGCF	95
C.7.2.7	Actions at the Originating VGW	95
C.7.2.8	Actions at the Forwarding VGW	95
C.7.2.9	Actions at the Terminating VGW	95
C.8	Distinctive Ringing	95
C.8.1	Actions at the Originating AGCF	95
C.8.2	Actions at the Originating Application Server	95
C.8.3	Actions at the Terminating Application Server	95
C.8.4	Actions at the Terminating AGCF	96
C.8.5	Actions at the Originating VGW	96
C.8.6	Actions at the Terminating VGW	96
C.9	Call Waiting	96
C.9.1	General for Loose Coupling	96
C.9.1.1	Actions at the AGCF at the terminating side	96