

ETSI TS 183 063 V3.5.2 (2011-03)

Technical Specification

Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IMS-based IPTV stage 3 specification

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 183 063 V3.5.2 \(2011-03\)](https://standards.iteh.ai/catalog/standards/etsi/b7dea1c6-3694-48f2-971c-892ffa5c23e6/etsi-ts-183-063-v3-5-2-2011-03)

<https://standards.iteh.ai/catalog/standards/etsi/b7dea1c6-3694-48f2-971c-892ffa5c23e6/etsi-ts-183-063-v3-5-2-2011-03>



Reference

RTS/TISPAN-03219-NGN-R3

Keywords

IMS, IP, TV, stage 3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Document Preview
(<https://standards.iteh.ai>)

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	15
Foreword.....	15
1 Scope	16
2 References	16
2.1 Normative references	16
2.2 Informative references.....	19
3 Abbreviations	20
4 Applicability.....	22
4.1 Overview	22
4.2 Functional entities	24
4.2.1 User Equipment (UE)	24
4.2.2 Service Control Function (SCF)	24
4.2.3 Service Discovery Function (SDF).....	24
4.2.4 Service Selection Function (SSF)	24
4.2.5 Media Control Function (MCF).....	24
4.2.6 Media Delivery Function (MDF).....	24
4.2.7 Core-IMS	24
4.2.8 Inter-destination media synchronization entities	25
4.2.8.1 MSAS.....	26
4.2.8.2 SC.....	26
4.2.8.3 SC'.....	26
4.2.9 Service Protection and Content Protection function (SCP).....	26
4.3 Compliance.....	27
5 Procedures using SIP/SDP for IMS-based IPTV	28
5.1 User Equipment (UE).....	28
5.1.1 Procedure for IMS registration	28
5.1.2 Procedure for service attachment.....	28
5.1.2.1 Push mode.....	28
5.1.2.2 Pull mode	28
5.1.2.2.1 Subscription.....	29
5.1.2.2.2 Receiving notifications.....	30
5.1.3 Procedure for BC service	30
5.1.3.1 UE-initiated session initiation	30
5.1.3.1.1 Additional SDP lines for FEC streams	31
5.1.3.1A SCF-initiated session initiation	32
5.1.3.2 Session modification	33
5.1.3.3 BC service with trick-play mode.....	33
5.1.3.3.1 Trick-play mode activation.....	33
5.1.3.3.2 Trick-play mode deactivation	33
5.1.3.4 Session termination	34
5.1.3.5 Session Information	34
5.1.3.6 Procedure for PPV service	35
5.1.4 Procedure for CoD service.....	35
5.1.4.1 Procedure for retrieving missing parameters before session initiation.....	35
5.1.4.2 UE-initiated session initiation	36
5.1.4.2.1 Procedure for establishing the RTSP content control and content delivery channel	36
5.1.4.2.2 Procedure for establishing the RTSP channel separately	37
5.1.4.2A SCF-initiated session initiation	38
5.1.4.2.3 Additional SDP lines for FEC streams	38
5.1.4.3 Session modification	39
5.1.4.3.1 Procedure for establishing the content delivery channel	39
5.1.4.3.2 Additional SDP lines for FEC streams	39
5.1.4.4 Session termination	40

5.1.4.4.1	Session termination using RTSP Method 1	40
5.1.4.4.2	Session termination using RTSP Method 2	40
5.1.4.5	Procedures for handling COD Service action data	40
5.1.5	Procedure for Service Configuration	41
5.1.5.1	Subscription to notification of changes	41
5.1.5.2	Processing of notifications	42
5.1.6	Procedure for IPTV presence service	42
5.1.6.1	Subscribing to presence	44
5.1.6.2	Receiving presence notifications	45
5.1.7	Procedure for PVR Service	45
5.1.7.1	Procedures for PVR Service Capture Request	45
5.1.7.1.1	Procedures for Impulsive Request	45
5.1.7.1.2	Procedures for Offline Request	47
5.1.7.2	Procedures for N-PVR Session	47
5.1.7.3	Procedures for C-PVR Recording Session	48
5.1.8	Procedure for UGC Service	48
5.1.8.1	Procedure for UGC declaration	48
5.1.8.2	Procedure for publishing UGC description information by UE	49
5.1.8.3	Procedure for UGC creation	49
5.1.8.3.1	Session initiation	49
5.1.8.4	Procedure for UGC watching session	50
5.1.8.4.1	UGC selection	50
5.1.8.4.2	Session initiation	50
5.1.9	Notification service	51
5.1.9.1	Procedure for Notification service using signalling path	51
5.1.10	Procedure for Remote Service Initiation	51
5.1.10.1	Procedure for service initiation by remote UE	51
5.1.10.2	Procedure for service initiation on the Target UE	51
5.1.11	Procedure for Personalised Service Composition	52
5.1.11.1	General	52
5.1.11.2	Generation of the PSCid by the UE	52
5.1.11.3	UE-initiated session initiation	52
5.1.11.4	SCF-initiated session initiation	52
5.1.11.5	Session modification	52
5.1.11.6	Session termination	53
5.1.12	Procedure for Personalized Channel (PCh) Service	53
5.1.12.1	Procedure for PCh Declaration	53
5.1.12.2	Procedure for PCh Operation	53
5.1.12.2.1	PCh Session Initiation	53
5.1.12.2.2	Session modification due to a PCh Content Item Switch	54
5.1.12.2.3	PCh Overlap Handling through User interaction	54
5.1.13	Procedure for Content Insertion at UE Side	54
5.1.14	Procedures for IPTV Content Marker Service	55
5.1.14.1	Procedure for IPTV Content Marker handling	55
5.1.15	Procedure for Targeted Ad Insertion (TAI)	57
5.1.15.1	TAI at UE side	57
5.1.15.2	TAI at MF side	57
5.1.16	Procedures for Content Switch within a CoD Contentlist(User-Owned)	57
5.1.16.1	UE-initiated session Session initiation	57
5.1.17	Procedures with other IMS Services	57
5.1.17.1	Instant Messaging Procedures	57
5.1.18	Procedures for Unicast Content Download	58
5.1.18.1	UE-initiated Content download session initiation for unicast download	58
5.1.18.2	UE-initiated Content download session initiation for multicast download	59
5.1.19	Procedure for Preview Service	59
5.1.19.1	Procedures for BC preview session	59
5.1.19.1.1	Session initiation	59
5.1.19.2	Procedures for CoD preview session	59
5.1.19.2.1	Session initiation	59
5.1.20	Procedure for Session Transfer	60
5.1.20.1	Generic Procedure	60
5.1.20.1.1	Transferee UE session initiation	60

5.1.20.2	Session Transfer - Push Mode.....	60
5.1.20.2.1	Transferor UE Locating a Transferee	60
5.1.20.2.2	Transferor UE Initiation of Session Transfer Request.....	60
5.1.20.2.3	Transferee UE Handling for Incoming Session Transfer Request.....	61
5.2	Service Discovery Function (SDF)	61
5.2.1	Procedure for IMS registration	61
5.2.2	Procedure for service attachment.....	61
5.2.2.1	Push mode	61
5.2.2.2	Pull mode	62
5.2.2.3	Service Attachment Information	64
5.3	Service Control Function (SCF).....	66
5.3.1	Procedure for BC service	66
5.3.1.1	UE-initiated session initiation	66
5.3.1.1A	SCF-initiated session initiation	67
5.3.1.2	Session modification	67
5.3.1.3	BC service with trick-play mode.....	67
5.3.1.3.1	Trick-play mode activation.....	68
5.3.1.3.2	Trick-play mode deactivation	68
5.3.1.4	Session termination	68
5.3.1.5	Procedure for PPV service	69
5.3.1.5.1	PPV Session initiation	69
5.3.1.5.2	PPV Session termination	69
5.3.2	Procedure for CoD service.....	69
5.3.2.1	Procedure for handling missing parameters before session initiation	69
5.3.2.2	UE-initiated session initiation	69
5.3.2.2A	SCF-initiated session initiation	70
5.3.2.3	Session modification	70
5.3.2.4	Session termination	70
5.3.2.4.1	Session termination using RTSP method 1.....	70
5.3.2.4.2	Session termination using RTSP method 2.....	70
5.3.2.5	Procedures for handling COD Service action data	70
5.3.3	Procedure for Service Configuration	71
5.3.4	Procedure for PVR Service.....	71
5.3.4.1	Procedures for PVR Service Capture Request	71
5.3.4.1.1	Procedures for Impulsive Request	71
5.3.4.1.2	Procedures for Offline Request	72
5.3.4.2	Procedures for N-PVR Session	72
5.3.4.3	Procedures for C-PVR Service Recording Session	72
5.3.5	Procedure for UGC Service	73
5.3.5.1	Procedure for handling UGC declaration request	73
5.3.5.2	Procedure for handling publication request of UGC description information.....	73
5.3.5.3	Procedure for handling UGC creation request	74
5.3.5.4	Procedure for handling UGC watching request.....	74
5.3.5.4.1	UGC pre-selection	74
5.3.6	Notification service.....	74
5.3.6.1	Procedure for Notification service using signalling path	75
5.3.6.2	Procedure for Notification service using multicast media path.....	76
5.3.7	Procedure for restricted trick play.....	76
5.3.8	Procedure for Service Initiation for Remote UE.....	77
5.3.8.1	Procedure for handling the request of remote UE initial procedures	77
5.3.9	Procedures for Playlist handling	77
5.3.9.1	Network-Owned Playlist procedures for during CoD session initiation	77
5.3.9.2	Playlist procedures during an existing CoD session.....	78
5.3.10	Procedure for Personalised Service Composition	78
5.3.10.1	UE-initiated session initiation	78
5.3.10.2	SCF-initiated session initiation	78
5.3.10.3	Session modification	78
5.3.10.4	Session termination	79
5.3.11	Procedure for Personalized Channel (PCh) Service.....	79
5.3.11.1	Procedure for PCh Declaration Request Handling	79
5.3.11.2	Procedure for PCh Operation	79
5.3.11.2.1	PCh Session Initiation	79

5.3.11.2.2	PCh Content Item Switch	80
5.3.11.2.3	PCh Overlap Handling	80
5.3.12	Procedure for Content Insertion	81
5.3.12.1	Content Insertion at UE Side	81
5.3.12.2	Content Insertion at MF Side	82
5.3.13	Procedures for IPTV Content Marker Service	83
5.3.13.1	Procedure for IPTV Content Marker handling	83
5.3.14	Procedure for Targeted Ad Insertion (TAI)	83
5.3.14.1	TAI at UE side	83
5.3.14.2	TAI at MF side	84
5.3.15	Procedures for Content Switch within a CoD Contentlist	84
5.3.15.1	UE-initiated session Session initiation	84
5.3.16	Procedures with other IMS Services	84
5.3.16.1	Instant Messaging Procedures	84
5.3.17	Procedures for Unicast Content Download	85
5.3.17.1	UE-initiated Content Download session initiation	85
5.3.18	Procedure for Preview Service	85
5.3.18.1	Procedures for BC preview session	85
5.3.18.1.1	Session initiation	85
5.3.18.2	Procedures for CoD preview session	85
5.3.18.2.1	Session initiation	85
5.3.19	Procedure for Session Transfer	85
5.3.19.1	Generic Procedure	85
5.3.19.1.1	Transferee UE session initiation	85
5.3.19.2	Session Transfer - Push Mode	86
5.3.19.2.1	Transferor UE Locating a Transferee	86
5.3.19.2.2	Transferor and Transferee Handling of Session Transfer Request	86
5.4	Media Control Function (MCF)	86
5.4.1	Procedure for CoD service	86
5.4.1.1	Procedure for providing missing parameters before session initiation	86
5.4.1.2	Session initiation	86
5.4.1.2.1	Procedure for establishing the RTSP content control and content delivery channel	87
5.4.1.2.2	Procedure for establishing the RTSP channel separately	88
5.4.1.3	Session modification	88
5.4.1.3.1	Procedure for establishing the content delivery channel	89
5.4.1.4	Session termination	89
5.4.1.4.1	Session termination using RTSP method 1	89
5.4.1.4.2	Session termination using RTSP method 2	89
5.4.1.5	Procedures for handling COD Service action data	89
5.4.2	Procedure for support of BC service with trick play	90
5.4.3	Procedure for N-PVR Session	91
5.4.4	Procedure for UGC Service	91
5.4.4.1	Procedure for handling UGC creating Session	91
5.4.4.1.1	MCF as SDP answerer	91
5.4.5	Notification service	92
5.4.5.1	Procedure for Notification service using multicast media path	92
5.4.6	Procedure for restricted trick play	92
5.4.7	Procedures for Playlist handling	92
5.4.7.1	Procedures for updating playlist information	92
5.4.7.2	Procedures for Content Switching according to playlist information	93
5.4.8	Procedure for Personalized Channel (PCh) Service	93
5.4.8.1	Procedure for PCh Operation	93
5.4.8.1.1	PCh Session Initiation	93
5.4.8.1.2	PCh Content Item Switch	93
5.4.9	Procedure for Targeted Ad Insertion (TAI)	93
5.4.9.1	Procedure for Internal TAI option	93
5.4.9.1.1	TAI at UE side	93
5.4.9.1.2	TAI at MF side	93
5.4.10	Procedures for inter-destination media synchronization	94
5.4.10.1	Synchronization session initiation	94
5.4.10.2	Synchronization session modification	94
5.4.10.3	Synchronization session termination	94

5.4.11	Procedures for Content Switch within a CoD Contentlist.....	94
5.4.11.1	UE-initiated Session Initiation	94
5.4.12	Procedure for Content Insertion at MF Side	94
5.4.13	Procedure for Unicast Content Download	95
5.4.13.1	Procedure for handling UE-initiated Content Download session.....	95
5.4.13.1.1	MCF as SDP answerer	95
5.4.14	Procedure for Preview Service.....	96
5.4.14.1	Procedures for CoD preview session.....	96
5.5	Core IMS	96
5.5.1	Procedure for Registration	96
5.5.2	Procedure for Service Attachment	96
5.5.2.1	Push mode	96
5.5.2.2	Pull mode	97
5.5.3	Procedure for Service Configuration	97
5.5.4	Procedure for Service Selection.....	97
5.5.5	Procedure for CoD service.....	97
5.5.6	Procedure for BC service	98
5.6	Common Procedures	98
5.6.1	IMS Communication Service Identifier.....	98
5.6.2	Session Control Procedures	98
5.6.3	UE SIP Instance Identifier	99
5.6.4	UE Support for GRUU	99
5.7	Synchronization Client (SC).....	99
5.7.1	Procedures for inter-destination media synchronization	99
5.7.1.1	Synchronization session initiation.....	99
5.7.1.2	Synchronization session termination.....	100
5.8	Media Synchronization Application Server (MSAS).....	100
5.8.1	Procedures for inter-destination media synchronization	100
5.8.1.1	Synchronization session initiation.....	100
5.8.1.2	Synchronization session termination.....	101
6	Procedures using HTTP for IMS-based IPTV.....	101
6.1	User Equipment (UE).....	101
6.1.1	Procedures for service selection.....	101
6.1.1.1	Procedure for service personalization	101
6.1.1.2	Request of DVB SD&S.....	102
6.1.1.3	Request of DVB BCG.....	102
6.1.1.3.1	Container-based request	102
6.1.1.3.2	Query mechanism.....	102
6.1.1.4	Request of OMA BCAST ESG.....	102
6.1.1.5	Request of service action data.....	102
6.1.1.5A	Request of TV-Anytime Phase 2 XML.....	102
6.1.1.6	Use of service selection information	103
6.1.1.7	Query for IPTV Content Marker.....	103
6.1.2	Procedure for service configuration.....	104
6.1.2.1	General	104
6.1.2.2	Subscription for notification of state changes in XML document.....	104
6.1.3	Procedures for Unicast Content Download.....	104
6.1.3.1	Request of Content Download	104
6.2	Service Control Function (SCF).....	104
6.2.1	Procedure for service configuration.....	104
6.2.1.1	General	104
6.2.1.2	Manipulation acceptance.....	104
6.2.1.3	Authentication and authorization	105
6.2.1.4	Subscription acceptance and notification of state changes in XML document	105
6.3	Service Selection Function (SSF).....	105
6.3.1	Procedure for service selection	105
6.3.1.1	Authentication and authorization for personalized service selection information	105
6.3.1.2	Procedure for service personalization	106
6.3.1.3	Delivery of DVB SD&S.....	106
6.3.1.4	Delivery of DVB BCG.....	107
6.3.1.4.1	Container-based delivery	107