

ETSI TS 187 005 V3.1.1 (2012-06)



Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); NGN Lawful Interception; Stage 1 and Stage 2 definition

ETSI TS 187 005 V3.1.1 (2012-06)

<https://standards.iteh.ai/catalog/standards/etsi/642d8d0a-41a8-494b-b46f-1fe4e427ecb7/etsi-ts-187-005-v3-1-1-2012-06>

Reference

RTS/TISPAN-07045-NGN-R3

Keywords

IP, lawful interception, security, telephony

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	7
3 Definitions and abbreviations.....	8
3.1 Definitions.....	8
3.2 Abbreviations	9
4 Interception in the NGN.....	10
4.0 Structure of analysis.....	10
4.0.1 Review of stage 1 requirements.....	10
4.0.1.1 Provision/withdrawal	10
4.0.1.2 Activation/deactivation	10
4.0.1.3 Invocation and operation.....	10
4.0.1.4 Interrogation.....	11
4.0.1.5 Interaction with other services	11
4.1 LI architecture model	11
4.2 LI reference model	11
4.2.1 Features of NGN LI Administration function.....	14
4.2.2 LI in multiple CSP domains.....	14
4.3 Result of interception	15
5A Stage 2 description of NGN LI.....	16
5A.1 Information flow sequences	16
5A.1.1 LEA control interactions and information flows	16
5A.1.1.1 LI_ACTIVATE_req.....	17
5A.1.1.2 LI_ACTIVATE_conf.....	17
5A.1.1.3 LI_MODIFY_req.....	17
5A.1.1.4 LI_MODIFY_conf.....	18
5A.1.1.5 LI_STATUS_ind.....	18
5A.1.1.6 LI_ACTIVATE_ASSOCIATE_ind.....	19
5A.1.2 Target signalling and traffic interactions and information flows.....	20
5A.1.2.1 TARGET_ACTIVITY_MONITOR_ind.....	21
5A.1.2.1.1 Relation to Handover.....	21
5A.1.2.2 T_TRAFFIC_ind.....	21
5A.1.2.2.1 Relation to Handover.....	21
5A.1.2.3 CP_TRAFFIC_ind	22
5A.1.2.3.1 Relation to Handover.....	22
5A.1.2.4 TARGET_COMMS_MONITOR_ind.....	22
5A.1.2.4.1 Relation to Handover.....	22
5A.2 Data provision and encoding	23
5A.2.1 Identification of result of interception (Correlation and interception instance identifier).....	23
5A.2.2 Provision of identities/addresses	23
5A.2.3 Provision of details of services used and their associated parameters	23
5A.2.4 Provision of those signals emitted by the target invoking additional or modified services	23
5A.2.5 Provision of time-stamps for identifying the beginning, end and duration of the connection	24
5A.2.6 Provision of actual source, destination and intermediate public IDs in case of communication diversion	24
5A.2.7 Provision of location information	24
5 Interception in NGN subsystems.....	25
5.0 Allocation of LI-FEs to NGN-FEs	25

5.1	Architecture for interception of PES	25
5.2	Architecture for interception of IMS	26
5.3	Intercept Related Information (PoI IRI-IIF)	26
5.4	Content of Communication (PoI CC-IIF)	27
6	Identification of target of interception	27
6.1	ISDN/PSTN services	27
6.2	IMS services	28
6.3	Identification of target when identity protection is enabled	28
7	Security considerations	28
Annex A:	Void	29
Annex B:	Void	30
Annex C:	Void	31
Annex D:	Void	32
Annex E (informative):	ISDN/PSTN LI reference configurations	33
Annex F (informative):	Selection of handover interface	36
Annex G (informative):	Bibliography	38
G.1	ETSI Specifications	38
G.2	3GPP specifications	38
G.3	ITU-T specifications	39
G.4	IETF specifications	39
G.5	ISO specifications	39
G.6	ANSI specifications	39
Annex H (informative):	Change history	40
History	ETSI TS 187 005 V3.1.1 (2012-06)	41

<https://standards.iteh.ai/catalog/standards/etsi/642d8d0a-41a8-494b-b46f-1fe4e427ech7/etsi-ts-187-005-v3.1.1-2012-06>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN).

Introduction

The NGN is required to operate within a regulated environment and to comply to the privacy directive EC/2002/58 [i.1] which identifies in articles 5(2), and 15(1) the framework and obligation for CSPs to provide facilities for Lawful Interception and Data Retention. These obligations are further extended by the European Union Council Resolution COM 96/C329/01 [15] along with the International User Requirement (IUR) [16], stating the obligations on member states to provide facilities for LI. These documents and the requirements in them are respected in a balanced way in the present document.

Document Preview

[ETSI TS 187 005 V3.1.1 \(2012-06\)](https://standards.iteh.ai/catalog/standards/etsi/642d8d0a-41a8-494b-b46f-1fe4e427ecb7/etsi-ts-187-005-v3-1-1-2012-06)

<https://standards.iteh.ai/catalog/standards/etsi/642d8d0a-41a8-494b-b46f-1fe4e427ecb7/etsi-ts-187-005-v3-1-1-2012-06>

1 Scope

The present document specifies the stage 2 model for Lawful Interception (LI) of TISPAN NGN services as specified by TR 180 001 [i.3].

The requirement for provision of lawful interception for all Communication Service Providers (CSP) is described in TS 101 331 [3] and the present document gives the stage 1 and stage 2 definition for provision of an interception capability in for the NGN as specified by TISPAN.

The provisions in the present document apply only when the target of interception is an NGN user identified as specified in TS 184 002 [7], and when the network supplying services on behalf of the CSP is an NGN as specified by TISPAN in TR 180 001 [i.3] and where the NGN architecture is as specified in ES 282 001 [1]. The present document takes account of the requirement to support dynamic triggering of interception.

A guide to the application of the handover specifications is given in informative annexes.

NOTE 1: Handover aspects are not specified in the present document but are described in TS 133 108 [9], TS 101 671 [2] and TS 102 232-1 [4], TS 102 232-5 [5], and TS 102 232-6 [6].

NOTE 2: The present document assumes that the LEA/LEMF receiving intercept related information records from the NGN is able to decode NGN signalling streams and thus there is no definition in the present document of how to present NGN data in non-NGN formats.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 282 001: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); NGN Functional Architecture".
- [2] ETSI TS 101 671: "Lawful Interception (LI); Handover interface for the lawful interception of telecommunications traffic".
- [3] ETSI TS 101 331: "Lawful Interception (LI); Requirements of Law Enforcement Agencies".
- [4] ETSI TS 102 232-1: " Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 1: Handover specification for IP delivery".
- [5] ETSI TS 102 232-5: "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 5: Service-specific details for IP Multimedia Services".
- [6] ETSI TS 102 232-6: "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 6: Service-specific details for PSTN/ISDN services".
- [7] ETSI TS 184 002: "Telecommunications and Internet Converged Services and Protocols for Advanced Networking (TISPAN); Identifiers (IDs) for NGN".