

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Environmental testing –
Part 3-1: Supporting documentation and guidance – Cold and dry heat tests**

**Essais d'environnement –
Partie 3-1: Documentation d'accompagnement et guide – Essais de froid et de
chaleur sèche**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Environmental testing –
Part 3-1: Supporting documentation and guidance – Cold and dry heat tests**

**Essais d'environnement –
Partie 3-1: Documentation d'accompagnement et guide – Essais de froid et de
chaleur sèche**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

M

ICS 19.040

ISBN 978-2-88912-626-2

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Selection of test procedures	5
4.1 General background	5
4.1.1 General	5
4.1.2 Ambient temperature	6
4.1.3 Specimen temperatures	6
4.1.4 Specimens without heat dissipation	6
4.1.5 Specimens with heat dissipation	6
4.2 Mechanisms of heat transfer	6
4.2.1 Convection	6
4.2.2 Radiation	9
4.2.3 Thermal conduction	10
4.2.4 Forced air circulation	10
4.3 Test chambers	10
4.3.1 General	10
4.3.2 Methods of achieving the required conditions in the test chamber.....	11
4.4 Measurements.....	11
4.4.1 Temperature.....	11
4.4.2 Air velocity	11
Annex A (informative) Effect of airflow on chamber conditions and on surface temperatures of test specimens	12
Figure 1 – Experimental data on the effect of airflow on surface temperature of a wire-wound resistor – Radial airflow	7
Figure 2 – Experimental data on the effect of airflow on surface temperature of a wire-wound resistor – Axial airflow	8
Figure 3 – Temperature distribution on a cylinder with homogeneous heat generation in airflow of velocities 0,5, 1 and 2 m·s ⁻¹	9
Table 1 – Influence parameters when testing heat-dissipating specimens	11

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –

**Part 3-1: Supporting documentation and guidance –
Cold and dry heat tests**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60068-3-1 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test.

This second edition cancels and replaces the first edition, published in 1974, and constitutes a technical revision.

The main changes with regard to the previous edition are as follows:

- removal of guidance regarding thermal characteristics of chamber walls;
- revision of sections that address environmental chambers that do not use movement of air for temperature control.

The text of this standard is based on the following documents:

FDIS	Report on voting
104/555/FDIS	104/558/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60068 series, under the general title *Environmental testing* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Sample Document

get full document from standards.iteh.ai

ENVIRONMENTAL TESTING –

Part 3-1: Supporting documentation and guidance – Cold and dry heat tests

1 Scope

This part of IEC 60068 provides guidance regarding the performance of cold and dry heat tests.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 heat-dissipating specimen

specimen on which the hottest point on its surface, measured in free-air conditions and under the air pressure as specified in IEC 60068-1, is more than 5 K above the ambient temperature of the surrounding atmosphere after thermal stability has been reached

3.2 non heat-dissipating specimen

specimen that does not produce heat to a level that can affect the air temperature surrounding the specimen or those specimens located nearby

3.3 free-air conditions

conditions within an infinite space where the movement of the air is affected only by the heat-dissipating specimen

4 Selection of test procedures

4.1 General background

4.1.1 General

Specimen performance may be influenced or limited by the temperatures in which the specimen is operated. The level of influence may be affected by test gradients that exist within the test system (climatic or environmental chamber) and internal temperatures within

the specimen itself. In order to determine the level of influence that exists and to ensure that the specimen is designed appropriately, cold and/or dry heat tests are performed.

4.1.2 Ambient temperature

The maximum and minimum values of the ambient temperature where the specimen will be subjected to should be known. Preferred values for testing purposes are provided in IEC 60068-2-1 and/or IEC 60068-2-2.

Difficulties can arise due to the fact that heat transfer causes temperature variations in the area surrounding the specimen. Consequently, the affect from the transfer of heat to the ambient temperature of the surrounding atmosphere should be considered. Air flow related to spacing between specimens should also be considered when performing a test.

4.1.3 Specimen temperatures

The performance of the specimen can be affected by its own temperature in the case of heat-dissipating specimens. Because of this, when controlling the test environment, it may be necessary to measure the temperature of the specimen under test at different locations, both internally and externally.

4.1.4 Specimens without heat dissipation

If the ambient temperature is uniform and constant and there is no generation of heat within the specimen, heat will flow from the ambient atmosphere into the specimen if the ambient atmosphere is at a higher temperature. Conversely, heat will flow from the specimen into the ambient atmosphere if the specimen is at a higher temperature. This heat transfer will continue until the specimen has completely reached thermal equilibrium with the surrounding atmosphere. From that moment on, the heat transfer ceases and will not start again unless the ambient temperature changes.

4.1.5 Specimens with heat dissipation

If heat is generated within the specimen the temperature of the specimen will rise to a stabilization point above the ambient temperature. It follows that if a steady temperature is reached, heat will flow continuously from the specimen by convection, radiation, and/or conduction into the atmosphere whereby the specimen is cooled.

If more than one specimen is subjected to a dry heat test in the same chamber, it is necessary to ensure that all specimens are in the same ambient temperature and have identical mounting conditions. It has not, however, been found necessary to differentiate between testing of single specimens and multiple specimens when the cold test is being performed.

4.2 Mechanisms of heat transfer

4.2.1 Convection

Heat transfer through convection is an important factor when testing heat-dissipating specimens. The coefficient of heat transfer from the surface of the test specimen to the ambient air is affected by the velocity of the surrounding air. The greater the air velocity, the more efficient the heat transfer is. Therefore, the higher the air velocity, the lower the surface temperature of the test specimen will be with the same temperature of the ambient air. This effect is illustrated in Figures 1 and 2.




Figure 1 – Experimental data on the effect of airflow on surface temperature of a wire-wound resistor – Radial airflow