



IEC 60079-18

Edition 5.0 2025-06
COMMENTED VERSION

INTERNATIONAL STANDARD

Explosive atmospheres – iTeh Standards
Part 18: Equipment protection by encapsulation "m"

(<https://standards.itih.ai>)

Document Preview

[IEC 60079-18:2025](https://standards.itih.ai/catalog/standards/iec/abc16c7e-8e43-4977-8ad1-17b5a45b6bd8/iec-60079-18-2025)

<https://standards.itih.ai/catalog/standards/iec/abc16c7e-8e43-4977-8ad1-17b5a45b6bd8/iec-60079-18-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

<https://standards.iteh.ai/catalog/standards/iec/abc16c7e-8e43-4977-8ad1-17b5a45b6bd8/iec-60079-18-2025>

<https://standards.iteh.ai/catalog/standards/iec/abc16c7e-8e43-4977-8ad1-17b5a45b6bd8/iec-60079-18-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 General requirements	11
4.1 Level of Protection (Equipment Protection Level (EPL))	11
4.2 Rated voltage and maximum prospective current	12
4.3 Additional requirements for Levels of Protection "ma" and "mb"	12
 4.3 Additional requirements for level of protection "ma"	12
 4.4 Rated voltage and prospective short circuit current	12
5 Requirements for compounds	12
5.1 General.....	12
5.2 Specification	12
5.3 Properties of the compound	13
5.3.1 Water absorption	13
5.3.2 Dielectric strength.....	13
6 Temperatures	13
6.1 General.....	13
6.2 Maximum surface temperature	13
6.3 Service temperature of the compound	14
 6.2 Determination of the limiting temperatures	13
 6.2.1 Maximum surface temperature	13
 6.2.2 Temperature of the compound	13
6.4 Temperature limitation of the "m" equipment.....	14
7 Constructional requirements	14
7.1 General.....	14
7.2 Determination of faults	15
7.2.1 Fault examination	15
7.2.2 Components considered as not subject to fail	15
7.2.3 Isolating components	16
7.2.4 Infallible separation distances.....	16
7.3 Free space in the encapsulation	17
7.3.1 Group III "m" Equipment	17
7.3.2 Group I and Group II "m" Equipment.....	18
7.4 Thickness of the compound.....	19
7.4.1 "m" Equipment.....	19
7.4.2 Windings for electrical machines.....	21
7.4.3 Rigid, multi-layer printed wiring boards with through connections	21
7.5 Switching contacts	22
7.5.1 General	22
7.5.2 Level of Protection "ma"	23
7.5.3 Level of Protection "mb"	23
7.5.4 Level of Protection "mc".....	23
7.6 External connections.....	23
7.6.1 General	23
 7.6.2 Additional requirements for "ma" equipment.....	23

iTech Standards
<https://standards.iteh.ai/>
 Document Preview
 IEC 60079-18:2025
<https://standards.iteh.ai/catalog/standards/iec/abc16c7e-8e43-4977-8ad1-17b5a45b6bd8/iec-60079-18-2025>

7.7	Protection of bare live parts	23
7.8	Cells and batteries	24
7.8.1	General	24
7.8.2	Prevention of gassing	24
7.8.3	Protection against inadmissible temperatures and damage to the cells or batteries	24
7.8.4	Reverse current	24
7.8.5	Current limitation	25
7.8.6	Protection against the polarity inversion and deep discharge of the cells	25
7.8.7	Charging of cells or batteries	25
7.8.8	Requirements for control safety devices for cells or batteries	26
7.9	Protective devices	26
7.9.1	General	26
7.9.2	Electrical protective devices	27
7.9.3	Thermal protective devices	28
7.9.4	Built-in protective devices	28
8	Type tests	28
8.1	Tests on the compound	28
8.1.1	Water absorption test	28
8.1.2	Dielectric strength test	29
8.2	Tests on the apparatus	29
8.2.1	Test sequence	29
8.2.2	Maximum temperature	29
8.2.3	Thermal endurance test	29
8.2.4	Dielectric strength test	30
8.2.5	Cable pull test	31
8.2.6	Pressure test for Group I and Group II electrical "m" Equipment	31
8.2.7	Test for resettable thermal protective device	32
8.2.8	Sealing test for built-in protective devices	33
9	Routine verifications and tests	33
9.1	Visual inspections	33
9.2	Dielectric strength test	33
10	Marking	34
	Annex A (informative) Basic requirements for compounds for "m" Equipment	35
	Annex B (informative) Allocation of test samples	36
	Annex C (normative) Dielectric strength test between circuits and environment	37
	C.1 General	37
	C.2 Batch test procedure	37
	Bibliography	38
	List of comments	39
	Figure 1 – Dimensional key for thickness through the compound	20
	Figure 2 – Minimum distances for multi-layer printed wiring boards	22
	Figure 3 – Fitting of blocking diodes	25
	Figure A.1 – Basic requirements for compounds for "m" Equipment	35
	Table 1 – Distances through the compound	17

Table 2 – Minimum thickness of compound adjacent to free space for Group III "m" Equipment 18

Table 3 – Minimum thickness of compound adjacent to free space for Group I and Group II "m" Equipment 19

Table 4 – Thickness of the compound 21

Table 5 – Minimum distances for multi-layer printed wiring boards 22

Table 6 – Test pressure 32

Table B.1 – Allocation of test samples 36

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60079-18:2025](https://standards.iteh.ai/catalog/standards/iec/abc16c7e-8e43-4977-8ad1-17b5a45b6bd8/iec-60079-18-2025)

<https://standards.iteh.ai/catalog/standards/iec/abc16c7e-8e43-4977-8ad1-17b5a45b6bd8/iec-60079-18-2025>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 18: Equipment protection by encapsulation "m"

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This commented version (CMV) of the official standard IEC 60079-18:2025 edition 5.0 allows the user to identify the changes made to the previous IEC 60079-18:2014+AMD1:2017 CSV edition 4.1. Furthermore, comments from IEC TC 31 experts are provided to explain the reasons of the most relevant changes, or to clarify any part of the content.

A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text. Experts' comments are identified by a blue-background number. Mouse over a number to display a pop-up note with the comment.

This publication contains the CMV and the official standard. The full list of comments is available at the end of the CMV.

IEC 60079-18 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2014 and Amendment 1:2017. This edition constitutes a technical revision.

This International Standard is to be used in conjunction with IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*.

Users of this document are advised that interpretation sheets clarifying the interpretation of this document can be published. Interpretation sheets are available from the IEC webstore and can be found in the "history" tab of the page for each document.

This edition includes the following significant technical changes with respect to the previous edition:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Specification has been extended for clarification. Curing conditions have been added	5.2b)			C1
Dielectric strength test according to ANSI/UL 746A has been added as alternative	5.3.2		X	
Restructure of Clause 6	6	X		
Deletion of the additional protective measures as they are given in IEC 60079-0	7.1	X		
For the Level of Protection "mc" faults need to be considered regarding the separation distances	7.2.1			C1
The NOTE was changed to an EXAMPLE for clarification of track failures	7.2.1	X		
Intermediate failure conditions for components are not considered	7.2.1	X		
Clarification made about faults	7.2.1	X		
Another possibility for the construction of transformer according to IEC 60079-7 EPL "eb" added	7.2.3		X	
Rating of component shall not be exceeded was added as clarification	7.5.1			C1
Additional enclosure changed to "arc chamber" housing	7.5.1, 7.5.2, 7.5.3	X		
Consideration of fault conditions has been added	7.5.2			C1
Additional requirements for "ma" Equipment deleted	Former 7.6.2	X		
NOTE 2 added for protection of bare live parts	7.7	X		
Note 1 and Note 2 have been changed to normative text for clarification	7.9.1	X		
Requirement regarding the thermal coupling moved from 7.9.3 to 7.9.1 as this is applicable for all temperature monitoring devices	7.9.1	X		
The surface temperature determination for EPL Da has been deleted, because this is given in IEC 60079-0	8.2.2	X		
Acceptance criteria for the Dielectric strength test aligned with the TC 31 Good Working Practice	8.2.4.2	X		