

Edition 4.0 2025-04

INTERNATIONAL STANDARD

Electrical installations in ships - Standards
Part 376: Cables for control and instrumentation circuits 150/250 V (300 V)

(https://standards.iteh.ai)

Document Preview

IEC 60092-376-2025

https://standards.iteh.ai/catalog/standards/jec/7ebdf72d-7500-461a-94f2-1a50fc5e2be4/jec-60092-376-2025





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Tel.: +41 22 919 02 11

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20

info@iec.ch www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

Preview

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 4.0 2025-04

INTERNATIONAL STANDARD

Electrical installations in ships - Standards

Part 376: Cables for control and instrumentation circuits 150/250 V (300 V)

Transaction

*

Document Preview

IEC 60092-376-2025

https://standards.iteh.ai/catalog/standards/iec/7ebdf72d-7500-461a-94f2-1a50fc5e2be4/iec-60092-376-2025

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 47.020.60 ISBN 978-2-8327-0372-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| F(| SKEWO | RD | 4 |
|----|----------|--|-------|
| 1 | Scop | e | 6 |
| 2 | Norm | native references | 6 |
| 3 | Term | s and definitions | 7 |
| 4 | | eral requirements | |
| • | 4.1 | Rated voltage | |
| | 4.1 | Markings | |
| | 4.2.1 | | |
| | 4.2.2 | 3 | |
| | 4.2.3 | , , | |
| 5 | | truction requirements | |
| Ū | 5.1 | General description | |
| | 5.1.1 | · | |
| | 5.1.1 | | |
| | 5.1.2 | | |
| | 5.1.4 | | |
| | 5.1.5 | • | |
| | 5.2 | Conductors | |
| | 5.3 | Insulation Item Stantuarus | |
| | 5.3.1 | | |
| | 5.3.2 | | 10 |
| | 5.3.3 | • • | |
| | 5.4 | Cabling | |
| | 5.4.1 | | |
| | 5.4.2 | | .11 |
| | an 5.4.3 | Forming pair, triple, or quad units 7500-461a-94f2-1a50fc5e2be4/iec-60092- | 376-2 |
| | 5.4.4 | | |
| | 5.4.5 | | |
| | 5.5 | Inner covering | |
| | 5.5.1 | General | . 12 |
| | 5.5.2 | Thickness of inner covering | .12 |
| | 5.6 | Screen | |
| | 5.6.1 | Individual screen | .12 |
| | 5.6.2 | Collective electrostatic screen | . 14 |
| | 5.7 | Inner sheath | . 14 |
| | 5.7.1 | Material | . 14 |
| | 5.7.2 | Application | . 15 |
| | 5.7.3 | Thickness of inner sheath | . 15 |
| | 5.8 | Braid armour | . 15 |
| | 5.8.1 | General | . 15 |
| | 5.8.2 | Braid wire diameter | . 15 |
| | 5.8.3 | Coverage density | . 15 |
| | 5.8.4 | Application of the armour | .16 |
| | 5.9 | Outer sheath | . 16 |
| | 5.9.1 | Material | . 16 |
| | 5.9.2 | Application | . 16 |
| | 593 | Thickness of outer sheath | 16 |

| 5.9.4 | Colour of outer sheath | 16 |
|------------|---|-----------------------|
| 5.10 | Construction for special applications | 16 |
| 5.10 | .1 Cables for installation in explosive atmosphere areas | 16 |
| 5.10 | · · | |
| | atmospheres | |
| | s – Methods and requirements | |
| 6.1 | General | |
| 6.2 | Tests on cables for installation in explosive atmospheres | 19 |
| 6.3 | Tests on cables for installation between areas with and without explosive atmospheres | 19 |
| Annex A | (informative) Core identification | |
| Annex B | (informative) Identification of cores of multicore cables | 22 |
| B.1 | Marking | 22 |
| B.2 | Arrangement of the marks | |
| B.3 | Spacing and dimensions of the marks | 22 |
| B.4 | Appearance of marking | 23 |
| Annex C | (informative) Number of cores, pair, triple or quad units | 24 |
| C.1 | Number of cores | 24 |
| C.2 | Number of pair, triple, or quad units | 24 |
| Bibliograp | ohy | 25 |
| | iTeh Standards | |
| Figure B. | 1 – Arrangement of the marks | 22 |
| Table 1 – | Electrical resistance of conductors | 10 |
| Table 2 – | Insulation thickness | 11 |
| Table 3 – | Thickness of inner covering | 12 |
| Table 4 | Drain wire requirements // 10/70hdf72d.7500.464a.04f2.4a50fa5a2ba4/iaa.60 | 0.092 13 6-202 |
| Table 5 – | Tests applicable to all cables | 17 |
| Table 6 – | Additional tests required for halogen-free cables | 19 |
| Table 7 – | Additional test required for low smoke cables | 19 |
| Table 8 – | Additional tests required for fire resistant cables | 19 |
| Table 9 – | Additional tests required for specific performances | 19 |
| | Additional test for cables for installation between areas with and without | |
| | atmospheres | 20 |
| Table A.1 | - Preferred colour code for single unit cables | 21 |
| Table B.1 | - Dimensions of the marks | 23 |