

INTERNATIONAL STANDARD



This full version of IEC 60335-2-40:2024 includes the content of the references made to IEC 60335-1:2020

**Household and similar electrical appliances – Safety –
Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and
dehumidifiers**

get full document from standards.iteh.ai



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 60335-2-40

Edition 8.0 2024-12
EXTENDED VERSION

INTERNATIONAL STANDARD



This full version of IEC 60335-2-40:2024 includes the content of the references made to IEC 60335-1:2020

**Household and similar electrical appliances – Safety –
Part 2-40: Particular requirements for electrical heat pumps, air-conditioners
and dehumidifiers**

get full document from standards.iteh.ai

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 23.120

ISBN 978-2-8327-0103-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Sample Document

get full document from standards.iteh.ai

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 60335-1 Edition 6.0 2020-09

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 1: General requirements

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this Interpretation Sheet is based on the following documents:

Draft	Report on voting
61/5999/DISH	61/6009/RVDISH

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

INTRODUCTION

Edition 6 of IEC 60335-1:2020 defines and introduces requirements for a detachable power supply part of an appliance. In the document, 24.2 prohibits the use of a power supply in a flexible cord.

QUESTION:

Does Subclause 24.2 prohibit the use of a detachable power supply part?

ANSWER

No, a "detachable power supply part" is a defined term and is not captured by the term "power supply" as used in Subclause 24.2.

NOTE A detachable power supply part is captured by the defined term when the output of the power supply part is detachable from the class III construction part of the appliance at:

- the power supply part, or
- the class III construction part of the appliance.

However, the supply cord (if any) does not have to be detachable from the detachable power supply part.

CONTENTS

FOREWORD.....	7
INTRODUCTION to IEC 60335-1:2020.....	10
INTRODUCTION to IEC 60335-2-40:2024.....	12
1 Scope.....	13
2 Normative references	14
3 Terms and definitions	20
4 General requirement.....	38
5 General conditions for the tests	38
6 Classification.....	43
7 Marking and instructions.....	44
8 Protection against access to live parts.....	57
9 Starting of motor-operated appliances	59
10 Power input and current.....	59
11 Heating.....	62
12 Charging of metal-ion batteries.....	69
13 Leakage current and electric strength at operating temperature.....	70
14 Transient overvoltages	73
15 Moisture resistance	74
16 Leakage current and electric strength.....	75
17 Overload protection of transformers and associated circuits	77
18 Endurance.....	78
19 Abnormal operation	78
20 Stability and mechanical hazards.....	94
21 Mechanical strength	95
22 Construction	98
23 Internal wiring.....	122
24 Components	124
25 Supply connection and external flexible cords	130
26 Terminals for external conductors.....	138
27 Provision for earthing	141
28 Screws and connections	143
29 Clearances, creepage distances and solid insulation	145
30 Resistance to heat and fire.....	154
31 Resistance to rusting	158
32 Radiation, toxicity and similar hazards.....	159
Annex A (informative) Routine tests	178
Annex B (normative) Battery-operated appliances, separable batteries and detachable batteries for battery-operated appliances	180
Annex C (normative) Ageing test on motors	201
Annex D (normative) Thermal motor protectors	202
Annex E (normative) Needle-flame test.....	203
Annex F (normative) Capacitors.....	204

Annex G (normative) Safety isolating transformers	206
Annex H (normative) Switches	207
Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance	209
Annex J (normative) Coated printed circuit boards	210
Annex K (informative) Overvoltage categories	211
Annex L (informative) Guidance for the measurement of clearances and creepage distances	212
Annex M (informative) Pollution degree	215
Annex N (normative) Proof tracking test.....	216
Annex O (informative) Selection and sequence of the tests of Clause 30	217
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates	222
Annex Q (informative) Sequence of tests for the evaluation of electronic circuits	224
Annex R (normative) Software evaluation	227
Annex S (informative) Guidance for the application of this standard on measurement of power input and current based on the requirements of 10.1 and 10.2 concerning the representative period	241
Annex T (normative) UV-C radiation effect on non-metallic materials	242
Annex U (normative) Appliances intended for remote communication through public networks	245
Annex V (informative) Examples for operating temperatures of the appliance	249
Annex W (normative) Selected information about refrigerants	250
Annex X (informative) Transportation, marking and storage for units that employ flammable refrigerants	254
Annex Y (normative) Requirements for installation, service, maintenance and repair, and decommissioning instructions of appliances using flammable refrigerants	255
Annex Z (normative) Pressure tests	264
Annex AA (normative) Leak simulation tests	266
Annex BB (normative) Charge limits, ventilation requirements and requirements for secondary circuits	268
Annex CC (informative) Competence of service personnel	302
Annex DD (Void)	305
Annex EE (normative) Allowable openings of relays and similar components to prevent ignition of A2L refrigerants	306
Annex FF (normative) Test method for hot surface ignition temperature for A2L	308
Annex GG (Void)	312
Annex HH (normative) Refrigerant sensor location confirmation test	313
Annex II (normative) Flame arrest enclosure verification test for A2L refrigerants	316
Annex JJ (Void)	318
Annex KK (normative) Leak detection system confirmation test for flammable refrigerants	319
Annex LL (normative) Methods for determining releasable charge	325
Bibliography	333
Index of defined terms	336
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction	161

Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction	162
Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction	163
Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction	164
Figure 5 – Small part	165
Figure 6 – Example of an electronic circuit with low-power points	165
Figure 7 – Test finger nail	166
Figure 8 – Flexing test apparatus	167
Figure 9 – Constructions of cord anchorages	168
Figure 10 – An example of parts of an earthing terminal	169
Figure 11 – Examples of clearances	170
Figure 12 – Example of the placement of the cylinder	171
Figure 13 – Small parts cylinder	172
Figure 14 – Example of a specified operating region of a lithium-ion cell during charging	173
Figure 101 – Example of label for field charged units	173
Figure 102 – Arrangement for heating test of appliances with supplementary air heater	175
Figure 103 – Supply circuit for locked-rotor test of a motor of the single-phase type	176
Figure 104 – Power spectral density profile for vibration test in 21.101	176
Figure 105 – Dimensional details for the weight in the area of the pressure ball	176
Figure 106 – Measurement before and after the test	177
Figure B.1 – Examples of battery-operated appliance constructions and application of normative Annex B (1 of 2)	198
Figure B.2 – Examples of correct polarity connection marking representing three batteries	200
Figure L.1 – Sequence for the determination of clearances	212
Figure L.2 – Sequence for the determination of creepage distances	213
Figure L.3 – Measurement of clearances	214
Figure O.1 – Tests for resistance to heat	217
Figure O.2 – Selection and sequence of tests for resistance to fire in hand-held appliances	218
Figure O.3 – Selection and sequence of tests for resistance to fire in attended appliances	218
Figure O.4 – Selection and sequence of tests for resistance to fire in unattended appliances	219
Figure O.5 – Some applications of the term "within a distance of 3 mm"	221
Figure Q.1 – Flowchart outlining the sequence of tests for the evaluation of electronic circuits (1 of 2)	225
Figure S.1 – Flowchart giving guidance on measurement of power input and current concerning the representative period	241
Figure GG.1 – Unventilated area	299
Figure GG.2 – Mechanical ventilation	299
Figure GG.3 – Relevant heights h_{inst} , h_0 and h_{rel} for calculation of A_{min} and m_{max}	300

Figure GG.4 – Airflow direction	301
Figure KK.1 – Front view of test apparatus labels	308
Figure KK.2 – Test apparatus with dimensions.....	309
Figure KK.3 – Top view of test apparatus.....	310
Table 1 – Power input deviation	60
Table 2 – Current deviation.....	61
Table 3 – Maximum normal temperature rises.....	66
Table 4 – Voltage for electric strength test.....	73
Table 5 – Characteristics of high-voltage sources	73
Table 6 – Impulse test voltage	74
Table 7 – Test voltages.....	77
Table 8 – Maximum winding temperature	81
Table 9 – Maximum abnormal temperature rise.....	87
Table 101 – Power spectral density profile for vibration test.....	97
Table 10 – Dimensions of cables and conduits.....	131
Table 11 – Minimum cross-sectional area of conductors	133
Table 12 – Pull force and torque	136
Table 13 – Nominal cross-sectional area of conductors	140
Table 14 – Torque for testing screws and nuts.....	144
Table 15 – Rated impulse voltage	146
Table 16 – Minimum clearances.....	146
Table 17 – Minimum creepage distances for basic insulation	150
Table 18 – Minimum creepage distances for functional insulation	152
Table 19 – Minimum thickness for accessible parts of reinforced insulation consisting of a single layer	153
Table 102 – UV-C spectral irradiance measurement location	160
Table A.1 – Test voltages	179
Table B.1 – Artificial source characteristics.....	182
Table B.2 – Total area of openings for metal-ion cells.....	190
Table B.3 – Volume of air injected at 2 070 kPa.....	190
Table C.1 – Test conditions	201
Table R.1 – General fault/error conditions.....	229
Table R.2 – Specific fault/error conditions.....	231
Table R.3 – Semi-formal methods	237
Table R.4 – Software architecture specification	237
Table R.5 – Module design specification	238
Table R.6 – Design and coding standards.....	239
Table R.7 – Software safety validation	239
Table T.1 – Minimum property retention limits after UV-C exposure	243
Table T.2 – Minimum electric strength for internal wiring after UV-C exposure	244
Table U.1 – Examples of acceptable measures against unauthorised access and transmission fault/error modes.....	247
Table AA.1 – Examples for operating temperatures of the appliance.....	249

Table BB.1 – Selected information about refrigerants	250
Table DD.1 – Mandatory clauses in each of the instructions	255
Table GG.1 – Outline of Annex GG	269
Table GG.2 – Circulation airflow	274
Table GG.3 – Appliance with packaging	281
Table GG.4 – Appliance without packaging	281
Table GG.5 – Minimum air velocity	294
Table GG.6 – Refrigerant leak rate ($\dot{m}_{\text{leak}}$)	297

Sample Document

get full document from standards.iteh.ai

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 60335-2-40:2024 EXV includes the content of IEC 60335-2-40:2024, and the references made to IEC 60335-1:2020.

The specific content of IEC 60335-2-40:2024 is displayed on a blue background.

IEC 60335-2-40 has been prepared by subcommittee 61D: Appliances for air-conditioning for household and similar purposes, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This eighth edition cancels and replaces the seventh edition published in 2022. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clause 12 : Part 1, Clause 12 has been made applicable;
- b) Clause 19: requirement added for **double wall heat exchangers** to be resistant against freezing;
- c) Clause 20: requirement modified for when to apply test probe 18;
- d) Clause 21: requirement added for **double wall heat exchangers** to resistant against the pressure of the refrigerant if one of the walls fails;
- e) Clause 22: requirement modified to reflect that appliances can operate continuously and can be operated remotely without giving rise to a hazard, and requirement added for **double wall heat exchangers** to be constructed to avoid refrigerant leaking into the secondary circuit;
- f) Annex LL has been deleted and replaced by a reference to IEC TS 63542:2024.

The text of this International Standard is based on the following documents:

Draft	Report on voting
61D/538/FDIS	61D/542/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2-40 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;

- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

The following differences of a less permanent nature exist in the countries indicated below:

- 6.1: Class 0I appliances are allowed (Japan).
- 11.8: The temperature of the wooden walls in the test casing is limited to 85 °C (Sweden).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION to IEC 60335-1:2020

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website –

www.iec.ch/tc61/supportingdocuments

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If the functions of an appliance are covered by different parts 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

Throughout this publication, when "part 2" is mentioned, it refers to the relevant part of IEC 60335.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

Individual countries may wish to consider the application of this standard, as far as is reasonable, to appliances not mentioned in a part 2, and to appliances designed on new principles. In this case, consideration should be given to defining normal operation, specifying the classification of the appliance according to Clause 6 and specifying whether the appliance is operated attended or unattended. Consideration should also be given to particular categories of likely users and to related specific risks such as access to live parts, hot surfaces or hazardous moving parts.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of this standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with this standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

Sample Document

get full document from standards.iteh.ai