

INTERNATIONAL STANDARD

EXTENDED VERSION

This full version of IEC 60704-2-20:2026 includes the content of the references made to IEC 60704-1:2021

**Household and similar electrical appliances - Test code for the determination of airborne acoustical noise -
Part 2-20: Particular requirements for wet hard floor cleaning appliances**

get full document from standards.iteh.ai



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	3
INTRODUCTION to IEC 60704-1:2021	5
INTRODUCTION to IEC 60704-2-20:2026	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
4 Measurement methods and acoustical environments	10
4.1 General.....	10
4.2 Direct method	10
4.3 Comparison method.....	11
4.4 Acoustical environments	12
4.4.1 General requirements and criterion for adequacy of the test environment.....	12
4.4.2 Criterion for background noise level.....	12
4.4.3 Environmental conditions.....	12
4.5 Measurement uncertainties	12
4.5.1 General	12
4.5.2 Standard deviations on repeatability and reproducibility and standard deviations related to declaration and verification	13
5 Instrumentation.....	13
5.1 Instrumentation for measuring acoustical data	13
5.2 Instrumentation for measuring climatic conditions	14
5.3 Instrumentation for measuring operating conditions	14
6 Operation and location of appliances under test	14
6.1 Equipping and pre-conditioning of appliances	14
6.2 Supply of electric energy and of water or gas.....	16
6.3 Climatic conditions.....	17
6.4 Loading and operating of appliances during tests.....	17
6.5 Location and mounting of appliances	18
7 Measurement of sound pressure levels.....	22
7.1 Microphone array, measurement surface and RSS location for essentially free field conditions over reflecting plane(s).....	22
7.2 Microphone array and RSS location in hard-walled test rooms	24
7.3 Microphone array and RSS location in special reverberation test rooms.....	24
7.4 Measurements	24
8 Calculation of sound pressure and sound power levels	25
8.1 General.....	25
8.2 Corrections for background noise levels.....	25
8.3 Corrections for the test environment	26
8.4 Calculation of sound pressure level averaged over the microphone positions.....	26
8.5 Calculation of sound power levels with the comparison method	27
8.6 Calculation of sound power levels in free field conditions over a reflecting plane	27
8.7 Calculation of A-weighted sound power level with the direct method in special reverberation test rooms	27
9 Information to be recorded.....	28
9.1 General data.....	28

9.2	Description of appliance under test	28
9.3	Measurement method	28
9.4	Acoustical test environment	29
9.5	Instrumentation	29
9.6	Equipment and pre-conditioning of appliance under test	29
9.7	Electric supply, water supply, etc.	29
9.8	Climatic conditions	29
9.9	Operation of the appliance under test	30
9.10	Location and mounting of the appliance under test	30
9.11	Microphone array	30
9.12	Measurement data	30
9.13	Calculated sound pressure and sound power levels	31
9.14	Reporting	31
10	Information to be reported	31
10.1	General data	31
10.2	Appliance under test	31
10.3	Test conditions for the appliance	31
10.4	Acoustical data	32
Annex A (normative)	Standard test table	33
Annex B (normative)	Test enclosure	34
Annex C (informative)	Guidelines for the design of simple test rooms with essentially free field conditions	35
Bibliography	36
Figure 101	– Appliance with cleaning head connected directly	20
Figure 102	– Appliance with the cleaning head connected by hose and connecting tube	21
Figure 4	– Measurement surface – hemisphere – with key microphone positions, for hand-held, table type and floor-treatment appliances	23
Table 1	– Standard deviations of sound power levels	13
Table 2	– Standard deviations for declaration and verification	13

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Household and similar electrical appliances -
Test code for the determination of airborne acoustical noise -
Part 2-20: Particular requirements for wet hard floor cleaning appliances**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 60704-2-20:2026 EXV includes the content of IEC 60704-2-20:2026 and the references made to IEC 60704-1:2021.

The specific content of IEC 60704-2-20:2026 is displayed on a blue background.

IEC 60704-2-20 has been prepared by subcommittee 59F: Surface cleaning appliances, of IEC technical committee 59: Performance of household and similar electrical appliances. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
59F/547/FDIS	59F/556/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is intended to be used in conjunction with IEC 60704-1:2021, *Household and similar electrical appliances - Test code for the determination of airborne acoustical noise – Part 1: General requirements*.

The relevant text of IEC 60704-1:2021 as amended by this document establishes the test code for **wet hard floor cleaners**.

This document supplements or modifies the corresponding clauses in IEC 60704-1:2021. When a particular subclause of IEC 60704-1:2021 is not mentioned in this document, that subclause is applicable as far as reasonable. Where this standard states "addition", "modification" or "replacement", the relevant requirements, test specifications or explanatory matter in IEC 60704-1:2021 should be adapted accordingly.

Subclauses, tables, and figures that are additional to those in Part 1 are numbered starting from 101. Additional annexes are lettered AA, BB, etc.

Unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause.

In this standard, the following print types are used:

- terms defined in Clause 3: bold type.

A list of all parts in the IEC 60704 series, published under the general title *Household and similar electrical appliances - Test code for the determination of airborne acoustical noise*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION to IEC 60704-1:2021

Although the noise emitted by household appliances does not generally present a hazard to the hearing of the operator and other exposed persons, the need for standardization procedures for the determination of the noise emitted has been recognized for a long time. Such procedures should be specified, not only for special types of appliances, but also the principles should be applicable to the majority of appliances in general use.

Generally, the determination of noise levels is only part of a comprehensive testing procedure covering many aspects of the properties and performances of the appliance. It is therefore important that the requirements for noise measurements (such as test environment, instrumentation, and amount of labour involved) be kept at a modest level.

The results of noise measurements are used for many purposes, for example for noise declaration, as well as for comparing the noise emitted by a specific appliance to the noise emitted by other appliances of the same family. In other cases, the results are taken as a basis for engineering action in the development stages of new pieces of equipment, or in deciding on means for sound insulation. For all purposes, it is important to specify procedures with known accuracy so that the results of measurements taken by different laboratories can be compared.

These conditions have, as far as possible, been taken into account in the preparation of this test code. The acoustic measuring methods are based on those described in ISO 3743-1:2010, ISO 3743-2:2018 and ISO 3744:2010.

The adoption of these methods permits the use of hemi-anechoic rooms, special reverberation test rooms and hard-walled test rooms. The result of the measurements is the sound power level of the appliance. Within the measuring uncertainty specific to these methods, the results from the determination under free field conditions over a reflecting plane are equal to those obtained in reverberant fields.

The use of intensity methods as described in ISO 9614-1:1993, ISO 9614-2:1996, and ISO 9614-3:2002 is applicable under special conditions, which are described in specific parts of the IEC 60704-2 series.

This test code is concerned with airborne noise only. In some cases, structure-borne noise, for example transmitted to the adjoining room, can be of importance.

INTRODUCTION to IEC 60704-2-20:2026

The measuring conditions specified in this document provide for sufficient accuracy in determining the noise emitted and comparing the results of measurements taken by different laboratories, whilst simulating as far as possible the practical use of **wet hard floor cleaners**.

It is recommended to consider the determination of noise levels as part of a comprehensive testing procedure covering many aspects of properties and performance of household **wet hard floor cleaners**.

NOTE As stated in the introduction to IEC 60704-1, this test code is concerned with airborne noise only.

Sample Document

get full document from standards.iteh.ai

1 Scope

This part of IEC 60704 applies to electric appliances (including their accessories or components) for household and similar use, supplied from mains or from batteries.

By "similar use" is understood the use in conditions similar to those found in households, for example in inns, coffee houses, tea rooms, hotels, barber or hairdresser shops, launderettes, etc., if not otherwise specified in the IEC 60704-2 series.

This document does not apply to

- appliances, equipment, or machines designed exclusively for industrial or professional purposes;
- appliances that are integrated parts of a building or its installations, such as equipment for air conditioning, heating and ventilating (except household fans, cooker hoods, free-standing heating appliances, dehumidifiers, air cleaners, and stand-alone water heaters), oil burners for central heating, pumps for water supply and for sewage systems;
- separate motors or generators and
- appliances exclusively for outdoor use.

For determining and verifying noise emission values declared in product specifications, see IEC 60704-3:2019.

This document specifies the determination of airborne acoustical noise of mains operated and cordless wet hard floor cleaning appliances for household or similar use. In the case of appliances with combined functionality, this document only addresses the wet cleaning functionality.

This document does not apply to wet hard floor cleaning appliances for industrial or professional purposes and robotic wet hard floor cleaning appliances.

NOTE 101 This document is not intended for cleaning appliances according to IEC 60335-2-79, IEC 60704-2-1, IEC 60704-2-17.

This document describes the determination of the noise emission of **wet hard floor cleaners** under normal operating conditions on hard floor in accordance with 4.6 of IEC/ASTM 62885-6:2023.

NOTE 102 For determining and verifying noise emission values declared in product specifications, see IEC 60704-3.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60704-2 (all parts), *Household and similar electrical appliances – Test code for the determination of airborne acoustical noise*

IEC 60704-3:2019, *Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 3: Procedure for determining and verifying declared noise emission values*

IEC 61260-1:2014, *Electroacoustics – Octave-band and fractional-octave-band filters – Part 1: Specifications*

IEC 61672-1:2013, *Electroacoustics – Sound level meters – Part 1: Specifications*

IEC/ASTM 62885-6:2023, *Surface cleaning appliances - Part 6: Wet hard floor cleaning appliances for household and similar use - Methods for measuring the performance*

ISO 3743-1:2010, *Acoustics – Determination of sound power levels of noise sources – Engineering methods for small, movable sources in reverberant fields – Part 1: Comparison method for hard-walled test rooms*

ISO 3743-2:2018, *Acoustics – Determination of sound power levels of noise sources using sound pressure – Engineering methods for small, movable sources in reverberant fields – Part 2: Methods for special reverberation test rooms*

ISO 3744:2010, *Acoustics – Determination of sound power levels of noise sources using sound pressure – Engineering method in an essentially free field over a reflecting plane*

ISO 9614-1:1993, *Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 1: Measurement at discrete points*

ISO 9614-2:1996, *Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 2: Measurement by scanning*

ISO 9614-3:2002, *Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 3: Precision method for measurement by scanning*

ISO 6926:2016, *Acoustics – Requirements for the performance and calibration of reference sound sources used for the determination of sound power levels*

ISO 12001:1996, *Acoustics – Noise emitted by machinery and equipment – Rules for the drafting and presentation of a noise test code*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply. Terms and definitions pertinent to the determination of sound power levels can be found in ISO 3743-1:2010, ISO 3743-2:2018 and ISO 3744:2010.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

measurement time interval

portion or a multiple of an operational period or operational cycle for which the sound power levels are determined

3.2

operational period

interval of time during which a specified process is accomplished by the appliance under test (for example, washing or rinsing or drying for a dishwasher)

3.3

operational cycle

specific sequence of operational periods occurring while the appliance under test performs a complete work cycle

Note 1 to entry: During the operational cycle, each operational period is associated with a specific process that can occur only once, or can be repeated (for example, washing and rinsing and drying for a dishwasher).

3.4

time history

continuous recording of the sound pressure level (for a distinct microphone position) as a function of time, which is obtained during one or more operational periods of an operational cycle

3.5

reference

box

hypothetical right parallelepiped terminating on the reflecting plane(s) on which the noise source under test is located, that just encloses the source including all the significant sound radiating components and any test table on which the source is mounted

[SOURCE: ISO 3744:2010, 3.10, modified – The note has been omitted.]

3.6

test enclosure

enclosure used for simulating the typical acoustic built-in or/and mounting conditions

3.101

wet hard floor cleaner

electrically operated appliance that removes wet or dry stains and soils (e.g. beverage and food stains, floor grime, etc.) from a hard floor surface to be cleaned by use of water alone, a detergent solution mix, or use of steam, and can employ an air flow created by a vacuum developed within the unit, the removed material being separated in the appliance and the cleaned suction air being returned to the ambient air

[SOURCE: IEC/ASTM 62885-6:2023, 3.1]

3.102

cordless wet hard floor cleaner

wet hard floor cleaner that is not mains-operated

Note 1 to entry: The term "cordless" is equivalent to "battery-operated" throughout the document.

[SOURCE: IEC/ASTM 62885-6:2023, 3.2]

3.103

steam cleaner

wet hard floor cleaner that uses steam, and generally employs a soft absorbent pad to transfer hot moisture to the floor surface and to absorb and remove the stains and soils

[SOURCE: IEC/ASTM 62885-6:2023, 3.3]

3.104

cleaning head

plain nozzle, pad, or brush attached to a **wet hard floor cleaner** that is applied to a surface to be cleaned

[SOURCE: IEC/ASTM 62885-6:2023, 3.4]

3.105

active nozzle

cleaning head provided with a driven agitation device to assist stain or soil removal

[SOURCE: IEC/ASTM 62885-6:2023, 3.5]

3.106**standard hard floor**

part of the floor on which the **wet hard floor cleaner** and its **cleaning head** is placed for the measurement

4 Measurement methods and acoustical environments**4.1 General**

This document is concerned with objective methods of engineering accuracy grade 2 in accordance with ISO 12001:1996 for determining sound power levels L_W , expressed in decibels (dB), with reference to a sound power of one picowatt (1 pW), of airborne acoustical noise within the specified frequency range of interest (generally including the octave-bands with centre frequencies from 125 Hz to 8 000 Hz), and for prescribed operating conditions of the appliance to be measured.

Methods for determining sound power levels with precision accuracy grade 1 in accordance with ISO 12001:1996, as specified for example in ISO 3741 and ISO 3745, are not included in this document. They may, however, be applied if the appropriate test environment and instrumentation are available.

NOTE 1 The noise values obtained under the described conditions of this document will not necessarily correspond to the noise experienced under the operational conditions of practical use.

NOTE 2 For quality control during production etc., simplified methods can be appropriate. For noise reduction purposes, other measurement methods employing, for example, narrow-band analysis or intensity techniques usually have to be applied. These methods are not covered by this document.

The total noise emitted by machinery or equipment and radiated in all directions to the space surrounding the machine can be characterized by the sound power of the machine. Within the accuracy range of this document, the sound power of a machine is basically independent of the environment in which the machine is installed

Therefore, the concept of sound power level has been chosen for expressing the noise emission of appliances for household and similar purposes.

The preferred noise emission quantity is the A-weighted sound power level, L_{WA} , in dB (re 1 pW).

According to this document, two principal methods exist, the direct method and the comparison method, as described in 4.2 and 4.3. These two methods can be used alternatively.

Different types of environments, as described in 4.4, may be used. A part of the IEC 60704-2 series may, if necessary, exclude one or several combinations among those available.

4.2 Direct method

The direct method can be used only for measurements in qualified test environments in accordance with ISO 3744:2010 for free field conditions over reflecting plane(s), and in accordance with ISO 3743-2:2018 for special reverberation test rooms.

With this method, the sound power level is determined

- in free field conditions over reflecting plane(s), from time-averaged sound pressure levels (on a mean-square basis) over the measurement surface and from the area of the measurement surface, S , or
- in reverberation and special reverberation test rooms, from averaged sound pressure levels, and from the reverberation time and the volume of the test room.

If for a measurement in a free field, reverberation or special reverberation room is not possible because the appliance cannot be placed or operated in such an environment, the intensity method in accordance with ISO 9614-1:1993, ISO 9614-2:1996, and ISO 9614-3:2002 shall be applied. For the intensity method, the standard deviations given in the parts of the IEC 60704-2 series and IEC 60704-3:2019 are not applicable unless stated explicitly.

These methods yield results expressed in A-weighted sound power levels (and in octave- or 1/3 octave-band sound power levels, if required) that are calculated directly from measured sound pressure levels.

NOTE This method can also be used in conjunction with more precise methods, such as those given in ISO 3741 and ISO 3745.

If audible discrete tones are present in the noise emitted by the source, the estimated standard deviation of the measured sound pressure levels in the special reverberation room can increase. In such cases additional microphone positions or source positions can be necessary, as specified in ISO 3743-2.

If an operator is necessary, it is considered as part of the test environment. Therefore, the operator shall be present also during the reverberation time measurement with the RSS. The position of the operator shall be approximately at the same position as in the measurement with the test sample.

4.3 Comparison method

The comparison method for measurement is explicitly described in ISO 3743-1:2010 and in ISO 3743-2:2018.

NOTE The term "comparison method" is not explicitly given in ISO 3744:2010, but when applying the "absolute comparison test" for the determination of the environmental correction given in A.3 of ISO 3744:2010, by using a reference sound source, the procedure is, in fact, a comparison method.

With this method, the sound power level is determined by comparing the averaged values (on a mean-square basis) of the sound pressure levels produced by the source in the test room to the averaged values of the sound pressure levels produced in the same room by a calibrated reference sound source (RSS) of known sound power output, complying with the requirements of ISO 6926:2016. The difference in sound pressure levels is equal to the difference in sound power levels when conditions are the same for both sets of measurements.

This method yields results expressed in octave- or 1/3 octave-band sound power levels, and the A-weighted sound power level is calculated from the octave- or 1/3 octave-band sound power levels.

To check whether there is a systematic difference between results obtained in different environments, the use of the comparison method is recommended.

If audible discrete tones are present in the noise emitted by the source, the estimated standard deviation of the measured sound pressure levels in the hard-walled test room or in the special reverberation room can increase. In such cases, additional microphone positions or source positions can be necessary, as specified in ISO 3743-1 or ISO 3743-2.

If an operator is necessary, it is considered as part of the test environment. Therefore, the operator shall be present also during the comparison measurement with the RSS. The position of the operator shall be approximately at the same position as in the measurement with the test sample.

4.4 Acoustical environments

4.4.1 General requirements and criterion for adequacy of the test environment

They are given in the following clauses:

- Clause 4 of ISO 3743-1:2010 for hard-walled test rooms;
- Clause 5 of ISO 3743-2:2018 for special reverberation test rooms and
- Clause 4 of ISO 3744:2010 for free-field conditions over a reflecting plane.

A classification of different types of noise is given in ISO 12001:1996. The method specified in ISO 3744:2010 is suitable for measurements of all types of noise emitted by household appliances. The methods specified in ISO 3743-1:2010 and ISO 3743-2:2018 are suitable for all types of noise, except for sources of impulsive noise consisting of short-duration noise bursts. This will be taken into account in the preparation of parts of the IEC 60704-2 series.

The method specified in ISO 3744:2010 is applicable to noise sources of any size. Limitations for the size of the source are given in 4.2 of ISO 3743-1:2010 and in Clause 5 of ISO 3743-2:2018. This will be taken into account in the preparation of parts of the IEC 60704-2 series.

NOTE For free-field conditions over a reflecting plane, the absolute comparison test for the qualification of the environment, described in Clause A.2 of ISO 3744:2010, is preferred.

Guidelines for the design of simple test rooms with free-field conditions are given in Annex C.

Guidelines for the design of a suitable special reverberation test room are given in ISO 3743-2:2018, Annex A.

The methods specified in ISO 3743-1, ISO 3743-2 and ISO 3744 can be used for measuring noise emitted by **wet hard floor cleaners**.

4.4.2 Criterion for background noise level

Requirements for the background noise level are given in 4.5 of ISO 3743-1:2010, in 6.5 of ISO 3743-2:2018 and in 4.2 of ISO 3744:2010. Averaged over the microphone positions, the background noise level shall be at least 6 dB below, and preferably more than 15 dB below, the sound pressure level to be measured.

NOTE If the difference between the sound pressure levels of the background noise and the appliance noise is less than 6 dB, see 8.2.

4.4.3 Environmental conditions

Environmental conditions having an adverse effect on the microphone used for the measurements (for example, strong electric or magnetic fields, wind, impingement of air discharge from the equipment being tested, high or low temperatures) shall be avoided by proper selection or positioning of the microphone.

The instructions of the manufacturers of the measurement instruments regarding adverse environmental conditions shall be followed. The microphone shall always be oriented in such a way that the angle of incidence of the sound waves is that for which the microphone is calibrated.

4.5 Measurement uncertainties

4.5.1 General

The estimated values of the standard deviations of reproducibility of sound power levels determined in accordance with this document are given in 9.1 of ISO 3743-1:2010, in 11.1 of ISO 3743-2:2018 and in 9.1 of ISO 3744:2010. But for a particular family of appliances of

similar size with similar operating conditions, the standard deviations of reproducibility can be smaller than these values. Hence, in the IEC 60704-2 series, standard deviations smaller than those listed in ISO standards can be stated if substantiation is available from the results of suitable interlaboratory tests.

In the case of discrepancies between the measurements where the results normally remain inside the foreseen standard deviation, it can be helpful to perform measurements according to the upper grade of accuracy: grade 1, laboratory or precision, as described in ISO 3741 or ISO 3745.

4.5.2 Standard deviations on repeatability and reproducibility and standard deviations related to declaration and verification

For **wet hard floor cleaners** the estimated values of standard deviations of sound power levels determined in accordance with this document are provided in Table 1.

Table 1 – Standard deviations of sound power levels

Standard deviation (dB)	
σ_r (repeatability)	σ_R (reproducibility)
0,5	1,0
NOTE The values are derived from the results of a round robin test (RRT) conducted in 2025 with 6 different wet hard floor cleaners in 10 participating laboratories.	

For the purpose of determining and verifying declared noise emission values for **wet hard floor cleaners**, in accordance with IEC 60704-3, the following values provided in Table 2 apply:

Table 2 – Standard deviations for declaration and verification

Standard deviation (dB)		
σ_P (production)	σ_t (total)	σ_M (reference)
1,0 to 1,7	1,3 to 2,0	2,0

NOTE 101 The values of standard deviations in Table 2 are not verified and under further consideration.

5 Instrumentation

5.1 Instrumentation for measuring acoustical data

Requirements for the instrumentation system and for its calibration are given in Clause 5 of ISO 3743-1:2010, in Clause 7 of ISO 3743-2:2018 and in Clause 5 of ISO 3744:2010.

The instrumentation system shall meet the requirements for a type 1 instrument laid down in IEC 61672-1:2013, in accordance with the basic standard used. For measurements in octave- and 1/3 octave-bands, the instrumentation system shall meet the requirements of IEC 61260-1:2014.

RSS shall meet the requirements of ISO 6926:2016, and shall be calibrated annually.

The use of windscreens is recommended. If necessary, the observed sound pressure level shall be corrected for changes in the microphone sensitivity, in accordance with the instructions accompanying the instrumentation.