



Edition 4.0 2025-08

INTERNATIONAL STANDARD

EXTENDED VERSION

This full version of IEC 60730-2-11:2025 includes the content of the references made to IEC 60730-1:2022

Automatic electrical controls - h Standards
Part 2-11: Particular requirements for energy regulators
(https://standards.iteh.ai)
Document Preview

IEC 60730-2-11:2025

https://standards.iteh.ai/catalog/standards/iec/86e3826c-56c5-4a4a-adcf-dacdd95039ee/iec-60730-2-11-2025



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

IEC 60730-2-11:2025

https://standards.iteh.ai/catalog/standards/jec/86e3826c-56c5-4a4a-adcf-dacdd95039ee/jec-60730-2-11-202

CONTENTS

F	FOREWORD		
1	Sco	pe	12
2	. Nori	mative references	13
3	Terr	ms and definitions	17
	3.1	Definitions relating to ratings, voltages, currents, frequencies, and wattages	17
	3.2	Definitions of types of control according to purpose	
	3.3	Definitions relating to the function of controls	
	3.4	Definitions relating to disconnection and interruption	
	3.5	Definitions of types of control according to construction	
	3.6	Definitions of type of automatic action of a control	27
	3.7	Definitions relating to protection against electric shock and type of insulation.	28
	3.8	Definitions relating to component parts of controls	32
	3.9	Definitions of types of terminals and terminations of controls	33
	3.10	Definitions relating to the connections to controls	35
	3.11	Definitions relating to the performance of type 2 actions	36
	3.12	Definitions relating to the requirements for creepage distances and	
		clearances	
	3.13	Miscellaneous definitions	
	3.14	Definitions relating to manufacturer and user	
	3.15	Definitions pertaining to thermistors	
	3.16	Definitions relating to the structure of controls using software	
	3.17	Definitions relating to error avoidance in controls using software	39
	3.18	Definitions relating to fault/error control techniques for controls using software	39
	3.19	Definitions relating to memory tests for controls using software	
	3.20	Definitions of software terminology – General	
	3.21	Definitions relating to classes of control functions	
	3.22	Definitions relating to functional safety	30-2-11-2 39
	3.23	Definitions related to access to data exchange	
	3.24	Definitions related to EMC performance	
4	Gen	ieral	
	4.1	General structure of the document	
	4.2	General requirements	
	4.3	General notes on tests	
5	Req	uired technical information	47
	5.1	General requirements	
	5.2	Methods of providing technical information	
	5.3	Class II symbol	
	5.4	Additional requirements for marking	
	5.5	Warning or cautionary markings	
6	Prot	tection against electric shock	
	6.1	General requirements	57
	6.2	Actuating members and actuating means	
	6.3	Capacitors	
	6.4	Covers and uninsulated live or hazardous parts	
	6.5	Battery operated controls provided with a user accessible mains supply input	
		connector	61

7	Provi	sion for protective earthing	61
7.	.1	Class 0I and Class I controls	61
7.	.2	Class II and class III controls	61
7.	.3	Adequacy of earth connections	61
7.	.4	Corrosion resistance	62
7.	.5	Other requirements	63
7.	.6	Protective equipotential bonding	63
8	Term	inals and terminations	63
8.	.1	Terminals and terminations for external copper conductors	63
8.	.2	Terminals and terminations for internal conductors	
8.	.3	Terminals and terminations for integrated conductors	70
9	Cons	tructional requirements	70
9.	.1	Materials	70
9.		Protection against electric shock	
9.		Actuation and operation	
9.		Actions	
9.		Openings in enclosures	
9.		Mounting of controls	
9.		Attachment of cords	
9.		Size of cords – non-detachable	
9.		Inlet openings	
9.	.10	Equipment inlets and socket-outlets	83
9.	.11	Requirements during mounting, use, maintenance and servicing	
9.	.12	Controls using software	
9.	.13	Protective controls and components of protective control systems	
10	Threa	aded parts and connections	
1(0.1	Threaded parts moved during mounting or servicing	91
10	0.2	Current-carrying connections and connections providing protective earthing	
		continuity:log/sfandards/iec/86e3826c-56c5-4a4a-adcf-dacdd95039ee/iec-6073	0-2931-202
11	Cree	page distances, clearances and distances through solid insulation	94
1	1.1	General	94
1	1.2	Clearances	94
1	1.3	Creepage distances	98
1	1.4	Solid insulation	
12	Comp	oonents	103
1:	2.1	Transformers	103
	2.2	Switch mode power supplies and converters	
	2.3	Capacitors	
		Fuses	
12		Varistors	
12	2.6	Thermistors	
	2.7	Relays	
	2.8	Other components	
		assessment on electronic circuits	
	3.1	Fault assessment for inherent safety	
	3.2	Fault assessment to ensure functional safety	
	_	ture and dust resistance	
	4.1		
14	+. I	Protection against ingress of water and dust	111

14.2	Protection against numid conditions	112
14.3	Touch current test for in-line cord controls and free-standing controls	113
15 Elect	ric strength and insulation resistance	114
15.1	Insulation resistance	114
15.2	Electric strength	
15.3	Additional tests for in-line cord and free-standing controls	
	ing	
	Energy regulators for use in or on cooking appliances	
	ufacturing deviation and drift	
	•	
	onmental stress	
18.1	Transportation and storage	
18.2	Environmental stress of temperature	
19 Endu	ırance	122
19.1	General requirements	122
19.2	Electrical conditions for the tests	124
19.3	Thermal conditions for the tests	129
19.4	Manual and mechanical conditions for the tests	129
19.5	Dielectric strength requirements	130
19.6	Ageing test	130
19.7	Overvoltage test or overload test in all countries using an overload test of	
	automatic action at accelerated rate	
19.8	Test of automatic action at accelerated rate	
19.9	Test of automatic action at slow rate	131
19.10	Overvoltage test or overload test in all countries that use the overload test of	
	manual action at accelerated speed	
	Test of manual action at slow speed	132
19.12	Test of manual action at high speed which has multiple poles, and where polarity reversal occurs during the action	132
//sta 19.13	Test of manual action at accelerated speed	30.1321
19.14	Evaluation of compliance	133
19.15	Test for particular purpose controls	133
20 Mech	nanical strength	133
20.1	General requirements	
20.2	Impact resistance	
20.3	Free-standing controls	
20.4	In-line cord controls	
20.5	Pull-cord actuated controls	
20.6	Foot actuated controls	
20.7	Actuating member and actuating means	
20.8	Flexing – test	
20.9	Cord anchorages – test	
	Push-and-turn or pull-and-turn actuation	
	stance to heat, fire and tracking	
21.1	General requirements	
21.1	Integrated, incorporated and in-line cord controls	
21.2	Independently mounted, free-standing controls	
	stance to corrosion	
22.1	Resistance to rusting	141

23 Elec	etromagnetic compatibility (EMC) requirements – Emission	141
23.1	General requirement	141
23.2	High frequency emission	
23.3	Low frequency emission	
24 Nori	mal operation	145
25 Elec	tromagnetic compatibility (EMC) requirements – Immunity	145
25.1	General	145
25.2	EMC test plan and report	
25.3	Immunity requirements	148
25.4	Performance criteria	
25.5	Surge immunity test	152
25.6	Electrical fast transient immunity test	
25.7	Radio-frequency electromagnetic field immunity	
25.8	Electrostatic discharge	
25.9	Immunity to power-frequency magnetic fields	153
25.10	Test of the influence of voltage dips and voltage interruption in the power	
00 41	supply network	
	ormal operation tests	
26.1	Abnormal temperature test	
26.2	Overload tests	
26.3	Battery short-circuit test	
	(normative) Indelibility of markings	
	(normative) Measurement of creepage distances and clearances in air	175
	(informative) Nominal voltages of supply systems for different modes of age control	179
	(normative) Overvoltage categories	
Annex E	(informative) Typical usage of controls and related overvoltage categories	182
Annex F	(normative) Pollution degrees	183
F.1	Pollution Pollution	0730-2-11-20 183
F.2	Degrees of pollution in the micro-environment	
	(normative) Resistance to heat, fire and tracking tests	
G.1	Glow-wire test	
G.2	Proof tracking test	
G.3	Ball pressure test	
	(normative) Requirements related to functional safety	
H.3	Terms and definitions	186
H.5	Information	
H.9	Constructional requirements	
H.13	Fault assessment on electronic circuits	215
H.17	Manufacturing deviation and drift	
H.19	Endurance	
H.25	Electromagnetic compatibility (EMC) requirements – Immunity	221
Annex I (normative) Requirements for certain types of DC supplied controls	234
1.1	Scope	234
Annex J	(normative) Requirements for thermistor elements and controls using	
J.1		
* * * *	Scope	
Annex K	(normative) Circuit for measuring touch current	∠ეე

Annex L (normative) Printed circuit board coating performance test	254
Annex M (normative) Printed circuit board protection	256
Annex N (informative) Explanatory notes for surge immunity test	259
N.1 Different source impedances	259
N.2 Application of the tests	259
N.3 Installation classification	
Annex O (informative) Guidance for applying Clause 11	
Annex P (normative) Requirements for SELV and PELV	266
P.1 Overview of the requirements for SELV and PELV	
P.2 Protection against electric shock by SELV system or PELV system	
P.3 Protective measures for SELV system and PELV system	267
Annex Q (informative) Regional differences relevant for the member countries of Cenelec	269
Annex R (informative) National differences relevant in the United States of America	
R.2 Normative references	
Annex S (informative) National differences relevant in Japan	
S.2 Normative references	
Annex T (informative) National differences relevant in Canada	
T.2 Normative references	
Bibliography	
Figure 2 – Structure of the document with respect to inherent safety and functional safety	
Figure 4 – Test pin probe 13 of IEC 61032:1997	
Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail)730-2-1 158
Figure 7 – Impact test for free-standing controls	
Figure 8 – Tumbling barrel	
Figure 9 – Apparatus for testing durability of markings on rating labels	
Figure 10 – Apparatus for flexing test	
Figure 11 – Screw terminals and stud terminals	
Figure 12 – Pillar terminals	
Figure 13 – Mantle terminals	
Figure 14 – Saddle and lug terminals	
Figure 15 – Tabs	
Figure 16 – Tabs for non-reversible connectors	
Figure 17 – Receptacles	
Figure 18 – Measurement of creepage distance and clearance	108
Figure 19 – Diagram for touch current measurement at operating temperature for single-phase connection of class II controls	169
single-phase connection of controls other than class II	169
three-phase connection of class II controls	170