



Edition 4.0 2025-08

INTERNATIONAL STANDARD

EXTENDED VERSION

This full version of IEC 60730-2-13:2025 includes the content of the references made to IEC 60730-1:2022

Automatic electrical controls - h Standards
Part 2-13: Particular requirements for humidity sensing controls
(https://standards.iteh.ai)
Document Preview

IEC 60730-2-13:2025

https://standards.iteh.ai/catalog/standards/iec/f28d3e76-5725-477c-94d5-8acda3804f84/iec-60730-2-13-2025

IEC 60730-2-13:2025-08 EXV(en)

ICS 97.120 ISBN 978-2-8327-0671-8



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

<u>IEC 60730-2-13:2025</u>

2-2-13-2013/https://standards.iteh.ai/catalog/standards/iec/f28d3e76-5725-477c-94d5-8acda3804f84/iec

CONTENTS

FC	REWO)RD	9
1	Scop	oe	12
2	Norm	native references	13
3	Term	ns and definitions	17
	3.1	Definitions relating to ratings, voltages, currents, frequencies, and wattages	17
	3.2	Definitions of types of control according to purpose	
	3.3	Definitions relating to the function of controls	
	3.4	Definitions relating to disconnection and interruption	25
	3.5	Definitions of types of control according to construction	26
	3.6	Definitions of type of automatic action of a control	28
	3.7	Definitions relating to protection against electric shock and type of insulation	28
	3.8	Definitions relating to component parts of controls	32
	3.9	Definitions of types of terminals and terminations of controls	33
	3.10	Definitions relating to the connections to controls	35
	3.11	Definitions relating to the performance of type 2 actions	36
	3.12	Definitions relating to the requirements for creepage distances and	
		clearances	
	3.13	Miscellaneous definitions	
	3.14	Definitions relating to manufacturer and user	
	3.15	Definitions pertaining to thermistors	
	3.16	Definitions relating to the structure of controls using software	
	3.17	Definitions relating to error avoidance in controls using software	
	3.18	Definitions relating to fault/error control techniques for controls using software	39
	3.19	Definitions relating to memory tests for controls using software	
	3.20	Definitions of software terminology – General	
	3,21	TBC 617311_7_131/3	
	3.22	Definitions relating to classes of control functions Definitions relating to functional safety	40
	3.23	Definitions related to access to data exchange	
	3.24	Definitions related to EMC performance	40
4	Gene	eral	42
	4.1	General structure of the document	42
	4.2	General requirements	4
	4.3	General notes on tests	
5	Requ	uired technical information	
	5.1	General requirements	4
	5.2	Methods of providing technical information	
	5.3	Class II symbol	
	5.4	Additional requirements for marking	
	5.5	Warning or cautionary markings	
6		ection against electric shock	
	6.1	General requirements	
	6.2	Actuating members and actuating means	
	6.3	Capacitors	
	6.4	Covers and uninsulated live or hazardous parts	
	6.5	Battery operated controls provided with a user accessible mains supply input	
	3.0	connector	6

7	Prov	rision for protective earthing	61
	7.1	Class 0I and Class I controls	61
	7.2	Class II and class III controls	61
	7.3	Adequacy of earth connections	61
	7.4	Corrosion resistance	62
	7.5	Other requirements	63
	7.6	Protective equipotential bonding	63
8	Tern	ninals and terminations	63
	8.1	Terminals and terminations for external copper conductors	63
	8.2	Terminals and terminations for internal conductors	
	8.3	Terminals and terminations for integrated conductors	
9		structional requirements	
	9.1	Materials	
	9.2	Protection against electric shock	
	9.3	Actuation and operation	
	9.4	Actions	
	9.5	Openings in enclosures	
	9.6	Mounting of controls	
	9.7	Attachment of cords	
	9.8	Size of cords – non-detachable	
	9.9	Inlet openings	
	9.10	Equipment inlets and socket-outlets	
	9.11	Requirements during mounting, use, maintenance and servicing	
	9.12	Controls using software	
	9.13	Protective controls and components of protective control systems	
10		eaded parts and connections	
10	10.1	·	
		Threaded parts moved during mounting or servicing	90
	10.2 andards	Current-carrying connections and connections providing protective earthing continuity	730-923-202
11		epage distances, clearances and distances through solid insulation	
-		General	
	11.2	Clearances	
	11.3	Creepage distances	
	11.4	Solid insulation	
15		ponents	
12			
	12.1 12.2	Transformers	
	12.2	Switch mode power supplies and converters	
	12.3	Capacitors Fuses	
	12.4	Varistors	
	12.5	Thermistors	
	12.7	Relays	
	12.7	Other components	
13		t assessment on electronic circuits	
13			
	13.1	Fault assessment for inherent safety	
4 .	13.2	Fault assessment to ensure functional safety	
14		sture and dust resistance	
	14.1	Protection against ingress of water and dust	111

	14.2	Protection against humid conditions	112
	14.3	Touch current test for in-line cord controls and free-standing controls	113
15	Elect	tric strength and insulation resistance	114
	15.1	Insulation resistance	114
	15.2	Electric strength	
	15.3	Additional tests for in-line cord and free-standing controls	
16		ing	
17		ufacturing deviation and drift	
18		ronmental stress	
	18.1	Transportation and storage	
	18.2	Environmental stress of temperature	
19		Jrance	
	19.1	General requirements	
	19.2	Electrical conditions for the tests	
	19.3	Thermal conditions for the tests	
	19.4	Manual and mechanical conditions for the tests	
	19.5	Dielectric strength requirements	
	19.6	Ageing test	131
	19.7	Overvoltage test or overload test in all countries using an overload test of automatic action at accelerated rate	131
	19.8	Test of automatic action at accelerated rate	
	19.9	Test of automatic action at slow rate	
	19.10	Overvoltage test or overload test in all countries that use the overload test of manual action at accelerated speed	
	19.11	Test of manual action at slow speed	
	19.12	DACHMENI PREVIEW	
	19 13	Test of manual action at accelerated speed	
		Evaluation of compliance	
		Test for particular purpose controls	
20		nanical strength	
_	20.1	General requirements	
	20.1	Impact resistance	
	20.3	Free-standing controls	
	20.4	In-line cord controls	
	20.5	Pull-cord actuated controls	
	20.6	Foot actuated controls	
	20.7	Actuating member and actuating means	
	20.8	Flexing – test	
	20.9	Cord anchorages – test	
		stance to heat, fire and tracking	
	21.1	General requirements	
	21.1	Integrated, incorporated and in-line cord controls	
	21.2	Independently mounted, free-standing controls	
		stance to corrosion	
	22.1	Resistance to rusting	
		_	
		tromagnetic compatibility (EMC) requirements – Emission	
	23.1	General requirement	141

23.2	High frequency emission	142
23.3	Low frequency emission	145
24 Nor	mal operation	145
25 Elec	stromagnetic compatibility (EMC) requirements – Immunity	145
25.1	General	145
25.2	EMC test plan and report	
25.3	Immunity requirements	
25.4	Performance criteria	
25.5	Surge immunity test	
25.6	Electrical fast transient immunity test	
25.7	Radio-frequency electromagnetic field immunity	
25.8	Electrostatic discharge	
25.9	Immunity to power-frequency magnetic fields	
25.10	Test of the influence of voltage dips and voltage interruption in the power supply network	
26 Abn	ormal operation tests	
26.1	Abnormal temperature test	
26.2	Overload tests	
26.3	Battery short-circuit test	
	(normative) Indelibility of markings	
	(normative) Measurement of creepage distances and clearances in air	
	(informative) Nominal voltages of supply systems for different modes of	170
overvolta	age control	
Annex D	(normative) Overvoltage categories	181
Annex E	(informative) Typical usage of controls and related overvoltage categories	182
Annex F	(normative) Pollution degrees	183
F.1	Pollution	183
. // . F. 2	Degrees of pollution in the micro-environment	
Annex G	(normative) Resistance to heat, fire and tracking tests	184
G.1	Glow-wire test	184
G.2	Proof tracking test	
G.3	Ball pressure test	
	(normative) Requirements related to functional safety	
H.3	Terms and definitions	
H.5	Information	
H.9	Constructional requirements	
H.13	Fault assessment on electronic circuits	
H.17	Manufacturing deviation and drift	
H.19	Endurance	
H.25	Electromagnetic compatibility (EMC) requirements – Immunity	
	(normative) Requirements for certain types of DC supplied controls	
I.1	Scope	
Annex J	(normative) Requirements for thermistor elements and controls using	
ther	mistors	
J.1	Scope	241
Annex K	(normative) Circuit for measuring touch current	258
Annex L	(normative) Printed circuit board coating performance test	259
Annex M	(normative) Printed circuit board protection	261
	·	

Annex N (informative) Explanatory notes for surge immunity test	264
N.1 Different source impedances	264
N.2 Application of the tests	264
N.3 Installation classification	
Annex O (informative) Guidance for applying Clause 11	
Annex P (normative) Requirements for SELV and PELV	
P.1 Overview of the requirements for SELV and PELV	271
P.2 Protection against electric shock by SELV system or PELV system	
P.3 Protective measures for SELV system and PELV system	272
Annex Q (informative) Regional differences relevant for the member countries of Cenelec	27/
Q.2 Normative references	
Annex R (informative) National differences relevant in the United States of America	
R.2 Normative references	
Annex S (informative) National differences relevant in Japan	
S.2 Normative references	
Annex T (informative) National differences relevant in Canada	
T.2 Normative references	
Annex AA (normative) Independently mounted and in-line cord controls	
Bibliography	
iTeh Standards	202
Figure 1 – Example of ports	40
Figure 2 – Structure of the document with respect to inherent safety and functional	
safety	43
3aicty	
I LOOLINGONT UNOVIOUS	
Figure 3 – Example of an electronic circuit with low power points	106
Figure 3 – Example of an electronic circuit with low power points	106
Figure 3 – Example of an electronic circuit with low power points	106
Figure 3 – Example of an electronic circuit with low power points. Figure 4 – Test pin probe 13 of IEC 61032:1997. Figure 5 – Test finger probe B of IEC 61032:1997. Figure 6 – Test fingernail.	106 156 157
Figure 3 – Example of an electronic circuit with low power points. Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls	106 156 157 158 159
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel	106 156 157 158 159
Figure 3 – Example of an electronic circuit with low power points. Figure 4 – Test pin probe 13 of IEC 61032:1997. Figure 5 – Test finger probe B of IEC 61032:1997. Figure 6 – Test fingernail. Figure 7 – Impact test for free-standing controls. Figure 8 – Tumbling barrel. Figure 9 – Apparatus for testing durability of markings on rating labels.	106 156 157 158 159 159
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test	106 156 157 158 159 159 160
Figure 3 – Example of an electronic circuit with low power points. Figure 4 – Test pin probe 13 of IEC 61032:1997. Figure 5 – Test finger probe B of IEC 61032:1997. Figure 6 – Test fingernail. Figure 7 – Impact test for free-standing controls. Figure 8 – Tumbling barrel. Figure 9 – Apparatus for testing durability of markings on rating labels. Figure 10 – Apparatus for flexing test. Figure 11 – Screw terminals and stud terminals.	106156157158159159160160161
Figure 3 – Example of an electronic circuit with low power points. Figure 4 – Test pin probe 13 of IEC 61032:1997. Figure 5 – Test finger probe B of IEC 61032:1997. Figure 6 – Test fingernail. Figure 7 – Impact test for free-standing controls. Figure 8 – Tumbling barrel. Figure 9 – Apparatus for testing durability of markings on rating labels. Figure 10 – Apparatus for flexing test. Figure 11 – Screw terminals and stud terminals. Figure 12 – Pillar terminals.	106157158159160160161162
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test Figure 11 – Screw terminals and stud terminals Figure 13 – Mantle terminals Figure 13 – Mantle terminals	106156157158159159160161161162163
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test Figure 12 – Pillar terminals Figure 13 – Mantle terminals Figure 14 – Saddle and lug terminals	106156157158159160161162163164
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test Figure 11 – Screw terminals and stud terminals Figure 12 – Pillar terminals Figure 13 – Mantle terminals Figure 14 – Saddle and lug terminals Figure 15 – Tabs	106156157158159160160161162163164165
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test Figure 11 – Screw terminals and stud terminals Figure 12 – Pillar terminals Figure 13 – Mantle terminals Figure 15 – Tabs. Figure 16 – Tabs for non-reversible connectors	106156157158159160161161163164165166
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test Figure 11 – Screw terminals and stud terminals Figure 12 – Pillar terminals Figure 13 – Mantle terminals Figure 14 – Saddle and lug terminals Figure 15 – Tabs Figure 16 – Tabs for non-reversible connectors Figure 17 – Receptacles	106156157158159160161162163164165166
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test Figure 11 – Screw terminals and stud terminals Figure 12 – Pillar terminals Figure 13 – Mantle terminals Figure 14 – Saddle and lug terminals Figure 15 – Tabs Figure 16 – Tabs for non-reversible connectors Figure 17 – Receptacles Figure 18 – Measurement of creepage distance and clearance	106156157158159160161162163164165166
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test Figure 11 – Screw terminals and stud terminals Figure 12 – Pillar terminals Figure 13 – Mantle terminals Figure 14 – Saddle and lug terminals Figure 15 – Tabs Figure 16 – Tabs for non-reversible connectors Figure 17 – Receptacles	106156157158159160161162163164165165166167
Figure 3 – Example of an electronic circuit with low power points Figure 4 – Test pin probe 13 of IEC 61032:1997 Figure 5 – Test finger probe B of IEC 61032:1997 Figure 6 – Test fingernail Figure 7 – Impact test for free-standing controls Figure 8 – Tumbling barrel Figure 9 – Apparatus for testing durability of markings on rating labels Figure 10 – Apparatus for flexing test Figure 11 – Screw terminals and stud terminals Figure 12 – Pillar terminals Figure 13 – Mantle terminals Figure 14 – Saddle and lug terminals Figure 15 – Tabs Figure 16 – Tabs for non-reversible connectors Figure 17 – Receptacles Figure 18 – Measurement of creepage distance and clearance Figure 19 – Diagram for touch current measurement at operating temperature for	106156157158159160161162163164165166166167168